

Fernando Navarro-Mateu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3941440/publications.pdf>

Version: 2024-02-01

85
papers

8,924
citations

101496

36
h-index

48277

88
g-index

90
all docs

90
docs citations

90
times ranked

11411
citing authors

#	ARTICLE	IF	CITATIONS
1	Childhood adversities and suicidal behavior in the general population. The cross-sectional PEGASUS-Murcia Project. <i>Revista De Psiquiatría Y Salud Mental</i> , 2024, 17, 11-18.	1.0	3
2	Antidepressant use in low- middle- and high-income countries: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2023, 53, 1583-1591.	2.7	8
3	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. <i>Psychological Medicine</i> , 2022, 52, 1948-1958.	2.7	23
4	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. <i>International Journal of Mental Health Systems</i> , 2022, 16, 6.	1.1	3
5	Dementia Risk Score for a Population in Southern Europe Calculated Using Competing Risk Models. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 1751-1762.	1.2	1
6	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2079-2095.	1.6	7
7	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2022, 21, 272-286.	4.8	16
8	Determinants of effective treatment coverage for major depressive disorder in the WHO World Mental Health Surveys. <i>International Journal of Mental Health Systems</i> , 2022, 16, .	1.1	1
9	The association of telomere length with substance use disorders: a systematic review and meta-analysis of observational studies. <i>Addiction</i> , 2021, 116, 1954-1972.	1.7	13
10	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. <i>Psychological Medicine</i> , 2021, 51, 2104-2116.	2.7	21
11	Perceived helpfulness of bipolar disorder treatment: Findings from the World Health Organization World Mental Health Surveys. <i>Bipolar Disorders</i> , 2021, 23, 565-583.	1.1	7
12	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021, 288, 199-209.	2.0	9
13	Concentrations of bisphenol-A in adults from the general population: A systematic review and meta-analysis. <i>Science of the Total Environment</i> , 2021, 775, 145755.	3.9	32
14	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021, 21, 392.	1.1	10
15	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021, 229, 109158.	1.6	3
16	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e70.	1.8	3
17	Pre-marital predictors of marital violence in the WHO World Mental Health (WMH) Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 393-405.	1.6	2
18	The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. <i>Addictive Behaviors</i> , 2020, 102, 106128.	1.7	108

#	ARTICLE	IF	CITATIONS
19	Incidence of Dementia and Associated Factors in the EPIC-Spain Dementia Cohort. Journal of Alzheimer's Disease, 2020, 78, 543-555.	1.2	11
20	Perceived helpfulness of treatment for posttraumatic stress disorder: Findings from the World Mental Health Surveys. Depression and Anxiety, 2020, 37, 972-994.	2.0	12
21	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. Psychological Medicine, 2020, , 1-10.	2.7	1
22	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. Epidemiology and Psychiatric Sciences, 2020, 29, e153.	1.8	67
23	Suicidio y demencia: revisi3n sistem4tica y metaan4lisis. Revista De Psiquiatr4a Y Salud Mental, 2020, 13, 213-227.	1.0	6
24	Findings From World Mental Health Surveys of the Perceived Helpfulness of Treatment for Patients With Major Depressive Disorder. JAMA Psychiatry, 2020, 77, 830.	6.0	53
25	Mental disorders and medical conditions associated with causing injury or death: A population-based study. Psychiatry Research, 2020, 287, 112899.	1.7	2
26	Las transiciones en el uso de alcohol en una cohorte de nacimiento-sexo en la poblaci3n general: el proyecto transversal PEGASUS-Murcia. Revista De Psicología De La Salud, 2020, 32, 94.	0.2	2
27	Concordance between the diagnostic guidelines for alcohol and cannabis use disorders in the draft ICD11 and other classification systems: analysis of data from the WHO's World Mental Health Surveys. Addiction, 2019, 114, 534-552.	1.7	36
28	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. International Journal of Drug Policy, 2019, 71, 103-112.	1.6	45
29	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. BMC Medicine, 2019, 17, 101.	2.3	24
30	Cross-national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. Addiction, 2019, 114, 1446-1459.	1.7	27
31	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder. JAMA Psychiatry, 2019, 76, 708.	6.0	27
32	A comparison of DSM-5 and DSM-IV agoraphobia in the World Mental Health Surveys. Depression and Anxiety, 2019, 36, 499-510.	2.0	22
33	Childhood adversities and 5-HTTLPR polymorphism as risk factors of substance use disorders: retrospective case-control study in Murcia (Spain). BMJ Open, 2019, 9, e030328.	0.8	1
34	Modification of the risk of post-traumatic stress disorder (PTSD) by the 5-HTTLPR polymorphisms after Lorca's earthquakes (Murcia, Spain).. Psychiatry Research, 2019, 282, 112640.	1.7	3
35	The association of telomere length with substance use disorders: systematic review and meta-analysis protocol. Systematic Reviews, 2019, 8, 298.	2.5	4
36	Ascertainment of Dementia Cases in the Spanish European Prospective Investigation into Cancer and Nutrition-Murcia Cohort. Neuroepidemiology, 2019, 52, 63-73.	1.1	6

#	ARTICLE	IF	CITATIONS
37	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018, 48, 2730-2739.	2.7	27
38	Psychotic experiences and religiosity: data from the <scp>WHO</scp> World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 306-315.	2.2	27
39	Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 207-219.	1.6	17
40	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. <i>Depression and Anxiety</i> , 2018, 35, 195-208.	2.0	318
41	Complementary and alternative medicine contacts by persons with mental disorders in 25 countries: results from the World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2018, 27, 552-567.	1.8	47
42	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. <i>Addiction</i> , 2018, 113, 924-934.	1.7	56
43	The cross-national structure of mental disorders: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2018, 48, 2073-2084.	2.7	46
44	Post-traumatic stress disorder associated with sexual assault among women in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018, 48, 155-167.	2.7	69
45	Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. <i>Psychological Medicine</i> , 2018, 48, 437-450.	2.7	28
46	The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. <i>Molecular Psychiatry</i> , 2018, 23, 1892-1899.	4.1	52
47	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. <i>Psychological Medicine</i> , 2018, 48, 1560-1571.	2.7	274
48	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. <i>Schizophrenia Research</i> , 2018, 201, 46-53.	1.1	20
49	Association of <i>DSM-IV</i> Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017, 74, 270.	6.0	179
50	Substance dependence among those without symptoms of substance abuse in the World Mental Health Survey. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	1.1	13
51	The association between psychotic experiences and disability: results from the <scp>WHO</scp> World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 74-84.	2.2	58
52	Fear and distress disorders as predictors of heart disease: A temporal perspective. <i>Journal of Psychosomatic Research</i> , 2017, 96, 67-75.	1.2	13
53	Posttraumatic stress disorder in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017, 47, 2260-2274.	2.7	675
54	The cross-national epidemiology of specific phobia in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017, 47, 1744-1760.	2.7	148

#	ARTICLE	IF	CITATIONS
55	Cross-sectional Comparison of the Epidemiology of <i>DSM-5</i> Generalized Anxiety Disorder Across the Globe. JAMA Psychiatry, 2017, 74, 465.	6.0	274
56	Undertreatment of people with major depressive disorder in 21 countries. British Journal of Psychiatry, 2017, 210, 119-124.	1.7	664
57	Posttraumatic stress disorder associated with unexpected death of a loved one: Cross-national findings from the world mental health surveys. Depression and Anxiety, 2017, 34, 315-326.	2.0	33
58	Post-traumatic stress disorder associated with natural and human-made disasters in the World Mental Health Surveys. Psychological Medicine, 2017, 47, 227-241.	2.7	110
59	Trauma and psychotic experiences: transnational data from the World Mental Health Survey. British Journal of Psychiatry, 2017, 211, 373-380.	1.7	82
60	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. World Psychiatry, 2017, 16, 299-307.	4.8	160
61	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. JAMA Psychiatry, 2017, 74, 1136.	6.0	75
62	Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. British Journal of Psychiatry, 2017, 211, 280-288.	1.7	118
63	Trauma and PTSD in the WHO World Mental Health Surveys. HÅrgre Utbildning, 2017, 8, 1353383.	1.4	801
64	The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. ADHD Attention Deficit and Hyperactivity Disorders, 2017, 9, 47-65.	1.7	507
65	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. BMC Medicine, 2017, 15, 143.	2.3	258
66	Post-Traumatic Stress Disorder and other mental disorders in the general population after Lorcaâ€™s earthquakes, 2011 (Murcia, Spain): A cross-sectional study. PLoS ONE, 2017, 12, e0179690.	1.1	14
67	Post-traumatic stress disorder associated with life-threatening motor vehicle collisions in the WHO World Mental Health Surveys. BMC Psychiatry, 2016, 16, 257.	1.1	34
68	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. Schizophrenia Bulletin, 2016, 42, 933-941.	2.3	94
69	The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium. Psychological Medicine, 2016, 46, 327-343.	2.7	777
70	A Crossâ€National Examination of Differences in Classification of Lifetime Alcohol Use Disorder Between <sc>DSM</sc>â€IV</sc> and <sc>DSM</sc>â€5: Findings from the World Mental Health Survey. Alcoholism: Clinical and Experimental Research, 2016, 40, 1728-1736.	1.4	35
71	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. Depression and Anxiety, 2016, 33, 1155-1177.	2.0	144
72	The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. American Journal of Psychiatry, 2016, 173, 997-1006.	4.0	176

#	ARTICLE	IF	CITATIONS
73	Association of Mental Disorders With Subsequent Chronic Physical Conditions. <i>JAMA Psychiatry</i> , 2016, 73, 150.	6.0	372
74	Prevalence of Mental Disorders in the South-East of Spain, One of the European Regions Most Affected by the Economic Crisis: The Cross-Sectional PEGASUS-Murcia Project. <i>PLoS ONE</i> , 2015, 10, e0137293.	1.1	33
75	Psychotic Experiences in the General Population. <i>JAMA Psychiatry</i> , 2015, 72, 697.	6.0	387
76	Anxious and non-anxious major depressive disorder in the World Health Organization World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2015, 24, 210-226.	1.8	355
77	How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2014, 13, 265-274.	4.8	194
78	Associations Between Subjective Social Status and DSM-IV Mental Disorders. <i>JAMA Psychiatry</i> , 2014, 71, 1400.	6.0	101
79	Cultural adaptation of the Latin American version of the World Health Organization Composite International Diagnostic Interview (WHO-CIDI) (v 3.0) for use in Spain. <i>Gaceta Sanitaria</i> , 2013, 27, 325-331.	0.6	32
80	Epidemiology and genetics of common mental disorders in the general population: the PEGASUS-Murcia project. <i>BMJ Open</i> , 2013, 3, e004035.	0.8	10
81	Time trends and geographical variations in mortality due to suicide and causes of undetermined intent in Spain, 1991-2008. <i>Journal of Public Health</i> , 2013, 35, 237-245.	1.0	29
82	Meta-Analyses of the 5-HTTLPR Polymorphisms and Post-Traumatic Stress Disorder. <i>PLoS ONE</i> , 2013, 8, e66227.	1.1	54
83	New regulations regarding Postgraduate Medical Training in Spain: perception of the tutor's role in the Murcia Region. <i>BMC Medical Education</i> , 2010, 10, 44.	1.0	4
84	Urbanization and psychosis: a study of 1942-1978 birth cohorts in The Netherlands. <i>Psychological Medicine</i> , 1998, 28, 871-879.	2.7	258
85	Explaining sex differences in course and outcome in the functional psychoses. <i>Schizophrenia Research</i> , 1996, 21, 161-170.	1.1	23