

# Betty Benrey

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3942305/publications.pdf>

Version: 2024-02-01

76  
papers

3,148  
citations

201674

27  
h-index

168389

53  
g-index

78  
all docs

78  
docs citations

78  
times ranked

2697  
citing authors

#	ARTICLE	IF	CITATIONS
1	THE SLOW-GROWTH&#x2013;HIGH-MORTALITY HYPOTHESIS: A TEST USING THE CABBAGE BUTTERFLY. <i>Ecology</i> , 1997, 78, 987-999.	3.2	407
2	Crop Domestication and Its Impact on Naturally Selected Trophic Interactions. <i>Annual Review of Entomology</i> , 2015, 60, 35-58.	11.8	316
3	Arthropod pest resurgence: an overview of potential mechanisms. <i>Crop Protection</i> , 1995, 14, 3-18.	2.1	206
4	Effects of plant metabolites on the behavior and development of parasitic wasps. <i>Ecoscience</i> , 1998, 5, 321-333.	1.4	202
5	Biological Control of <i>Anastrepha</i> spp. (Diptera: Tephritidae) in Mango Orchards through Augmentative Releases of <i>Diachasmimorpha longicaudata</i> (Ashmead) (Hymenoptera: Braconidae). <i>Biological Control</i> , 2000, 18, 216-224.	3.0	143
6	The Effects of Domestication of Brassica and Phaseolus on the Interaction between Phytophagous Insects and Parasitoids. <i>Biological Control</i> , 1998, 11, 130-140.	3.0	129
7	Aggregation facilitates larval growth in the neotropical nymphalid butterfly <i>Chlosyne janais</i> . <i>Ecological Entomology</i> , 1997, 22, 133-141.	2.2	120
8	Host Species and Host Plant Effects on Preference and Performance of <i>Diachasmimorpha longicaudata</i> (Hymenoptera: Braconidae). <i>Environmental Entomology</i> , 2000, 29, 87-94.	1.4	110
9	Functional Response and Superparasitism by <i>Diachasmimorpha longicaudata</i> (Hymenoptera: Braconidae), a Parasitoid of Fruit Flies (Diptera: Tephritidae). <i>Annals of the Entomological Society of America</i> , 2000, 93, 47-54.	2.5	90
10	Assessing larval food quality for phytophagous insects: are the facts as simple as they appear?. <i>Functional Ecology</i> , 2006, 20, 592-600.	3.6	83
11	Grape variety affects larval performance and also female reproductive performance of the European grapevine moth <i>Lobesia botrana</i> (Lepidoptera: Tortricidae). <i>Bulletin of Entomological Research</i> , 2006, 96, 205-212.	1.0	68
12	Ancient and recent evolutionary history of the bruchid beetle, <i>Acanthoscelides obtectus</i> Say, a cosmopolitan pest of beans. <i>Molecular Ecology</i> , 2005, 14, 1015-1024.	3.9	53
13	Larval host plant origin modifies the adult oviposition preference of the female European grapevine moth <i>Lobesia botrana</i> . <i>Die Naturwissenschaften</i> , 2008, 95, 317-324.	1.6	47
14	Complex tritrophic interactions in response to crop domestication: predictions from the wild. <i>Entomologia Experimentalis Et Applicata</i> , 2015, 157, 40-59.	1.4	47
15	Bio-inoculation of yerba mate seedlings ( <i>Ilex paraguariensis</i> St. Hill.) with native plant growth-promoting rhizobacteria: a sustainable alternative to improve crop yield. <i>Biology and Fertility of Soils</i> , 2015, 51, 749-755.	4.3	46
16	Back to the Origin: In Situ Studies Are Needed to Understand Selection during Crop Diversification. <i>Frontiers in Ecology and Evolution</i> , 2017, 5, .	2.2	45
17	The influence of plants on insect parasitoids. , 1998, , 55-82.		42
18	Host plant cultivar of the grapevine moth <i>Lobesia botrana</i> affects the life history traits of an egg parasitoid. <i>Biological Control</i> , 2009, 50, 117-122.	3.0	40

#	ARTICLE	IF	CITATIONS
19	Grape variety affects female but also male reproductive success in wild European grapevine moths. <i>Ecological Entomology</i> , 2007, 32, 747-753.	2.2	38
20	Behavior and performance of a specialist and a generalist parasitoid of bruchids on wild and cultivated beans. <i>Biological Control</i> , 2004, 30, 220-228.	3.0	37
21	Changes in plant growth and seed production in wild lima bean in response to herbivory are attenuated by parasitoids. <i>Oecologia</i> , 2018, 187, 447-457.	2.0	36
22	Cascading effects of early season herbivory on late season herbivores and their parasitoids. <i>Ecology</i> , 2016, 97, 1283-1297.	3.2	34
23	Species diversity of larval parasitoids of the European grapevine moth ( <i>Lobesia botrana</i> , Lepidoptera: Tj ETQq1 1 0,784314 rgBT /Over	3.0	33
24	QUES, a new <i>Phaseolus vulgaris</i> genotype resistant to common bean weevils, contains the Arcelin-8 allele coding for new lectin-related variants. <i>Theoretical and Applied Genetics</i> , 2013, 126, 647-661.	3.6	33
25	Specificity of induced defenses, growth, and reproduction in lima bean ( <i>Phaseolus lunatus</i> ) in response to multispecies herbivory. <i>American Journal of Botany</i> , 2015, 102, 1300-1308.	1.7	33
26	Oviposition Behavior and Conspecific Host Discrimination in <i>Diachasmimorpha longicauda</i> (Hymenoptera: Braconidae), a Fruit Fly Parasitoid. <i>Biocontrol Science and Technology</i> , 2003, 13, 683-690.	1.3	32
27	Variation in Cyanogenic Glycosides Across Populations of Wild Lima Beans ( <i>Phaseolus lunatus</i> ) Has No Apparent Effect on Bruchid Beetle Performance. <i>Journal of Chemical Ecology</i> , 2014, 40, 468-475.	1.8	32
28	Phytoalexins, Resistance Traits, and Domestication Status in <i>Phaseolus coccineus</i> and <i>Phaseolus lunatus</i> . <i>Journal of Chemical Ecology</i> , 1997, 23, 1997-2011.	1.8	28
29	The influence of plant species on attraction and host acceptance in <i>Cotesia glomerata</i> (Hymenoptera: Tj ETQq1 1 0,784314 rgBT /Over	0.7	28
30	Phylogenetic relationships in the Neotropical bruchid genus <i>Acanthoscelides</i> (Bruchinae, Bruchidae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.4	24
31	Differential Susceptibility of Wild and Cultivated Blueberries to an Invasive Frugivorous Pest. <i>Journal of Chemical Ecology</i> , 2019, 45, 286-297.	1.8	24
32	Sibling species of bean bruchids: a morphological and phylogenetic study of <i>Acanthoscelides obtectus</i> Say and <i>Acanthoscelides obvelatus</i> Bridwell. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2005, 43, 29-37.	1.4	23
33	Induced Floral and Extrafloral Nectar Production Affect Antipollinator Interactions and Plant Fitness. <i>Biotropica</i> , 2016, 48, 342-348.	1.6	23
34	Contrasting consequences of plant domestication for the chemical defenses of leaves and seeds in lima bean plants. <i>Basic and Applied Ecology</i> , 2018, 31, 10-20.	2.7	23
35	Bottom-Up and Top-Down Effects Influence Bruchid Beetle Individual Performance but Not Population Densities in the Field. <i>PLoS ONE</i> , 2013, 8, e55317.	2.5	23
36	ANTHROPOGENIC EFFECTS ON POPULATION GENETICS OF PHYTOPHAGOUS INSECTS ASSOCIATED WITH DOMESTICATED PLANTS. <i>Evolution; International Journal of Organic Evolution</i> , 2007, 61, 2986-2996.	2.3	22

#	ARTICLE	IF	CITATIONS
37	Plant defence responses to volatile alert signals are population-specific. <i>Oikos</i> , 2016, 125, 950-956.	2.7	21
38	Horismenus species (Hymenoptera: Eulophidae) in a bruchid beetle parasitoid guild, including the description of a new species. <i>Zootaxa</i> , 2004, 548, 1-16.	0.5	20
39	Differences in nutritional quality of parts of <i>Vitis vinifera</i> berries affect fitness of the European grapevine moth. <i>Entomologia Experimentalis Et Applicata</i> , 2006, 119, 93-99.	1.4	20
40	Pollination efficiency of native and invading Africanized bees in the tropical dry forest annual plant, <i>Kallstroemia grandiflora</i> Torr ex Gray. <i>Apidologie</i> , 1997, 28, 11-16.	2.0	19
41	Attraction of flower visitors to plants that express indirect defence can minimize ecological costs of ant-pollinator conflicts. <i>Journal of Tropical Ecology</i> , 2010, 26, 555-557.	1.1	19
42	The potential of native parasitoids for the control of Mexican bean beetles: A genetic and ecological approach. <i>Biological Control</i> , 2008, 47, 289-297.	3.0	18
43	Uncovering Cryptic Parasitoid Diversity in <i>Horismenus</i> (Chalcidoidea, Eulophidae). <i>PLoS ONE</i> , 2015, 10, e0136063.	2.5	17
44	Effects of plant intraspecific diversity across three trophic levels: Underlying mechanisms and plant traits. <i>American Journal of Botany</i> , 2016, 103, 1810-1818.	1.7	17
45	Population Genetic Structure of <i>Acanthoscelides obtectus</i> and <i>A. obvelatus</i> (Coleoptera: Tj ETQq1 1 0.784314 rgBT/O Entomological Society of America, 2000, 93, 1100-1107.	2.5	16
46	Ecological distribution and niche segregation of sibling species: the case of bean beetles, <i>Acanthoscelides obtectus</i> Say and <i>A. obvelatus</i> Bridwell. <i>Ecological Entomology</i> , 2006, 31, 582-590.	2.2	15
47	The Large Seed Size of Domesticated Lima Beans Mitigates Intraspecific Competition among Seed Beetle Larvae. <i>Frontiers in Ecology and Evolution</i> , 2017, 5, .	2.2	15
48	Effects of early-season insect herbivory on subsequent pathogen infection and ant abundance on wild cotton ( <i>Gossypium hirsutum</i> ). <i>Journal of Ecology</i> , 2019, 107, 1518-1529.	4.0	15
49	Non-crop habitats serve as a potential source of spotted-wing drosophila (Diptera: Drosophilidae) to adjacent cultivated highbush blueberries (Ericaceae). <i>Canadian Entomologist</i> , 2020, 152, 474-489.	0.8	15
50	Plant species variation in bottom-up effects across three trophic levels: a test of traits and mechanisms. <i>Ecological Entomology</i> , 2015, 40, 676-686.	2.2	14
51	Patterns of oviposition by <i>Sandia xami</i> (Lepidoptera, Lycaenidae) in relation to food plant apparency. <i>Ecological Entomology</i> , 1988, 13, 71-79.	2.2	13
52	Phylogeographic support for horizontal gene transfer involving sympatric bruchid species. <i>Biology Direct</i> , 2006, 1, 21.	4.6	12
53	Effects of seed type and bruchid genotype on the performance and oviposition behavior of <i>Zabrotes subfasciatus</i> (Coleoptera: Bruchidae). <i>Insect Science</i> , 2006, 13, 309-318.	3.0	12
54	Population genetic structure of two primary parasitoids of <i>Spodoptera frugiperda</i> (Lepidoptera), <i>Chelonus insularis</i> and <i>Campoletis sonorensis</i> (Hymenoptera): to what extent is the host plant important?. <i>Molecular Ecology</i> , 2010, 19, 2168-2179.	3.9	12

#	ARTICLE	IF	CITATIONS
55	Parasitoids of leaf herbivores enhance plant fitness and do not alter caterpillar-induced resistance against seed beetles. <i>Functional Ecology</i> , 2020, 34, 586-596.	3.6	12
56	The interaction between host and host plant influences the oviposition and performance of a generalist ectoparasitoid. <i>Entomologia Experimentalis Et Applicata</i> , 2021, 169, 133-144.	1.4	12
57	Inconsistent genetic structure among members of a multitrophic system: did bruchid parasitoids ( <i>Horismenus</i> spp.) escape the effects of bean domestication?. <i>Bulletin of Entomological Research</i> , 2013, 103, 182-192.	1.0	11
58	Bottom-up control of geographic variation in insect herbivory on wild cotton ( <i>Gossypium</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	1.7	11
59	Altered capsaicin levels in domesticated chili pepper varieties affect the interaction between a generalist herbivore and its ectoparasitoid. <i>Journal of Pest Science</i> , 2022, 95, 735-747.	3.7	10
60	Interpopulation Variation in a Larval Parasitoid of Bruchids, <i>Stenocorse bruchivora</i> (Hymenoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5	1.4	9
61	Isolation and characterization of polymorphic microsatellite loci in <i>Acanthoscelides obvelatus</i> Bridwell (Coleoptera: Bruchidae). <i>Molecular Ecology Notes</i> , 2002, 3, 12-14.	1.7	8
62	Role of cyanogenic glycosides in the seeds of wild lima bean, <i>Phaseolus lunatus</i> : defense, plant nutrition or both?. <i>Planta</i> , 2019, 250, 1281-1292.	3.2	8
63	Host density and parasitoid presence interact and shape the outcome of a tritrophic interaction on seeds of wild lima bean. <i>Scientific Reports</i> , 2019, 9, 18591.	3.3	8
64	Inter- and intraspecific genetic variation and differentiation in the sibling bean weevils <i>Zabrotes subfasciatus</i> and <i>Z. sylvestris</i> (Coleoptera: Bruchidae) from Mexico. <i>Bulletin of Entomological Research</i> , 2002, 92, 185-189.	1.0	6
65	Isolation and characterization of polymorphic microsatellite loci in <i>Lobesia botrana</i> Den. & Schiff. (Lepidoptera: Tortricidae). <i>Molecular Ecology Notes</i> , 2003, 3, 117-119.	1.7	5
66	Microsatellite markers in a complex of <i>Horismenus</i> sp. (Hymenoptera: Eulophidae), parasitoids of bruchid beetles. <i>Molecular Ecology Notes</i> , 2004, 4, 707-709.	1.7	5
67	Isolation and characterization of polymorphic microsatellite markers in <i>Zabrotes subfasciatus</i> Boheman (Coleoptera: Bruchidae). <i>Molecular Ecology Notes</i> , 2004, 4, 752-754.	1.7	5
68	The effect of host plant and isolation on the genetic structure of phytophagous insects: A preliminary study on a bruchid beetle. <i>European Journal of Entomology</i> , 2010, 107, 299-304.	1.2	5
69	The effect of squash domestication on a belowground tritrophic interaction. <i>Plant-Environment Interactions</i> , 2022, 3, 28-39.	1.5	5
70	Isolation and characterization of polymorphic microsatellite loci in <i>Acanthoscelides obtectus</i> Say (Coleoptera: Bruchidae). <i>Molecular Ecology Notes</i> , 2004, 4, 683-685.	1.7	4
71	Squash Varieties Domesticated for Different Purposes Differ in Chemical and Physical Defense Against Leaf and Root Herbivores. <i>Frontiers in Agronomy</i> , 2021, 3, .	3.3	4
72	Species of <i>Horismenus</i> Walker (Hymenoptera: Eulophidae) associated with bruchid beetles (Coleoptera: Chrysomelidae: Bruchinae), including five new species. <i>Zootaxa</i> , 2019, 4585, zootaxa.4585.1.10.	0.5	3

#	ARTICLE	IF	CITATIONS
73	Herbivory and jasmonate treatment affect reproductive traits in wild Lima bean, but without transgenerational effects. <i>American Journal of Botany</i> , 2021, 108, 2096-2104.	1.7	3
74	First Insights into the Chemical Ecology of an Invasive Pest: Olfactory Preferences of the Viburnum Leaf Beetle (Coleoptera: Chrysomelidae). <i>Environmental Entomology</i> , 2020, 49, 364-369.	1.4	1
75	Domestication of Chili Pepper Has Altered Fruit Traits Affecting the Oviposition and Feeding Behavior of the Pepper Weevil. <i>Insects</i> , 2021, 12, 630.	2.2	1
76	Top-down cascading effects of seed-feeding beetles and their parasitoids on plants and leaf herbivores. <i>Functional Ecology</i> , 0, , .	3.6	1