
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3943936/publications.pdf Version: 2024-02-01



Δρμας ανι Διτιν

#	Article	IF	CITATIONS
1	Relationship Between Melatonin and Cardiovascular Disease. Cureus, 2021, 13, e12935.	0.5	8
2	The importance of health literacy and health communication: Evaluation of delayed admission time to hospital in women during myocardial infarction in Turkey in terms of gender inequality. Turk Kardiyoloji Dernegi Arsivi, 2021, 49, 88-93.	0.5	1
3	The importance of evaluating coronary sinus blood flow during the coronary sinus reducer treatment. International Journal of Cardiology, 2021, 332, 38.	1.7	ο
4	Acute Coronary Syndrome Associated with Carfilzomib Treatment. Indian Journal of Hematology and Blood Transfusion, 2020, 36, 592-593.	0.6	2
5	Analysis of Outcomes in Ischemic vs Nonischemic Cardiomyopathy in Patients With Atrial Fibrillation. JAMA Cardiology, 2019, 4, 526.	6.1	26
6	Stroke prevention in patients from Latin American countries with nonâ€valvular atrial fibrillation: Insights from the GARFIELDâ€AF registry. Clinical Cardiology, 2019, 42, 553-560.	1.8	16
7	Predictors of NOAC versus VKA use for stroke prevention in patients with newly diagnosed atrial fibrillation: Results from GARFIELD-AF. American Heart Journal, 2019, 213, 35-46.	2.7	45
8	Management and 1‥ear Outcomes of Patients With Newly Diagnosed Atrial Fibrillation and Chronic Kidney Disease: Results From the Prospective GARFIELDâ€AF Registry. Journal of the American Heart Association, 2019, 8, e010510.	3.7	44
9	Roadmap for cardiovascular education across the European Society of Cardiology: inspiring better knowledge and skills, now and for the future. European Heart Journal, 2019, 40, 1728-1738.	2.2	8
10	Sliding hiatal hernia mimicking a left atrial mass. Turkish Journal of Thoracic and Cardiovascular Surgery, 2019, 27, 125-126.	0.4	0
11	Antithrombotic treatment patterns and stroke prevention in patients with atrial fibrillation in TURKEY: inferences from GARFIELD-AF registry. Anatolian Journal of Cardiology, 2019, 21, 272-280.	0.9	7
12	Characteristics of patients with atrial fibrillation prescribed antiplatelet monotherapy compared with those on anticoagulants: insights from the GARFIELD-AF registry. European Heart Journal, 2018, 39, 464-473.	2.2	28
13	Risk profiles and one-year outcomes of patients with newly diagnosed atrial fibrillation in India: Insights from the GARFIELD-AF Registry. Indian Heart Journal, 2018, 70, 828-835.	0.5	16
14	Risk factors for death, stroke, and bleeding in 28,628 patients from the GARFIELD-AF registry: Rationale for comprehensive management of atrial fibrillation. PLoS ONE, 2018, 13, e0191592.	2.5	80
15	The Role of Osteoprotegerin as a Cardioprotective Versus Reactive Inflammatory Marker: the Chicken or the Egg Paradox. Balkan Medical Journal, 2018, 35, 225-232.	0.8	9
16	Evolving antithrombotic treatment patterns for patients with newly diagnosed atrial fibrillation. Heart, 2017, 103, 307-314.	2.9	205
17	Impact of gender on event rates at 1â€year in patients with newly diagnosed non-valvular atrial fibrillation: contemporary perspective from the GARFIELD-AF registry. BMJ Open, 2017, 7, e014579.	1.9	30
18	Improved risk stratification of patients with atrial fibrillation: an integrated GARFIELD-AF tool for the prediction of mortality, stroke and bleed in patients with and without anticoagulation. BMJ Open, 2017, 7, e017157.	1.9	92

#	Article	IF	CITATIONS
19	Effects of Gender on Electrocardiography in Subjects with Shortened Ventricular Depolarization (QRS). Annals of Noninvasive Electrocardiology, 2016, 21, 272-279.	1.1	2
20	Comparison of international normalized ratio audit parameters in patients enrolled in GARFIELDâ€AF and treated with vitamin K antagonists. British Journal of Haematology, 2016, 174, 610-623.	2.5	13
21	Two-year outcomes of patients with newly diagnosed atrial fibrillation: results from GARFIELD-AF. European Heart Journal, 2016, 37, 2882-2889.	2.2	222
22	Aortic flow propagation velocity, epicardial fat thickness, and osteoprotegerin level to predict subclinical atherosclerosis in patients with nonalcoholic fatty liver disease. Anatolian Journal of Cardiology, 2016, 16, 974-979.	0.9	13
23	Evaluation of early cardiac dysfunction in patients with systemic lupus erythematosus with or without anticardiolipin antibodies. Lupus, 2015, 24, 1019-1028.	1.6	13
24	Does Sex Affect Anticoagulant Use for Stroke Prevention in Nonvalvular Atrial Fibrillation?. Circulation: Cardiovascular Quality and Outcomes, 2015, 8, S12-20.	2.2	74
25	Validation of a New Risk Score to Predict Contrast-Induced Nephropathy After Percutaneous Coronary Intervention. American Journal of Cardiology, 2014, 113, 1487-1493.	1.6	39
26	The relation between the levels of osteoprotegerin and the degree of coronary artery disease in patients with acute coronary syndrome and stable angina pectoris. Kardiologia Polska, 2014, 72, 34-41.	0.6	6
27	Coronary Artery Ectasia is Associated with the Elevation of Mean Platelet Volume Regardless of an Existing Acute Coronary Syndrome. Erciyes Tip Dergisi, 2013, 35, 202-205.	0.1	0
28	Prasugrel versus Clopidogrel for Acute Coronary Syndromes without Revascularization. New England Journal of Medicine, 2012, 367, 1297-1309.	27.0	765
29	Effect of Exercise on ADMA Level in Type 2 Diabetes Mellitus. Balkan Medical Journal, 2012, 29, 62-67.	0.8	1
30	Comparison of antihypertensive efficacy of carvedilol and nebivolol in mild-to-moderate primary hypertension: a randomized trial. Anatolian Journal of Cardiology, 2011, 11, 310-3.	0.4	5
31	Evaluation and surgical approach of surrenal masses: experience of Trakya University. Turk Uroloji Dergisi, 2011, 37, 198-203.	0.4	1
32	Assessment of the relationship between asymmetric dimethylarginine and severity of erectile dysfunction and coronary artery disease. International Urology and Nephrology, 2010, 42, 873-879.	1.4	14
33	Original research Asymmetrical dimethylarginine and severity of erectile dysfunction and their impact on cardiovascular events in patients with acute coronary syndrome. Archives of Medical Science, 2010, 2, 168-175.	0.9	7
34	May emergency hypertension be reason of spontaneous coronary artery dissection?. International Journal of Cardiology, 2010, 140, e53-e54.	1.7	2
35	OP-024 EFFECT OF COLD STRES ON THE RIGHT VENTRICULAR FUNCTIONS IN PATIENTS WITH SCLERODERMA. International Journal of Cardiology, 2010, 140, S7.	1.7	0
36	PP-018 CORONARY SLOW FLOW AND ACUTE CORONARY SYNDROME IN PATIENT WITH SPINAL CORD INJURY: A CASE REPORT. International Journal of Cardiology, 2010, 140, S47.	1.7	0

#	Article	IF	CITATIONS
37	Oral verapamil effectively suppressed complex ventricular arrhythmias and unmasked U waves in a patient with Andersen-Tawil syndrome. Journal of Electrocardiology, 2008, 41, 325-328.	0.9	12
38	Is abnormality of double right coronary artery seen more frequently in Turkey than the others?. International Journal of Cardiology, 2008, 126, 145-146.	1.7	7
39	The relationship between coronary artery disease and uric acid levels in young patients with acute myocardial infarction. Cardiology Journal, 2008, 15, 21-5.	1.2	14
40	Sympathetic Skin Response and RR Interval Variation in Patients With Cardiac Syndrome X. Angiology, 2007, 58, 747-750.	1.8	4
41	Assessment of Arterial Distensibility in Patients With Cardiac Syndrome X. Angiology, 2007, 58, 458-462.	1.8	11
42	Silent Myocardial Ischemia in Middle-Aged Asymptomatic Patients With Type 2 Diabetes in Turkish Population. Angiology, 2007, 58, 535-542.	1.8	2
43	Circulating leptin and osteoprotegerin levels affect insulin resistance in healthy premenopausal obese women. Journal of Molecular and Cellular Cardiology, 2007, 42, S34-S35.	1.9	0
44	Cannabis-induced coronary artery thrombosis and acute anterior myocardial infarction in a young man. International Journal of Cardiology, 2007, 120, 420-422.	1.7	55
45	Electrocardiographic prediction of left ventricular geometric patterns in patients with essential hypertension. International Journal of Cardiology, 2007, 120, 344-350.	1.7	8
46	A patient with double right coronary artery and acute inferior myocardial infarction due to the critical lesion in one of them. International Journal of Cardiology, 2007, 119, e30-e31.	1.7	11
47	An unusual complication of pneumococcal pneumonia: Acute tamponade due to purulent pericarditis. International Journal of Cardiology, 2007, 119, e1-e3.	1.7	17
48	An unusual but dramatic complication of coronary angiography: Transient cortical blindness. International Journal of Cardiology, 2007, 121, e4-e6.	1.7	11
49	Melatonin: therapeutic and clinical utilization. International Journal of Clinical Practice, 2007, 61, 835-845.	1.7	178
50	Circulating Leptin and Osteoprotegerin Levels Affect Insulin Resistance in Healthy Premenopausal Obese Women. Archives of Medical Research, 2007, 38, 891-896.	3.3	19
51	ST segment elevation following sinoventricular rhythm in a patient with diabetic ketoacidosis. Cardiology Journal, 2007, 14, 497-9.	1.2	2
52	Contrast-induced nephropathy: preventive and protective effects of melatonin. Journal of Pineal Research, 2006, 41, 53-57.	7.4	16
53	Acute Myocardial Infarction Due to Disulfiram (Antabus)–Alcohol Interaction. Cardiovascular Drugs and Therapy, 2006, 20, 391-392.	2.6	9
54	Distal Sensorimotor Polyneuropathy Affects Skeletal Muscle Perfusion and Metabolism by Tc-99m Sestamibi Leg Scintigraphy in Patients With Type 2 Diabetes. , 2005, 15, 146-149.		1

#	Article	IF	CITATIONS
55	Use of iodine-123 metaiodobenzylguanidine scintigraphy for the detection of amiodarone induced pulmonary toxicity in a rabbit model: A comparative study with technetium-99m diethyltriaminepenta acetic acid radioaerosol scintigraphy. Annals of Nuclear Medicine, 2005, 19, 217-224.	2.2	6
56	Sudden Death due to Cardiac Tamponade Caused by Metastasis of Squamous Cell Carcinoma of the Lung. Cardiology, 2005, 103, 53-54.	1.4	5
57	Normalization of Negative T Waves in the Chronic Stage of Q Wave Anterior Myocardial Infarction as a Predictor of Myocardial Viability. Cardiology, 2005, 103, 73-78.	1.4	3
58	Hemopericardium-Related Fatalities: A 10-Year Medicolegal Autopsy Experience. Cardiology, 2005, 104, 133-137.	1.4	15
59	Factors related to exercise capacity in asymptomatic middle-aged type 2 diabetic patients. Diabetes Research and Clinical Practice, 2005, 67, 130-136.	2.8	13
60	The relationship between insulin resistance assessed by HOMA-IR and serum osteoprotegerin levels in obesity. Diabetes Research and Clinical Practice, 2005, 68, 217-222.	2.8	41
61	Acute Effect of DDD versus VVI Pacing on Arterial Distensibility. Cardiology, 2004, 102, 89-92.	1.4	9
62	Evaluation of intermittent capture in a patient who has undergone an urgent temporary transvenous pacemaker lead insertion. Postgraduate Medical Journal, 2004, 80, 431-432.	1.8	4
63	Inferolateral Myocardial Perfusion Defect Caused by Right Ventricular Outflow Tract Pacing. PACE - Pacing and Clinical Electrophysiology, 2004, 27, 808-811.	1.2	3
64	Relationship between insulin resistance assessed by HOMA-IR and exercise test variables in asymptomatic middle-aged patients with Type 2 diabetes. Journal of Endocrinological Investigation, 2004, 27, 455-461.	3.3	19
65	Decreased serum osteoprotegerin levels in patients with cardiac syndrome X. Journal of Endocrinological Investigation, 2004, 27, 839-843.	3.3	6
66	Value of technetium-99m diethyltriamine pentaaceticacid radioaerosol inhalation lung scintigraphy for the stage of amiodarone-induced pulmonary toxicity. International Journal of Cardiology, 2004, 95, 193-197.	1.7	12
67	Loratidine improves ischemic parameters of exercise stress test in patients with acute myocardial infarction. American Heart Journal, 2004, 148, 1019-1023.	2.7	6
68	Transient Atrioventricular Block Associated With Intracranial Hemorrhage. Cardiology in Review, 2004, 12, 56-58.	1.4	0
69	Irbesartan has a masking effect on dipyridamole stress induced myocardial perfusion defects. Nuclear Medicine Communications, 2004, 25, 195-199.	1.1	1
70	Technetium-99m sestamibi cavity/myocardium count ratio in the detection of left ventricular hypertrophy. Clinical Cardiology, 2003, 26, 143-146.	1.8	6
71	Decreased nocturnal synthesis of melatonin in patients with coronary artery disease. International Journal of Cardiology, 2003, 89, 103-107.	1.7	80
72	Relationships Existing Between the Serum Cytokine Levels and Bone Mineral Density in Women in the Premenopausal Period Affected by Graves' Disease with Subclinical Hyperthyroidism. Endocrine Research, 2003, 29, 389-398.	1.2	15

#	Article	IF	CITATIONS
73	Increased Immunoglobulin E Response in Acute Coronary Syndromes. Angiology, 2003, 54, 73-79.	1.8	36
74	A Chest X-Ray Image. Cardiology in Review, 2003, 11, 301-302.	1.4	4
75	Stent Implantation to the Stenosed Right Coronary Artery in a Patient Whose Right and Left Coronary Arteries Originate from a Single Ostium in the Right Sinus of Valsalva. Cardiology in Review, 2003, 11, 101-103.	1.4	6
76	Pacemaker Lead Failure Suggestive of Crush Injury. Cardiology in Review, 2003, 11, 256.	1.4	12
77	Sudden Cardiac Death in a Hunger Striker. Cardiology, 2003, 100, 107-108.	1.4	2
78	C-Reactive Protein and Immunoglobulin-E Response to Coronary Artery Stenting in Patients with Stable Angina. International Heart Journal, 2003, 44, 593-600.	0.6	7
79	Left Ventricular Pacemaker Lead Insertion Through the Foramen Ovale. Angiology, 2002, 53, 609-611.	1.8	10
80	Comparison of ventricular escape rates after administration of atropine, dopamine, and aminophylline in stable patients with chronic, high-grade atrioventricular block: an open-label, crossover pilot study in Turkish patients. Current Therapeutic Research, 2002, 63, 328-336.	1.2	0
81	An interesting diagnostic dilemma: Double right coronary artery or high take off of a large right ventricular branch. International Journal of Cardiology, 2002, 82, 99-102.	1.7	42
82	Acute short-term effect of VVI pacing mode on P wave dispersion in patients with dual chamber pacemakers. International Journal of Cardiology, 2002, 83, 93-96.	1.7	1
83	Impaired nocturnal synthesis of melatonin in patients with cardiac syndrome X. Neuroscience Letters, 2002, 327, 143-145.	2.1	61
84	Electrocardiographic demonstration of intermittent left bundle branch block because of the [ldquo ]linking[rdquo ] phenomenon. Journal of Electrocardiology, 2002, 35, 143-145.	0.9	6
85	Images in Cardiology: Spontaneous Coronary Artery Dissection. Clinical Cardiology, 2002, 25, 543-543.	1.8	Ο
86	Increased P wave dispersion: a new finding in patients with syndrome X. Canadian Journal of Cardiology, 2002, 18, 1207-10.	1.7	6
87	Ventricular repolarization changes during thyrotropin releasing hormone test. International Journal of Cardiology, 2001, 77, 319-322.	1.7	2
88	Intermittent Mode Reversion to VOO of a Dual Chamber Pacemaker Model. PACE - Pacing and Clinical Electrophysiology, 2001, 24, 1704-1705.	1.2	1
89	Unexpected occurrence of ST segment elevation during administration of intravenous atropine. Cardiovascular Drugs and Therapy, 2001, 15, 367-368.	2.6	3
90	Transient ST segment changes mimicking early repolarisation phenomenon in a patient with angina at rest. Postgraduate Medical Journal, 2001, 77, 603-604.	1.8	0

#	Article	IF	CITATIONS
91	The prevalence of hereditary thrombophilia in the Trakya region of Turkey. Yonsei Medical Journal, 2000, 41, 436.	2.2	7
92	The effect of aminophylline administration on 99mTc-MIBI lung and liver uptake in patients with or without myocardial ischemia. Revista Española De Medicina Nuclear, 2000, 19, 423-427.	0.3	1
93	Antianginal and antiâ€ischemic effects of nisoldipine and ramipril in patients with syndrome X. Clinical Cardiology, 1999, 22, 361-365.	1.8	41
94	QT dispersion in hypothyroidism. International Journal of Cardiology, 1999, 72, 93-95.	1.7	10
95	Heart failure during first inferior acute myocardial infarction. Coronary Artery Disease, 1999, 10, 455-458.	0.7	2
96	Effect of aminophylline in patients with atropineâ€resistant late advanced atrioventricular block during acute inferior myocardial infarction. Clinical Cardiology, 1998, 21, 759-762.	1.8	30
97	Early and late advanced atrioventricular block in acute inferior myocardial infarction. Coronary Artery Disease, 1998, 9, 1-4.	0.7	11
98	The effect of cold stress on right ventricular functions in patients with systemic sclerosis. Marmara Medical Journal, 0, , 94-100.	0.8	0