Dorte Ejg Jarbøl

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3947550/publications.pdf

Version: 2024-02-01

94 papers 1,745 citations

331670 21 h-index 36 g-index

98 all docs 98 docs citations 98 times ranked 2454 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | The role of diseases, risk factors and symptoms in the definition of multimorbidity – a systematic review. Scandinavian Journal of Primary Health Care, 2016, 34, 112-121. | 1.5 | 144 |
| 2 | Side Effects of Long†erm Proton Pump Inhibitor Use: A Review. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 114-121. | 2.5 | 105 |
| 3 | Self-reported symptoms and healthcare seeking in the general population -exploring "The Symptom Iceberg― BMC Public Health, 2015, 15, 685. | 2.9 | 93 |
| 4 | Strategies for discontinuation of proton pump inhibitors: a systematic review. Family Practice, 2014, 31, 625-630. | 1.9 | 85 |
| 5 | Overlap of symptoms of gastroesophageal reflux disease, dyspepsia and irritable bowel syndrome in the general population. Scandinavian Journal of Gastroenterology, 2015, 50, 162-169. | 1.5 | 82 |
| 6 | Long-term treatment with probiotics in primary care patients with irritable bowel syndrome – a randomised, double-blind, placebo controlled trial. Scandinavian Journal of Gastroenterology, 2013, 48, 1127-1135. | 1.5 | 76 |
| 7 | A Positive Diagnostic Strategy Is Noninferior to a Strategy of Exclusion for Patients With Irritable Bowel Syndrome. Clinical Gastroenterology and Hepatology, 2013, 11, 956-962.e1. | 4.4 | 63 |
| 8 | Patients Suspected of Irritable Bowel Syndromeâ€"Cross-Sectional Study Exploring the Sensitivity of Rome III Criteria in Primary Care. American Journal of Gastroenterology, 2013, 108, 972-980. | 0.4 | 46 |
| 9 | Rapidly increasing prescribing of proton pump inhibitors in primary care despite interventions: A nationwide observational study. European Journal of General Practice, 2014, 20, 290-293. | 2.0 | 44 |
| 10 | Low Back Pain in Primary Care: A Description of 1250 Patients with Low Back Pain in Danish General and Chiropractic Practice. International Journal of Family Medicine, 2014, 2014, 1-7. | 1.2 | 43 |
| 11 | Prevalence of cancer alarm symptoms: A population-based cross-sectional study. Scandinavian Journal of Primary Health Care, 2010, 28, 132-137. | 1.5 | 37 |
| 12 | The Danish Symptom Cohort: Questionnaire and Feasibility in the Nationwide Study on Symptom Experience and Healthcare-Seeking among 100 000 Individuals. International Journal of Family Medicine, 2014, 2014, 1-10. | 1.2 | 37 |
| 13 | Associations between generic substitution and patients' attitudes, beliefs and experiences. European Journal of Clinical Pharmacology, 2013, 69, 1827-1836. | 1.9 | 33 |
| 14 | Statin Discontinuation and Cardiovascular Events Among Older People in Denmark. JAMA Network Open, 2021, 4, e2136802. | 5.9 | 33 |
| 15 | Multiple perspectives on symptom interpretation in primary care research. BMC Family Practice, 2013, 14, 167. | 2.9 | 31 |
| 16 | Specific and non-specific symptoms of colorectal cancer and contact to general practice. Family Practice, 2015, 32, cmv032. | 1.9 | 29 |
| 17 | Barriers to lifestyle changes for prevention of cardiovascular disease – a survey among 40–60-year old Danes. BMC Cardiovascular Disorders, 2017, 17, 245. | 1.7 | 29 |
| 18 | Determinants of preferences for lifestyle changes versus medication and beliefs in ability to maintain lifestyle changes. A population-based survey. Preventive Medicine Reports, 2017, 6, 66-73. | 1.8 | 28 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Comparison of the medical students' perceived self-efficacy and the evaluation of the observers and patients. BMC Medical Education, 2013, 13, 49. | 2.4 | 27 |
| 20 | Communicating risk using absolute risk reduction or prolongation of life formats: cluster-randomised trial in general practice. British Journal of General Practice, 2014, 64, e199-e207. | 1.4 | 26 |
| 21 | Enteric Coating Can Lead to Reduced Antiplatelet Effect of Lowâ€Dose Acetylsalicylic Acid. Basic and Clinical Pharmacology and Toxicology, 2015, 116, 212-215. | 2.5 | 24 |
| 22 | Prevalence of overweight and obesity in Danish preschool children over a 10â€year period: a study of two birth cohorts in general practice. Acta Paediatrica, International Journal of Paediatrics, 2012, 101, 201-207. | 1.5 | 22 |
| 23 | Placebo-Controlled Discontinuation of Long-Term Acid-Suppressant Therapy: A Randomised Trial in General Practice. International Journal of Family Medicine, 2015, 2015, 1-7. | 1.2 | 21 |
| 24 | When does proton pump inhibitor treatment become long term? A scoping review. BMJ Open Gastroenterology, 2021, 8, e000563. | 2.7 | 21 |
| 25 | Generic Switching and Non-Persistence among Medicine Users: A Combined Population-Based Questionnaire and Register Study. PLoS ONE, 2015, 10, e0119688. | 2.5 | 20 |
| 26 | What triggers healthcare-seeking behaviour when experiencing a symptom? Results from a population-based survey. BJGP Open, 2017, 1, bjgpopen17X100761. | 1.8 | 20 |
| 27 | Predictive values of upper gastrointestinal cancer alarm symptoms in the general population: a nationwide cohort study. BMC Cancer, 2018, 18, 440. | 2.6 | 19 |
| 28 | How Common is Statin Use in the Oldest Old?. Drugs and Aging, 2018, 35, 679-686. | 2.7 | 19 |
| 29 | Lack of spirometry use in Danish patients initiating medication targeting obstructive lung disease. Respiratory Medicine, 2012, 106, 1743-1748. | 2.9 | 17 |
| 30 | Specific and unspecific gynecological alarm symptoms – prevalence estimates in different age groups: a populationâ€based study. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 191-197. | 2.8 | 17 |
| 31 | Self-rated health and functional capacity in individuals reporting overlapping symptoms of gastroesophageal reflux disease, functional dyspepsia and irritable bowel syndrome - a population based study. BMC Gastroenterology, 2017, 17, 65. | 2.0 | 17 |
| 32 | Predictive values of colorectal cancer alarm symptoms in the general population: a nationwide cohort study. British Journal of Cancer, 2019, 120, 595-600. | 6.4 | 17 |
| 33 | Nursing Home Residents' Thoughts on Discussing Deprescribing of Preventive Medications. Drugs and Aging, 2020, 37, 187-192. | 2.7 | 17 |
| 34 | A competing risk approach for the European Heart SCORE model based on cause-specific and all-cause mortality. European Journal of Preventive Cardiology, 2013, 20, 827-836. | 1.8 | 16 |
| 35 | Associations between reporting of cancer alarm symptoms and socioeconomic and demographic determinants: a population-based, cross-sectional study. BMC Public Health, 2012, 12, 686. | 2.9 | 14 |
| 36 | Urological symptoms among 23,240 men in the general danish population – concerns about symptoms, their persistence and influence on primary care contacts. Scandinavian Journal of Primary Health Care, 2018, 36, 227-236. | 1.5 | 14 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Medication effectiveness may not be the major reason for accepting cardiovascular preventive medication: A population-based survey. BMC Medical Informatics and Decision Making, 2012, 12, 89. | 3.0 | 12 |
| 38 | Associations between patients' risk attitude and their adherence to statin treatment – a population based questionnaire and register study. BMC Family Practice, 2016, 17, 28. | 2.9 | 12 |
| 39 | Predictive values of lung cancer alarm symptoms in the general population: a nationwide cohort study. Npj Primary Care Respiratory Medicine, 2020, 30, 15. | 2.6 | 12 |
| 40 | Early intervention for childhood overweight: A randomized trial in general practice. Scandinavian Journal of Primary Health Care, 2015, 33, 184-190. | 1.5 | 11 |
| 41 | Barriers to contacting general practice with alarm symptoms of colorectal cancer: a population-based study. Family Practice, 2018, 35, 399-405. | 1.9 | 11 |
| 42 | Associations between lifestyle, erectile dysfunction and healthcare seeking: a population-based study. Scandinavian Journal of Primary Health Care, 2020, 38, 176-183. | 1.5 | 11 |
| 43 | Statin use and discontinuation in Danes age 70 and older: a nationwide drug utilisation study. Age and Ageing, 2021, 50, 554-558. | 1.6 | 11 |
| 44 | Symptom burden in multimorbidity: a population-based combined questionnaire and registry study from Denmark. BMJ Open, 2021, 11, e041877. | 1.9 | 11 |
| 45 | Exploring how GPs discuss statin deprescribing with older people: a qualitative study. BJGP Open, 2020, 4, bjgpopen20X101022. | 1.8 | 11 |
| 46 | Lifestyle factors and contact to general practice with respiratory alarm symptoms—a population-based study. BMC Family Practice, 2016, 17, 47. | 2.9 | 10 |
| 47 | Lifestyle, socioeconomic status and healthcare seeking among women with gynaecological cancer alarm symptoms: a combined questionnaire-based and register-based population study. BMJ Open, 2018, 8, e021815. | 1.9 | 10 |
| 48 | Patients' concern about their medicine after a generic switch: a combined crossâ€sectional questionnaire and register study. Pharmacoepidemiology and Drug Safety, 2014, 23, 965-973. | 1.9 | 9 |
| 49 | GPs' Perceptions of Cardiovascular Risk and Views on Patient Compliance: A Qualitative Interview Study. International Journal of Family Medicine, 2015, 2015, 1-7. | 1.2 | 9 |
| 50 | Tuberculosis screening in patients with HIV: use of audit and feedback to improve quality of care in Ghana. Global Health Action, 2016, 9, 32390. | 1.9 | 9 |
| 51 | Healthcare resource use and costs of opioid-induced constipation among non-cancer and cancer patients on opioid therapy: A nationwide register-based cohort study in Denmark. Scandinavian Journal of Pain, 2017, 15, 83-90. | 1.3 | 9 |
| 52 | Women $\hat{a} \in \mathbb{N}$ s barriers for contacting their general practitioner when bothered by urinary incontinence: a population-based cross-sectional study. BMC Urology, 2021, 21, 99. | 1.4 | 9 |
| 53 | Prevalence of the use of antihypertensive medications in Greenland: a study of quality of care amongst patients treated with antihypertensive drugs. International Journal of Circumpolar Health, 2012, 71, 18834. | 1.2 | 8 |
| 54 | Impact of effectiveness information format on patient choice of therapy and satisfaction with decisions about chronic disease medication: the "Influence of intervention Methodologies on Patient Choice of Therapy (IMPACT)" cluster-randomised trial in general practice. BMC Health Services Research, 2013, 13, 76. | 2.2 | 8 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Alarm symptoms of upper gastrointestinal cancer and contact to general practice – A population-based study. Scandinavian Journal of Gastroenterology, 2015, 50, 1268-1275. | 1.5 | 8 |
| 56 | Spirometry in Greenland: a cross-sectional study on patients treated with medication targeting obstructive pulmonary disease. International Journal of Circumpolar Health, 2016, 75, 33258. | 1.2 | 8 |
| 57 | Statins in Older Danes: Factors Associated With Discontinuation Over the First 4 Years of Use. Journal of the American Geriatrics Society, 2019, 67, 2050-2057. | 2.6 | 8 |
| 58 | Healthcare-seeking with bothersome lower urinary tract symptoms among men in the Danish population: the impact of lifestyle and socioeconomic status. Scandinavian Journal of Primary Health Care, 2019, 37, 155-164. | 1.5 | 8 |
| 59 | Urinary incontinence among womenâ€"which personal and professional relations are involved? A population-based study. International Urogynecology Journal, 2019, 30, 1565-1574. | 1.4 | 8 |
| 60 | A positive diagnostic strategy is safe and saves endoscopies in patients with irritable bowel syndrome: A fiveâ€year followâ€up of a randomized controlled trial. Neurogastroenterology and Motility, 2021, 33, e14004. | 3.0 | 8 |
| 61 | The effect of chiropractic care on infantile colic: results from a single-blind randomised controlled trial. Chiropractic & Manual Therapies, 2021, 29, 15. | 1.5 | 8 |
| 62 | Influence of socioeconomic and demographic status on spirometry testing in patients initiating medication targeting obstructive lung disease: a population-based cohort study. BMC Public Health, 2013, 13, 580. | 2.9 | 7 |
| 63 | Prevalence and management of patients using medication targeting obstructive lung disease: A cross-sectional study in primary healthcare in Greenland. International Journal of Circumpolar Health, 2013, 72, 20108. | 1.2 | 7 |
| 64 | Gynecological cancer alarm symptoms: is contact with specialist care associated with lifestyle and socioeconomic status? A populationâ€based study. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 976-983. | 2.8 | 7 |
| 65 | Prescribing of proton-pump inhibitors: auditing the management and reasons for prescribing in Danish general practice. Family Practice, 2019, 36, 758-764. | 1.9 | 7 |
| 66 | Discussing proton pump inhibitor deprescribing: the views of Danish GPs and older patients. BMC Family Practice, 2020, $21,160$. | 2.9 | 7 |
| 67 | Associations between patients' adherence and GPs' attitudes towards risk, statin therapy and management of non-adherenceâ€"a survey and register-based study. Family Practice, 2016, 33, 140-147. | 1.9 | 6 |
| 68 | Barriers to health care seeking with bothersome lower urinary tract symptoms among menâ€"a nationwide study. Family Practice, 2019, 36, 743-750. | 1.9 | 6 |
| 69 | Multiple physical symptoms and individual characteristics – A cross-sectional study of the general population. Journal of Psychosomatic Research, 2020, 131, 109941. | 2.6 | 6 |
| 70 | Prescribing antibiotics: the use of diagnostic tests in general practice. A register-based study. Scandinavian Journal of Primary Health Care, 2021, 39, 466-475. | 1.5 | 6 |
| 71 | The effect of chiropractic treatment on infantile colic: study protocol for a single-blind randomized controlled trial. Chiropractic & Manual Therapies, 2018, 26, 17. | 1.5 | 5 |
| 72 | Risk of serious infections in arthritis patients treated with biological drugs: a matched cohort study and development of prediction model. Rheumatology, 2021, 60, 3834-3844. | 1.9 | 5 |

| # | Article | lF | CITATIONS |
|----|--|-----|-----------|
| 73 | Lifestyle factors and experience of respiratory alarm symptoms in the general population. BMJ Open Respiratory Research, 2015, 2, e000101. | 3.0 | 4 |
| 74 | Activation of professional and personal network relations when experiencing a symptom: a population-based cross-sectional study. BMJ Open, 2017, 7, e017620. | 1.9 | 4 |
| 75 | The effect of structured personal care on diabetes symptoms and self-rated health over 14 years after diabetes diagnosis. Primary Care Diabetes, 2018, 12, 354-363. | 1.8 | 4 |
| 76 | Socioeconomic status and barriers for contacting the general practitioner when bothered by erectile dysfunction: a population-based cross-sectional study. BMC Family Practice, 2020, 21, 166. | 2.9 | 4 |
| 77 | GP preferences for discussing statin deprescribing: a discrete choice experiment. Family Practice, 2022, 39, 26-31. | 1.9 | 4 |
| 78 | Women's barriers for contacting general practice when experiencing gynecological cancer symptoms: a population-based study. BMC Family Practice, 2021, 22, 167. | 2.9 | 4 |
| 79 | Quality clusters in general practice: associations between cluster organization and general practitioners' self-reported benefits. Family Practice, 2022, 39, 852-859. | 1.9 | 4 |
| 80 | Management of Overweight during Childhood: A Focus Group Study on Health Professionals' Experiences in General Practice. International Journal of Family Medicine, 2015, 2015, 1-6. | 1.2 | 3 |
| 81 | Proton pump inhibitor use among patients at risk of peptic ulcer bleeding: a nationwide register-based study. Scandinavian Journal of Gastroenterology, 2021, 56, 6-12. | 1.5 | 3 |
| 82 | Identification of Important Factors Affecting Use of Digital Individualised Coaching and Treatment of Type 2 Diabetes in General Practice: A Qualitative Feasibility Study. International Journal of Environmental Research and Public Health, 2021, 18, 3924. | 2.6 | 3 |
| 83 | Factors associated with C-reactive protein testing when prescribing antibiotics in general practice: a register-based study., 2022, 23, 17. | | 3 |
| 84 | Is healthcare-seeking with gynaecological alarm symptoms influenced by personal and professional relations? A Danish population-based, cross-sectional study. BMJ Open, 2020, 10, e033471. | 1.9 | 2 |
| 85 | Involvement of personal and professional relations among men bothered by lower urinary tract symptoms: a population-based cross-sectional study. BMC Public Health, 2020, 20, 868. | 2.9 | 2 |
| 86 | Healthcare practices that increase the quality of care in cancer trajectories from a general practice perspective: a scoping review. Scandinavian Journal of Primary Health Care, 2022, 40, 11-28. | 1.5 | 2 |
| 87 | Identifying potential treatment effect modifiers of the effectiveness of chiropractic care to infants with colicAthrough prespecified secondary analyses of a randomised controlled trial. Chiropractic & Manual Therapies, 2021, 29, 16. | 1.5 | 1 |
| 88 | Use of sedating medications around nursing home admission in Denmark. Pharmacoepidemiology and Drug Safety, 2021, 30, 1560-1565. | 1.9 | 1 |
| 89 | Antibiotic treatment of communityâ€acquired pneumonia: A questionnaire survey in Danish general practice. Basic and Clinical Pharmacology and Toxicology, 2022, 130, 151-157. | 2.5 | 1 |
| 90 | Is concern for gynaecological alarm symptoms associated with healthcare-seeking? A Danish population-based cross-sectional study. BMC Public Health, 2022, 22, 25. | 2.9 | 1 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | Healthcare costs of patients with chronic obstructive pulmonary disease in Denmark – specialist care versus GP care only. BMC Health Services Research, 2022, 22, 408. | 2.2 | 1 |
| 92 | OP0266â \in RISK OF HOSPITALIZED INFECTION IN PATIENTS WITH CHRONIC INFLAMMATORY ARTHRITIS TREATIWITH BIOLOGICAL DRUGS â \in " A MATCHED COHORT STUDY., 2019,,. | ED | 0 |
| 93 | Response to Letter to the Editor: "The effect of chiropractic care on infantile colic: results from a single-blind randomised controlled trial―and "ldentifying potential treatment effect modifiers of the effectiveness of chiropractic care to infants with colic through prespecified secondary analyses of a randomised controlled trial― Chiropractic & Manual Therapies. 2021. 29. 29. | 1.5 | 0 |
| 94 | Involvement of personal and professional relations when experiencing colorectal cancer symptoms – a cross sectional study. Scandinavian Journal of Gastroenterology, 2022, , 1-8. | 1.5 | 0 |