
Karlijn J Van Stralen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3948450/publications.pdf

Version: 2024-02-01



KADILIN I VAN STRALEN

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Epidemiology of chronic kidney disease in children. Pediatric Nephrology, 2012, 27, 363-373. | 1.7 | 686 |
| 2 | When do we need competing risks methods for survival analysis in nephrology?. Nephrology Dialysis Transplantation, 2013, 28, 2670-2677. | 0.7 | 510 |
| 3 | Diagnostic methods I: sensitivity, specificity, and other measures of accuracy. Kidney International, 2009, 75, 1257-1263. | 5.2 | 181 |
| 4 | Timing and Outcome of Renal Replacement Therapy in Patients with Congenital Malformations of the Kidney and Urinary Tract. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 67-74. | 4.5 | 174 |
| 5 | Demographics of paediatric renal replacement therapy in Europe: a report of the ESPN/ERA–EDTA registry. Pediatric Nephrology, 2014, 29, 2403-2410. | 1.7 | 128 |
| 6 | Characteristics and Outcomes of Children with Primary Oxalosis Requiring Renal Replacement Therapy. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 458-465. | 4.5 | 121 |
| 7 | Minor Injuries as a Risk Factor for Venous Thrombosis. Archives of Internal Medicine, 2008, 168, 21. | 3.8 | 101 |
| 8 | Renal replacement therapy in Europe: a summary of the 2012 ERA-EDTA Registry Annual Report. CKJ: Clinical Kidney Journal, 2015, 8, 248-261. | 2.9 | 97 |
| 9 | Demographics of blood pressure and hypertension in children on renal replacement therapy in Europe. Kidney International, 2011, 80, 1092-1098. | 5.2 | 93 |
| 10 | Use of National and International Growth Charts for Studying Height in European Children: Development of Up-To-Date European Height-For-Age Charts. PLoS ONE, 2012, 7, e42506. | 2.5 | 91 |
| 11 | Agreement between methods. Kidney International, 2008, 74, 1116-1120. | 5.2 | 83 |
| 12 | Demographics of paediatric renal replacement therapy in Europe: 2007 annual report of the ESPN/ERA-EDTA registry. Pediatric Nephrology, 2010, 25, 1379-1382. | 1.7 | 83 |
| 13 | Mortality from infections and malignancies in patients treated with renal replacement therapy: data from the ERA-EDTA registry. Nephrology Dialysis Transplantation, 2015, 30, 1028-1037. | 0.7 | 81 |
| 14 | Mortality risk in European children with end-stage renal disease on dialysis. Kidney International, 2016, 89, 1355-1362. | 5.2 | 73 |
| 15 | Adult Height in Patients with Advanced CKD Requiring Renal Replacement Therapy during Childhood. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 92-99. | 4.5 | 72 |
| 16 | Improvement in the Renal Prognosis in Nephropathic Cystinosis. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 2485-2491. | 4.5 | 68 |
| 17 | Risk factors for QTc interval prolongation. European Journal of Clinical Pharmacology, 2018, 74, 183-191. | 1.9 | 66 |
| 18 | Renal replacement therapy for rare diseases affecting the kidney: an analysis of the ERA-EDTA Registry. Nephrology Dialysis Transplantation, 2014, 29, iv1-iv8. | 0.7 | 65 |

| # | Article | IF | CITATIONS |
|----|--|-------------------|-------------|
| 19 | Racial Disparities in Access to and Outcomes of Kidney Transplantation in Children, Adolescents, and Young Adults: Results From the ESPN/ERA-EDTA (European Society of Pediatric Nephrology/European) Tj ETQq1 Diseases, 2016, 67, 293-301. | 1 0,784314 1.9 | 4 rgBT /Ove |
| 20 | Infants Requiring Maintenance Dialysis: Outcomes of Hemodialysis and Peritoneal Dialysis. American Journal of Kidney Diseases, 2017, 69, 617-625. | 1.9 | 53 |
| 21 | Underweight, overweight and obesity in paediatric dialysis and renal transplant patients. Nephrology Dialysis Transplantation, 2013, 28, iv195-iv204. | 0.7 | 51 |
| 22 | Glomerular filtration rate-estimating equations for patients with advanced chronic kidney disease. Nephrology Dialysis Transplantation, 2013, 28, 2518-2526. | 0.7 | 48 |
| 23 | Long-Term Quality of Life and Social Outcome of Childhood End-Stage Renal Disease. Journal of Pediatrics, 2014, 165, 336-342.e1. | 1.8 | 48 |
| 24 | Mortality risk disparities in children receiving chronic renal replacement therapy for the treatment of end-stage renal disease across Europe: an ESPN-ERA/EDTA registry analysis. Lancet, The, 2017, 389, 2128-2137. | 13.7 | 48 |
| 25 | Determinants of eGFR at start of renal replacement therapy in paediatric patients. Nephrology Dialysis Transplantation, 2010, 25, 3325-3332. | 0.7 | 40 |
| 26 | The Relationship Between Exercise and Risk of Venous Thrombosis in Elderly People. Journal of the American Geriatrics Society, 2008, 56, 517-522. | 2.6 | 39 |
| 27 | Survival in children requiring chronic renal replacement therapy. Pediatric Nephrology, 2018, 33, 585-594. | 1.7 | 37 |
| 28 | Disparities in treatment rates of paediatric end-stage renal disease across Europe: insights from the ESPN/ERA-EDTA registry. Nephrology Dialysis Transplantation, 2015, 30, 1377-1385. | 0.7 | 35 |
| 29 | The association of donor and recipient age with graft survival in paediatric renal transplant recipients in a European Society for Paediatric Nephrology/European Renal Association–European Dialysis and Transplantation Association Registry study. Nephrology Dialysis Transplantation, 2017, 32, 1949-1956. | 0.7 | 35 |
| 30 | Impact of graft loss among kidney diseases with a high risk of post-transplant recurrence in the paediatric population. Nephrology Dialysis Transplantation, 2013, 28, 1031-1038. | 0.7 | 33 |
| 31 | Lessons learned from the ESPN/ERA–EDTA Registry. Pediatric Nephrology, 2016, 31, 2055-2064. | 1.7 | 31 |
| 32 | Progress with the European Society for Paediatric Nephrology (ESPN)/ERA-EDTA Registry for children with established renal failure (ERF). Nephrology Dialysis Transplantation, 2009, 24, 2615-2617. | 0.7 | 29 |
| 33 | Use of 360° virtual reality video in medical obstetrical education: a quasi-experimental design. BMC Medical Education, 2021, 21, 202. | 2.4 | 28 |
| 34 | Kidney Versus Combined Kidney and Liver Transplantation in Young People With Autosomal Recessive Polycystic Kidney Disease: Data From the European Society for Pediatric Nephrology/European Renal Associationâ^'European Dialysis and Transplant (ESPN/ERA-EDTA) Registry. American Journal of Kidney Diseases, 2016, 68, 782-788. | 1.9 | 25 |
| 35 | Timing of renal replacement therapy does not influence survival and growth in children with congenital nephrotic syndrome caused by mutations in NPHS1: data from the ESPN/ERA-EDTA Registry. Pediatric Nephrology, 2016, 31, 2317-2325. | 1.7 | 25 |
| 36 | Trend from cardiovascular to non-cardiovascular late mortality in patients with renal replacement therapy since childhood. Nephrology Dialysis Transplantation, 2013, 28, 2082-2089. | 0.7 | 24 |

KARLIJN J VAN STRALEN

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Infection-related hospitalizations over 30Âyears of follow-up in patients starting renal replacement therapy at pediatric age. Pediatric Nephrology, 2016, 31, 315-323. | 1.7 | 24 |
| 38 | Prevalence and predictors of the sub-target Hb level in children on dialysis. Nephrology Dialysis Transplantation, 2012, 27, 3950-3957. | 0.7 | 22 |
| 39 | Likelihood of children with end-stage kidney disease in Europe to live with a functioning kidney transplant is mainly explained by nonmedical factors. Pediatric Nephrology, 2014, 29, 453-459. | 1.7 | 22 |
| 40 | Mineral Metabolism in European Children Living with a Renal Transplant. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 767-775. | 4.5 | 21 |
| 41 | Anemia in children following renal transplantation—results from the ESPN/ERA-EDTA Registry. Pediatric Nephrology, 2016, 31, 325-333. | 1.7 | 20 |
| 42 | Application of Body Mass Index According to Height-Age in Short and Tall Children. PLoS ONE, 2013, 8, e72068. | 2.5 | 19 |
| 43 | Combining Matched and Unmatched Control Groups in Case-Control Studies. American Journal of Epidemiology, 2008, 168, 1204-1210. | 3.4 | 18 |
| 44 | Case-Control Studies – An Efficient Observational Study Design. Nephron Clinical Practice, 2010, 114, c1-c4. | 2.3 | 18 |
| 45 | Dyslipidaemia in children on renal replacement therapy. Nephrology Dialysis Transplantation, 2014, 29, 594-603. | 0.7 | 18 |
| 46 | Outcomes of renal replacement therapy in boys with prune belly syndrome: findings from the ESPN/ERA-EDTA Registry. Pediatric Nephrology, 2018, 33, 117-124. | 1.7 | 18 |
| 47 | Renal replacement therapy in Europe—a summary of the 2010 ERA–EDTA Registry Annual Report. CKJ: Clinical Kidney Journal, 2013, 6, 105-115. | 2.9 | 14 |
| 48 | Attainment of guideline targets in EURODOPPS haemodialysis patients: are differences related to a country's healthcare expenditure and nephrologist workforce?. Nephrology Dialysis Transplantation, 2017, 32, gfw409. | 0.7 | 13 |
| 49 | Simultaneous reversal of risk factors for cardiac death and intensified therapy in long-term survivors of paediatric end-stage renal disease over the last 10 years. Nephrology Dialysis Transplantation, 2013, 28, 2545-2552. | 0.7 | 12 |
| 50 | Identification of subgroups by risk of graft failure after paediatric renal transplantation: application of survival tree models on the ESPN/ERA-EDTA Registry. Nephrology Dialysis Transplantation, 2015, 31, gfv313. | 0.7 | 10 |
| 51 | Suggested revision of the National High Blood Pressure Education Program blood pressure standardization for use in severely growth retarded children. Pediatric Nephrology, 2011, 26, 819-820. | 1.7 | 7 |
| 52 | Longer time interval between semen processing and intrauterine insemination does not affect pregnancy outcome. Fertility and Sterility, 2017, 108, 764-769. | 1.0 | 7 |
| 53 | Parental Opinions on Medical Decision-Making in Adolescence: A Case-Based Survey. Journal of Developmental and Behavioral Pediatrics, 2022, 43, 17-22. | 1.1 | 6 |
| 54 | Typical RSV cough: myth or reality? A diagnostic accuracy study. European Journal of Pediatrics, 2021, 180, 57-62. | 2.7 | 4 |

KARLIJN J VAN STRALEN

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Patients want to be seen: The top 3 information needs of patients with inguinal hernia. PLoS ONE, 2020, 15, e0240433. | 2.5 | 3 |
| 56 | The use of in-hospital medical care for patients with metastasized colon, bronchus, or lung cancer. Supportive Care in Cancer, 2021, 29, 6579-6588. | 2.2 | 2 |
| 57 | Demographics of CKD and ESRD in Children. , 2016, , 1385-1397. | | 2 |
| 58 | The difference in endoscopic yield in patients with either iron-deficiency anemia or anemia with normal ferritin. European Journal of Gastroenterology and Hepatology, 2018, 30, 424-431. | 1.6 | 0 |
| 59 | Patients want to be seen: The top 3 information needs of patients with inguinal hernia. , 2020, 15, e0240433. | | Ο |
| 60 | Patients want to be seen: The top 3 information needs of patients with inguinal hernia. , 2020, 15, e0240433. | | 0 |
| 61 | Patients want to be seen: The top 3 information needs of patients with inguinal hernia. , 2020, 15, e0240433. | | Ο |
| 62 | Patients want to be seen: The top 3 information needs of patients with inguinal hernia. , 2020, 15, e0240433. | | 0 |
| 63 | Patients want to be seen: The top 3 information needs of patients with inguinal hernia. , 2020, 15, e0240433. | | Ο |
| 64 | Patients want to be seen: The top 3 information needs of patients with inguinal hernia. , 2020, 15, e0240433. | | 0 |