## David S Jacobs

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3948719/publications.pdf

Version: 2024-02-01

85 papers 3,231 citations

28 h-index 54 g-index

86 all docs 86 docs citations

86 times ranked 2535 citing authors

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Detection distances in desert dwelling, high duty cycle echolocators: A test of the foraging habitat hypothesis. PLoS ONE, 2022, 17, e0268138.   | 2.5 | 1         |
| 2  | Geographic variation in the skulls of the horseshoe bats, Rhinolophus simulator and R. cf. simulator: Determining the relative contributions of adaptation and drift using geometric morphometrics. Ecology and Evolution, 2021, 11, 15916-15935.  | 1.9 | 0         |
| 3  | Compositional turnover in ecto- and endoparasite assemblages of an African bat, Miniopterus natalensis (Chiroptera, Miniopteridae): effects of hierarchical scale and host sex. Parasitology, 2020, 147, 1728-1742.  | 1.5 | 1         |
| 4  | Faecal analyses and alimentary tracers reveal the foraging ecology of two sympatric bats. PLoS ONE, 2020, 15, e0227743.  | 2.5 | 7         |
| 5  | The Behaviour and Vocalisations of Captive Geoffroy's Horseshoe Bats, Rhinolophus clivosus (Chiroptera: Rhinolophidae). Acta Chiropterologica, 2019, 20, 439.  | 0.6 | 1         |
| 6  | It's not all about the Soprano: Rhinolophid bats use multiple acoustic components in echolocation pulses to discriminate between conspecifics and heterospecifics. PLoS ONE, 2018, 13, e0199703.   | 2.5 | 6         |
| 7  | High Duty Cycle Echolocation May Constrain the Evolution of Diversity within Horseshoe Bats (Family: Rhinolophidae). Diversity, 2018, 10, 85.  | 1.7 | 11        |
| 8  | The Relative Roles of Selection and Drift in Phenotypic Variation: Some Like It Hot, Some Like It Wet. , $2018, 215-237$ .   |     | 2         |
| 9  | To seek or speak? Dual function of an acoustic signal limits its versatility in communication. Animal Behaviour, 2017, 127, 135-152.   | 1.9 | 17        |
| 10 | The relative contribution of drift and selection to phenotypic divergence: A test case using the horseshoe bats $\langle i \rangle$ Rhinolophus simulator $\langle i \rangle$ and $\langle i \rangle$ Rhinolophus swinnyi $\langle i \rangle$ . Ecology and Evolution, 2017, 7, 4299-4311. | 1.9 | 10        |
| 11 | Environmental correlates of geographic divergence in a phenotypic trait: A case study using bat echolocation. Ecology and Evolution, 2017, 7, 7347-7361.   | 1.9 | 13        |
| 12 | Thermoregulation by captive and free-ranging Egyptian rousette bats (Rousettus aegyptiacus) in South Africa. Journal of Mammalogy, 2017, 98, 572-578.  | 1.3 | 15        |
| 13 | Testing the Sensory Drive Hypothesis: Geographic variation in echolocation frequencies of Geoffroy's horseshoe bat (Rhinolophidae: Rhinolophus clivosus). PLoS ONE, 2017, 12, e0187769.  | 2.5 | 22        |
| 14 | Sensory Drive Mediated by Climatic Gradients Partially Explains Divergence in Acoustic Signals in Two Horseshoe Bat Species, Rhinolophus swinnyi and Rhinolophus simulator. PLoS ONE, 2016, 11, e0148053.  | 2.5 | 32        |
| 15 | Predator–Prey Interactions: Co-evolution between Bats and Their Prey. Springer Briefs in Animal Sciences, 2016, , .  | 0.1 | 15        |
| 16 | Bat Echolocation: Adaptations for Prey Detection and Capture. Springer Briefs in Animal Sciences, 2016, , 13-30.   | 0.1 | 5         |
| 17 | Passive and Active Acoustic Defences of Prey Against Bat Predation. Springer Briefs in Animal Sciences, 2016, , 43-71.   | 0.1 | O         |
| 18 | Aerial Warfare: Have Bats and Moths Co-evolved?. Springer Briefs in Animal Sciences, 2016, , 73-87.  | 0.1 | 0         |

| #  | Article  | IF         | CITATIONS      |
|----|--|------------|----------------|
| 19 | Synthesis and Future Research. Springer Briefs in Animal Sciences, 2016, , 107-116.  | 0.1        | О              |
| 20 | Convergence as an Evolutionary Trade-off in the Evolution of Acoustic Signals: Echolocation in Horseshoe Bats as a Case Study., 2016,, 89-103.   |            | 4              |
| 21 | Nuclear introns outperform mitochondrial DNA in inter-specific phylogenetic reconstruction:<br>Lessons from horseshoe bats (Rhinolophidae: Chiroptera). Molecular Phylogenetics and Evolution,<br>2016, 97, 196-212.   | 2.7        | 77             |
| 22 | Bats and Water: Anthropogenic Alterations Threaten Global Bat Populations. , 2016, , 215-241.  |            | 48             |
| 23 | Development and characterization of 10 microsatellite markers in the Cape horseshoe bat,<br>Rhinolophus capensis (Chiroptera, Rhinolophidae) and cross-amplification in southern African<br>Rhinolophus species. BMC Research Notes, 2015, 8, 477.                           | 1.4        | 1              |
| 24 | Echolocation in the bat, <i>Rhinolophus capensis</i> : the influence of clutter, conspecifics and prey on call design and intensity. Biology Open, 2015, 4, 693-701.   | 1.2        | 23             |
| 25 | How and Why Overcome the Impediments to Resolution: Lessons from rhinolophid and hipposiderid Bats. Molecular Biology and Evolution, 2015, 32, 313-333.  | 8.9        | 82             |
| 26 | Listening carefully: increased perceptual acuity for species discrimination in multispecies signalling assemblages. Animal Behaviour, 2015, 101, 141-154.  | 1.9        | 26             |
| 27 | Retinoic acid-independent expression of Meis2 during autopod patterning in the developing bat and mouse limb. EvoDevo, 2015, 6, 6.   | 3.2        | 8              |
| 28 | The influence of feeding on the evolution of sensory signals: a comparative test of an evolutionary tradeâ€off between masticatory and sensory functions of skulls in southern African Horseshoe bats (Rhinolophidae). Journal of Evolutionary Biology, 2014, 27, 2829-2840. | 1.7        | 20             |
| 29 | Sensory trait variation in an echolocating bat suggests roles for both selection and plasticity. BMC Evolutionary Biology, 2014, 14, 60.   | 3.2        | 21             |
| 30 | Factors Influencing the Emergence Times of sympatric Insectivorous Bat Species. Acta Chiropterologica, 2013, 15, 121-132.  | 0.6        | 26             |
| 31 | Artificial wetlands and surrounding habitats provide important foraging habitat for bats in agricultural landscapes in the Western Cape, South Africa. Biological Conservation, 2013, 164, 30-38.  | 4.1        | 62             |
| 32 | Phenotypic Convergence in Genetically Distinct Lineages of a Rhinolophus Species Complex (Mammalia,) Tj ETQc   | 10 0 0 rgB | T /9yerlock 10 |
| 33 | Differences in the foraging behaviour of male and female Egyptian fruit bats ( <i>Rousettus) Tj ETQq1 1 0.784314</i>   | 4 rgBT /Ov | erlock 10 Tf 5 |
| 34 | The Divergence of Echolocation Frequency in Horseshoe Bats: Moth Hearing, Body Size or Habitat?. Journal of Mammalian Evolution, 2011, 18, 117-129.  | 1.8        | 28             |
| 35 | The relative influence of competition and prey defences on the trophic structure of animalivorous bat ensembles. Oecologia, 2011, 166, 493-506.  | 2.0        | 46             |
| 36 | Morphological correlates of echolocation frequency in the endemic Cape horseshoe bat, Rhinolophus capensis (Chiroptera: Rhinolophidae). Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2011, 197, 435-446.                  | 1.6        | 24             |

| #  | Article   | IF                    | Citations      |
|----|---|-----------------------|----------------|
| 37 | Molecular phylogenetics and historical biogeography of Rhinolophus bats. Molecular Phylogenetics and Evolution, 2010, 54, 1-9.  | 2.7                   | 64             |
| 38 | Evaluation of Maternal Features as Indicators of Asynchronous Embryonic Development in Miniopterus natalensis. Acta Chiropterologica, 2010, 12, 161-171.  | 0.6                   | 9              |
| 39 | The role of early development in mammalian limb diversification: A descriptive comparison of early limb development between the natal longâ€fingered bat ( <i>Miniopterus natalensis</i> ) and the mouse ( <i>Mus musculus</i> ). Developmental Dynamics, 2009, 238, 965-979. | 1.8                   | 40             |
| 40 | The role of early development in mammalian limb diversification: A descriptive comparison of early limb development between the natal long-fingered bat (Miniopterus natalensis) and the mouse (Mus) Tj ETQq0   | O 011. <b>g</b> BT /0 | Oveolock 10 Tf |
| 41 | Carpe noctem: the importance of bats as bioindicators. Endangered Species Research, 2009, 8, 93-115.  | 2.4                   | 662            |
| 42 | S17-03 Differences in the wing and hindlimb transcriptomes of the natal long-fingered bat, Miniopterus natalensis, during embryonic development. Mechanisms of Development, 2009, 126, S44-S45.   | 1.7                   | 1              |
| 43 | 15-P002 Limbs gone batty: A second wave of Sonic hedgehog expression during the development of the bat limb. Mechanisms of Development, 2009, 126, S247.  | 1.7                   | 0              |
| 44 | Niche Differentiation in Two Sympatric Sibling Bat Species, Scotophilus Dinganii and Scotophilus Mhlanganii. Journal of Mammalogy, 2009, 90, 879-887.   | 1.3                   | 28             |
| 45 | Animal Personality and Biological Markets: Rise of the Individual. African Zoology, 2009, 44, 271-282.  | 0.4                   | 2              |
| 46 | Ignoring the irrelevant: auditory tolerance of audible but innocuous sounds in the bat-detecting ears of moths. Die Naturwissenschaften, 2008, 95, 241-245.   | 1.6                   | 12             |
| 47 | Beware of bats, beware of birds: the auditory responses of eared moths to bat and bird predation. Behavioral Ecology, 2008, 19, 1333-1342.  | 2.2                   | 41             |
| 48 | The Relative Influence of Competition and Prey Defenses on the Phenotypic Structure of Insectivorous Bat Ensembles in Southern Africa. PLoS ONE, 2008, 3, e3715.  | 2.5                   | 44             |
| 49 | Surviving cave bats: auditory and behavioural defences in the Australian noctuid moth, <i>Speiredonia spectans </i> . Journal of Experimental Biology, 2008, 211, 3808-3815.  | 1.7                   | 19             |
| 50 | A second wave of <i>Sonic hedgehog </i> expression during the development of the bat limb. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 16982-16987.   | 7.1                   | 73             |
| 51 | Thermoregulation in two free-ranging subtropical insectivorous bat species: Scotophilus species (Vespertilionidae). Canadian Journal of Zoology, 2007, 85, 883-890.   | 1.0                   | 23             |
| 52 | Karyotypic differences in two sibling species of <i>Scotophilus</i> from South Africa (Vespertilionidae, Chiroptera, Mammalia). Cytogenetic and Genome Research, 2007, 118, 72-77.  | 1.1                   | 8              |
| 53 | A Family Matter: Conclusive Resolution of the Taxonomic Position of the Long-Fingered Bats, Miniopterus. Molecular Biology and Evolution, 2007, 24, 1553-1561.  | 8.9                   | 176            |
| 54 | The allometry of echolocation call frequencies of insectivorous bats: why do some species deviate from the pattern?. Oecologia, 2007, 152, 583-594.   | 2.0                   | 89             |

| #  | Article  | IF   | Citations |
|----|--|------|-----------|
| 55 | CRYPTIC SPECIES IN AN INSECTIVOROUS BAT, SCOTOPHILUS DINGANII. Journal of Mammalogy, 2006, 87, 161-170.  | 1.3  | 44        |
| 56 | Deliberate insectivory by the fruit bat Rousettus aegyptiacus. Acta Chiropterologica, 2006, 8, 549-553.  | 0.6  | 25        |
| 57 | Foraging and roosting ecology of a rare insectivorous bat species, Laephotis wintoni (Thomas, 1901), Vespertilionidae. Acta Chiropterologica, 2005, 7, 101-109.  | 0.6  | 7         |
| 58 | GENETIC AND PHENOTYPIC DIFFERENCES BETWEEN SOUTH AFRICAN LONG-FINGERED BATS, WITH A GLOBAL MINIOPTERINE PHYLOGENY. Journal of Mammalogy, 2005, 86, 1121-1135.  | 1.3  | 69        |
| 59 | A Nuclear DNA Phylogenetic Perspective on the Evolution of Echolocation and Historical<br>Biogeography of Extant Bats (Chiroptera). Molecular Biology and Evolution, 2005, 22, 1869-1886.                      | 8.9  | 211       |
| 60 | Genetic Similarity Amongst Phenotypically Diverse Little Free-Tailed Bats, Chaerephon pumilus. Acta Chiropterologica, 2004, 6, 13-21.  | 0.6  | 14        |
| 61 | Phylogeny of African <i>Myotis</i> Bats (Chiroptera, Vespertilionidae) Inferred from Cytochrome <i>b</i> Sequences. Acta Chiropterologica, 2004, 6, 177-192.   | 0.6  | 93        |
| 62 | Individual signatures in the frequency-modulated sweep calls of African large-eared, free-tailed bats Otomops martiensseni (Chiroptera: Molossidae). Journal of Zoology, 2004, 262, 11-19.                     | 1.7  | 61        |
| 63 | The influence of wing morphology and echolocation on the gleaning ability of the insectivorous bat <i>Myotis tricolor</i> . Canadian Journal of Zoology, 2004, 82, 1854-1863.                                  | 1.0  | 8         |
| 64 | Field identification of two morphologically similar bats, Miniopterus schreibersii natalensis and Miniopterus fraterculus (Chiroptera: Vespertilionidae). African Zoology, 2004, 39, 47-53.                    | 0.4  | 16        |
| 65 | Support for the allotonic frequency hypothesis in an insectivorous bat community. Oecologia, 2003, 134, 154-162.   | 2.0  | 49        |
| 66 | Strong population substructure is correlated with morphology and ecology in a migratory bat. Nature, 2003, 424, 187-191.   | 27.8 | 97        |
| 67 | Auditory encoding during the last moment of a moth's life. Journal of Experimental Biology, 2003, 206, 281-294.  | 1.7  | 45        |
| 68 | Geographic variation in the morphology, echolocation and diet of the little free-tailed bat, <i>Chaerephon pumilus </i> (Molossidae). African Zoology, 2003, 38, 245-254.                                      | 0.4  | 38        |
| 69 | Undergraduates' understanding of evolution: ascriptions of agency as a problem for student learning. Journal of Biological Education, 2002, 36, 65-71.   | 1.5  | 65        |
| 70 | Mormopterus petrophilus. Mammalian Species, 2002, , .  | 0.7  | 0         |
| 71 | Isolation and characterization of highly polymorphic microsatellite loci in Schreibers' long-fingered bat, Miniopterus schreibersii (Chiroptera: Vespertilionidae). Molecular Ecology Notes, 2002, 2, 139-141. | 1.7  | 18        |
| 72 | Researching little-known species: the African bat Otomops martiensseni (Chiroptera: Molossidae). Biodiversity and Conservation, 2002, 11, 1583-1606.   | 2.6  | 23        |

| #  | Article   | IF         | CITATIONS     |
|----|---|------------|---------------|
| 73 | Mormopterus petrophilus. Mammalian Species, 2002, 703, 1-3.   | 0.7        | 2             |
| 74 | The status of Sauromys petrophilus and Chaerephon pumilus (Chiroptera: Molossidae) in the Western Cape Province of South Africa. African Zoology, 2001, 36, 129-136.                                  | 0.4        | 6             |
| 75 | Individual recognition in the Damaraland mole-rat, Cryptomys damarensis (Rodentia: Bathyergidae).<br>Journal of Zoology, 2000, 251, 411-415.  | 1.7        | 6             |
| 76 | Resource use by two morphologically similar insectivorous bats ( <i>Nycteris) Tj ETQq0 0 0 rgBT /Overlock 10 Tf</i>   | 50 622 Td  | (thebaica     |
| 77 | The diet of the insectivorous Hawaiian hoary bat (Lasiurus cinereus semotus) in an open and a cluttered habitat. Canadian Journal of Zoology, 1999, 77, 1603-1608.                                    | 1.0        | 27            |
| 78 | Variation in the echolocation calls of the hoary bat (Lasiurus cinereus): influence of body size, habitat structure, and geographic location. Canadian Journal of Zoology, 1999, 77, 530-534.         | 1.0        | 91            |
| 79 | The diet of the insectivorous Hawaiian hoary bat ( <i>Lasiurus cinereus semotus</i> ) in an open and a cluttered habitat. Canadian Journal of Zoology, 1999, 77, 1603-1608.                           | 1.0        | 4             |
| 80 | Variation in the echolocation calls of the hoary bat ( <i>Lasiuruscinereus</i> ): influence of body size, habitat structure, and geographic location. Canadian Journal of Zoology, 1999, 77, 530-534. | 1.0        | 39            |
| 81 | Out-breeding behaviour and xenophobia in the damaraland mole-rat,Cryptomys damarensis. South African Journal of Zoology, 1998, 33, 189-194.   | 0.5        | 15            |
| 82 | Concept-driven teaching and assessment in Invertebrate Zoology. Journal of Biological Education, 1998, 32, 191-199.   | 1.5        | 3             |
| 83 | Morphological Divergence in an Insular Bat, Lasiurus cinereus semotus. Functional Ecology, 1996, 10, 622.   | 3.6        | 43            |
| 84 | No evidence for the work-conflict hypothesis in the eusocial naked mole-rat ( Heterocephalus glaber) Tj ETQq0 0   | 0 rgBT /O· | verjock 10 Tf |
| 85 | The colony structure and dominance hierarchy of the Damaraland moleâ€rat, <i>Cryptomys damarensis</i> (Rodentia: Bathyergidae), from Namibia. Journal of Zoology, 1991, 224, 553-576.                 | 1.7        | 50            |