## Susan D Lawrence

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/394998/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effects of altered [ADP-ribose]n metabolism on expression of fetal functions by adult hepatocytes. Nature, 1982, 300, 366-368.	27.8	159
2	Agrobacterium-mediated transformation of Citrus stem segments and regeneration of transgenic plants. Plant Cell Reports, 1992, 11-11, 238-42.	5.6	154
3	Expression of Poplar Chitinase in Tomato Leads to Inhibition of Development in Colorado Potato Beetle. Biotechnology Letters, 2006, 28, 593-599.	2.2	97
4	ADP-ribosyltransferase activity in cultured hepatocytes. Interactions with DNA repair Journal of Biological Chemistry, 1982, 257, 5528-5535.	3.4	96
5	ADP-ribosyltransferase activity in cultured hepatocytes. Interactions with DNA repair. Journal of Biological Chemistry, 1982, 257, 5528-35.	3.4	81
6	The effect of nicotinamide on unscheduled DNA synthesis in cultured hepatocytes. Biochemical and Biophysical Research Communications, 1980, 95, 1063-1070.	2.1	70
7	Potato, Solanum Tuberosum, Defense Against Colorado Potato Beetle, Leptinotarsa Decemlineata (Say): Microarray Gene Expression Profiling of Potato by Colorado Potato Beetle Regurgitant Treatment of Wounded Leaves. Journal of Chemical Ecology, 2008, 34, 1013-1025.	1.8	70
8	Cytokinin Primes Plant Responses to Wounding and Reduces Insect Performance. Journal of Plant Growth Regulation, 2010, 29, 289-296.	5.1	62
9	Molecular cloning and nucleotide sequencing of the coat protein gene of citrus tristeza virus. Journal of General Virology, 1991, 72, 1013-1020.	2.9	58
10	Chromoplast development in ripening tomato fruit: identification of cDNAs for chromoplast-targeted proteins and characterization of a cDNA encoding a plastid-localized low-molecular-weight heat shock protein. Plant Molecular Biology, 1997, 33, 483-492.	3.9	53
11	A study of the Autographa californica multiple nucleopolyhedrovirus ODV envelope protein p74 using a GFP tag. Journal of General Virology, 2001, 82, 2279-2287.	2.9	43
12	Inhibition of Proteinase Inhibitor Transcripts by Leptinotarsa decemlineata Regurgitant in Solanum lycopersicum. Journal of Chemical Ecology, 2007, 33, 1041-1048.	1.8	39
13	A vegetative storage protein homolog is expressed in the growing shoot apex of hybrid poplar. Planta, 1997, 203, 237-244.	3.2	34
14	DNA damage induced by the antihistaminic drug methapyrilene hydrochloride. Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis, 1982, 103, 213-218.	1.1	33
15	MAIZE GENES INDUCED BY HERBIVORY AND VOLICITIN. Journal of Chemical Ecology, 2004, 30, 2543-2557.	1.8	30
16	Trypsin cleavage of the baculovirus occlusion-derived virus attachment protein P74 is prerequisite in per os infection. Journal of General Virology, 2008, 89, 2388-2397.	2.9	29
17	Remarkable susceptibility of the diamondback moth (Plutella xylostella) to ingestion of Pir toxins from Photorhabdus luminescens. Entomologia Experimentalis Et Applicata, 2006, 121, 31-37.	1.4	26
18	Wound and insect herbivory responsive genes in poplar. Biotechnology Letters, 2006, 28, 1493-1501.	2.2	26

SUSAN D LAWRENCE

#	Article	IF	CITATIONS
19	Transit Peptide Mutations That Impair in Vitro and in Vivo Chloroplast Protein Import Do Not Affect Accumulation of the γ-Subunit of Chloroplast ATPase1. Plant Physiology, 1998, 116, 1179-1190.	4.8	25
20	Herbivory responsive C2H2 zinc finger transcription factor protein StZFP2 from potato. Plant Physiology and Biochemistry, 2014, 80, 226-233.	5.8	23
21	Root herbivory: molecular analysis of the maize transcriptome upon infestation by Southern corn rootworm, <i>Diabrotica undecimpunctata howardi</i> . Physiologia Plantarum, 2012, 144, 303-319.	5.2	21
22	Chromoplast-Targeted Proteins in Tomato (Lycopersicon esculentum Mill.) Fruit. Plant Physiology, 1993, 102, 789-794.	4.8	19
23	Chitinase accumulates systemically in wounded poplar trees. Physiologia Plantarum, 1998, 103, 154-161.	5.2	19
24	Vegetative storage protein expression during terminal bud formation in poplar. Canadian Journal of Forest Research, 2001, 31, 1098-1103.	1.7	17
25	Alterations in the Chlamydomonas Plastocyanin Transit Peptide Have Distinct Effects on in VitroImport and in Vivo Protein Accumulation. Journal of Biological Chemistry, 1997, 272, 20357-20363.	3.4	16
26	Title is missing!. Molecular Breeding, 2001, 8, 139-146.	2.1	16
27	Evidence for proteolytic cleavage of the baculovirus occlusion-derived virion envelope protein P74. Journal of General Virology, 2005, 86, 1637-1643.	2.9	14
28	Expression of biologically active human interferon alpha 2 in Aloe vera. Transgenic Research, 2012, 21, 1349-1357.	2.4	12
29	Epitope tagging: a monoclonal antibody specific for recombinant fusion proteins in plants. BioTechniques, 2003, 35, 488-492.	1.8	11
30	Reproductive failure of Heterorhabditis marelatus in the Colorado potato beetle: Evidence of stress on the nematode symbiont Photorhabdus temperata and potential interference from the enteric bacteria of the beetle. Biological Control, 2007, 42, 207-215.	3.0	11
31	A soluble form of P74 can act as a per os infectivity factor to the Autographa californica multiple nucleopolyhedrovirus. Journal of General Virology, 2010, 91, 915-918.	2.9	11
32	Examining the molecular interaction between potato (Solanum tuberosum) and Colorado potato beetle Leptinotarsa decemlineata. Botany, 2008, 86, 1080-1091.	1.0	10
33	Two cDNA clones encoding 14-3-3 homologs from tomato fruit. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1995, 1263, 67-70.	2.4	7
34	Comparative analysis of the genetic variability within the Q-type C2H2 zinc-finger transcription factors in the economically important cabbage, canola and Chinese cabbage genomes. Hereditas, 2018, 155, 29.	1.4	7
35	Over expression of the Q-type ZFP StZFP2 in potato increases resistance to potato late blight (Phytophthora infestans) infection. Journal of Plant Interactions, 2019, 14, 129-136.	2.1	7
36	Purification of DNA for the transfection of a Spodoptera frugiperda cell line. Cytotechnology, 2002, 24, 155-163.	0.7	6

#	Article	IF	CITATIONS
37	Herbivory of maize by southern corn rootworm induces expression of the major intrinsic protein <i><i>ZmNIP1;1</i></i> and leads to the discovery of a novel aquaporin <i><i>ZmPIP2;8</i></i> Plant Signaling and Behavior, 2013, 8, e24937.	2.4	5
38	Cabbage looper ( Trichoplusia ni Hübner) labial glands contain unique bacterial flora in contrast with their alimentary canal, mandibular glands, and Malpighian tubules. MicrobiologyOpen, 2020, 9, e994.	3.0	5
39	The remarkable plethora of infestation-responsive Q-type C2H2 transcription factors in potato. BMC Research Notes, 2018, 11, 398.	1.4	4
40	Mining the Brassica oleracea Genome for Q-type C2H2 Zinc Finger Transcription Factor Genes. Plant Molecular Biology Reporter, 2015, 33, 1611-1617.	1.8	3
41	Over-expression of <i>StZFP2</i> in <i>Solanum tuberosum</i> L. var. Kennebec (potato) inhibits growth of Tobacco Hornworm larvae (THW, <i>Manduca sexta</i> L.). Plant Signaling and Behavior, 2018, 13, e1489668.	2.4	3
42	Detached Leaf Assays to Simplify Gene Expression Studies in Potato During Infestation by Chewing Insect Manduca sexta. Journal of Visualized Experiments, 2019, , .	0.3	3
43	Transformation in Citrus. Biotechnology in Agriculture and Forestry, 1993, , 194-208.	0.2	3
44	The response to cabbage looper infestation in Arabidopsis is altered by lowering levels of Zat18 a Q-type C2H2 zinc finger protein. Journal of Plant Interactions, 2022, 17, 198-205.	2.1	2
45	Arabidopsis Genotypes Resistant and Susceptible to Diamondback Moth (Lepidoptera: Plutellidae): No Net Effects on Insect Growth. Journal of Entomological Science, 2014, 49, 285-289.	0.3	0