

# Francis L W Ratnieks

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3951424/publications.pdf>

Version: 2024-02-01

205  
papers

11,844  
citations

23567

58  
h-index

34986

98  
g-index

205  
all docs

205  
docs citations

205  
times ranked

6470  
citing authors

#	ARTICLE	IF	CITATIONS
1	Can Beekeeping Improve Mental Wellbeing during Times of Crisis?. <i>Bee World</i> , 2022, 99, 40-43.	0.8	8
2	Clover in agriculture: combined benefits for bees, environment, and farmer. <i>Journal of Insect Conservation</i> , 2022, 26, 339-357.	1.4	8
3	The disproportionate value of "weeds" to pollinators and biodiversity. <i>Journal of Applied Ecology</i> , 2022, 59, 1209-1218.	4.0	18
4	Population assessment and foraging ecology of the rare solitary bee <i>Anthophora retusa</i> at Seaford Head Nature reserve. <i>Journal of Insect Conservation</i> , 2021, 25, 49-63.	1.4	2
5	Energetic efficiency of foraging mediates bee niche partitioning. <i>Ecology</i> , 2021, 102, e03285.	3.2	13
6	Phenology of the specialist bee <i>Colletes hederæ</i> and its dependence on <i>Hedera helix</i> L. in comparison to a generalist, <i>Apis mellifera</i> . <i>Arthropod-Plant Interactions</i> , 2021, 15, 183-195.	1.1	1
7	Plants and pollinators: Will natural selection cause an imbalance between nectar supply and demand?. <i>Ecology Letters</i> , 2021, 24, 1741-1749.	6.4	7
8	Wind slows play: increasing wind speed reduces flower visiting rate in honey bees. <i>Animal Behaviour</i> , 2021, 178, 87-93.	1.9	18
9	Foraging of honey bees in agricultural landscapes with changing patterns of flower resources. <i>Agriculture, Ecosystems and Environment</i> , 2020, 291, 106792.	5.3	40
10	Stinging risk and sting pain of the ivy bee, <i>Colletes hederæ</i> . <i>Journal of Apicultural Research</i> , 2020, 59, 223-231.	1.5	1
11	Seasonal variation in exploitative competition between honeybees and bumblebees. <i>Oecologia</i> , 2020, 192, 351-361.	2.0	28
12	Thug life: bramble ( <i>Rubus fruticosus</i> L. agg.) is a valuable foraging resource for honeybees and diverse flower-visiting insects. <i>Insect Conservation and Diversity</i> , 2020, 13, 543-557.	3.0	14
13	Population assessment and foraging ecology of nest aggregations of the rare solitary bee, <i>Eucera longicornis</i> at Gatwick Airport, and implications for their management. <i>Journal of Insect Conservation</i> , 2020, 24, 947-960.	1.4	4
14	Exploitative competition and displacement mediated by eusocial bees: experimental evidence in a wild pollinator community. <i>Behavioral Ecology and Sociobiology</i> , 2020, 74, 1.	1.4	25
15	Caveat Emptor: Do Products Sold to Help Bees and Pollinating Insects Actually Work?. <i>Bee World</i> , 2020, 97, 57-60.	0.8	3
16	Multiple methods of assessing nectar foraging conditions indicate peak foraging difficulty in late season. <i>Insect Conservation and Diversity</i> , 2020, 13, 532-542.	3.0	12
17	Queen Execution, Diploid Males, and Selection For and Against Polyandry in the Brazilian Stingless Bee <i>Scaptotrigona depilis</i> . <i>American Naturalist</i> , 2019, 194, 725-735.	2.1	7
18	Garden centre customer attitudes to pollinators and pollinator-friendly planting. <i>PeerJ</i> , 2019, 7, e7088.	2.0	12

#	ARTICLE	IF	CITATIONS
19	British phenological records indicate high diversity and extinction rates among late-summer-flying pollinators. <i>Biological Conservation</i> , 2018, 222, 278-283.	4.1	61
20	Gut microbiota composition is associated with environmental landscape in honey bees. <i>Ecology and Evolution</i> , 2018, 8, 441-451.	1.9	106
21	brood. <i>Journal of Apicultural Research</i> , 2018, 57, 433-437.	1.5	1
22	Organization enhances collective vigilance in the hovering guards of <i>Tetragonisca angustula</i> bees. <i>Behavioral Ecology</i> , 2018, 29, 1105-1112.	2.2	11
23	proportion of varroa in small patches of sealed brood cells. <i>Journal of Apicultural Research</i> , 2018, 57, 444-451.	1.5	2
24	twice with oxalic acid via sublimation. <i>Journal of Apicultural Research</i> , 2018, 57, 438-443.	1.5	10
25	Review: Have suitable experimental designs been used to determine the effects of neonicotinoid insecticides on bee colony performance in the field?. <i>Journal of Apicultural Research</i> , 2018, 57, 586-592.	1.5	6
26	Both hygienic and non-hygienic honeybee, <i>Apis mellifera</i> , colonies remove dead and diseased larvae from open brood cells. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2018, 373, 20170201.	4.0	12
27	First record of small hive beetle, <i>Aethina tumida</i> Murray, in South America. <i>Journal of Apicultural Research</i> , 2017, 56, 76-80.	1.5	38
28	Individual and genetic task specialization in policing behaviour in the European honeybee. <i>Animal Behaviour</i> , 2017, 128, 95-102.	1.9	2
29	Diploid Male Production Results in Queen Death in the Stingless Bee <i>Scaptotrigona depilis</i> . <i>Journal of Chemical Ecology</i> , 2017, 43, 403-410.	1.8	12
30	Using the waggle dance to determine the spatial ecology of honey bees during commercial crop pollination. <i>Agricultural and Forest Entomology</i> , 2017, 19, 210-216.	1.3	21
31	Landscape Scale Study of the Net Effect of Proximity to a Neonicotinoid-Treated Crop on Bee Colony Health. <i>Environmental Science &amp; Technology</i> , 2017, 51, 10825-10833.	10.0	20
32	Most ornamental plants on sale in garden centres are unattractive to flower-visiting insects. <i>PeerJ</i> , 2017, 5, e3066.	2.0	40
33	Data reliability in citizen science: learning curve and the effects of training method, volunteer background and experience on identification accuracy of insects visiting ivy flowers. <i>Methods in Ecology and Evolution</i> , 2016, 7, 1226-1235.	5.2	76
34	Hygienic behaviour in Brazilian stingless bees. <i>Biology Open</i> , 2016, 5, 1712-1718.	1.2	16
35	Quality versus quantity: Foraging decisions in the honeybee ( <i>Apis mellifera scutellata</i> ) feeding on wildflower nectar and fruit juice. <i>Ecology and Evolution</i> , 2016, 6, 7156-7165.	1.9	22
36	Roof Top Hives: Practical Beekeeping or Publicity Stunt?. <i>Bee World</i> , 2016, 93, 64-67.	0.8	9

#	ARTICLE	IF	CITATIONS
37	Garden varieties: How attractive are recommended garden plants to butterflies?. <i>Journal of Insect Conservation</i> , 2016, 20, 141-148.	1.4	13
38	Dancing to her own beat: honey bee foragers communicate via individually calibrated waggle dances. <i>Journal of Experimental Biology</i> , 2016, 219, 1287-9.	1.7	13
39	Size matters: Significant negative relationship between mature plant mass and residual neonicotinoid levels in seed-treated oilseed rape and maize crops. <i>Agriculture, Ecosystems and Environment</i> , 2016, 215, 85-88.	5.3	16
40	Survey of insect visitation of ornamental flowers in Southover Grange garden, Lewes, UK. <i>Insect Science</i> , 2015, 22, 700-705.	3.0	25
41	Busy Bees: Variation in Insect Flower-Visiting Rates across Multiple Plant Species. <i>Psyche: Journal of Entomology</i> , 2015, 2015, 1-7.	0.9	13
42	Collective decision making in a heterogeneous environment: <i>Lasius niger</i> colonies preferentially forage at easy to learn locations. <i>Animal Behaviour</i> , 2015, 104, 189-195.	1.9	15
43	Determining the foraging potential of oilseed rape to honey bees using aerial surveys and simulations. <i>Journal of Apicultural Research</i> , 2015, 54, 238-245.	1.5	3
44	the mortality of phoretic <i>Varroa destructor</i> mites and their honey bee hosts. <i>Journal of Apicultural Research</i> , 2015, 54, 108-120.	1.5	32
45	Honey bee dance decoding and pollen-load analysis show limited foraging on spring-flowering oilseed rape, a potential source of neonicotinoid contamination. <i>Agriculture, Ecosystems and Environment</i> , 2015, 203, 62-68.	5.3	55
46	Unnatural Contexts Cause Honey Bee Guards to Adopt Non-Guarding Behaviours Towards Allospecifics and Conspecifics. <i>Ethology</i> , 2015, 121, 410-418.	1.1	2
47	Eating locally: dance decoding demonstrates that urban honey bees in Brighton, UK, forage mainly in the surrounding urban area. <i>Urban Ecosystems</i> , 2015, 18, 411-418.	2.4	44
48	Using the British National Collection of Asters to Compare the Attractiveness of 228 Varieties to Flower-Visiting Insects. <i>Environmental Entomology</i> , 2015, 44, 638-646.	1.4	19
49	Caffeinated Forage Tricks Honeybees into Increasing Foraging and Recruitment Behaviors. <i>Current Biology</i> , 2015, 25, 2815-2818.	3.9	57
50	Public approval plus more wildlife: twin benefits of reduced mowing of amenity grass in a suburban public park in Saltdean, UK. <i>Insect Conservation and Diversity</i> , 2015, 8, 107-119.	3.0	57
51	Following the dance: Ground survey of flowers and flower-visiting insects in a summer foraging hotspot identified via honey bee waggle dance decoding. <i>Agriculture, Ecosystems and Environment</i> , 2015, 213, 265-271.	5.3	25
52	Exploitative competition alters bee foraging and flower choice. <i>Behavioral Ecology and Sociobiology</i> , 2015, 69, 1731-1738.	1.4	57
53	Honey bee foraging distance depends on month and forage type. <i>Apidologie</i> , 2015, 46, 61-70.	2.0	89
54	Patch size has no effect on insect visitation rate per unit area in garden-scale flower patches. <i>Acta Oecologica</i> , 2015, 62, 53-57.	1.1	14

#	ARTICLE	IF	CITATIONS
55	Appetite for self-destruction: suicidal biting as a nest defense strategy in <i>Trigona</i> stingless bees. <i>Behavioral Ecology and Sociobiology</i> , 2015, 69, 273-281.	1.4	47
56	Trail Pheromones: An Integrative View of Their Role in Social Insect Colony Organization. <i>Annual Review of Entomology</i> , 2015, 60, 581-599.	11.8	164
57	The dose makes the poison: have field realistic rates of exposure of bees to neonicotinoid insecticides been overestimated in laboratory studies?. <i>Journal of Apicultural Research</i> , 2014, 53, 607-614.	1.5	115
58	Rapid up- and down-regulation of pheromone signalling due to trail crowding in the ant <i>Lasius niger</i> . <i>Behaviour</i> , 2014, 151, 669-682.	0.8	8
59	Towards integrated control of varroa: effect of variation in hygienic behaviour among honey bee colonies on mite population increase and deformed wing virus incidence. <i>Journal of Apicultural Research</i> , 2014, 53, 555-562.	1.5	38
60	Lattice fence and hedge barriers around an apiary increase honey bee flight height and decrease stings to people nearby. <i>Journal of Apicultural Research</i> , 2014, 53, 67-74.	1.5	6
61	Ivy: an underappreciated key resource to flower-visiting insects in autumn. <i>Insect Conservation and Diversity</i> , 2014, 7, 91-102.	3.0	37
62	Listmania: The Strengths and Weaknesses of Lists of Garden Plants to Help Pollinators. <i>BioScience</i> , 2014, 64, 1019-1026.	4.9	64
63	Killing and Replacing Queen-Laid Eggs: Low Cost of Worker Policing in the Honeybee. <i>American Naturalist</i> , 2014, 184, 110-118.	2.1	8
64	The effect of one generation of controlled mating on the expression of hygienic behaviour in honey bees. <i>Journal of Apicultural Research</i> , 2014, 53, 563-568.	1.5	21
65	Effect of Trail Bifurcation Asymmetry and Pheromone Presence or Absence on Trail Choice by <i>Lasius niger</i> Ants. <i>Ethology</i> , 2014, 120, 768-775.	1.1	16
66	Dancing Bees Communicate a Foraging Preference for Rural Lands in High-Level Agri-Environment Schemes. <i>Current Biology</i> , 2014, 24, 1212-1215.	3.9	104
67	Quantifying variation among garden plants in attractiveness to bees and other flower-visiting insects. <i>Functional Ecology</i> , 2014, 28, 364-374.	3.6	160
68	Recognition of nestmate eggs in the ant <i>Formica fusca</i> is based on queen derived cues. <i>Environmental Epigenetics</i> , 2014, 60, 131-136.	1.8	11
69	Waggle Dance Distances as Integrative Indicators of Seasonal Foraging Challenges. <i>PLoS ONE</i> , 2014, 9, e93495.	2.5	154
70	Ant foraging on complex trails: route learning and the role of trail pheromones in <i>Lasius niger</i> . <i>Journal of Experimental Biology</i> , 2013, 216, 188-97.	1.7	74
71	Honey bee waggle dance communication: signal meaning and signal noise affect dance follower behaviour. <i>Behavioral Ecology and Sociobiology</i> , 2013, 67, 549-556.	1.4	27
72	Longer tongues and swifter handling: why do more bumble bees ( <i>Bombus</i> spp.) than honey bees ( <i>Apis mellifera</i> ) forage on lavender ( <i>Lavandula</i> spp.)?. <i>Ecological Entomology</i> , 2013, 38, 323-329.	2.2	38

#	ARTICLE	IF	CITATIONS
73	Incorporating variability in honey bee waggle dance decoding improves the mapping of communicated resource locations. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2013, 199, 1143-1152.	1.6	48
74	Persistence to Unrewarding Feeding Locations by Honeybee Foragers ( <i>&lt;i&gt;&lt;sc&gt;A&lt;/sc&gt; &lt;/i&gt;</i> ) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 T</i> 1096-1106.	1.1	39
75	Social learning strategies in honeybee foragers: do the costs of using private information affect the use of social information?. <i>Animal Behaviour</i> , 2013, 85, 1443-1449.	1.9	32
76	Context affects nestmate recognition errors in honey bees and stingless bees. <i>Journal of Experimental Biology</i> , 2013, 216, 3055-61.	1.7	22
77	Factors influencing survival duration and choice of virgin queens in the stingless bee <i>Melipona quadrifasciata</i> . <i>Die Naturwissenschaften</i> , 2013, 100, 571-580.	1.6	11
78	Hygienic Behavior in Honey Bees (Hymenoptera: Apidae): Effects of Brood, Food, and Time of the Year. <i>Journal of Economic Entomology</i> , 2013, 106, 2280-2285.	1.8	23
79	Negative feedback in ants: crowding results in less trail pheromone deposition. <i>Journal of the Royal Society Interface</i> , 2013, 10, 20121009.	3.4	58
80	Working against gravity: horizontal honeybee waggle runs have greater angular scatter than vertical waggle runs. <i>Biology Letters</i> , 2012, 8, 540-543.	2.3	19
81	Intra-dance variation among waggle runs and the design of efficient protocols for honey bee dance decoding. <i>Biology Open</i> , 2012, 1, 467-472.	1.2	58
82	Uncovering the complexity of ant foraging trails. <i>Communicative and Integrative Biology</i> , 2012, 5, 78-80.	1.4	7
83	An evolutionary ecology of individual differences. <i>Ecology Letters</i> , 2012, 15, 1189-1198.	6.4	380
84	A morphologically specialized soldier caste improves colony defense in a neotropical eusocial bee. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 1182-1186.	7.1	114
85	Comparing Alternative Methods for Holding Virgin Honey Bee Queens for One Week in Mailing Cages before Mating. <i>PLoS ONE</i> , 2012, 7, e50150.	2.5	3
86	Pheromone trails in the Brazilian ant <i>Pheidole oxyops</i> : extreme properties and dual recruitment action. <i>Behavioral Ecology and Sociobiology</i> , 2012, 66, 1149-1156.	1.4	24
87	The role of wax and resin in the nestmate recognition system of a stingless bee, <i>Tetragonisca angustula</i> . <i>Behavioral Ecology and Sociobiology</i> , 2012, 66, 1-12.	1.4	40
88	Model of collective decision-making in nestmate recognition fails to account for individual discriminator responses and non-independent discriminator errors. <i>Behavioral Ecology and Sociobiology</i> , 2012, 66, 339-341.	1.4	8
89	Acceptance by Honey Bee Guards of Non-Nestmates is not Increased by Treatment with Nestmate Odours. <i>Ethology</i> , 2011, 117, 655-663.	1.1	6
90	Only full-sibling families evolved eusociality. <i>Nature</i> , 2011, 471, E4-E5.	27.8	74

#	ARTICLE	IF	CITATIONS
91	Honeybee foragers increase the use of waggle dance information when private information becomes unrewarding. <i>Animal Behaviour</i> , 2011, 81, 949-954.	1.9	68
92	Decision making in ant foragers ( <i>Lasius niger</i> ) facing conflicting private and social information. <i>Behavioral Ecology and Sociobiology</i> , 2011, 65, 141-148.	1.4	124
93	Co-occurrence of three types of egg policing in the Norwegian wasp <i>Dolichovespula norwegica</i> . <i>Behavioral Ecology and Sociobiology</i> , 2011, 65, 633-640.	1.4	20
94	Darwin's special difficulty: the evolution of "neuter insects" and current theory. <i>Behavioral Ecology and Sociobiology</i> , 2011, 65, 481-492.	1.4	36
95	Hovering guards of the stingless bee <i>Tetragonisca angustula</i> increase colony defensive perimeter as shown by intra- and inter-specific comparisons. <i>Behavioral Ecology and Sociobiology</i> , 2011, 65, 1277-1282.	1.4	43
96	Comparative methylomics reveals gene-body H3K36me3 in <i>Drosophila</i> predicts DNA methylation and CpG landscapes in other invertebrates. <i>Genome Research</i> , 2011, 21, 1841-1850.	5.5	57
97	Synergy between social and private information increases foraging efficiency in ants. <i>Biology Letters</i> , 2011, 7, 521-524.	2.3	91
98	Flower constancy in honey bee workers ( <i>Apis mellifera</i> ) depends on ecologically realistic rewards. <i>Journal of Experimental Biology</i> , 2011, 214, 1397-1402.	1.7	72
99	Flower constancy in insect pollinators: Adaptive foraging behaviour or cognitive limitation?. <i>Communicative and Integrative Biology</i> , 2011, 4, 633-636.	1.4	72
100	Honey bee guards recognise allospecific intruders via "different odours" not "harmful-intruder odours". <i>Journal of Apicultural Research</i> , 2010, 49, 270-277.	1.5	5
101	Alarm Pheromones Do Not Mediate Rapid Shifts in Honey Bee Guard Acceptance Threshold. <i>Journal of Chemical Ecology</i> , 2010, 36, 1306-1308.	1.8	11
102	Social Learning: The Importance of Copying Others. <i>Current Biology</i> , 2010, 20, R683-R685.	3.9	47
103	Sexual selection in honey bees: colony variation and the importance of size in male mating success. <i>Behavioral Ecology</i> , 2010, 21, 520-525.	2.2	47
104	Clarity on Honey Bee Collapse?. <i>Science</i> , 2010, 327, 152-153.	12.6	247
105	The evolution of extreme altruism and inequality in insect societies. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2009, 364, 3169-3179.	4.0	69
106	Recognition errors by honey bee ( <i>Apis mellifera</i> ) guards demonstrate overlapping cues in conspecific recognition. <i>Journal of Apicultural Research</i> , 2009, 48, 225-232.	1.5	15
107	Standing and hovering guards of the stingless bee <i>Tetragonisca angustula</i> complement each other in entrance guarding and intruder recognition. <i>Journal of Apicultural Research</i> , 2009, 48, 209-214.	1.5	33
108	Sex allocation conflict in insect societies: who wins?. <i>Biology Letters</i> , 2009, 5, 700-704.	2.3	23

#	ARTICLE	IF	CITATIONS
109	Two independent mechanisms of egg recognition in worker <i>Formica fusca</i> ants. <i>Behavioral Ecology and Sociobiology</i> , 2009, 63, 573-580.	1.4	20
110	Odour transfer in stingless bee <i>marmelada</i> ( <i>Frieseomelitta varia</i> ) demonstrates that entrance guards use an "undesirable" absent-recognition system. <i>Behavioral Ecology and Sociobiology</i> , 2008, 62, 1099-1105.	1.4	31
111	Combined use of pheromone trails and visual landmarks by the common garden ant <i>Lasius niger</i> . <i>Behavioral Ecology and Sociobiology</i> , 2008, 63, 261-267.	1.4	58
112	An agent-based model to investigate the roles of attractive and repellent pheromones in ant decision making during foraging. <i>Journal of Theoretical Biology</i> , 2008, 255, 250-258.	1.7	41
113	Effects of hive spacing, entrance orientation, and worker activity on nest relocation by honey bee queens. <i>Apidologie</i> , 2008, 39, 708-713.	2.0	4
114	The organization of soil disposal by ants. <i>Animal Behaviour</i> , 2008, 75, 1389-1399.	1.9	10
115	En garde: rapid shifts in honeybee, <i>Apis mellifera</i> , guarding behaviour are triggered by onslaught of conspecific intruders. <i>Animal Behaviour</i> , 2008, 76, 1653-1658.	1.9	53
116	Ancestral Monogamy Shows Kin Selection Is Key to the Evolution of Eusociality. <i>Science</i> , 2008, 320, 1213-1216.	12.6	608
117	Altruism in insect societies and beyond: voluntary or enforced?. <i>Trends in Ecology and Evolution</i> , 2008, 23, 45-52.	8.7	165
118	Wasp Social Evolution: But Don't Ask "Why?". <i>BioScience</i> , 2008, 58, 662-663.	4.9	0
119	Preemptive Defensive Self-Sacrifice by Ant Workers. <i>American Naturalist</i> , 2008, 172, E239-E243.	2.1	26
120	Geometry explains the benefits of division of labour in a leafcutter ant. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008, 275, 1255-1260.	2.6	19
121	Direct introduction of mated and virgin queens using smoke: a method that gives almost 100% acceptance when hives have been queenless for 2 days or more. <i>Journal of Apicultural Research</i> , 2008, 47, 243-250.	1.5	6
122	New role for majors in <i>Atta</i> leafcutter ants. <i>Ecological Entomology</i> , 2007, 32, 451-454.	2.2	21
123	Improved technique for introducing four-day old virgin queens to mating hives that uses artificial and natural queen cells for introduction. <i>Journal of Apicultural Research</i> , 2007, 46, 28-33.	1.5	5
124	Nest-mate recognition template of guard honeybees ( <i>Apis mellifera</i> ) is modified by wax comb transfer. <i>Biology Letters</i> , 2007, 3, 228-230.	2.3	41
125	Are mistakes inevitable? Sex allocation specialization by workers can reduce the genetic information needed to assess queen mating frequency. <i>Journal of Theoretical Biology</i> , 2007, 244, 470-477.	1.7	13
126	Prior experience with eggs laid by non-nestmate queens induces egg acceptance errors in ant workers. <i>Behavioral Ecology and Sociobiology</i> , 2007, 62, 223-228.	1.4	20



#	ARTICLE	IF	CITATIONS
127	CONFLICT RESOLUTION IN INSECT SOCIETIES. <i>Annual Review of Entomology</i> , 2006, 51, 581-608.	11.8	547
128	Comparative Analysis of Worker Reproduction and Policing in Eusocial Hymenoptera Supports Relatedness Theory. <i>American Naturalist</i> , 2006, 168, E163-E179.	2.1	203
129	Kin selection is the key to altruism. <i>Trends in Ecology and Evolution</i> , 2006, 21, 57-60.	8.7	342
130	There is nothing wrong with inclusive fitness. <i>Trends in Ecology and Evolution</i> , 2006, 21, 599-600.	8.7	55
131	Comparing alternative methods of introducing virgin queens ( <i>Apis mellifera</i> ) into mating nucleus hives. <i>Apidologie</i> , 2006, 37, 571-576.	2.0	7
132	Enforced altruism in insect societies. <i>Nature</i> , 2006, 444, 50-50.	27.8	224
133	Non-transferable signals on ant queen eggs. <i>Die Naturwissenschaften</i> , 2006, 93, 136-140.	1.6	21
134	Longevity and detection of persistent foraging trails in Pharaoh's ants, <i>Monomorium pharaonis</i> (L.). <i>Animal Behaviour</i> , 2006, 71, 351-359.	1.9	68
135	Wax combs mediate nestmate recognition by guard honeybees. <i>Animal Behaviour</i> , 2006, 71, 773-779.	1.9	75
136	Communication in ants. <i>Current Biology</i> , 2006, 16, R570-R574.	3.9	137
137	EVOLUTION: Policing Insect Societies. <i>Science</i> , 2005, 307, 54-56.	12.6	114
138	Outsmarted by ants. <i>Nature</i> , 2005, 436, 465-465.	27.8	4
139	“No entry” signal in ant foraging. <i>Nature</i> , 2005, 438, 442-442.	27.8	141
140	Sand Pile Formation in <i>Dorymyrmex</i> Ants. <i>Journal of Insect Behavior</i> , 2005, 18, 505-512.	0.7	8
141	Learning and Discrimination of Individual Cuticular Hydrocarbons by Honeybees ( <i>Apis mellifera</i> ). <i>Chemical Senses</i> , 2005, 30, 327-335.	2.0	107
142	Absence of nepotism toward imprisoned young queens during swarming in the honey bee. <i>Behavioral Ecology</i> , 2005, 16, 403-409.	2.2	18
143	A new eusocial vertebrate?. <i>Trends in Ecology and Evolution</i> , 2005, 20, 363-364.	8.7	86
144	Working-class royalty: bees beat the caste system. <i>Biology Letters</i> , 2005, 1, 125-128.	2.3	40

#	ARTICLE	IF	CITATIONS
145	Olfactory cues and <i>Vespula</i> wasp recognition by honey bee guards. <i>Apidologie</i> , 2004, 35, 461-468.	2.0	11
146	Non-lethal sampling of honey bee, <i>Apis mellifera</i> , DNA using wing tips. <i>Apidologie</i> , 2004, 35, 311-318.	2.0	50
147	Egg marking pheromones of anarchistic worker honeybees ( <i>Apis mellifera</i> ). <i>Behavioral Ecology</i> , 2004, 15, 839-844.	2.2	27
148	Queen Execution and Caste Conflict in the Stingless Bee <i>Melipona beecheii</i> . <i>Ethology</i> , 2004, 110, 725-736.	1.1	54
149	Trail geometry gives polarity to ant foraging networks. <i>Nature</i> , 2004, 432, 907-909.	27.8	151
150	Coupled computational simulation and empirical research into the foraging system of Pharaoh's ant ( <i>Monomorium pharaonis</i> ). <i>BioSystems</i> , 2004, 76, 101-112.	2.0	15
151	When Resistance Is Useless: Policing and the Evolution of Reproductive Acquiescence in Insect Societies. <i>American Naturalist</i> , 2004, 164, E154-E167.	2.1	120
152	Reproductive conflict in animal societies: hierarchy length increases with colony size in queenless ponerine ants. <i>Behavioral Ecology and Sociobiology</i> , 2003, 54, 71-79.	1.4	39
153	Partial nectar loads as a cause of multiple nectar transfer in the honey bee ( <i>Apis mellifera</i> ): a simulation model. <i>Journal of Theoretical Biology</i> , 2003, 222, 1-8.	1.7	24
154	Reproductive conflicts in social animals: who has power?. <i>Trends in Ecology and Evolution</i> , 2003, 18, 277-282.	8.7	92
155	Task-partitioned nectar transfer in stingless bees: work organisation in a phylogenetic context. <i>Ecological Entomology</i> , 2002, 27, 163-168.	2.2	23
156	A non-policing honey bee colony ( <i>Apis mellifera capensis</i> ). <i>Die Naturwissenschaften</i> , 2002, 89, 479-482.	1.6	15
157	Reassessing the role of the honeybee ( <i>Apis mellifera</i> ) Dufour's gland in egg marking. <i>Die Naturwissenschaften</i> , 2002, 89, 528-532.	1.6	37
158	Egg-marking pheromones in honey-bees <i>Apis mellifera</i> . <i>Behavioral Ecology and Sociobiology</i> , 2002, 51, 590-591.	1.4	24
159	Task partitioning in leafcutting ants. <i>Acta Ethologica</i> , 2002, 5, 1-11.	0.9	51
160	Pretender punishment induced by chemical signalling in a queenless ant. <i>Nature</i> , 2002, 419, 61-65.	27.8	136
161	Parasitic Cape honeybee workers, <i>Apis mellifera capensis</i> , evade policing. <i>Nature</i> , 2002, 415, 163-165.	27.8	126
162	Reproduction of <i>Varroa destructor</i> in worker brood of Africanized honey bees ( <i>Apis mellifera</i> ). <i>Experimental and Applied Acarology</i> , 2002, 27, 79-88.	1.6	27

#	ARTICLE	IF	CITATIONS
163	Why do honey-bee ( <i>Apis mellifera</i> ) foragers transfer nectar to several receivers? Information improvement through multiple sampling in a biological system. <i>Behavioral Ecology and Sociobiology</i> , 2001, 49, 244-250.	1.4	31
164	Task partitioning, division of labour and nest compartmentalisation collectively isolate hazardous waste in the leafcutting ant <i>Atta cephalotes</i> . <i>Behavioral Ecology and Sociobiology</i> , 2001, 49, 387-392.	1.4	146
165	Paternity, reproduction and conflict in vespine wasps: a model system for testing kin selection predictions. <i>Behavioral Ecology and Sociobiology</i> , 2001, 50, 1-8.	1.4	114
166	Policing in queenless ponerine ants. <i>Behavioral Ecology and Sociobiology</i> , 2001, 50, 97-108.	1.4	134
167	Worker reproduction in honey-bees ( <i>Apis</i> ) and the anarchic syndrome: a review. <i>Behavioral Ecology and Sociobiology</i> , 2001, 50, 199-208.	1.4	153
168	Worker policing and worker reproduction in <i>Apis cerana</i> . <i>Behavioral Ecology and Sociobiology</i> , 2001, 50, 371-377.	1.4	94
169	Heirs and spares: caste conflict and excess queen production in <i>Melipona</i> bees. <i>Behavioral Ecology and Sociobiology</i> , 2001, 50, 467-473.	1.4	65
170	Colony kin structure and male production in <i>Dolichovespula</i> wasps. <i>Molecular Ecology</i> , 2001, 10, 1003-1010.	3.9	75
171	Leaf caching in the leafcutting ant <i>Atta colombica</i> : organizational shift, task partitioning and making the best of a bad job. <i>Animal Behaviour</i> , 2001, 62, 227-234.	1.9	23
172	Honeybee guards do not use food-derived odors to recognize non-nest mates: a test of the Odor Convergence hypothesis. <i>Behavioral Ecology</i> , 2001, 12, 47-50.	2.2	22
173	The Effect of Sex-Allocation Biasing on the Evolution of Worker Policing in Hymenopteran Societies. <i>American Naturalist</i> , 2001, 158, 615.	2.1	3
174	Do hornets have zombie workers?. <i>Molecular Ecology</i> , 2000, 9, 735-742.	3.9	62
175	Facultative worker policing in a wasp. <i>Nature</i> , 2000, 407, 692-693.	27.8	136
176	Leaf caching in <i>Atta</i> leafcutting ants: discrete cache formation through positive feedback. <i>Animal Behaviour</i> , 2000, 59, 587-591.	1.9	36
177	The role of floral oils in the nestmate recognition system of honey bees ( <i>Apis mellifera</i> L.). <i>Apidologie</i> , 2000, 31, 357-365.	2.0	25
178	Adaptive shifts in honey bee ( <i>Apis mellifera</i> L.) guarding behavior support predictions of the acceptance threshold model. <i>Behavioral Ecology</i> , 2000, 11, 326-333.	2.2	151
179	Spite in social insects. <i>Trends in Ecology and Evolution</i> , 2000, 15, 469-470.	8.7	21
180	Recognition of conspecifics by honeybee guards uses nonheritable cues acquired in the adult stage. <i>Animal Behaviour</i> , 1999, 58, 643-648.	1.9	73

#	ARTICLE	IF	CITATIONS
181	Worker allocation in insect societies: coordination of nectar foragers and nectar receivers in honey bee ( <i>Apis mellifera</i> ) colonies. <i>Behavioral Ecology and Sociobiology</i> , 1999, 46, 73-81.	1.4	70
182	Low paternity in the hornet <i>Vespa crabro</i> indicates that multiple mating by queens is derived in vespine wasps. <i>Behavioral Ecology and Sociobiology</i> , 1999, 46, 252-257.	1.4	83
183	Kin conflict over caste determination in social Hymenoptera. <i>Behavioral Ecology and Sociobiology</i> , 1999, 46, 287-297.	1.4	164
184	Reproduction versus work in queenless ants: when to join a hierarchy of hopeful reproductives?. <i>Behavioral Ecology and Sociobiology</i> , 1999, 46, 413-422.	1.4	49
185	Characterization of queen-specific components of the fluid released by fighting honey bee queens. <i>Chemoecology</i> , 1999, 9, 161-167.	1.1	8
186	Task Partitioning in Insect Societies. I. Effect of Colony Size on Queueing Delay and Colony Ergonomic Efficiency. <i>American Naturalist</i> , 1999, 154, 521.	2.1	9
187	Task Partitioning in Insect Societies. II. Use of Queueing Delay Information in Recruitment. <i>American Naturalist</i> , 1999, 154, 536.	2.1	1
188	Queen control of egg fertilization in the honey bee. <i>Behavioral Ecology and Sociobiology</i> , 1998, 44, 57-61.	1.4	67
189	On the Robustness of Split Sex Ratio Predictions In Social Hymenoptera. <i>Journal of Theoretical Biology</i> , 1997, 185, 423-439.	1.7	31
190	Evolution of unstable and stable biparental care. <i>Behavioral Ecology</i> , 1996, 7, 490-493.	2.2	23
191	Evidence for a queen-produced egg-marking pheromone and its use in worker policing in the honey bee. <i>Journal of Apicultural Research</i> , 1995, 34, 31-37.	1.5	102
192	Division of honey bee drones during swarming. <i>Animal Behaviour</i> , 1993, 46, 803-805.	1.9	2
193	American Foulbrood: The Spread and Control of an Important Disease of the Honey Bee. <i>Bee World</i> , 1992, 73, 177-191.	0.8	41
194	Conflict in single-queen hymenopteran societies: the structure of conflict and processes that reduce conflict in advanced eusocial species. <i>Journal of Theoretical Biology</i> , 1992, 158, 33-65.	1.7	260
195	Invasion of sibmating genes in diploid and haplodiploid populations. <i>Evolutionary Ecology</i> , 1992, 6, 312-330.	1.2	7
196	Evolution of discriminatory aggression in marine invertebrates. <i>Journal of Theoretical Biology</i> , 1991, 152, 557-565.	1.7	8
197	The evolution of queen-rearing nepotism in social Hymenoptera: Effects of discrimination costs in swarming species. <i>Journal of Evolutionary Biology</i> , 1991, 4, 93-115.	1.7	61
198	THE NATURAL NEST AND NEST DENSITY OF THE AFRICANIZED HONEY BEE (HYMENOPTERA, APIDAE) NEAR TAPACHULA, CHIAPAS, MEXICO. <i>Canadian Entomologist</i> , 1991, 123, 353-359.	0.8	39

#	ARTICLE	IF	CITATIONS
199	Assessment of queen mating frequency by workers in social hymenoptera. <i>Journal of Theoretical Biology</i> , 1990, 142, 87-93.	1.7	20
200	The Population Density of Feral Colonies of Honey Bees (Hymenoptera: Apidae) in a City in Upstate New York. <i>Journal of Economic Entomology</i> , 1990, 83, 81-83.	1.8	18
201	Importance of the Sting in the Evolution of Sociality in the Hymenoptera. <i>Annals of the Entomological Society of America</i> , 1989, 82, 1-5.	2.5	24
202	Worker policing in the honeybee. <i>Nature</i> , 1989, 342, 796-797.	27.8	538
203	Helping behaviour, reproductive value, and the future component of indirect fitness. <i>Animal Behaviour</i> , 1989, 38, 331-343.	1.9	67
204	Honeybee swarms accept bait hives contaminated with American foulbrood disease. <i>Ecological Entomology</i> , 1989, 14, 475-478.	2.2	13
205	Induction of Premature Honey Bee (Hymenoptera: Apidae) Flight by Juvenile Hormone Analogs Administered Orally or Topically. <i>Journal of Economic Entomology</i> , 1987, 80, 784-787.	1.8	42