

Gary M Reynolds

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3951643/publications.pdf>

Version: 2024-02-01

78
papers

5,690
citations

57758

44
h-index

76900

74
g-index

79
all docs

79
docs citations

79
times ranked

8920
citing authors

#	ARTICLE	IF	CITATIONS
1	The human liver microenvironment shapes the homing and function of CD4 ⁺ T-cell populations. <i>Gut</i> , 2022, 71, 1399-1411.	12.1	19
2	Establishing the prevalence of common tissue-specific autoantibodies following severe acute respiratory syndrome coronavirus 2 infection. <i>Clinical and Experimental Immunology</i> , 2021, 205, 99-105.	2.6	52
3	The Role of B Cells in Adult and Paediatric Liver Injury. <i>Frontiers in Immunology</i> , 2021, 12, 729143.	4.8	17
4	The structural basis for Z ¹ -antitrypsin polymerization in the liver. <i>Science Advances</i> , 2020, 6, .	10.3	26
5	The Delivery of Multipotent Adult Progenitor Cells to Extended Criteria Human Donor Livers Using Normothermic Machine Perfusion. <i>Frontiers in Immunology</i> , 2020, 11, 1226.	4.8	40
6	Donor monocyte-derived macrophages promote human acute graft-versus-host disease. <i>Journal of Clinical Investigation</i> , 2020, 130, 4574-4586.	8.2	35
7	Hepatocytes Delete Regulatory T Cells by Enclysis, a CD4 ⁺ T Cell Engulfment Process. <i>Cell Reports</i> , 2019, 29, 1610-1620.e4.	6.4	36
8	The impact on the bioenergetic status and oxidative-mediated tissue injury of a combined protocol of hypothermic and normothermic machine perfusion using an acellular haemoglobin-based oxygen carrier: The cold-to-warm machine perfusion of the liver. <i>PLoS ONE</i> , 2019, 14, e0224066.	2.5	25
9	Regulation of S1PR2 by the EBV oncogene LMP1 in aggressive ABC ⁺ subtype diffuse large B ⁺ cell lymphoma. <i>Journal of Pathology</i> , 2019, 248, 142-154.	4.5	8
10	Sphingosine-1-phosphate signalling drives an angiogenic transcriptional programme in diffuse large B cell lymphoma. <i>Leukemia</i> , 2019, 33, 2884-2897.	7.2	26
11	Development of Clinical Criteria for Functional Assessment to Predict Primary Nonfunction of High-Risk Livers Using Normothermic Machine Perfusion. <i>Liver Transplantation</i> , 2018, 24, 1453-1469.	2.4	94
12	Clearance of Apoptotic Cells by Tissue Epithelia: A Putative Role for Hepatocytes in Liver Efferocytosis. <i>Frontiers in Immunology</i> , 2018, 9, 44.	4.8	52
13	Contribution of Epstein-Barr Virus Latent Proteins to the Pathogenesis of Classical Hodgkin Lymphoma. <i>Pathogens</i> , 2018, 7, 59.	2.8	17
14	Autotaxin-lysophosphatidic acid receptor signalling regulates hepatitis C virus replication. <i>Journal of Hepatology</i> , 2017, 66, 919-929.	3.7	60
15	Immunohistochemical Detection of Sphingosine-1-Phosphate and Sphingosine Kinase-1 in Human Tissue Samples and Cell Lines. <i>Methods in Molecular Biology</i> , 2017, 1697, 43-56.	0.9	10
16	Sphingosine-1-Phosphate Prevents Egress of Hematopoietic Stem Cells From Liver to Reduce Fibrosis. <i>Gastroenterology</i> , 2017, 153, 233-248.e16.	1.3	48
17	In Vitro and Ex Vivo Models to Study T Cell Migration Through the Human Liver Parenchyma. <i>Methods in Molecular Biology</i> , 2017, 1591, 195-214.	0.9	0
18	High resolution sequencing of hepatitis C virus reveals limited intra-hepatic compartmentalization in end-stage liver disease. <i>Journal of Hepatology</i> , 2017, 66, 28-38.	3.7	28

#	ARTICLE	IF	CITATIONS
19	Phenotyping and auto-antibody production by liver-infiltrating B cells in primary sclerosing cholangitis and primary biliary cholangitis. <i>Journal of Autoimmunity</i> , 2017, 77, 45-54.	6.5	42
20	CD248/endothelialin critically regulates hepatic stellate cell proliferation during chronic liver injury via a PDGF-regulated mechanism. <i>Gut</i> , 2016, 65, 1175-1185.	12.1	67
21	Controllable degradation kinetics of POSS nanoparticle-integrated poly(ϵ -caprolactone urea)urethane elastomers for tissue engineering applications. <i>Scientific Reports</i> , 2015, 5, 15040.	3.3	18
22	CMV infection of human sinusoidal endothelium regulates hepatic T cell recruitment and activation. <i>Journal of Hepatology</i> , 2015, 63, 38-49.	3.7	19
23	The effects of CCR5 inhibition on regulatory T-cell recruitment to colorectal cancer. <i>British Journal of Cancer</i> , 2015, 112, 319-328.	6.4	75
24	Vascular adhesion protein-1 promotes liver inflammation and drives hepatic fibrosis. <i>Journal of Clinical Investigation</i> , 2015, 125, 501-520.	8.2	163
25	Development of Hepatocellular Carcinoma in a Murine Model of Nonalcoholic Steatohepatitis Induced by Use of a High-Fat/Fructose Diet and Sedentary Lifestyle. <i>American Journal of Pathology</i> , 2014, 184, 1550-1561.	3.8	91
26	Dysregulated hepatic expression of glucose transporters in chronic disease: contribution of semicarbazide-sensitive amine oxidase to hepatic glucose uptake. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, G1180-G1190.	3.4	22
27	Loss of CD28 Expression by Liver-Infiltrating T Cells Contributes to Pathogenesis of Primary Sclerosing Cholangitis. <i>Gastroenterology</i> , 2014, 147, 221-232.e7.	1.3	81
28	Up-regulation of a death receptor renders antiviral T cells susceptible to NK cell-mediated deletion. <i>Journal of Experimental Medicine</i> , 2013, 210, 99-114.	8.5	286
29	Functional Analysis of Claudin-6 and Claudin-9 as Entry Factors for Hepatitis C Virus Infection of Human Hepatocytes by Using Monoclonal Antibodies. <i>Journal of Virology</i> , 2013, 87, 10405-10410.	3.4	28
30	Loss of 5 α -Reductase Type 1 Accelerates the Development of Hepatic Steatosis but Protects Against Hepatocellular Carcinoma in Male Mice. <i>Endocrinology</i> , 2013, 154, 4536-4547.	2.8	67
31	Lack of Significant Metabolic Abnormalities in Mice with Liver-Specific Disruption of 11 β -Hydroxysteroid Dehydrogenase Type 1. <i>Endocrinology</i> , 2012, 153, 3236-3248.	2.8	61
32	Identification and angiogenic role of the novel tumor endothelial marker CLEC14A. <i>Oncogene</i> , 2012, 31, 293-305.	5.9	91
33	Hepatitis C Virus Infects the Endothelial Cells of the Blood-Brain Barrier. <i>Gastroenterology</i> , 2012, 142, 634-643.e6.	1.3	203
34	A dual role for hypoxia inducible factor-1 α in the hepatitis C virus lifecycle and hepatoma migration. <i>Journal of Hepatology</i> , 2012, 56, 803-809.	3.7	74
35	CXCR3-dependent recruitment and CCR6-mediated positioning of Th-17 cells in the inflamed liver. <i>Journal of Hepatology</i> , 2012, 57, 1044-1051.	3.7	167
36	Recruitment mechanisms of primary and malignant B cells to the human liver. <i>Hepatology</i> , 2012, 56, 1521-1531.	7.3	45

#	ARTICLE	IF	CITATIONS
37	Immunohistochemical Detection of Sphingosine-1-Phosphate and Sphingosine Kinase-1 in Human Tissue Samples. <i>Methods in Molecular Biology</i> , 2012, 874, 55-67.	0.9	1
38	Isolation of Primary Human Hepatocytes from Normal and Diseased Liver Tissue: A One Hundred Liver Experience. <i>PLoS ONE</i> , 2011, 6, e18222.	2.5	114
39	Regulation of mucosal addressin cell adhesion molecule 1 expression in human and mice by vascular adhesion protein 1 amine oxidase activity. <i>Hepatology</i> , 2011, 53, 661-672.	7.3	93
40	Pituitary Tumor Transforming Gene Binding Factor: A New Gene in Breast Cancer. <i>Cancer Research</i> , 2010, 70, 3739-3749.	0.9	40
41	Distinct Roles for CCR4 and CXCR3 in the Recruitment and Positioning of Regulatory T Cells in the Inflamed Human Liver. <i>Journal of Immunology</i> , 2010, 184, 2886-2898.	0.8	199
42	Epigenetic Silencing of a Proapoptotic Cell Adhesion Molecule, the Immunoglobulin Superfamily Member IGSF4, by Promoter CpG Methylation Protects Hodgkin Lymphoma Cells from Apoptosis. <i>American Journal of Pathology</i> , 2010, 177, 1480-1490.	3.8	22
43	Polarization Restricts Hepatitis C Virus Entry into HepG2 Hepatoma Cells. <i>Journal of Virology</i> , 2009, 83, 6211-6221.	3.4	117
44	Hepatitis C virus receptor expression in normal and diseased liver tissue. <i>Hepatology</i> , 2008, 47, 418-427.	7.3	90
45	Expression of the Epstein-Barr Virus-Encoded Epstein-Barr Virus Nuclear Antigen 1 in Hodgkin's Lymphoma Cells Mediates Up-Regulation of CCL20 and the Migration of Regulatory T Cells. <i>American Journal of Pathology</i> , 2008, 173, 195-204.	3.8	162
46	CD81 and Claudin 1 Coreceptor Association: Role in Hepatitis C Virus Entry. <i>Journal of Virology</i> , 2008, 82, 5007-5020.	3.4	170
47	Down-regulation of the TGF-beta target gene, PTPRK, by the Epstein-Barr virus-encoded EBNA1 contributes to the growth and survival of Hodgkin lymphoma cells. <i>Blood</i> , 2008, 111, 292-301.	1.4	96
48	Intrahepatic Complement Activation, Sinusoidal Endothelial Injury, and Lactic Acidosis Are Associated With Initial Poor Function of the Liver After Transplantation. <i>Transplantation</i> , 2008, 85, 718-725.	1.0	29
49	Cytokines induced during chronic hepatitis B virus infection promote a pathway for NK cell-mediated liver damage. <i>Journal of Experimental Medicine</i> , 2007, 204, 667-680.	8.5	385
50	Expression and functional consequences of oestrogen and progesterone receptors in human insulinomas. <i>Endocrine-Related Cancer</i> , 2007, 14, 1081-1088.	3.1	10
51	Hypoxia-regulated carbonic anhydrase IX expression is associated with poor survival in patients with invasive breast cancer. <i>British Journal of Cancer</i> , 2007, 96, 104-109.	6.4	184
52	The polycomb group proteins, BMI-1 and EZH2, are tumour-associated antigens. <i>British Journal of Cancer</i> , 2006, 95, 1202-1211.	6.4	39
53	JunD is a profibrogenic transcription factor regulated by Jun N-terminal kinase-independent phosphorylation. <i>Hepatology</i> , 2006, 44, 1432-1440.	7.3	42
54	Modulation of iron transport proteins in human colorectal carcinogenesis. <i>Gut</i> , 2006, 55, 1449-1460.	12.1	183

#	ARTICLE	IF	CITATIONS
55	Simultaneous evaluation of maspin and CXCR4 in patients with breast cancer. <i>Journal of Clinical Pathology</i> , 2006, 60, 261-266.	2.0	17
56	Induction of autotaxin by the Epstein-Barr virus promotes the growth and survival of Hodgkin lymphoma cells. <i>Blood</i> , 2005, 106, 2138-2146.	1.4	101
57	Constitutive activation of the CD40 pathway promotes cell transformation and neoplastic growth. <i>Oncogene</i> , 2005, 24, 7913-7923.	5.9	53
58	Report on antibodies submitted to the stromal cell section of HLDA8. <i>Cellular Immunology</i> , 2005, 236, 29-41.	3.0	10
59	Constitutive activation of phosphatidylinositol 3 kinase contributes to the survival of Hodgkin's lymphoma cells through a mechanism involving Akt kinase and mTOR. <i>Journal of Pathology</i> , 2005, 205, 498-506.	4.5	164
60	Expression of the cellular FLICE-inhibitory protein (c-FLIP) protects Hodgkin's lymphoma cells from autonomous Fas-mediated death. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 6611-6616.	7.1	109
61	Virus-Directed Enzyme Prodrug Therapy: Intratumoral Administration of a Replication-Deficient Adenovirus Encoding Nitroreductase to Patients With Resectable Liver Cancer. <i>Journal of Clinical Oncology</i> , 2004, 22, 1546-1552.	1.6	116
62	Enhanced efficacy of Escherichia coli nitroreductase/CB1954 prodrug activation gene therapy using an E1B-55K-deleted oncolytic adenovirus vector. <i>Gene Therapy</i> , 2004, 11, 1126-1136.	4.5	47
63	Absence of Epstein-Barr virus DNA in the tumor cells of European hepatocellular carcinoma. <i>Virology</i> , 2003, 306, 236-243.	2.4	53
64	Epstein-Barr virus-encoded latent infection membrane protein 1 regulates the processing of p100 NF- κ B2 to p52 via an IKK β /NEMO-independent signalling pathway. <i>Oncogene</i> , 2003, 22, 7557-7569.	5.9	104
65	Variations in ATM Protein Expression During Normal Lymphoid Differentiation and Among B-Cell-Derived Neoplasias. <i>American Journal of Pathology</i> , 2003, 163, 423-432.	3.8	34
66	Reactivity with A monoclonal antibody to Epstein-Barr virus (EBV) nuclear antigen 1 defines a subset of aggressive breast cancers in the absence of the EBV genome. <i>Cancer Research</i> , 2003, 63, 2338-43.	0.9	49
67	Changes in expression of the human homologue of the Drosophila discs large tumour suppressor protein in high-grade premalignant cervical neoplasias. <i>Carcinogenesis</i> , 2002, 23, 1791-1796.	2.8	70
68	Hepatic Expression of Secondary Lymphoid Chemokine (CCL21) Promotes the Development of Portal-Associated Lymphoid Tissue in Chronic Inflammatory Liver Disease. <i>American Journal of Pathology</i> , 2002, 160, 1445-1455.	3.8	154
69	Reactivity and Isotype Profiling of Monoclonal Antibodies using Multiple Antigenic Peptides. <i>Hybridoma</i> , 2002, 21, 393-398.	0.4	7
70	Interleukin 6 expression by Hodgkin/Reed-Sternberg cells is associated with the presence of β -microglobulin symptoms and failure to achieve complete remission in patients with advanced Hodgkin's disease. <i>British Journal of Haematology</i> , 2002, 118, 195-201.	2.5	66
71	Heterogeneity of HLA and EBER expression in Epstein-Barr virus-associated nasopharyngeal carcinoma. <i>International Journal of Cancer</i> , 2000, 88, 949-955.	5.1	48
72	Effect of Epstein-Barr Virus Infection on Response to Chemotherapy and Survival in Hodgkin's Disease. <i>Blood</i> , 1999, 94, 442-447.	1.4	70

#	ARTICLE	IF	CITATIONS
73	Overexpression of p53 protein in primary Ewing's sarcoma of bone: relationship to tumour stage, response and prognosis. <i>British Journal of Cancer</i> , 1999, 79, 1185-1189.	6.4	71
74	Cytological features of pigmented basal cell carcinoma-a potential diagnostic pitfall. <i>Cytopathology</i> , 1996, 7, 132-135.	0.7	4
75	Measurement of proliferation in renal biopsy specimens: evidence of subclinical tubular damage in the nephrotic syndrome. <i>Nephrology Dialysis Transplantation</i> , 1995, 10, 2212-2218.	0.7	21
76	Letter to the editor. <i>Journal of Pathology</i> , 1995, 176, 217-218.	4.5	2
77	Immunohistochemical evidence for the expression of proliferating cell nuclear antigen (PCNA) by non-proliferating hepatocytes adjacent to metastatic tumours and in inflammatory conditions. <i>Journal of Pathology</i> , 1993, 171, 115-122.	4.5	45
78	Epstein-Barr virus and carcinomas: rare association of the virus with gastric adenocarcinomas. <i>British Journal of Cancer</i> , 1993, 68, 1014-1019.	6.4	105