
Marianne Rosendal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3955451/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Assessment and Treatment of Functional Disorders in General Practice: The Extended Reattribution and Management Model—An Advanced Educational Program for Nonpsychiatric Doctors. Psychosomatics, 2002, 43, 93-131.	2.5	131
2	Classification of Somatization and Functional Somatic Symptoms in Primary Care. Australian and New Zealand Journal of Psychiatry, 2005, 39, 772-781.	2.3	131
3	Recent developments in the understanding and management of functional somatic symptoms in primary care. Current Opinion in Psychiatry, 2008, 21, 182-188.	6.3	84
4	Sick leave and work disability in primary care patients with recent-onset multiple medically unexplained symptoms and persistent somatoform disorders: a 10-year follow-up of the FIP study. General Hospital Psychiatry, 2015, 37, 53-59.	2.4	81
5	A new questionnaire to identify bodily distress in primary care: The †BDS checklist'. Journal of Psychosomatic Research, 2015, 78, 536-545.	2.6	78
6	A randomized controlled trial of brief training in the assessment and treatment of somatization in primary care: effects on patient outcome. General Hospital Psychiatry, 2007, 29, 364-373.	2.4	75
7	"Medically unexplained―symptoms and symptom disorders in primary care: prognosis-based recognition and classification. BMC Family Practice, 2017, 18, 18.	2.9	75
8	Bodily distress syndrome: A new diagnosis for functional disorders in primary care?. BMC Family Practice, 2015, 16, 180.	2.9	68
9	Symptoms as the main problem in primary care: A cross-sectional study of frequency and characteristics. Scandinavian Journal of Primary Health Care, 2015, 33, 91-99.	1.5	58
10	A randomised controlled trial of brief training in assessment and treatment of somatisation: effects on GPs' attitudes. Family Practice, 2005, 22, 419-427.	1.9	56
11	Screening for anxiety, depression, and anxious depression in primary care: A field study for ICD-11 PHC. Journal of Affective Disorders, 2017, 213, 199-206.	4.1	53
12	Long-Term Outcome of Bodily Distress Syndrome in Primary Care: A Follow-Up Study on Health Care Costs, Work Disability, and Self-Rated Health. Psychosomatic Medicine, 2017, 79, 345-357.	2.0	50
13	Diagnosis of somatisation: effect of an educational intervention in a cluster randomised controlled trial. British Journal of General Practice, 2003, 53, 917-22.	1.4	43
14	Prognostic factors for disability and sick leave in patients with subacute non-malignant pain: a systematic review of cohort studies. BMJ Open, 2016, 6, e007616.	1.9	42
15	Enhanced care by generalists for functional somatic symptoms and disorders in primary care. The Cochrane Library, 2013, , CD008142.	2.8	40
16	Patient characteristics and frequency of bodily distress syndrome in primary care: a cross-sectional study. British Journal of General Practice, 2015, 65, e617-e623.	1.4	38
17	What do guidelines and systematic reviews tell us about the management of medically unexplained symptoms in primary care?. BJGP Open, 2017, 1, bjgpopen17X101061.	1.8	38
18	Somatization, heartsink patients, or functional somatic symptoms? Towards a clinical useful classification in primary health care. Scandinavian Journal of Primary Health Care, 2005, 23, 3-10.	1.5	34

MARIANNE ROSENDAL

#	Article	IF	CITATIONS
19	Psychological and social problems in primary care patients - general practitioners' assessment and classification. Scandinavian Journal of Primary Health Care, 2013, 31, 43-49.	1.5	34
20	Multiple somatic symptoms in primary care: A field study for ICD-11 PHC, WHO's revised classification of mental disorders in primary care settings. Journal of Psychosomatic Research, 2016, 91, 48-54.	2.6	33
21	Multiple perspectives on symptom interpretation in primary care research. BMC Family Practice, 2013, 14, 167.	2.9	31
22	The prognosis of bodily distress syndrome: a cohort study in primary care. General Hospital Psychiatry, 2015, 37, 560-566.	2.4	31
23	Towards a clinically useful diagnosis for mild-to-moderate conditions of medically unexplained symptoms in general practice: a mixed methods study. BMC Family Practice, 2014, 15, 118.	2.9	20
24	Prevalence of persons contacting general practice for psychological stress in Denmark. Scandinavian Journal of Primary Health Care, 2018, 36, 272-280.	1.5	17
25	Symptoms as the main problem: a cross- sectional study of patient experience in primary care. BMC Family Practice, 2016, 17, 29.	2.9	16
26	The BDS checklist as measure of illness severity: a cross-sectional cohort study in the Danish general population, primary care and specialised setting. BMJ Open, 2020, 10, e042880.	1.9	12
27	Development of an eHealth programme for self-management of persistent physical symptoms: a qualitative study on user needs in general practice. BMC Family Practice, 2021, 22, 33.	2.9	11
28	Classification of somatization and functional somatic symptoms in primary care. Australian and New Zealand Journal of Psychiatry, 2005, 39, 772-781.	2.3	11
29	The General Practitioner's Consultation Approaches to Medically Unexplained Symptoms: A Qualitative Study. ISRN Family Medicine, 2013, 2013, 1-7.	0.4	11
30	Multiple somatic symptoms in primary care patients: a cross-sectional study of consultation content, clinical management strategy and burden of encounter. BMC Family Practice, 2016, 17, 100.	2.9	10
31	Urinary incontinence among women—which personal and professional relations are involved? A population-based study. International Urogynecology Journal, 2019, 30, 1565-1574.	1.4	8
32	Primary care physicians' use of the proposed classification of common mental disorders for ICD-11. Family Practice, 2017, 34, 574-580.	1.9	7
33	Multiple physical symptoms and individual characteristics – A cross-sectional study of the general population. Journal of Psychosomatic Research, 2020, 131, 109941.	2.6	6
34	Medically Unexplained Symptoms. , 0, , 138-152.		0