## Wolf O Bechstein

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3960296/publications.pdf

Version: 2024-02-01

391 papers

26,544 citations

67 h-index 153 g-index

446 all docs

446 docs citations

446 times ranked

20502 citing authors

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | The rate of cholangiocarcinoma in Caroli Disease A German multicenter study. Hpb, 2022, 24, 267-276.   | 0.1 | 6         |
| 2  | Sarcopenia predicts reduced liver growth and reduced resectability in patients undergoing portal vein embolization before liver resection - A DRAGON collaborative analysis of 306 patients. Hpb, 2022, 24, 413-421.   | 0.1 | 5         |
| 3  | Empathy, personality traits, and emotional management in 2nd and 4th-year dentistry students: a single-center study. BMC Medical Education, 2022, 22, 2.   | 1.0 | 5         |
| 4  | Lebertransplantation., 2022,, 487-499.   |     | O         |
| 5  | Anti-EGFR Reintroduction and Rechallenge in Metastatic Colorectal Cancer (mCRC): A Real-World Analysis. Cancers, 2022, 14, 1641.   | 1.7 | 5         |
| 6  | Survival after secondary liver resection in metastatic colorectal cancer: Comparing data of three prospective randomized European trials ( <scp>LICC</scp> , <scp>CELIM</scp> , <scp>FIRE</scp> â€3). International Journal of Cancer, 2022, 150, 1341-1349.                         | 2.3 | 6         |
| 7  | A 55-Year-Old Man with Recurrent Gastrointestinal Bleeding Due to Stricture of the Portal Vein<br>Anastomotic Site 12 Years After Combined Pancreas and Kidney Transplantation American Journal of<br>Case Reports, 2022, 23, e936148.   | 0.3 | 2         |
| 8  | Integrin $\hat{l}\pm 2$ and $\hat{l}^21$ Cross-Communication with mTOR/AKT and the CDK-Cyclin Axis in Hepatocellular Carcinoma Cells. Cancers, 2022, 14, 2430.   | 1.7 | 6         |
| 9  | Comparison of shortâ€course antibiotic therapy of 6 or less days with a longer treatment in patients with cholangitis after liver transplantation. Transplant Infectious Disease, 2022, 24, .  | 0.7 | 3         |
| 10 | A Single-Center Case Series of Endoscopically Treated Aorto-Gastrointestinal Fistula after Endovascular Aortic Repair: Surgery Is Still the Only Valid Solution. Visceral Medicine, 2021, 37, 134-141.   | 0.5 | 2         |
| 11 | DIALAPP: a prospective validation of a new diagnostic algorithm for acute appendicitis. Langenbeck's Archives of Surgery, 2021, 406, 141-152.  | 0.8 | 1         |
| 12 | The association of age with decline in renal function after low anterior resection and loop ileostomy for rectal cancer: a retrospective cohort prognostic factor study. BMC Geriatrics, 2021, 21, 65.   | 1.1 | 4         |
| 13 | Study protocol for a prospective, double-blinded, observational study investigating the diagnostic accuracy of an app-based diagnostic health care application in an emergency room setting: the eRadaR trial. BMJ Open, 2021, 11, e041396.  | 0.8 | 4         |
| 14 | Early dynamic changes in circulating tumor cells and prognostic relevance following interventional radiological treatments in patients with hepatocellular carcinoma. PLoS ONE, 2021, 16, e0246527.  | 1.1 | 16        |
| 15 | Preoperative portal vein or portal and hepatic vein embolization: DRAGON collaborative group analysis. British Journal of Surgery, 2021, 108, 834-842.   | 0.1 | 38        |
| 16 | Combination of Sorafenib and Transarterial Chemoembolization in Selected Patients with Advanced-Stage Hepatocellular Carcinoma: A Retrospective Cohort Study at Three German Liver Centers. Cancers, 2021, 13, 2121.   | 1.7 | 14        |
| 17 | Preventive HIPEC in combination with perioperative FLOT versus FLOT alone for resectable diffuse type gastric and gastroesophageal junction type II/III adenocarcinoma: The phase III "PREVENT―trial of the AIO /CAOGI /ACO Journal of Clinical Oncology, 2021, 39, TPS4149-TPS4149. | 0.8 | 1         |
| 18 | Transglutaminase 2 promotes tumorigenicity of colon cancer cells by inactivation of the tumor suppressor p53. Oncogene, 2021, 40, 4352-4367.   | 2.6 | 17        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Long-term, Prolonged-release Tacrolimus-based Immunosuppression in De Novo Liver Transplant Recipients: 5-year Prospective Follow-up of Patients in the DIAMOND Study. Transplantation Direct, 2021, 7, e722.  | 0.8 | 1         |
| 20 | Carbonic-anhydrase IX expression is increased in thyroid cancer tissue and represents a potential therapeutic target to eradicate thyroid tumor-initiating cells. Molecular and Cellular Endocrinology, 2021, 535, 111382.   | 1.6 | 4         |
| 21 | Liver transplantation for patients with acute-on-chronic liver failure (ACLF) in Europe: Results of the ELITA/EF-CLIF collaborative study (ECLIS). Journal of Hepatology, 2021, 75, 610-622.   | 1.8 | 96        |
| 22 | Colonization with multidrug-resistant organisms is associated with in increased mortality in liver transplant candidates. PLoS ONE, 2021, 16, e0245091.  | 1.1 | 29        |
| 23 | Perioperative chemotherapy with gemcitabine plus cisplatin followed by radical liver resection versus immediate radical liver resection alone in gallbladder carcinoma or in front of radical resection in BTC: The phase III GAIN trial Journal of Clinical Oncology, 2021, 39, TPS353-TPS353.  | 0.8 | 0         |
| 24 | Preventive HIPEC in combination with perioperative FLOT versus FLOT alone for resectable diffuse type gastric and gastroesophageal junction type II/III adenocarcinoma $\hat{a} \in \text{He}$ the phase III $\hat{a} \in \text{PREVENT} \in \text{FLOT}$ 9) trial of the AIO /CAOGI /ACO. BMC Cancer, 2021, 21, 1158.   | 1.1 | 23        |
| 25 | Molecular Surveillance of Carbapenem-Resistant Gram-Negative Bacteria in Liver Transplant Candidates. Frontiers in Microbiology, 2021, 12, 791574.   | 1.5 | 4         |
| 26 | Poor Prognosis of Advanced Cholangiocarcinoma: Real-World Data from a Tertiary Referral Center. Digestion, 2020, 101, 458-465.   | 1.2 | 18        |
| 27 | The MEGNA Score and Preoperative Anemia are Major Prognostic Factors After Resection in the German Intrahepatic Cholangiocarcinoma Cohort. Annals of Surgical Oncology, 2020, 27, 1147-1155.   | 0.7 | 25        |
| 28 | mTOR Inhibition Is Most Beneficial After Liver Transplantation for Hepatocellular Carcinoma in Patients With Active Tumors. Annals of Surgery, 2020, 272, 855-862.   | 2.1 | 85        |
| 29 | Adjuvant MUC vaccination with tecemotide after resection of colorectal liver metastases: a randomized, double-blind, placebo-controlled, multicenter AIO phase II trial (LICC). Oncolmmunology, 2020, 9, 1806680.  | 2.1 | 11        |
| 30 | Neoadjuvant chemotherapy with gemcitabine plus cisplatin followed by radical liver resection versus immediate radical liver resection alone with or without adjuvant chemotherapy in incidentally detected gallbladder carcinoma after simple cholecystectomy or in front of radical resection of BTC (ICC/ECC) – a phase III study of the German registry of incidental gallbladder carcinoma platform (GR)– the AIO/ CALGP/ ACO- GAIN-trial –. BMC Cancer, 2020, 20, 122.                              | 1.1 | 45        |
| 31 | AFP ratio predicts HCC recurrence after liver transplantation. PLoS ONE, 2020, 15, e0235576.   | 1.1 | 10        |
| 32 | Consensus on definition and severity grading of lymphatic complications after kidney transplantation. British Journal of Surgery, 2020, 107, 801-811.  | 0.1 | 12        |
| 33 | HCC recurrence in HCVâ€infected patients after liver transplantation: SiLVER Study reveals benefits of sirolimus in combination with CNIs – a <i>postâ€hoc</i> analysis. Transplant International, 2020, 33, 917-924.  | 0.8 | 4         |
| 34 | Cetuximab/irinotecan/5-FU +/-oxaliplatin or FOLFOXIRI +/- bevacizumab in patients with colorectal cancer and nonresectable liver metastases (AIO CELIM2-study) Journal of Clinical Oncology, 2020, 38, 4024-4024.  | 0.8 | 7         |
| 35 | Perioperative trastuzumab and pertuzumab in combination with FLOT versus FLOT alone for HER2-positive resectable esophagogastric adenocarcinoma: Final results of the PETRARCA multicenter randomized phase II trial of the AIO Journal of Clinical Oncology, 2020, 38, 4502-4502.   | 0.8 | 62        |
| 36 | Neoadjuvant chemotherapy with gemcitabine plus cisplatin followed by radical liver resection versus immediate radical liver resection alone with or without adjuvant chemotherapy in incidentally detected gallbladder carcinoma after simple cholecystectomy or in front of radical resection of BTC (ICC/ECC): A phase III study utilizing the German Registry of Incidental Gallbladder Carcinoma Platform (GR)—The AIO/CALGP/ACO-GAIN-Trial Journal of Clinical Oncology, 2020, 38, TPS4653-TPS4653. | 0.8 | 0         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Homograft Treatment for Infected Frozen Elephant Trunk Prosthesis. Heart Surgery Forum, 2020, 23, E786-E788.   | 0.2 | О         |
| 38 | The Safety Level of Total Central Venous Access Port Implantation Performed by Residents. Journal of Surgical Education, 2019, 76, 182-192.  | 1.2 | 14        |
| 39 | Sarcopenia as a prognostic factor for survival in patients with locally advanced gastroesophageal adenocarcinoma. PLoS ONE, 2019, 14, e0223613.  | 1.1 | 16        |
| 40 | Perioperative chemotherapy with fluorouracil plus leucovorin, oxaliplatin, and docetaxel versus fluorouracil or capecitabine plus cisplatin and epirubicin for locally advanced, resectable gastric or gastro-oesophageal junction adenocarcinoma (FLOT4): a randomised, phase 2/3 trial. Lancet, The, 2019, 393, 1948-1957. | 6.3 | 1,494     |
| 41 | Improved Survival in Liver Transplant Patients Receiving Prolonged-release Tacrolimus-based Immunosuppression in the European Liver Transplant Registry (ELTR): An Extension Study. Transplantation, 2019, 103, 1844-1862.   | 0.5 | 9         |
| 42 | Surgical resection of neuroendocrine tumor liver metastases as part of multimodal treatment strategies: A propensity score matching analysis. European Journal of Surgical Oncology, 2019, 45, 808-815.  | 0.5 | 7         |
| 43 | Characteristics and management of penetrating abdominal injuries in a German level I trauma center. European Journal of Trauma and Emergency Surgery, 2019, 45, 315-321.   | 0.8 | 22        |
| 44 | Extended Pancreas Donor Programâ€"The EXPAND Study. Transplantation, 2018, 102, 1330-1337.   | 0.5 | 36        |
| 45 | Prognosis of primary sclerosing cholangitis - time to look at the population as a whole, not only from the center's or waiting list perspective. Transplant International, 2018, 31, 585-587.  | 0.8 | 0         |
| 46 | Identifying risk profiles in liver transplant candidates and implications for induction immunosuppression. Transplantation Reviews, 2018, 32, 142-150.   | 1.2 | 10        |
| 47 | Purse-string closure technique reduces the incidence of incisional hernias following the reversal of temporary ileostomy. International Journal of Colorectal Disease, 2018, 33, 973-977.  | 1.0 | 11        |
| 48 | Influence of the recipient body mass index on the outcomes after kidney transplantation. Langenbeck's Archives of Surgery, 2018, 403, 73-82.   | 0.8 | 21        |
| 49 | Emotion recognition and extraversion of medical students interact to predict their empathic communication perceived by simulated patients. BMC Medical Education, 2018, 18, 237.   | 1.0 | 15        |
| 50 | Liver Transplantation in Acute-on-Chronic Liver Failure: Considerations for a Systematic Approach to Decision Making. Visceral Medicine, 2018, 34, 291-294.  | 0.5 | 10        |
| 51 | Acute-on-Chronic Liver Failure. Visceral Medicine, 2018, 34, 243-244.  | 0.5 | 2         |
| 52 | Vitamin D, FOXO3a, and Sirtuin1 in Hashimoto's Thyroiditis and Differentiated Thyroid Cancer. Frontiers in Endocrinology, 2018, 9, 527.  | 1.5 | 23        |
| 53 | Do you really know what you get: the benefits and doubts of domino liver transplantation.<br>Transplant International, 2018, 31, 1198-1199.  | 0.8 | 2         |
| 54 | Identification of factors predictive of postoperative morbidity and short-term mortality in older patients after colorectal carcinoma resection: A single-center retrospective study. Journal of Geriatric Oncology, 2018, 9, 649-658.   | 0.5 | 8         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Indicating ALPPS for Colorectal Liver Metastases: A Critical Analysis of Patients in the International ALPPS Registry. Surgery, 2018, 164, 387-394.   | 1.0 | 32        |
| 56 | Acute-on-Chronic Liver Failure. Visceral Medicine, 2018, 34, 296-300.   | 0.5 | 3         |
| 57 | Risk-guided strategy to prevent cytomegalovirus associated complications after liver transplantation. Future Virology, 2018, 13, 483-491.   | 0.9 | 0         |
| 58 | Patient Blood Management improves outcome in oncologic surgery. World Journal of Surgical Oncology, 2018, 16, 159.  | 0.8 | 38        |
| 59 | Anti-EGF Receptor-Based Conversion Chemotherapy in RAS Wild-Type Colorectal Cancer Patients: Impact on Survival and Resection Rates. Digestion, 2018, 98, 263-269.  | 1.2 | 3         |
| 60 | Association of Plane of Total Mesorectal Excision With Prognosis of Rectal Cancer. JAMA Surgery, 2018, 153, e181607.  | 2.2 | 77        |
| 61 | Pressurized intraperitoneal aerosol chemotherapy (PIPAC) in combination with standard of care chemotherapy in primarily untreated chemo naĀ ve upper gi-adenocarcinomas with peritoneal seeding – a phase II/III trial of the AIO/CAOGI/ACO. Pleura and Peritoneum, 2018, 3, 20180113.              | 0.5 | 21        |
| 62 | Towards Simpler and Reliable Wound Care. Deutsches Ärzteblatt International, 2018, 115, 211-212.  | 0.6 | 4         |
| 63 | Equitable distribution in rare indications for liver transplantation: the dilemma of the too small tablecloth continues!. Transplant International, 2017, 30, 451-453.  | 0.8 | 2         |
| 64 | Sulforaphane as an adjunctive to everolimus counteracts everolimus resistance in renal cancer cell lines. Phytomedicine, 2017, 27, 1-7.   | 2.3 | 22        |
| 65 | Guideline Compliance in Surgery for Thyroid Nodules – A Retrospective Study. Experimental and Clinical Endocrinology and Diabetes, 2017, 125, 327-334.  | 0.6 | 3         |
| 66 | Practical Recommendations for Long-term Management of Modifiable Risks in Kidney and Liver Transplant Recipients. Transplantation, 2017, 101, S1-S56.   | 0.5 | 217       |
| 67 | Effect of Neoadjuvant Chemotherapy Followed by Surgical Resection on Survival in Patients With Limited Metastatic Gastric or Gastroesophageal Junction Cancer. JAMA Oncology, 2017, 3, 1237.  | 3.4 | 296       |
| 68 | The meteorological influence on seasonal alterations in the course of acute appendicitis. Journal of Surgical Research, 2017, 217, 137-143.   | 0.8 | 18        |
| 69 | Bad bacteria in acute appendicitis: rare but relevant. International Journal of Colorectal Disease, 2017, 32, 1303-1311.  | 1.0 | 15        |
| 70 | Liver Preservation by Aortic Perfusion Alone Compared With Preservation by Aortic Perfusion and Additional Arterial Ex Situ Back-Table Perfusion With Histidine-Tryptophan-Ketoglutarate Solution: A Prospective, Randomized, Controlled, Multicenter Study. Transplantation Direct, 2017, 3, e183. | 0.8 | 3         |
| 71 | Local Treatment of Unresectable Colorectal Liver Metastases: Results of a Randomized Phase II Trial.<br>Journal of the National Cancer Institute, 2017, 109, .  | 3.0 | 466       |
| 72 | Deep Vein Thrombosis of the Upper Extremity. Deutsches Ärzteblatt International, 2017, 114, 244-249.  | 0.6 | 54        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | The RENAISSANCE (AIO-FLOT5) trial: effect of chemotherapy alone vs. chemotherapy followed by surgical resection on survival and quality of life in patients with limited-metastatic adenocarcinoma of the stomach or esophagogastric junction – a phase III trial of the German AIO/CAO-V/CAOGI. BMC Cancer, 2017, 17, 893.  | 1.1 | 128       |
| 74 | mTOR inhibition reduces growth and adhesion of hepatocellular carcinoma cells in vitro. Molecular Medicine Reports, 2017, 16, 7064-7071.   | 1.1 | 11        |
| 75 | Study on the effect of chemoembolization combined with microwave ablation for the treatment of hepatocellular carcinoma in rats. Diagnostic and Interventional Radiology, 2017, 23, 150-155.   | 0.7 | 5         |
| 76 | CONKO-005: Adjuvant Chemotherapy With Gemcitabine Plus Erlotinib Versus Gemcitabine Alone in Patients After RO Resection of Pancreatic Cancer: A Multicenter Randomized Phase III Trial. Journal of Clinical Oncology, 2017, 35, 3330-3337.  | 0.8 | 215       |
| 77 | The "RENAISSANCE―Trial: Effect of chemotherapy alone vs. chemotherapy followed by surgical resection on survival and quality of life in patients with limited-metastatic adenocarcinoma of the stomach or esophagogastric junction—A phase III trial of the German AIO/CAO-V/CAOGI Journal of Clinical Oncology. 2017. 35. TPS4140-TPS4140.  | 0.8 | 1         |
| 78 | Eosinophilic cholangitis is a potentially underdiagnosed etiology in indeterminate biliary stricture. World Journal of Gastroenterology, 2017, 23, 1044.   | 1.4 | 16        |
| 79 | Anti-EGFR-based conversion chemotherapy in RAS wildtype colorectal cancer patients: Impact on survival and resection rates Journal of Clinical Oncology, 2017, 35, e15029-e15029.  | 0.8 | 0         |
| 80 | Accuracy of Hepatobiliary Scintigraphy after Liver Transplantation and Liver Resection. International Journal of Molecular Imaging, 2016, 2016, 1-8.   | 1.3 | 6         |
| 81 | Is it safe to perform rectal anastomosis in gynaecological debulking surgery without a diverting stoma?. Colorectal Disease, 2016, 18, 1142-1146.  | 0.7 | 0         |
| 82 | Viral Hepatitis and Its Complications: Management of Hepatocellular Carcinoma. Visceral Medicine, 2016, 32, 127-130.   | 0.5 | 1         |
| 83 | Liver Transplantation for Hepatic Trauma. Transplantation, 2016, 100, 2372-2381.   | 0.5 | 24        |
| 84 | Wound Morbidity in Abdominal Wall Reconstruction Can Be Reduced Using Transversus Abdominis Release Compared to Anterior Component Separation Technique. Journal of the American College of Surgeons, 2016, 223, e116-e117.  | 0.2 | 1         |
| 85 | Proctologic surgery done by residents – Complications preprogrammed?. Journal of Visceral Surgery, 2016, 153, 167-172.   | 0.4 | 7         |
| 86 | Transarterial chemoembolization of hepatocellular carcinoma in a rat model: the effect of additional injection of survivin siRNA to the treatment protocol. BMC Cancer, 2016, 16, 325.   | 1.1 | 7         |
| 87 | Selective AKT Inhibition by MK-2206 Represses Colorectal Cancer-Initiating Stem Cells. Annals of Surgical Oncology, 2016, 23, 2849-2857.   | 0.7 | 23        |
| 88 | Salvage abdominoperineal excisions in recurrent anal cancerâ€"impact of different reconstruction techniques on outcome, morbidity, and complication rates. International Journal of Colorectal Disease, 2016, 31, 653-659.   | 1.0 | 15        |
| 89 | High-frequency versus low-frequency microwave ablation in malignant liver tumours: evaluation of local tumour control and survival. International Journal of Hyperthermia, 2016, 32, 868-875.  | 1.1 | 9         |
| 90 | Histopathological regression after neoadjuvant docetaxel, oxaliplatin, fluorouracil, and leucovorin versus epirubicin, cisplatin, and fluorouracil or capecitabine in patients with resectable gastric or gastro-oesophageal junction adenocarcinoma (FLOT4-AIO): results from the phase 2 part of a multicentre, open-label, randomised phase 2/3 trial. Lancet Oncology, The, 2016, 17, 1697-1708. | 5.1 | 532       |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 91  | Viral Hepatitis and Its Complications. Visceral Medicine, 2016, 32, 78-78.  | 0.5 | 0         |
| 92  | A possible role of microRNAs as predictive markers for the recurrence of hepatocellular carcinoma after liver transplantation. Transplant International, 2016, 29, 369-380.   | 0.8 | 26        |
| 93  | Education in thyroid surgery: a matched-pair analysis comparing residents and board-certified surgeons. Langenbeck's Archives of Surgery, 2016, 401, 239-247.   | 0.8 | 8         |
| 94  | Sirolimus Use in Liver Transplant Recipients With Hepatocellular Carcinoma. Transplantation, 2016, 100, 116-125.  | 0.5 | 339       |
| 95  | Sulforaphane inhibits proliferation and invasive activity of everolimus-resistant kidney cancer cells <i>in vitro</i> ). Oncotarget, 2016, 7, 85208-85219.  | 0.8 | 23        |
| 96  | Patients' Safety and Feasibility of Intravenous Urapidil in the Pretreatment of Pheochromocytoma Patients in a Normal Ward Setting – an Analysis of 20 Consecutive Cases. Acta Endocrinologica, 2016, 12, 475-480.            | 0.1 | 1         |
| 97  | A Retrospective, Observational Study of Enteral Nutrition in Patients with Enteroatmospheric Fistulas. Ostomy - Wound Management, 2016, 62, 36-47.  | 0.8 | 4         |
| 98  | Indication for â€~Over the Scope' (OTS)-Clip vs. Covered Self-Expanding Metal Stent (cSEMS) Is Unequal in Upper Gastrointestinal Leakage: Results from a Retrospective Head-to-Head Comparison. PLoS ONE, 2015, 10, e0117483. | 1.1 | 17        |
| 99  | The White-test helps to reduce biliary leakage in liver resection: a systematic review and meta-analysis. Annals of Hepatology, 2015, 14, 161-167.  | 0.6 | 19        |
| 100 | Abdominoperineal Excisions in the Treatment Regimen for Advanced and Recurrent Vulvar Cancers—Analysis of a Single-Centre Experience. Indian Journal of Surgery, 2015, 77, 1270-1274.   | 0.2 | 5         |
| 101 | Three late adverse events of choledochoduodenostomy of which the endoscopist should be aware: direct retrograde cholangioscopy is helpful for diagnosis and therapy. Gastrointestinal Endoscopy, 2015, 81, 463-464.           | 0.5 | 4         |
| 102 | Systematic Review and Meta-Analysis of Feasibility, Safety, and Efficacy of a Novel Procedure: Associating Liver Partition and Portal Vein Ligation for Staged Hepatectomy. Annals of Surgical Oncology, 2015, 22, 3109-3120. | 0.7 | 114       |
| 103 | Neoadjuvante Radiochemotherapie mit Gemcitabin/Cisplatin gefolgt von Resektion versus primĀær<br>Resektion bei resektablem Pankreaskopfkarzinom. Strahlentherapie Und Onkologie, 2015, 191, 7-16.                             | 1.0 | 255       |
| 104 | The clinical relevance of the Fong and the Nordlinger scores in the era of effective neoadjuvant chemotherapy for colorectal liver metastasis. Surgery Today, 2015, 45, 1527-1534.  | 0.7 | 31        |
| 105 | Improved Survival in Liver Transplant Recipients Receiving Prolonged-Release Tacrolimus in the European Liver Transplant Registry. American Journal of Transplantation, 2015, 15, 1267-1282.                                  | 2.6 | 58        |
| 106 | Renal Function in De Novo Liver Transplant Recipients Receiving Different Prolonged-Release Tacrolimus Regimensâ€"The DIAMOND Study. American Journal of Transplantation, 2015, 15, 1843-1854.                                | 2.6 | 69        |
| 107 | Impact of Neoadjuvant Chemotherapy on Postoperative Morbidity after Gastrectomy for Gastric Cancer. Digestive Surgery, 2015, 32, 229-237.   | 0.6 | 25        |
| 108 | Evidence-Based Medicine in Daily Surgical Decision Making: A Survey-Based Comparison between the UK and Germany. European Surgical Research, 2015, 54, 14-23.   | 0.6 | 2         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Intestinal Fatty Acid Binding Protein: A Sensitive Marker in Abdominal Surgery and Abdominal Infection. Surgical Infections, 2015, 16, 247-253.   | 0.7 | 22        |
| 110 | Prognostic impact of immune response in resectable colorectal liver metastases treated by surgery alone or surgery with perioperative FOLFOX in the randomised EORTC study 40983. European Journal of Cancer, 2015, 51, 2708-2717.  | 1.3 | 72        |
| 111 | Telaprevir drug monitoring during antiviral therapy of hepatitis C graft infection after liver transplantation. Liver International, 2015, 35, 176-183.   | 1.9 | 4         |
| 112 | Radiofrequency ablation (RFA) combined with chemotherapy for unresectable colorectal liver metastases (CRC LM): Long-term survival results of a randomized phase II study of the EORTC-NCRI CCSG-ALM Intergroup 40004 (CLOCC) Journal of Clinical Oncology, 2015, 33, 3501-3501.                                  | 0.8 | 54        |
| 113 | CONKO-005: Adjuvant therapy in RO resected pancreatic cancer patients with gemcitabine plus erlotinib versus gemcitabine for 24 weeks—A prospective randomized phase III study Journal of Clinical Oncology, 2015, 33, 4007-4007.   | 0.8 | 35        |
| 114 | Adjuvant chemotherapy with gemcitabine and cisplatin compared to observation after curative intent resection of cholangiocarcinoma and muscle invasive gallbladder carcinoma (ACTICCA-1): A randomized, multidisciplinary, multinational phase III trial Journal of Clinical Oncology, 2015, 33, TPS4140-TPS4140. | 0.8 | 1         |
| 115 | Randomized multicenter phase II/III study with adjuvant gemcitabine versus neoadjuvant/adjuvant FOLFIRINOX in resectable pancreatic cancer: The NEPAFOX trial Journal of Clinical Oncology, 2015, 33, TPS4152-TPS4152.  | 0.8 | 16        |
| 116 | Delayed Bottom-Up and Amended Simple Method of Dosing with Once-Daily Tacrolimus Application to Achieve Stable Trough Levels in Liver Transplantation. Annals of Transplantation, 2015, 20, 1-6.  | 0.5 | 5         |
| 117 | Lebertransplantation., 2015,, 529-543.  |     | 0         |
| 118 | The White-test helps to reduce biliary leakage in liver resection: a systematic review and meta-analysis. Annals of Hepatology, 2015, 14, 161-7.  | 0.6 | 11        |
| 119 | Neoadjuvant chemoradiation versus perioperative chemotherapy followed by surgery in resectable adenocarcinomas of the esophagogastric junction: A retrospective single center analysis. Oncology Letters, 2014, 7, 534-540.   | 0.8 | 5         |
| 120 | Colorectal Cancer Liver Metastases. Investigative Radiology, 2014, 49, 48-56.   | 3.5 | 51        |
| 121 | The use of purse-string skin closure in loop ileostomy reversals leads to lower wound infection rates—a single high-volume centre experience. International Journal of Colorectal Disease, 2014, 29, 709-714.   | 1.0 | 17        |
| 122 | Volume and outcome relation in German liver transplant centers: what lessons can be learned?. Transplantation Research, 2014, 3, 5.   | 1.5 | 19        |
| 123 | FOXE1 Association with Differentiated Thyroid Cancer and Its Progression. Thyroid, 2014, 24, 845-851.   | 2.4 | 43        |
| 124 | Appendicitisâ€"the balance between cost effectiveness and safety remains challenging. Langenbeck's Archives of Surgery, 2014, 399, 493-501.   | 0.8 | 12        |
| 125 | Randomized controlled multicenter trial on the effectiveness of the collagen hemostat Sangustop $\hat{A}^{\otimes}$ compared with a carrier-bound fibrin sealant during liver resection (ESSCALIVER study, NCT00918619). Langenbeck's Archives of Surgery, 2014, 399, 725-733.                                    | 0.8 | 20        |
| 126 | Assessment of colorectal liver metastases using MRI and CT: Impact of observer experience on diagnostic performance and inter-observer reproducibility with histopathological correlation. European Journal of Radiology, 2014, 83, 1752-1758.  | 1.2 | 11        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Survival of patients with initially unresectable colorectal liver metastases treated with FOLFOX/cetuximab or FOLFIRI/cetuximab in a multidisciplinary concept (CELIM study). Annals of Oncology, 2014, 25, 1018-1025.                                     | 0.6 | 213       |
| 128 | Preoperative Interleukin-22 Values Add Valuable Information for Outcome Prediction Following Orthotopic Liver Transplantation: A Preliminary Study. Annals of Transplantation, 2014, 19, 503-512.  | 0.5 | 1         |
| 129 | Lymph Fistulas after Inguinal Lymph Node Dissection—Assessment of Risk Factors and Future Treatment Strategies. Surgical Science, 2014, 05, 193-199.   | 0.1 | 1         |
| 130 | Extended pancreas donor program – the EXPAND study rationale and study protocol. Transplantation Research, 2013, 2, 12.  | 1.5 | 18        |
| 131 | A proposal for an algorithm enhancing transparency and achieving harmonization for patient selection in rescue allocation for liver allografts in Germany. Langenbeck's Archives of Surgery, 2013, 398, 917-918.   | 0.8 | 2         |
| 132 | Partial spleen resection with a radiofrequency needle deviceâ€"a pilot study. Langenbeck's Archives of Surgery, 2013, 398, 449-454.  | 0.8 | 10        |
| 133 | Perioperative FOLFOX4 chemotherapy and surgery versus surgery alone for resectable liver metastases from colorectal cancer (EORTC 40983): long-term results of a randomised, controlled, phase 3 trial. Lancet Oncology, The, 2013, 14, 1208-1215.         | 5.1 | 1,017     |
| 134 | Long-term follow-up of endoscopic therapy for stenosis of the biliobiliary anastomosis associated with orthotopic liver transplantation. Liver Transplantation, 2013, 19, 586-593.   | 1.3 | 32        |
| 135 | Recurrent hepatocellular carcinoma after liver transplantation - an emerging clinical challenge.<br>Transplant International, 2013, 26, 109-118.   | 0.8 | 121       |
| 136 | A Comparative, Randomized Trial of Concentration-Controlled Sirolimus Combined With Reduced-Dose Tacrolimus or Standard-Dose Tacrolimus in Renal Allograft Recipients. Transplantation Proceedings, 2013, 45, 2133-2140.                                   | 0.3 | 18        |
| 137 | Urapidil in the Preoperative Treatment of Pheochromocytomas: A Safe and Costâ€effective Method.<br>World Journal of Surgery, 2013, 37, 1141-1146.  | 0.8 | 24        |
| 138 | Reperfusion of liver graft during transplantation: techniques used in transplant centres within Eurotransplant and meta-analysis of the literature. Transplant International, 2013, 26, 508-516.   | 0.8 | 28        |
| 139 | Self-Expandable Metal Stent for Malignant Colonic Obstruction: Outcome in Proximal vs. Left Sided Tumor Localization. Zeitschrift Fur Gastroenterologie, 2013, 51, 551-557.  | 0.2 | 14        |
| 140 | Vascular Endothelial Growth Factor – Marker for Proliferation in Thyroid Diseases?. Experimental and Clinical Endocrinology and Diabetes, 2013, 121, 6-13.   | 0.6 | 10        |
| 141 | SEMS <i>vs</i> cSEMS in duodenal and small bowel obstruction: High risk of migration in the covered stent group. World Journal of Gastroenterology, 2013, 19, 6199.  | 1.4 | 17        |
| 142 | Radiofrequency ablation combined with systemic treatment versus systemic treatment alone in patients with non-resectable colorectal liver metastases: aÂrandomized EORTC Intergroup phase II study (EORTC 40004). Annals of Oncology, 2012, 23, 2619-2626. | 0.6 | 370       |
| 143 | Impaired Vitamin D Activation and Association with CYP24A1 Haplotypes in Differentiated Thyroid Carcinoma. Thyroid, 2012, 22, 709-716.   | 2.4 | 44        |
| 144 | Techniques of Liver Resection. Digestive Surgery, 2012, 29, 5-5.   | 0.6 | 1         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 145 | Cationic liposomal paclitaxel plus gemcitabine or gemcitabine alone in patients with advanced pancreatic cancer: a randomized controlled phase II trial. Annals of Oncology, 2012, 23, 1214-1222.                          | 0.6 | 91        |
| 146 | Predictive Factors for the Benefit of Perioperative FOLFOX for Resectable Liver Metastasis in Colorectal Cancer Patients (EORTC Intergroup Trial 40983). Annals of Surgery, 2012, 255, 534-539.                            | 2.1 | 91        |
| 147 | Posthepatectomy Liver Failure. Digestive Surgery, 2012, 29, 79-85.   | 0.6 | 152       |
| 148 | LICC: L-BLP25 in patients with colorectal carcinoma after curative resection of hepatic metastases-a randomized, placebo-controlled, multicenter, multinational, double-blinded phase II trial. BMC Cancer, 2012, 12, 144. | 1.1 | 16        |
| 149 | Neoadjuvant Short- or Long-Term Radio(chemo)therapy for Rectal Cancer: How and Who Should Be Treated?. Digestive Diseases, 2012, 30, 102-108.  | 0.8 | 23        |
| 150 | Early echocardiographic detection of a massive intracardiac thrombus in a patient scheduled for orthotopic liver transplantation. Journal of Clinical Anesthesia, 2012, 24, 404-406.                                       | 0.7 | 5         |
| 151 | Evidence-based assessment of the period of physical inactivity required after inguinal herniotomy. Langenbeck's Archives of Surgery, 2012, 397, 1209-1214.   | 0.8 | 13        |
| 152 | Transarterial chemoembolization in the treatment of patients with unresectable cholangiocarcinoma: Results and prognostic factors governing treatment success. International Journal of Cancer, 2012, 131, 733-740.        | 2.3 | 123       |
| 153 | Benefit of a clipping device in use in intestinal bleeding and intestinal leakage. Gastrointestinal Endoscopy, 2011, 74, 389-397.  | 0.5 | 103       |
| 154 | Impact of donor and recipient IL28B rs12979860 genotypes on hepatitis C virus liver graft reinfection. Journal of Hepatology, 2011, 55, 322-327.   | 1.8 | 115       |
| 155 | Xenon Anesthesia for Liver Transplant Surgery: A Report of Four Cases. Transplantation Proceedings, 2011, 43, 2683-2686.   | 0.3 | 7         |
| 156 | Valproate inhibits colon cancer growth through cell cycle modification in vivo and in vitro. Experimental and Therapeutic Medicine, 2011, 2, 301-307.  | 0.8 | 10        |
| 157 | Total Thyroidectomy for Benign Thyroid Disease. Annals of Surgery, 2011, 254, 724-730.   | 2.1 | 65        |
| 158 | Prediction of Prognosis Is Not Improved by the Seventh and Latest Edition of the TNM Classification for Colorectal Cancer in a Single-Center Collective. Annals of Surgery, 2011, 254, 793-801.                            | 2.1 | 92        |
| 159 | The right to refuse*. Transplant International, 2011, 24, 1162-1163.   | 0.8 | 0         |
| 160 | Significantly high expression of platelet-derived growth factor (PDGF) in benign nodules of the thyroid: relevance in the development of goitre recurrence?. Langenbeck's Archives of Surgery, 2011, 396, 1165-1172.       | 0.8 | 9         |
| 161 | Differentiation between Benign and Malignant Adrenal Mass using Contrast-Enhanced Ultrasound. Ultraschall in Der Medizin, 2011, 32, 460-471.   | 0.8 | 42        |
| 162 | Early post-operative measurement of cytokine plasma levels combined with pre-operative bilirubin levels identify high-risk patients after liver resection. International Journal of Molecular Medicine, 2011, 27, 447-54.  | 1.8 | 18        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 163 | Efficacy and Safety of Sorafenib in Advanced Hepatocellular Carcinoma Under Daily Practice Conditions. Journal of Chemotherapy, 2010, 22, 205-211.  | 0.7 | 13        |
| 164 | Machine Perfusion Versus Cold Storage for the Preservation of Kidneys Donated After Cardiac Death. Annals of Surgery, 2010, 252, 756-764.   | 2.1 | 266       |
| 165 | Increased Serum Levels of Câ€Reactive Protein Precede Anastomotic Leakage in Colorectal Surgery.<br>World Journal of Surgery, 2010, 34, 140-146.  | 0.8 | 93        |
| 166 | Neutrophil phenotype and function in partial hepatectomy in man. Langenbeck's Archives of Surgery, 2010, 395, 643-653.  | 0.8 | 4         |
| 167 | A prospective randomised, open-labeled, trial comparing sirolimus-containing versus mTOR-inhibitor-free immunosuppression in patients undergoing liver transplantation for hepatocellular carcinoma. BMC Cancer, 2010, 10, 190.                   | 1.1 | 146       |
| 168 | Comparison of the collagen haemostat Sangustop $\hat{A}^{\otimes}$ versus a carrier-bound fibrin sealant during liver resection; ESSCALIVER-Study. Trials, 2010, $\hat{1}1$ , $109$ .   | 0.7 | 8         |
| 169 | Daily dosing of tacrolimus in patients treated with HIV-1 therapy containing a ritonavir-boosted protease inhibitor or raltegravir. Journal of Antimicrobial Chemotherapy, 2010, 65, 999-1004.  | 1.3 | 30        |
| 170 | Neoadjuvant Chemotherapy Compared With Surgery Alone for Locally Advanced Cancer of the Stomach and Cardia: European Organisation for Research and Treatment of Cancer Randomized Trial 40954. Journal of Clinical Oncology, 2010, 28, 5210-5218. | 0.8 | 619       |
| 171 | Real-time Elastography and Contrast-Enhanced Ultrasound for the Assessment of Thyroid Nodules. Experimental and Clinical Endocrinology and Diabetes, 2010, 118, 602-609.  | 0.6 | 112       |
| 172 | Incidence and Treatment of Pancreatic Fistula after Simultaneous Pancreas Kidney Transplantation. Transplantation Proceedings, 2010, 42, 4206-4208.   | 0.3 | 7         |
| 173 | Can the Preprocurement Pancreas Suitability Score Predict Ischemia-Reperfusion Injury and Graft Survival After Pancreas Transplantation?. Transplantation Proceedings, 2010, 42, 4202-4205.   | 0.3 | 23        |
| 174 | Tumour response and secondary resectability of colorectal liver metastases following neoadjuvant chemotherapy with cetuximab: the CELIM randomised phase 2 trial. Lancet Oncology, The, 2010, 11, 38-47.  | 5.1 | 873       |
| 175 | Role of transarterial chemoembolization for hepatocellular carcinoma before liver transplantation with special consideration of tumor necrosis. Clinical Transplantation, 2009, 23, 61-67.  | 0.8 | 20        |
| 176 | Complement and Neutrophil Function Changes After Liver Resection in Humans. World Journal of Surgery, 2009, 33, 2635-2643.  | 0.8 | 8         |
| 177 | Vitamin D Receptor Polymorphisms in Differentiated Thyroid Carcinoma. Thyroid, 2009, 19, 623-628.   | 2.4 | 58        |
| 178 | Inactivating SOCS1 mutations are caused by aberrant somatic hypermutation and restricted to a subset of B-cell lymphoma entities. Blood, 2009, 114, 4503-4506.  | 0.6 | 115       |
| 179 | Clinical application of soft polyglycolic acid felt for hemostasis and repair of a lacerated liver: Report of two cases. Surgery Today, 2008, 38, 188-192.  | 0.7 | 14        |
| 180 | Liver Transplantation for Hilar Cholangiocarcinoma: A German Survey. Transplantation Proceedings, 2008, 40, 3191-3193.  | 0.3 | 38        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 181 | Perioperative chemotherapy with FOLFOX4 and surgery versus surgery alone for resectable liver metastases from colorectal cancer (EORTC Intergroup trial 40983): a randomised controlled trial. Lancet, The, 2008, 371, 1007-1016.                   | 6.3 | 1,759     |
| 182 | Neoadjuvant Treatment with Cetuximab, 5-Fluorouracil, Folinic Acid and Oxaliplatin in Unresectable Retroperitoneal Recurrent Colon Cancer. Zeitschrift Fur Gastroenterologie, 2008, 46, 776-779.  | 0.2 | 8         |
| 183 | Octreotide Attenuates Impaired Microcirculation in Postischemic Pancreatitis When Administered Before Induction of Ischemia. Transplantation, 2008, 86, 961-967.  | 0.5 | 18        |
| 184 | Adjuvant Chemotherapy With Gemcitabine vs Observation in Patients Undergoing Curative-Intent Resection of Pancreatic Cancer. JAMA - Journal of the American Medical Association, 2007, 297, 267.  | 3.8 | 2,144     |
| 185 | Which liver metastases are resectable?. European Journal of Cancer, Supplement, 2007, 5, 301-306.   | 2.2 | 4         |
| 186 | Laparoscopic sigmoid resections for diverticulitis complicated by abscesses or fistulas. International Journal of Colorectal Disease, 2007, 22, 1515-1521.  | 1.0 | 43        |
| 187 | Liver biochemistry profile, significance and endoscopic management of biliary tract complications post orthotopic liver transplantation. World Journal of Gastroenterology, 2007, 13, 2819.   | 1.4 | 21        |
| 188 | Rare Functioning Pancreatic Endocrine Tumors. Neuroendocrinology, 2006, 84, 189-195.  | 1.2 | 124       |
| 189 | Liver transplantation for Budd–Chiari syndrome: A European study on 248 patients from 51 centres.<br>Journal of Hepatology, 2006, 44, 520-528.  | 1.8 | 202       |
| 190 | Evaluation of Type 1 Diabetics for Simultaneous Pancreas-Kidney Transplantation With Regard to Cardiovascular Risk. Transplantation Proceedings, 2006, 38, 747-750.   | 0.3 | 4         |
| 191 | Telerobotic-assisted laparoscopic spleen-preserving partial resection of the pancreatic tail for insulinoma. Hpb, 2006, 8, 233-234.   | 0.1 | 0         |
| 192 | TNM staging of foregut (neuro)endocrine tumors: a consensus proposal including a grading system. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2006, 449, 395-401.  | 1.4 | 1,403     |
| 193 | Epstein-Barr Virus-Associated Posttransplant Lymphoproliferative Disorder of Donor Origin after Simultaneous Pancreas?Kidney Transplantation Limited to Pancreas Allograft: A Case Report. American Journal of Transplantation, 2006, 6, 2506-2511. | 2.6 | 14        |
| 194 | Gastrinoma (Duodenal and Pancreatic). Neuroendocrinology, 2006, 84, 173-182.  | 1.2 | 268       |
| 195 | Well-Differentiated Gastric Tumors/Carcinomas. Neuroendocrinology, 2006, 84, 158-164.   | 1.2 | 133       |
| 196 | Well-Differentiated Duodenal Tumor/Carcinoma (Excluding Gastrinomas). Neuroendocrinology, 2006, 84, 165-172.  | 1.2 | 70        |
| 197 | Well-Differentiated Pancreatic Nonfunctioning Tumors/Carcinoma. Neuroendocrinology, 2006, 84, 196-211.  | 1.2 | 241       |
| 198 | Poorly Differentiated Carcinomas of the Foregut (Gastric, Duodenal and Pancreatic).<br>Neuroendocrinology, 2006, 84, 212-215.   | 1.2 | 106       |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Well-Differentiated Pancreatic Tumor/Carcinoma: Insulinoma. Neuroendocrinology, 2006, 84, 183-188.  | 1.2 | 248       |
| 200 | Nutritional Support after Open Liver Resection: A Systematic Review. Digestive Surgery, 2006, 23, 139-145.  | 0.6 | 50        |
| 201 | Lebertransplantation., 2006,, 847-862.  |     | 0         |
| 202 | Recombinant Coagulation Factor VIIa in Major Liver Resection. Anesthesiology, 2005, 102, 269-275.   | 1.3 | 201       |
| 203 | Transarterial chemoembolization alone and in combination with other therapies: a comparative study in an animal HCC model. European Radiology, 2005, 15, 127-133.   | 2.3 | 56        |
| 204 | Does telerobotic assistance improve laparoscopic colorectal surgery?. International Journal of Colorectal Disease, 2005, 20, 253-257.   | 1.0 | 50        |
| 205 | Liver Metastases in Rats: Chemoembolization Combined with Interstitial Laser Ablation for Treatment. Radiology, 2005, 237, 479-484.   | 3.6 | 15        |
| 206 | Does the Liver Ever Age? Results of Liver Transplantation With Donors Above 80 Years of Age. Transplantation Proceedings, 2005, 37, 1182-1185.  | 0.3 | 47        |
| 207 | Acceptance Criteria of Pancreas Grafts: How Do Surgeons Decide in Europe?. Transplantation Proceedings, 2005, 37, 1259-1261.  | 0.3 | 15        |
| 208 | Influence of Methicillin-Resistant Staphylococcus aureus Carrier Status in Liver Transplant Recipients. Transplantation Proceedings, 2005, 37, 1710-1712.   | 0.3 | 12        |
| 209 | Cytomegalovirus Infection in Simultaneous Pancreas-Kidney Transplantation. Transplantation Proceedings, 2005, 37, 2848-2850.  | 0.3 | 14        |
| 210 | Immunosuppressive Drugs After Simultaneous Pancreas-Kidney Transplantation. Transplantation Proceedings, 2005, 37, 2840-2842.   | 0.3 | 10        |
| 211 | Corticosteroid Withdrawal in Simultaneous Pancreas–Kidney Transplantation: A 3-Year Report.<br>Transplantation Proceedings, 2005, 37, 2853-2855.  | 0.3 | 9         |
| 212 | Onkologische Therapie in der Gastroenterologie. Was ist evidenzbasiert? Perspektiven?. Visceral Medicine, 2004, 20, 55-60.  | 0.5 | 0         |
| 213 | Thyroid Fetal Male Microchimerisms in Mothers with Thyroid Disorders: Presence of Y-Chromosomal Immunofluorescence in Thyroid-Infiltrating Lymphocytes Is More Prevalent in Hashimoto's Thyroiditis and Graves' Disease Than in Follicular Adenomas. Journal of Clinical Endocrinology and Metabolism, 2004. 89, 5810-5814. | 1.8 | 79        |
| 214 | Predicting creatinine clearance by a simple formula following live-donor kidney transplantation. Transplant International, 2004, 17, 490-494.   | 0.8 | 8         |
| 215 | Clinical practice of nutrition in acute liver failure?a European survey. Clinical Nutrition, 2004, 23, 975-982.   | 2.3 | 55        |
| 216 | Phosphorylation of hepatocyte growth factor receptor and epidermal growth factor receptor of human hepatocytes can be maintained in a (3D) collagen sandwich culture system. Toxicology in Vitro, 2004, 18, 527-532.  | 1.1 | 13        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 217 | Older livers—should they be used for transplantation?. Journal of Hepatology, 2004, 41, 485-487.  | 1.8 | 4         |
| 218 | Chirurgische Therapie des Cholangiokarzinoms. Visceral Medicine, 2004, 20, 279-285.   | 0.5 | 0         |
| 219 | High levels of C-reactive protein after simultaneous pancreas-kidney transplantation predict pancreas graft-related complications and graft survival. Transplantation, 2004, 77, 60-64.   | 0.5 | 38        |
| 220 | EFFICACY AND SAFETY OF TACROLIMUS COMPARED WITH CYCLOSPORINE MICROEMULSION IN PRIMARY SIMULTANEOUS PANCREAS-KIDNEY TRANSPLANTATION: 1-YEAR RESULTS OF A LARGE MULTICENTER TRIAL. Transplantation, 2004, 77, 1221-1228.                      | 0.5 | 79        |
| 221 | Predicting creatinine clearance by a simple formula following live-donor kidney transplantation.<br>Transplant International, 2004, 17, 490-494.  | 0.8 | 3         |
| 222 | Validation and refinement of survival models for liver retransplantation. Hepatology, 2003, 38, 460-469.  | 3.6 | 114       |
| 223 | The immunosuppressive drug mycophenolate mofetil impairs the adhesion capacity of gastrointestinal tumour cells. Clinical and Experimental Immunology, 2003, 134, 238-245.  | 1.1 | 27        |
| 224 | Incidence of minor and major amputations after pancreas/kidney transplantation. Transplant International, 2003, 16, 128-132.  | 0.8 | 22        |
| 225 | Critical view of imaging techniques for donor evaluation in living donor kidney transplantation. Transplantation Proceedings, 2003, 35, 948-949.  | 0.3 | 1         |
| 226 | Prothrombotic disorders in uremic type-1 diabetics undergoing simultaneous pancreas and kidney transplantation. Transplantation, 2003, 76, 1691-1695.   | 0.5 | 13        |
| 227 | Mycophenolate mofetil increases adhesion capacity of tumor cells in vitro1. Transplantation, 2003, 76, 1735-1741.   | 0.5 | 16        |
| 228 | Simultaneous pancreas-kidney transplantation in patients with antiphospholipid syndrome. Transplantation, 2003, 75, 562-563.  | 0.5 | 9         |
| 229 | Value of donor swabs for intra-abdominal infection in simultaneous pancreas-kidney transplantation. Transplantation, 2003, 76, 1073-1078.   | 0.5 | 13        |
| 230 | Steroid Withdrawal After Pediatric Liver Transplantation: A Long-Term Follow-Up Study in 109 Recipients Transplantation, 2003, 75, 1629-1630.   | 0.5 | 1         |
| 231 | Aktuelle Fragen zur Chirurgie beim alten Menschen – sind eigene Standards erforderlich? / Current Issues of Surgery on Elderly Patients – are Separate Standards Necessary?. Visceral Medicine, 2003, 19, 173-176.                          | 0.5 | 1         |
| 232 | Combined transarterial chemoembolization and arterial administration of Bletilla striatain treatment of liver tumor in rats. World Journal of Gastroenterology, 2003, 9, 2676.  | 1.4 | 24        |
| 233 | DISTINCT ENZYME PROFILES IN PATIENTS WITH CRYPTOGENIC CIRRHOSIS REFLECT HETEROGENEOUS CAUSES WITH DIFFERENT OUTCOMES AFTER LIVER TRANSPLANTATION (OLT): A LONG-TERM DOCUMENTATION BEFORE AND AFTER OLT. Transplantation, 2002, 74, 792-798. | 0.5 | 21        |
| 234 | Continuation of regional chemotherapy of hepatic neoplasms despite occlusion of the hepatic arteryâ€"report of four cases. Anti-Cancer Drugs, 2002, 13, 663-669.  | 0.7 | 2         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 235 | Diagnostic value of peripheral blood T-cell activation and soluble IL-2 receptor for acute rejection in liver transplantation. Clinica Chimica Acta, 2002, 320, 69-78.   | 0.5 | 33        |
| 236 | Daclizumab and ATG versus ATG in combination with tacrolimus, mycophenolate mofetil, and steroids in simultaneus pancreas-kidney transplantation: analysis of early outcome. Transplantation Proceedings, 2002, 34, 1909-1910. | 0.3 | 3         |
| 237 | Tacrolimus/mycophenolate mofetil vs cyclosporine A/Azathioprine after simultaneous pancreas and kidney transplantation: five-year results of a randomized study. Transplantation Proceedings, 2002, 34, 1920-1921.             | 0.3 | 5         |
| 238 | Living related kidney transplantation between identical twins. Transplantation Proceedings, 2002, 34, 2205-2206.   | 0.3 | 12        |
| 239 | Does simultaneous pancreas kidney transplantation still lead to a higher morbidity than kidney transplantation alone?. Transplantation Proceedings, 2002, 34, 2256.  | 0.3 | 3         |
| 240 | Contrast-Enhanced MRI of Focal Liver Tumors Using a Hepatobiliary MR Contrast Agent. Academic Radiology, 2002, 9, S119-S120.   | 1.3 | 23        |
| 241 | DNA analysis of cholangiocarcinoma cells: prognostic and clinical importance. Cancer Detection and Prevention, 2002, 26, 313-319.  | 2.1 | 10        |
| 242 | Results of End-to-end Cavocavostomy during Adult LiverTransplantation. World Journal of Surgery, 2002, 26, 342-347.  | 0.8 | 13        |
| 243 | Incidence and indications for reintubation during postoperative care following orthotopic liver transplantation. Journal of Clinical Anesthesia, 2001, 13, 377-382.  | 0.7 | 30        |
| 244 | Donor pretreatment of grafts from marginal donors improves long-term graft outcome. Transplantation Proceedings, 2001, 33, 970-971.  | 0.3 | 5         |
| 245 | Mycophenolate mofetil is superior in combination with tacrolimus compared to cyclosporine for immunosuppressive therapy after liver transplantation. Transplantation Proceedings, 2001, 33, 1069-1070.                         | 0.3 | 6         |
| 246 | Improvement of long-term function in renal allografts from †marginal donors†following the induction of heme-oxygenase-1. Transplantation Proceedings, 2001, 33, 1160-1161.   | 0.3 | 11        |
| 247 | Induction of heme-oxygenase-1 prevents ischemia/reperfusion injury and improves long-term graft outcome in rat renal allografts. Transplantation Proceedings, 2001, 33, 1286-1287.   | 0.3 | 19        |
| 248 | Split liver and living donation liver transplantation: the Berlin experience. Transplantation Proceedings, 2001, 33, 1459-1460.  | 0.3 | 28        |
| 249 | Long-term outcome of pancreas transplantation. Transplantation Proceedings, 2001, 33, 1652-1654.   | 0.3 | 10        |
| 250 | Long-term prednisolone withdrawal after pancreas and kidney transplantation in patients treated with ATG, tacrolimus, and mycophenolate mofetil. Transplantation Proceedings, 2001, 33, 1694-1695.                             | 0.3 | 17        |
| 251 | Is preemptive therapy for CMV infection following liver transplantation superior to symptom-triggered treatment?. Transplantation Proceedings, 2001, 33, 1804.   | 0.3 | 2         |
| 252 | Tolerance induction by the graft itself. Transplantation Proceedings, 2001, 33, 2317-2318.   | 0.3 | 2         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | SIGNIFICANCE OF A T-LYMPHOCYTOTOXIC CROSSMATCH IN LIVER AND COMBINED LIVER-KIDNEY TRANSPLANTATION. Transplantation, 2001, 71, 1163-1168.                                       | 0.5 | 52        |
| 254 | PROSPECTIVE RANDOMIZED TRIAL TO ASSESS THE VALUE OF PREEMPTIVE ORAL THERAPY FOR CMV INFECTION FOLLOWING LIVER TRANSPLANTATION. Transplantation, 2001, 72, 881-885.             | 0.5 | 54        |
| 255 | Trends and perspectives in pancreas and simultaneous pancreas and kidney transplantation. Current Opinion in Urology, 2001, 11, 165-174.                                       | 0.9 | 19        |
| 256 | Ganzkörperhyperthermie bei Keimzellentumoren. Onkologe, 2001, 7, 324-330.  | 0.7 | 3         |
| 257 | Postoperative tracheal extubation after orthotopic liver transplantation. Acta Anaesthesiologica Scandinavica, 2001, 45, 333-339.  | 0.7 | 84        |
| 258 | Vascular invasion and histopathologic grading determine outcome after liver transplantation for hepatocellular carcinoma in cirrhosis. Hepatology, 2001, 33, 1080-1086.        | 3.6 | 826       |
| 259 | Surgical Techniques of Adult Liver Transplantation. European Surgery - Acta Chirurgica Austriaca, 2001, 33, 13-16.   | 0.3 | 2         |
| 260 | PREOPERATIVE ANTIVIRAL TREATMENT AND POSTOPERATIVE PROPHYLAXIS IN HBV-DNA POSITIVE PATIENTS UNDERGOING LIVER TRANSPLANTATION. Transplantation, 2001, 72, 1381-1385.            | 0.5 | 68        |
| 261 | Administration of prostacyclin after liver transplantation: a placebo controlled randomized trial.<br>Clinical Transplantation, 2000, 14, 70-74.                               | 0.8 | 26        |
| 262 | Venous complications after orthotopic liver transplantation. Clinical Transplantation, 2000, 14, 235-241.  | 0.8 | 173       |
| 263 | Neurotoxicity of calcineurin inhibitors: impact and clinical management. Transplant International, 2000, 13, 313-326.  | 0.8 | 431       |
| 264 | Arterial complications after liver transplantation. Transplant International, 2000, 13, 372-378.   | 0.8 | 91        |
| 265 | Lamivudine as first- and second-line treatment of hepatitis B infection after liver transplantation. Transplant International, 2000, 13, 290-296.                              | 0.8 | 19        |
| 266 | Primary and secondary hepatic manifestation of neuroendocrine tumors. Langenbeck's Archives of Surgery, 2000, 385, 265-270.  | 0.8 | 40        |
| 267 | Liver transplantation and diabetes mellitus. Experimental and Clinical Endocrinology and Diabetes, 2000, 108, 401-405.   | 0.6 | 48        |
| 268 | Evidence for impaired glucose effectiveness in cirrhotic patients after liver transplantation. Metabolism: Clinical and Experimental, 2000, 49, 367-372.                       | 1.5 | 3         |
| 269 | Long-term survival after orthotopic liver transplantation with regard to country of origin and residence. Transplantation Proceedings, 2000, 32, 516.                          | 0.3 | 1         |
| 270 | Higher immunosuppressive efficacy of mycophenolate mofetil in combination with FK 506 than in combination with cyclosporine A. Transplantation Proceedings, 2000, 32, 522-523. | 0.3 | 10        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 271 | Aneurysms of the hepatic artery after liver transplantation. Transplantation Proceedings, 2000, 32, 533-534.   | 0.3 | 42        |
| 272 | Infectious complications after orthotopic liver transplantation with different immunosuppressive induction regimens. Transplantation Proceedings, 2000, 32, 537-538.   | 0.3 | 4         |
| 273 | Long-term survival and complications after orthotopic liver transplantation for postnecrotic cirrhosis. Transplantation Proceedings, 2000, 32, 599.  | 0.3 | 0         |
| 274 | Polycystic liver grafts for orthotopic liver transplantation. Transplantation Proceedings, 2000, 32, 134-135.  | 0.3 | 14        |
| 275 | Lamivudine as first- and second-line treatment of hepatitis B infection after liver transplantation. Transplant International, 2000, 13, 290-296.  | 0.8 | 9         |
| 276 | TREATMENT OF POSTTRANSPLANT LYMPHOPROLIFERATIVE DISORDER WITH THE ANTI-CD20 MONOCLONAL ANTIBODY RITUXIMAB ALONE IN AN ADULT AFTER LIVER TRANSPLANTATION. Transplantation, 2000, 69, 430-432.   | 0.5 | 57        |
| 277 | ADDITIONAL INTERFERON ALPHA FOR LAMIVUDINE RESISTANT HEPATITIS B INFECTION AFTER LIVER TRANSPLANTATION: A PRELIMINARY REPORT. Transplantation, 2000, 69, 1739-1742.  | 0.5 | 18        |
| 278 | REGULATION OF GLUCOSE TOLERANCE IN PATIENTS AFTER LIVER TRANSPLANTATION. Transplantation, 2000, 69, 2072-2078.   | 0.5 | 17        |
| 279 | QUADRUPLE TACROLIMUS-BASED INDUCTION THERAPY INCLUDING AZATHIOPRINE AND ALG DOES NOT SIGNIFICANTLY IMPROVE OUTCOME AFTER LIVER TRANSPLANTATION WHEN COMPARED WITH STANDARD INDUCTION WITH TACROLIMUS AND STEROIDS: RESULTS OF A PROSPECTIVE, RANDOMIZED TRIAL. Transplantation, 2000, 69, 2343-2353. | 0.5 | 24        |
| 280 | Contribution of Prolonged Ischemia and Donor Age to Chronic Renal Allograft Dysfunction. Journal of the American Society of Nephrology: JASN, 2000, 11, 1317-1324.   | 3.0 | 108       |
| 281 | Long-term results of famciclovir for recurrent or de novo hepatitis B virus infection after liver transplantation. Clinical Transplantation, 1999, 13, 447-452.  | 0.8 | 24        |
| 282 | Contribution of color and power Doppler sonography to the differential diagnosis of acute and chronic rejection, and tacrolimus nephrotoxicity in renal allografts. Transplant International, 1999, 12, 127-134.   | 0.8 | 15        |
| 283 | Focal liver lesions: Doppler ultrasound. European Radiology, 1999, 9, 428-435.   | 2.3 | 36        |
| 284 | Maligne neuroendokrine Tumoren des Gastrointestinaltrakts. Onkologe, 1999, 5, 138-143.   | 0.7 | 2         |
| 285 | 34jÃĦriger Patient mit HCC. Onkologe, 1999, 5, 344-345.  | 0.7 | 0         |
| 286 | Chirurgische Therapie des zentralen Gallengangskarzinoms. Onkologe, 1999, 5, 515-520.  | 0.7 | 2         |
| 287 | Variations of surgical reconstruction in liver transplantation depending on vasculature.<br>Langenbeck's Archives of Surgery, 1999, 384, 378-383.  | 0.8 | 26        |
| 288 | Dynamics of GB Virus C viremia early after orthotopic liver transplantation indicates extrahepatic tissues as the predominant site of GB virus C replication. Hepatology, 1999, 29, 245-249.   | 3.6 | 43        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 289 | In liver transplantation, T tube bile represents total bile flow: Physiological and scintigraphic studies on biliary secretion of organic anions. Liver Transplantation, 1999, 5, 8-15.   | 1.9 | 20        |
| 290 | Complete reversal of acute rejection episodes after syngeneic retransplantation is associated with a TH1/TH2 shift. Transplantation Proceedings, 1999, 31, 340-341.   | 0.3 | 0         |
| 291 | Quadruple induction therapy including antithymocyte globulin or interleukin-2 receptor antibody or FK 506–based induction therapy after liver transplantation. Transplantation Proceedings, 1999, 31, 380.                                | 0.3 | 2         |
| 292 | Orthotopic liver transplantation for hepatic-associated metabolic disorders. Transplantation Proceedings, 1999, 31, 382-384.  | 0.3 | 5         |
| 293 | Recurrence of autoimmune hepatitis after liver transplantation. Transplantation Proceedings, 1999, 31, 430-431.   | 0.3 | 55        |
| 294 | Liver transplantation for hepatocellular carcinoma. Transplantation Proceedings, 1999, 31, 469-471.   | 0.3 | 21        |
| 295 | Treatment of hepatitis B-reinfection or de novo-infection after liver transplantation with famciclovir—how effective is it?. Transplantation Proceedings, 1999, 31, 481-482.  | 0.3 | 9         |
| 296 | Reduction of reperfusion injury with prostacyclin I2 after liver transplantation. Transplantation Proceedings, 1999, 31, 1029-1030.   | 0.3 | 15        |
| 297 | Mycophenolate mofetil in combination with tacrolimus versus neoral after liver transplantation. Transplantation Proceedings, 1999, 31, 1113-1114.   | 0.3 | 35        |
| 298 | The effect of cyclosporine vs FK 506 on glucose metabolism. Transplantation Proceedings, 1999, 31, 1129-1130.   | 0.3 | 2         |
| 299 | Contribution of donor age and ischemic injury in chronic renal allograft dysfunction.<br>Transplantation Proceedings, 1999, 31, 1298-1299.  | 0.3 | 12        |
| 300 | Contribution of color and power Doppler sonography to the differential diagnosis of acute and chronic rejection, and tacrolimus nephrotoxicity in renal allografts. Transplant International, 1999, 12, 127-134.                          | 0.8 | 6         |
| 301 | Extended Resections for Hilar Cholangiocarcinoma. Annals of Surgery, 1999, 230, 808.  | 2.1 | 606       |
| 302 | TREATMENT OF EPSTEIN-BARR VIRUS-INDUCED POSTTRANSPLANTATION LYMPHOPROLIFERATIVE DISORDER WITH FOSCARNET ALONE IN AN ADULT AFTER SIMULTANEOUS HEART AND RENAL TRANSPLANTATION. Transplantation, 1999, 67, 765-767.                         | 0.5 | 36        |
| 303 | Successful recanalization of late portal vein thrombosis after liver transplantation using systemic low-dose recombinant tissue plasminogen activator. Transplant International, 1999, 12, 273-277.                                       | 0.8 | 9         |
| 304 | Effective therapy for hepatic M. Osler with systemic hypercirculation by ligation of the hepatic artery and subsequent liver transplantation. Transplant International, 1998, 11, 323-326.  | 0.8 | 21        |
| 305 | Contribution of early acute rejection episodes to chronic rejection in a rat kidney retransplantation model. Kidney International, 1998, 53, 465-472.   | 2.6 | 45        |
| 306 | Magnetic Resonance Imaging and Levovist-Enhanced Color and Power Doppler Imaging in the Follow-up of Pancreas Transplants in Patients After Combined Pancreas and Kidney Transplantation. Transplantation Proceedings, 1998, 30, 246-247. | 0.3 | 5         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | First Results With a Quadruple Therapy Regimen Including Tacrolimus and Mycophenolate Mofetil in Patients After Combined Pancreas and Kidney Transplantation. Transplantation Proceedings, 1998, 30, 505-506.  | 0.3 | 10        |
| 308 | Development of Tolerance in a Chronic Rejection Model. Transplantation Proceedings, 1998, 30, 1075-1076.   | 0.3 | 1         |
| 309 | Treatment of Cyclosporine-Related Adverse Effects by Conversion to Tacrolimus After Liver<br>Transplantation: Long-Term Results. Transplantation Proceedings, 1998, 30, 1419-1421.                             | 0.3 | 16        |
| 310 | Comparison of Quadruple Induction Including ATG or IL-2R Antibody With FK506-Based Therapy After Liver Transplantation. Transplantation Proceedings, 1998, 30, 1439-1440.                                      | 0.3 | 6         |
| 311 | Risk and Benefit of Antibody Induction Therapy in Combination With Tacrolimus Immunosuppression After Liver Transplantation. Transplantation Proceedings, 1998, 30, 1443-1444.                                 | 0.3 | 8         |
| 312 | A Randomized Trial Comparing Anti-Interleukin-2 Receptor Antibody and Placebo for Immunosuppressive Therapy After OLT. Transplantation Proceedings, 1998, 30, 1445-1446.                                       | 0.3 | 6         |
| 313 | Effect of CsA Versus FK 506 on Insulin Sensitivity and Insulin Response Using a Modeling Technique.<br>Transplantation Proceedings, 1998, 30, 1452-1453.   | 0.3 | 6         |
| 314 | Impact of Immunosuppression in Liver Transplantation Across a Positive Crossmatch. Transplantation Proceedings, 1998, 30, 1466-1467.   | 0.3 | 6         |
| 315 | Immunosuppression and Incidence of Opportunistic Pneumonias After Liver Transplantation.<br>Transplantation Proceedings, 1998, 30, 1475-1476.  | 0.3 | 1         |
| 316 | Donor-Recipient Sex Matching and Posttransplant Malignancies After Induction Therapy in Hepatic Transplantation. Transplantation Proceedings, 1998, 30, 1490-1491.   | 0.3 | 2         |
| 317 | Distribution of lymphocyte subtypes in liver transplant recipients with viral reinfection or de novo malignancy. Transplantation Proceedings, 1998, 30, 1846-1847.   | 0.3 | 2         |
| 318 | Combined liver-kidney transplantation: long-term follow-up in 18 patients. Transplantation Proceedings, 1998, 30, 1865-1867.   | 0.3 | 1         |
| 319 | Treatment with pge1 in patients after liver transplantation. Transplantation Proceedings, 1998, 30, 1869-1870.   | 0.3 | 9         |
| 320 | Incidence and risk factors of prolonged mechanical ventilation and causes of reintubation after liver transplantation. Transplantation Proceedings, 1998, 30, 1874-1875.                                       | 0.3 | 21        |
| 321 | Clinical use of the euglycemic hyperinsulinemic clamp for diagnosis of tacrolimus-induced insulin resistance after combined pancreas–kidney transplantation. Transplantation Proceedings, 1998, 30, 1944-1945. | 0.3 | 3         |
| 322 | Anti-IL-2 receptor BT563 versus placebo: a randomized trial for induction therapy after liver transplantation. Transplantation Proceedings, 1998, 30, 2159-2160.   | 0.3 | 9         |
| 323 | Five-year follow-up of tacrolimus as primary immunosuppressant after liver transplantation.<br>Transplantation Proceedings, 1998, 30, 2179-2181.   | 0.3 | 5         |
| 324 | Synergistic mechanisms of alloantigen-dependent and independent events in chronic graft rejection. Transplantation Proceedings, 1998, 30, 2411-2412.   | 0.3 | 5         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 325 | Hepatocellular carcinoma in patients suffering from primary sclerosing cholangitis. Journal of Hepatology, 1998, 29, 513-514.  | 1.8 | 2         |
| 326 | Chirurgische Therapie sekundäer Lebertumoren. Visceral Medicine, 1998, 14, 224-230.  | 0.5 | 0         |
| 327 | Randomized Trial of Surgery Versus Surgery Followed by Adjuvant Hepatic Arterial Infusion With 5-Fluorouracil and Folinic Acid for Liver Metastases of Colorectal Cancer. Annals of Surgery, 1998, 228, 756-762. | 2.1 | 328       |
| 328 | Biphasic Spiral Computed Tomography Versus Digital Subtraction Angiography for Evaluation of Arterial Thrombosis After Orthotopic Liver Transplantation. Investigative Radiology, 1998, 33, 136-140.             | 3.5 | 10        |
| 329 | Biphasic Spiral Computed Tomography for Detection of Hepatocellular Carcinoma Before Resection or Orthotopic Liver Transplantation. Investigative Radiology, 1998, 33, 216-221.                                  | 3.5 | 34        |
| 330 | PRETRANSPLANT VIROLOGICAL MARKERS HEPATITIS C VIRUS GENOTYPE AND VIREMIA LEVEL ARE NOT HELPFUL IN PREDICTING INDIVIDUAL OUTCOME AFTER ORTHOTOPIC LIVER TRANSPLANTATION. Transplantation, 1998, 66, 225-228.      | 0.5 | 23        |
| 331 | Leberchirurgie beim metastasierenden Karzinoid: Resektion, Debulking, Transplantation. Chirurgische Gastroenterologie Interdisziplinar, 1997, 13, 279-284.   | 0.0 | 0         |
| 332 | Female sex hormone receptor status in advanced hepatocellular carcinoma and outcome after surgical resection. Surgery, 1997, 121, 456-461.   | 1.0 | 24        |
| 333 | Pilot study: Carolina rinse solution improves graft function after orthotopic liver transplantation in humans. Transplantation Proceedings, 1997, 29, 390-392.   | 0.3 | 20        |
| 334 | Distribution of lymphocyte subtypes in liver transplant recipients. Transplantation Proceedings, 1997, 29, 501-502.  | 0.3 | 7         |
| 335 | Impact of immunosuppression and acute rejection on hepatitis B recurrence. Transplantation Proceedings, 1997, 29, 509-510.   | 0.3 | 2         |
| 336 | Kinetics of hepatitis C viremia after orthotopic liver transplantation. Transplantation Proceedings, 1997, 29, 511-513.  | 0.3 | 8         |
| 337 | Cyclosporin new oral formulation for early oral immunosuppressive therapy in liver transplant recipients. Transplantation Proceedings, 1997, 29, 544-546.  | 0.3 | 5         |
| 338 | Liver transplantation in HBsAg+ patients with postoperative immunoprophylaxis. Transplantation Proceedings, 1997, 29, 2841-2842.   | 0.3 | 1         |
| 339 | Positive donor cytomegalovirus IgG status as a major risk factor for liver allograft recipient infection. Transplantation Proceedings, 1997, 29, 2859-2860.  | 0.3 | 5         |
| 340 | A second native renal allograft of donor origin in a model of chronic rejection demonstrates improved long-term function. Transplantation Proceedings, 1997, 29, 3029.   | 0.3 | 2         |
| 341 | Early acute rejection episodes are reversible following retransplantation into a syngeneic donor and do not progress to chronic rejection. Transplantation Proceedings, 1997, 29, 3034-3035.                     | 0.3 | 0         |
| 342 | Heterogeneity of liver cells expressing procollagen types I and IV in vivo. Histochemistry and Cell Biology, 1997, 107, 399-409.   | 0.8 | 55        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 343 | p53 Hot-Spot Mutational Analysis in Advanced Western Gallbladder Carcinoma. World Journal of Surgery, 1997, 21, 768-772.   | 0.8 | 7         |
| 344 | A pretransplant infection with precore mutants of hepatitis B virus does not influence the outcome of orthotopic liver transplantation in patients on high dose anti-hepatitis B virus surface antigen immunoprophylaxis. Hepatology, 1997, 26, 478-484. | 3.6 | 32        |
| 345 | A surgeon's perspective on the management of coagulation disorders before liver transplantation. Liver Transplantation, 1997, 3, 653-655.  | 1.9 | 19        |
| 346 | De novo malignancies after liver transplantation using tacrolimus-based protocols or cyclosporine-based quadruple immunosuppression with an interleukin-2 receptor antibody or antithymocyte globulin., 1997, 80, 1141-1150.                             |     | 167       |
| 347 | A PROSPECTIVE RANDOMIZED TRIAL COMPARING INTERLEUKIN-2 RECEPTOR ANTIBODY VERSUS ANTITHYMOCYTE GLOBULIN AS PART OF A QUADRUPLE IMMUNOSUPPRESSIVE INDUCTION THERAPY FOLLOWING ORTHOTOPIC LIVER TRANSPLANTATION. Transplantation, 1997, 63, 1772-1781.      | 0.5 | 55        |
| 348 | CHRONICALLY REJECTED RAT KIDNEY ALLOGRAFTS INDUCE DONOR-SPECIFIC TOLERANCE1. Transplantation, 1997, 64, 158-161.   | 0.5 | 30        |
| 349 | TREATMENT OF CYCLOSPORINE-RELATED ADVERSE EFFECTS BY CONVERSION TO TACROLIMUS AFTER LIVER TRANSPLANTATION. Transplantation, 1997, 64, 938-940.   | 0.5 | 65        |
| 350 | Conversion to tacrolimus after liver transplantation. Transplant International, 1996, 9, 23-31.  | 0.8 | 9         |
| 351 | Liver graft-transmitted glioblastoma multiforme. A case report and experience with 13 multiorgan donors suffering from primary cerebral neoplasia. Transplant International, 1996, 9, 426-429.   | 0.8 | 63        |
| 352 | Liver tumors: comparison of MR imaging with Gd-EOB-DTPA and Gd-DTPA Radiology, 1996, 200, 59-67.   | 3.6 | 435       |
| 353 | Liver graft-transmitted glioblastoma multiforme. A case report and experience with 13 multiorgan donors suffering from primary cerebral neoplasia. Transplant International, 1996, 9, 426-429.   | 0.8 | 36        |
| 354 | Conversion to tacrolimus after liver transplantation. Transplant International, 1996, 9, 23-31.  | 0.8 | 5         |
| 355 | Magnetic Resonance Imaging of Focal Liver Lesions. Investigative Radiology, 1996, 31, 696-708.   | 3.5 | 89        |
| 356 | GB VIRUS C INFECTION IN PATIENTS WITH CHRONIC HEPATITIS B AND C BEFORE AND AFTER LIVER TRANSPLANTATION. Transplantation, 1996, 62, 711-714.  | 0.5 | 49        |
| 357 | A NEW ORAL FORMULATION OF CYCLOSPORINE FOR EARLY ORAL IMMUNOSUPPRESSIVE THERAPY IN LIVER TRANSPLANT RECIPIENTS. Transplantation, 1996, 62, 1063-1068.  | 0.5 | 18        |
| 358 | COMPARISON OF FK506- AND CYCLOSPORINE-BASED IMMUNOSUPPRESSION IN PRIMARY ORTHOTOPIC LIVER TRANSPLANTATION. Transplantation, 1995, 59, 31-40.   | 0.5 | 112       |
| 359 | Mycobacterial infection after liver transplantation. Langenbecks Archiv Fur Chirurgie, 1995, 380, 171-5.   | 0.2 | 21        |
| 360 | Indikation und Ergebnisse der Lebertransplantation bei posthepatitischer Zirrhose. Chirurgische Gastroenterologie Interdisziplinar, 1994, 10, 378-383.   | 0.0 | 1         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 361 | Immunosuppressive Therapie nach Lebertransplantation. Chirurgische Gastroenterologie<br>Interdisziplinar, 1994, 10, 427-432.  | 0.0 | 1         |
| 362 | Fungal infections in liver transplant recipients. Langenbecks Archiv Fur Chirurgie, 1994, 379, 372-5.   | 0.2 | 18        |
| 363 | Donor criteria in hepatic transplantation. Langenbecks Archiv Fur Chirurgie, 1994, 379, 8-12.   | 0.2 | 6         |
| 364 | Bacterial and fungal colonization and infections using oral selective bowel decontamination in orthotopic liver transplantations. Transplant International, 1994, 7, 101-108. | 0.8 | 30        |
| 365 | Neurotoxicity after orthotopic liver transplantation in cyclosporin A-and FK 506-treated patients.<br>Transplant International, 1994, 7, 37-42.                               | 0.8 | 23        |
| 366 | Nephrotoxicity after orthotopic liver transplantation in cyclosporin A and FK 506-treated patients. Transplant International, 1994, 7, 52-57.                                 | 0.8 | 35        |
| 367 | Results of liver transplantation in acute liver failure caused by viral hepatitis. Transplant International, 1994, 7, 227-228.  | 0.8 | O         |
| 368 | Selection of small hepatocellular carcinoma improves long-term results of hepatic transplantation for malignancy. Transplant International, 1994, 7, 238-240.                 | 0.8 | 10        |
| 369 | Liver Transplantation for Hepatic Metastases of Neuroendocrine Tumors. Annals of the New York Academy of Sciences, 1994, 733, 507-514.  | 1.8 | 64        |
| 370 | LONG-TERM FOLLOW-UP OF HEPATITIS B VIRUS-INFECTED RECIPIENTS AFTER ORTHOTOPIC LIVER TRANSPLANTATION. Transplantation, 1994, 58, 553-559.                                      | 0.5 | 78        |
| 371 | Technique and Results of Biliary Reconstruction Using Side-to-Side Choledochocholedochostomy in 300 Orthotopic Liver Transplants. Annals of Surgery, 1994, 219, 426.          | 2.1 | 187       |
| 372 | MEDIATORS OF LEUKOCYTE ACTIVATION PLAY A ROLE IN DISSEMINATED INTRAVASCULAR COAGULATION DURING ORTHOTOPIC LIVER TRANSPLANTATION. Transplantation, 1994, 57, 354-358.          | 0.5 | 17        |
| 373 | Bacterial and fungal colonization and infections using oral selective bowel decontamination in orthotopic liver transplantations. Transplant International, 1994, 7, 101-108. | 0.8 | 16        |
| 374 | THE EFFECT OF FK506 VERSUS CYCLOSPORINE ON GLUCOSE AND LIPID METABOLISM—A RANDOMIZED TRIAL. Transplantation, 1994, 58, 669-674.   | 0.5 | 88        |
| 375 | Liver transplantation for PNH with Budd-Chiari syndrome. Transplant International, 1993, 6, 354-358.  | 0.8 | 21        |
| 376 | Retrospective Statistical Analysis of Coagulation Parameters after 250 Liver Transplantations. Seminars in Thrombosis and Hemostasis, 1993, 19, 223-232.                      | 1.5 | 41        |
| 377 | Changes in Urokinase-Type Plasminogen Activator in Orthotopic Liver Transplantation. Seminars in Thrombosis and Hemostasis, 1993, 19, 311-314.                                | 1.5 | 6         |
| 378 | Factor XIII Activity during Orthotopic Liver Transplantation. Seminars in Thrombosis and Hemostasis, 1993, 19, 243-245.   | 1.5 | 5         |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 379 | Role of Leukocytes in Hemostasis During Orthotopic Liver Transplantation. Seminars in Thrombosis and Hemostasis, 1993, 19, 197-208.   | 1.5  | 4         |
| 380 | Aprotinin in Orthotopic Liver Transplantation. Seminars in Thrombosis and Hemostasis, 1993, 19, 262-267.  | 1.5  | 30        |
| 381 | Thrombocytopenia and Platelet Dysfunction in Orthotopic Liver Transplantation. Seminars in Thrombosis and Hemostasis, 1993, 19, 209-212.  | 1.5  | 16        |
| 382 | "Goal-Directed―Transfusion Management Leads to Distinct Reduction of Fluid Requirement in Liver Transplantation. Seminars in Thrombosis and Hemostasis, 1993, 19, 282-285.                        | 1.5  | 18        |
| 383 | COMPARISON OF QUADRUPLE IMMUNOSUPPRESSION AFTER LIVER TRANSPLANTATION WITH ATG OR IL-2 RECEPTOR ANTIBODY. Transplantation, 1993, 55, 1320-1327.   | 0.5  | 108       |
| 384 | ENHANCEMENT OF ALLOGRAFT SURVIVAL BY COMBINATION RS-61443 AND DUP-785 THERAPY. Transplantation, 1993, 55, 691-694.  | 0.5  | 18        |
| 385 | Hepatitis C virus reinfection in allografts after orthotopic liver transplantation. Hepatology, 1992, 16, 1137-1143.  | 3.6  | 98        |
| 386 | Follow-up of recurrent hepatitis B and delta infection in liver allograft recipients after treatment with recombinant interferon- $\hat{l}_{\pm}$ . Journal of Hepatology, 1991, 13, 339-346.     | 1.8  | 47        |
| 387 | Peritoneovenous Shunting for the Treatment of Massive Ascites. New England Journal of Medicine, 1990, 322, 1750-1752.   | 13.9 | 0         |
| 388 | EFFECT OF APROTININ ON INTRAOPERATIVE BLEEDING AND FIBRINOLYSIS IN LIVER TRANSPLANTATION. Lancet, The, 1989, 334, 924-925.  | 6.3  | 137       |
| 389 | The Role of Liver Transplantation in Hepatobiliary Malignancy. A Retrospective Analysis of 95 Patients with Particular Regard to Tumor Stage and Recurrence. Annals of Surgery, 1989, 209, 88-98. | 2.1  | 354       |
| 390 | Radical resection and liver grafting as the two main components of surgical strategy in the treatment of proximal bile duct cancer. World Journal of Surgery, 1988, 12, 68-77.                    | 0.8  | 121       |
| 391 | Autocrine stimulation of human hepatocytes triggers late DNA synthesis and stabilizes long-term differentiation in vitro. International Journal of Molecular Medicine, 0, , .                     | 1.8  | 1         |