Guilherme Borges

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3960853/publications.pdf

Version: 2024-02-01

266 papers 66,238 citations

10986 71 h-index

246 g-index

279 all docs

279 docs citations

times ranked

279

73829 citing authors

#	Article	IF	CITATIONS
1	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2224-2260.	13.7	9,397
2	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	13.7	7,664
3	Global, regional, and national age–sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 385, 117-171.	13.7	5,847
4	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	13.7	4,951
5	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	13.7	3,928
6	Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. JAMA - Journal of the American Medical Association, 2004, 291, 2581.	7.4	2,696
7	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	13.7	2,184
8	Prevalence of and Risk Factors for Lifetime Suicide Attempts in the National Comorbidity Survey. Archives of General Psychiatry, 1999, 56, 617.	12.3	2,115
9	Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.	13.7	2,005
10	Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. British Journal of Psychiatry, 2008, 192, 98-105.	2.8	1,993
11	Suicide and Suicidal Behavior. Epidemiologic Reviews, 2008, 30, 133-154.	3.5	1,947
12	Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. Lancet, The, 2007, 370, 841-850.	13.7	1,271
13	DSM-5 Criteria for Substance Use Disorders: Recommendations and Rationale. American Journal of Psychiatry, 2013, 170, 834-851.	7.2	1,113
14	Trends in Suicide Ideation, Plans, Gestures, and Attempts in the United States, 1990-1992 to 2001-2003. JAMA - Journal of the American Medical Association, 2005, 293, 2487.	7.4	876
15	Barriers to mental health treatment: results from the WHO World Mental Health surveys. Psychological Medicine, 2014, 44, 1303-1317.	4.5	825
16	An international consensus for assessing internet gaming disorder using the new <scp>DSM</scp> â€5 approach. Addiction, 2014, 109, 1399-1406.	3.3	710
17	Comorbidity of substance use disorders with mood and anxiety disorders. Addictive Behaviors, 1998, 23, 893-907.	3.0	674
18	Undertreatment of people with major depressive disorder in 21 countries. British Journal of Psychiatry, 2017, 210, 119-124.	2.8	664

#	Article	IF	Citations
19	Cross-National Analysis of the Associations among Mental Disorders and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS Medicine, 2009, 6, e1000123.	8.4	592
20	Twelve-Month Prevalence of and Risk Factors for Suicide Attempts in the World Health Organization World Mental Health Surveys. Journal of Clinical Psychiatry, 2010, 71, 1617-1628.	2.2	566
21	The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. ADHD Attention Deficit and Hyperactivity Disorders, 2017, 9, 47-65.	1.7	507
22	The more you drink, the harder you fall: A systematic review and meta-analysis of how acute alcohol consumption and injury or collision risk increase together. Drug and Alcohol Dependence, 2010, 110, 108-116.	3.2	366
23	Delay and failure in treatment seeking after first onset of mental disorders in the World Health Organization's World Mental Health Survey Initiative. World Psychiatry, 2007, 6, 177-85.	10.4	351
24	Associations of Substance Use, Abuse, and Dependence with Subsequent Suicidal Behavior. American Journal of Epidemiology, 2000, 151, 781-789.	3.4	341
25	Treatment of suicidal people around the world. British Journal of Psychiatry, 2011, 199, 64-70.	2.8	289
26	Childhood adversities as risk factors for onset and persistence of suicidal behaviour. British Journal of Psychiatry, 2010, 197, 20-27.	2.8	278
27	Cross-sectional Comparison of the Epidemiology of <i>DSM-5</i> Generalized Anxiety Disorder Across the Globe. JAMA Psychiatry, 2017, 74, 465.	11.0	274
28	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. Psychological Medicine, 2018, 48, 1560-1571.	4.5	274
29	Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS ONE, 2010, 5, e10574.	2.5	273
30	Risk factors for the incidence and persistence of suicide-related outcomes: A 10-year follow-up study using the National Comorbidity Surveys. Journal of Affective Disorders, 2008, 105, 25-33.	4.1	267
31	The prevalence and effects of adult attention-deficit/hyperactivity disorder (ADHD) on the performance of workers: results from the WHO World Mental Health Survey Initiative. Occupational and Environmental Medicine, 2008, 65, 835-842.	2.8	262
32	Mental disorders among adults with asthma: results from the World Mental Health Survey. General Hospital Psychiatry, 2007, 29, 123-133.	2.4	251
33	Dissociation in Posttraumatic Stress Disorder: Evidence from the World Mental Health Surveys. Biological Psychiatry, 2013, 73, 302-312.	1.3	251
34	Including gaming disorder in the ICD-11: The need to do so from a clinical and public health perspective. Journal of Behavioral Addictions, 2018, 7, 556-561.	3.7	214
35	A risk index for 12-month suicide attempts in the National Comorbidity Survey Replication (NCS-R). Psychological Medicine, 2006, 36, 1747-1757.	4.5	207
36	A meta-analysis of acute use of alcohol and the risk of suicide attempt. Psychological Medicine, 2017, 47, 949-957.	4.5	207

#	Article	IF	CITATIONS
37	Suicidal Thoughts and Behaviors Among First-Year College Students: Results From the WMH-ICS Project. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 263-273.e1.	0.5	203
38	Prevalence and age of onset for drug use in seven international sites: results from the international consortium of psychiatric epidemiology. Drug and Alcohol Dependence, 2002, 68, 285-297.	3.2	200
39	Subthreshold Posttraumatic Stress Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2015, 77, 375-384.	1.3	197
40	Chronic childhood adversity and onset of psychopathology during three life stages: Childhood, adolescence and adulthood. Journal of Psychiatric Research, 2010, 44, 732-740.	3.1	189
41	Global Mortality From Firearms, 1990-2016. JAMA - Journal of the American Medical Association, 2018, 320, 792.	7.4	189
42	Association of <i>DSM-IV</i> Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. JAMA Psychiatry, 2017, 74, 270.	11.0	179
43	Chronic Physical Conditions and Their Association With First Onset of Suicidal Behavior in the World Mental Health Surveys. Psychosomatic Medicine, 2010, 72, 712-719.	2.0	178
44	Risk for Psychiatric Disorder Among Immigrants and Their US-Born Descendants. Journal of Nervous and Mental Disease, 2007, 195, 189-195.	1.0	165
45	DSM-5 AND ICD-11 DEFINITIONS OF POSTTRAUMATIC STRESS DISORDER: INVESTIGATING "NARROW―AND "BROAD―APPROACHES. Depression and Anxiety, 2014, 31, 494-505.	4.1	161
46	Prevalence, service use, and demographic correlates of 12-month DSM-IV psychiatric disorders in Mexico: results from the Mexican National Comorbidity Survey. Psychological Medicine, 2005, 35, 1773-1783.	4.5	159
47	Associations of serious mental illness with earnings: results from the WHO World Mental Health surveys. British Journal of Psychiatry, 2010, 197, 114-121.	2.8	156
48	A literature review and meta-analyses of cannabis use and suicidality. Journal of Affective Disorders, 2016, 195, 63-74.	4.1	150
49	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. Depression and Anxiety, 2016, 33, 1155-1177.	4.1	144
50	Immigration to the USA and risk for mood and anxiety disorders: variation by origin and age at immigration. Psychological Medicine, 2009, 39, 1117.	4.5	139
51	Dissonant health transition in the states of Mexico, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2016, 388, 2386-2402.	13.7	130
52	Mental disorders and termination of education in high-income and low- and middle-income countries: epidemiological study. British Journal of Psychiatry, 2009, 194, 411-417.	2.8	129
53	Youth mental health in a populous city of the developing world: results from the Mexican Adolescent Mental Health Survey. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2009, 50, 386-395.	5.2	123
54	Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. British Journal of Psychiatry, 2017, 211, 280-288.	2.8	118

#	Article	IF	Citations
55	An Overview of and Rationale for Changes Proposed for Pathological Gambling in DSM-5. Journal of Gambling Studies, 2014, 30, 493-502.	1.6	117
56	A crossâ€national metaâ€analysis of alcohol and injury: data from the Emergency Room Collaborative Alcohol Analysis Project (ERCAAP). Addiction, 2003, 98, 1277-1286.	3.3	116
57	Alcohol and drug use in suicidal behaviour. Current Opinion in Psychiatry, 2010, 23, 195-204.	6.3	115
58	Multicentre study of acute alcohol use and non-fatal injuries: data from the WHO collaborative study on alcohol and injuries. Bulletin of the World Health Organization, 2006, 84, 453-460.	3.3	109
59	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114.	2.4	103
60	Psychiatric disorders in Mexico: Lifetime prevalence in a nationally representative sample. British Journal of Psychiatry, 2007, 190, 521-528.	2.8	102
61	Associations Between Subjective Social Status and <i>DSM-IV</i> Mental Disorders. JAMA Psychiatry, 2014, 71, 1400.	11.0	101
62	Gender, acculturation, and other barriers to alcohol treatment utilization among Latinos in three National Alcohol Surveys. Journal of Substance Abuse Treatment, 2009, 36, 446-456.	2.8	97
63	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. Schizophrenia Bulletin, 2016, 42, 933-941.	4.3	94
64	Suicide Ideation, Plan, and Attempt in the Mexican Adolescent Mental Health Survey. Journal of the American Academy of Child and Adolescent Psychiatry, 2008, 47, 41-52.	0.5	93
65	The criteria for causation of alcohol in violent injuries based on emergency room data from six countries. Addictive Behaviors, 2005, 30, 103-113.	3.0	92
66	Migration from Mexico to the United States and Subsequent Risk for Depressive and Anxiety Disorders. Archives of General Psychiatry, 2011, 68, 428.	12.3	88
67	Risk of injury after alcohol consumption: a case-crossover study in the emergency department. Social Science and Medicine, 2004, 58, 1191-1200.	3.8	86
68	Equity in the delivery of community healthcare to older people: findings from 10/66 Dementia Research Group cross-sectional surveys in Latin America, China, India and Nigeria. BMC Health Services Research, 2011, 11, 153.	2.2	80
69	The dimensionality of alcohol use disorders and alcohol consumption in a crossâ€national perspective. Addiction, 2010, 105, 240-254.	3.3	78
70	The Effect of Migration to the United States on Substance Use Disorders Among Returned Mexican Migrants and Families of Migrants. American Journal of Public Health, 2007, 97, 1847-1851.	2.7	75
71	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. JAMA Psychiatry, 2017, 74, 1136.	11.0	75
72	Youth who neither study nor work: mental health, education and employment. Salud Publica De Mexico, 2012, 54, 410-417.	0.4	75

#	Article	IF	CITATIONS
73	La carga de enfermedad, lesiones, factores de riesgo y desafÃos para el sistema de salud en México. Salud Publica De Mexico, 2013, 55, 580.	0.4	7 5
74	Parental psychopathology and the risk of suicidal behavior in their offspring: results from the World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1221-1233.	7.9	74
75	A cross-national study on Mexico-US migration, substance use and substance use disorders. Drug and Alcohol Dependence, 2011, 117, 16-23.	3.2	73
76	Suicide attempts and alcohol consumption in an emergency room sample Journal of Studies on Alcohol and Drugs, 1996, 57, 543-548.	2.3	72
77	The association between smoking and subsequent suicide-related outcomes in the National Comorbidity Survey panel sample. Molecular Psychiatry, 2009, 14, 1132-1142.	7.9	70
78	Relative risk of injury from acute alcohol consumption: modeling the dose–response relationship in emergency department data from 18 countries. Addiction, 2015, 110, 279-288.	3.3	68
79	Alcohol, cannabis and other drugs and subsequent suicide ideation and attempt among young Mexicans. Journal of Psychiatric Research, 2017, 91, 74-82.	3.1	67
80	Body Mass Index and the Prevalence of Metabolic Syndrome among Children and Adolescents in Two Mexican Populations. Journal of Adolescent Health, 2007, 40, 521-526.	2.5	64
81	Suicidality, ethnicity and immigration in the USA. Psychological Medicine, 2012, 42, 1175-1184.	4.5	62
82	Acute alcohol use and the risk of non-fatal injury in sixteen countries. Addiction, 2006, 101, 993-1002.	3.3	61
83	Delay of First Treatment of Mental and Substance Use Disorders in Mexico. American Journal of Public Health, 2007, 97, 1638-1643.	2.7	61
84	Immigration and Suicidal Behavior Among Mexicans and Mexican Americans. American Journal of Public Health, 2009, 99, 728-733.	2.7	61
85	Mental disorders among English-speaking Mexican immigrants to the US compared to a national sample of Mexicans. Psychiatry Research, 2007, 151, 115-122.	3.3	60
86	Alcohol-related injury in the ER: a cross-national meta-analysis from the Emergency Room Collaborative Alcohol Analysis Project (ERCAAP) Journal of Studies on Alcohol and Drugs, 2003, 64, 641-649.	2.3	58
87	Smoking and Suicidal Behaviors in the National Comorbidity Survey: Replication. Journal of Nervous and Mental Disease, 2007, 195, 369-377.	1.0	58
88	Association between mental disorders and subsequent adult onset asthma. Journal of Psychiatric Research, 2014, 59, 179-188.	3.1	58
89	Exposure to alcohol, drugs and tobacco and the risk of subsequent suicidality: Findings from the Mexican Adolescent Mental Health Survey. Drug and Alcohol Dependence, 2011, 113, 110-117.	3.2	57
90	Traumatic events and suicide-related outcomes among Mexico City adolescents. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2008, 49, 654-666.	5.2	56

#	Article	IF	Citations
91	Descriptive Epidemiology of Chronic Childhood Adversity in Mexican Adolescents. Journal of Adolescent Health, 2009, 45, 483-489.	2.5	53
92	The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. Molecular Psychiatry, 2018, 23, 1892-1899.	7.9	52
93	Eight-year incidence of psychiatric disorders and service use from adolescence to early adulthood: longitudinal follow-up of the Mexican Adolescent Mental Health Survey. European Child and Adolescent Psychiatry, 2016, 25, 163-173.	4.7	51
94	Variations of alcohol impairment in different types, causes and contexts of injuries: Results of emergency room studies from 16 countries. Accident Analysis and Prevention, 2006, 38, 1107-1112.	5.7	50
95	Drug use opportunities and the transition to drug use among adolescents from the Mexico City Metropolitan Area. Drug and Alcohol Dependence, 2007, 90, 128-134.	3.2	49
96	Prevalence and socioâ€demographic correlates of drug use among adolescents: results from the Mexican Adolescent Mental Health Survey. Addiction, 2007, 102, 1261-1268.	3.3	49
97	Multiâ€level analysis of alcoholâ€related injury and drinking pattern: emergency department data from 19 countries* ^{â€} . Addiction, 2012, 107, 1263-1272.	3.3	49
98	RESEARCH REPORT Male drinking and violence-related injury in the emergency room. Addiction, 1998, 93, 103-112.	3.3	47
99	The risk of intentional injury with acute and chronic alcohol exposures: a case-control and case-crossover study Journal of Studies on Alcohol and Drugs, 2003, 64, 350-357.	2.3	46
100	Episodic Alcohol Use and Risk of Nonfatal Injury. American Journal of Epidemiology, 2004, 159, 565-571.	3.4	46
101	Treatment and Adequacy of Treatment of Mental Disorders Among Respondents to the Mexico National Comorbidity Survey. American Journal of Psychiatry, 2006, 163, 1371-1378.	7.2	46
102	Performance of a Craving Criterion in DSM Alcohol Use Disorders*. Journal of Studies on Alcohol and Drugs, 2010, 71, 674-684.	1.0	46
103	Mexican migration experiences to the US and risk for anxiety and depressive symptoms. Journal of Affective Disorders, 2011, 130, 83-91.	4.1	46
104	Emergency room injury presentations as an indicator of alcohol-related problems in the community: a multilevel analysis of an international study Journal of Studies on Alcohol and Drugs, 2004, 65, 605-612.	2.3	45
105	Prevalence and correlates of drug use disorders in Mexico. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2006, 19, 265-76.	1.1	45
106	The Mexican migration to the United States and substance use in northern Mexico. Addiction, 2009, 104, 603-611.	3.3	44
107	Attribution of Alcohol to Violence-Related Injury: Self and Other's Drinking in the Event. Journal of Studies on Alcohol and Drugs, 2012, 73, 277-284.	1.0	44
108	Non-suicidal self-injury in Mexican young adults: Prevalence, associations with suicidal behavior and psychiatric disorders, and DSM-5 proposed diagnostic criteria. Journal of Affective Disorders, 2017, 215, 1-8.	4.1	44

#	Article	IF	CITATIONS
109	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i125-i153.	2.4	44
110	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	2.4	44
111	A case-crossover study of acute alcohol use and suicide attempt Journal of Studies on Alcohol and Drugs, 2004, 65, 708-714.	2.3	43
112	Acute Substance Use as a Warning Sign for Suicide Attempts. Journal of Clinical Psychiatry, 2017, 78, 691-696.	2.2	41
113	Cross-national performance of the RAPS4/RAPS4-QF for tolerance and heavy drinking: data from 13 countries Journal of Studies on Alcohol and Drugs, 2005, 66, 428-432.	2.3	40
114	Chronic childhood adversity and stages of substance use involvement in adolescents. Drug and Alcohol Dependence, 2013, 131, 85-91.	3.2	40
115	Alcohol Attributable Fraction for Injury Morbidity from the Doseâ€Response Relationship of Acute Alcohol Consumption: Emergency Department Data from 18 Countries. Addiction, 2015, 110, 1724-1732.	3.3	40
116	Multi-level analysis of causal attribution of injury to alcohol and modifying effects: Data from two international emergency room projects. Drug and Alcohol Dependence, 2006, 82, 258-268.	3.2	39
117	Validity of Self-Reported Drinking Before Injury Compared With a Physiological Measure: Cross-National Analysis of Emergency-Department Data From 16 Countries*. Journal of Studies on Alcohol and Drugs, 2007, 68, 296-302.	1.0	39
118	Psychometric properties of alcohol screening tests in the emergency department in Argentina, Mexico and the United States. Addictive Behaviors, 2010, 35, 818-825.	3.0	38
119	Migration From Mexico to the United States and Conduct Disorder. Archives of General Psychiatry, 2011, 68, 1284.	12.3	38
120	Psychiatric disorders, comorbidity, and suicidality in Mexico. Journal of Affective Disorders, 2010, 124, 98-107.	4.1	37
121	Association between Dietary Patterns and Insulin Resistance in Mexican Children and Adolescents. Annals of Nutrition and Metabolism, 2012, 61, 142-150.	1.9	37
122	NEET adolescents grown up: eight-year longitudinal follow-up of education, employment and mental health from adolescence to early adulthood in Mexico City. European Child and Adolescent Psychiatry, 2017, 26, 1459-1469.	4.7	37
123	Epidemiological Challenges in the Study of Behavioral Addictions: a Call for High Standard Methodologies. Current Addiction Reports, 2019, 6, 331-337.	3.4	37
124	A Comparison of Substance Use and Injury Among Mexican American Emergency Room Patients in the United States and Mexicans in Mexico. Alcoholism: Clinical and Experimental Research, 2001, 25, 1174-1180.	2.4	36
125	Depression, gender, and the treatment gap in Mexico. Journal of Affective Disorders, 2012, 138, 165-169.	4.1	36
126	Substance use among emergency room patients: an exploratory analysis by ethnicity and acculturation. American Journal of Drug and Alcohol Abuse, 2002, 28, 287-305.	2.1	35

#	Article	lF	Citations
127	Neuropsychiatric symptoms as risk factors of dementia in a Mexican population: A 10/66 Dementia Research Group study. Alzheimer's and Dementia, 2018, 14, 271-279.	0.8	35
128	Early alcohol or tobacco onset and transition to other drug use among students in the State of Morelos, Mexico. Drug and Alcohol Dependence, 2005, 77, 93-96.	3.2	34
129	The Epidemiology of Suicideâ€Related Outcomes in Mexico. Suicide and Life-Threatening Behavior, 2007, 37, 627-640.	1.9	34
130	The association of chronic adversity with psychiatric disorder and disorder severity in adolescents. European Child and Adolescent Psychiatry, 2011, 20, 459-468.	4.7	34
131	Mexican immigration to the US and alcohol and drug use opportunities: Does it make a difference in alcohol and/or drug use?. Drug and Alcohol Dependence, 2012, 125, S4-S11.	3.2	34
132	Performance of Screening Instruments for Alcohol Problems in the ER: A Comparison of Mexican-Americans and Mexicans in Mexico*. American Journal of Drug and Alcohol Abuse, 2000, 26, 683-702.	2.1	33
133	Physical activity and reduced risk of depression: Results of a longitudinal study of Mexican adults Health Psychology, 2013, 32, 609-615.	1.6	32
134	Violence Related Injuries in the Emergency Room: Alcohol, Depression, and Conduct Problems. Substance Use and Misuse, 2004, 39, 911-930.	1.4	31
135	Substance Use and Cumulative Exposure to American Society: Findings From Both Sides of the US–Mexico Border Region. American Journal of Public Health, 2016, 106, 119-127.	2.7	31
136	Cross-national prevalence and factors associated with suicide ideation and attempts in older and young-and-middle age people. Aging and Mental Health, 2020, 24, 1533-1542.	2.8	31
137	The measurement of drinking patterns and consequences in Mexico. Journal of Substance Abuse, 2000, 12, 183-196.	1.1	30
138	Health Selection among Migrants from Mexico to the U.S.: Childhood Predictors of Adult Physical and Mental Health. Public Health Reports, 2011, 126, 361-370.	2.5	30
139	Change in binge eating and binge eating disorder associated with migration from Mexico to the US. Journal of Psychiatric Research, 2012, 46, 31-37.	3.1	30
140	Violenceâ€related injury and gender: The role of alcohol and alcohol combined with illicit drugs. Drug and Alcohol Review, 2014, 33, 43-50.	2.1	29
141	Border effects on DSM-5 alcohol use disorders on both sides of the U.S.–Mexico border. Drug and Alcohol Dependence, 2015, 148, 172-179.	3.2	29
142	Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. Psychological Medicine, 2018, 48, 437-450.	4.5	28
143	The Causal Attribution of Injury to Alcohol Consumption: A Cross-National Meta-Analysis From the Emergency Room Collaborative Alcohol Analysis Project. Alcoholism: Clinical and Experimental Research, 2003, 27, 1805-1812.	2.4	27
144	Proportion of patients without mental disorders being treated in mental health services worldwide. British Journal of Psychiatry, 2015, 206, 101-109.	2.8	27

#	Article	IF	Citations
145	Association between attempted suicide and academic performance indicators among middle and high school students in Mexico: results from a national survey. Child and Adolescent Psychiatry and Mental Health, 2018, 12, 9.	2.5	27
146	Psychotic experiences and religiosity: data from the <scp>WHO</scp> World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2018, 137, 306-315.	4.5	27
147	Incidence and recurrence of depression from adolescence to early adulthood: A longitudinal follow-up of the Mexican Adolescent Mental Health Survey. Journal of Affective Disorders, 2020, 263, 540-546.	4.1	27
148	Alcohol and Road Traffic Injuries in Latin America and the Caribbean: A Case-Crossover Study. Alcoholism: Clinical and Experimental Research, 2017, 41, 1731-1737.	2.4	26
149	A Cross-National Study on Prevalence of Mental Disorders, Service Use, and Adequacy of Treatment Among Mexican and Mexican American Populations. American Journal of Public Health, 2013, 103, 1610-1618.	2.7	25
150	Emerging adults not in education, employment or training (NEET): socio-demographic characteristics, mental health and reasons for being NEET. BMC Public Health, 2018, 18, 1201.	2.9	25
151	Psychopathology and self-harm among incoming first-year students in six Mexican universities. Salud Publica De Mexico, 2018, 61, 16.	0.4	25
152	Treatment of mental disorders for adolescents in Mexico City. Bulletin of the World Health Organization, 2008, 86, 757-764.	3.3	24
153	Alcohol and violence in the emergency department: a regional report from the WHO collaborative study on alcohol and injuries. Salud Publica De Mexico, 2008, 50, S6-11.	0.4	24
154	The Relationship Between Selfâ€Reported Drinking and BAC Level in Emergency Room Injury Cases: Is it a Straight Line?. Alcoholism: Clinical and Experimental Research, 2010, 34, 1118-1125.	2.4	24
155	Depressed mood and antisocial behavior problems as correlates for suicide-related behaviors in Mexico. Journal of Psychiatric Research, 2011, 45, 596-602.	3.1	24
156	Griffiths <i>et al</i> .'s comments on the international consensus statement of internet gaming disorder: furthering consensus or hindering progress?. Addiction, 2016, 111, 175-178.	3.3	24
157	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. BMC Medicine, 2019, 17, 101.	5.5	24
158	Twelve-month mental health service use in six countries of the Americas: A regional report from the World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2020, 29, e53.	3.9	24
159	Suicide ideation and behavior in Mexico: Encodat 2016. Salud Publica De Mexico, 2018, 61, 6.	0.4	24
160	Alcohol Consumption in Emergency Room Patients and the General Population: A Populationâ€Based Study. Alcoholism: Clinical and Experimental Research, 1998, 22, 1986-1991.	2.4	23
161	Co-Occurrence of Alcohol, Drug Use, DSM-5 Alcohol Use Disorder, and Symptoms of Drug Use Disorder on Both Sides of the U.SMexico Border. Alcoholism: Clinical and Experimental Research, 2015, 39, 679-687.	2.4	23
162	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. Psychological Medicine, 2022, 52, 1948-1958.	4.5	23

#	Article	IF	Citations
163	Screening for drug use disorders in the emergency department: performance of the rapid drug problems screen (RDPS). Drug and Alcohol Dependence, 2004, 74, 171-175.	3.2	22
164	The effect of cross-border mobility on alcohol and drug use among Mexican-American residents living at the U.S.–Mexico border. Addictive Behaviors, 2015, 50, 28-33.	3.0	22
165	A dose-response estimate for acute alcohol use and risk of suicide attempt. Addiction Biology, 2017, 22, 1554-1561.	2.6	22
166	Alcohol Use Disorders in National Samples of Mexicans and Mexican-Americans. Hispanic Journal of Behavioral Sciences, 2006, 28, 425-449.	0.5	21
167	Service use among Mexico City adolescents with suicidality. Journal of Affective Disorders, 2010, 120, 32-39.	4.1	21
168	Under-reporting bipolar disorder in large-scale epidemiologic studies. Journal of Affective Disorders, 2014, 159, 147-154.	4.1	21
169	Adolescent alcohol use and alcohol use disorders in Mexico City. Drug and Alcohol Dependence, 2014, 136, 43-50.	3.2	21
170	Alcohol Consumption, Low Birth Weight, and Preterm Delivery in the National Addiction Survey (Mexico). Substance Use and Misuse, 1993, 28, 355-368.	0.6	20
171	Casualties in Acapulco: results of a study on alcohol use and emergency room care. Drug and Alcohol Dependence, 1994, 36, 1-7.	3.2	20
172	Methodological Issues Relevant to Epidemiologic Investigations of Suicidal Behaviors of Adolescents. Epidemiologic Reviews, 1995, 17, 228-239.	3.5	20
173	Selection of screening items for alcohol abuse and alcohol dependence among Mexicans and Mexican Americans in the emergency department Journal of Studies on Alcohol and Drugs, 2001, 62, 277-285.	2.3	20
174	A CASE-CONTROL STUDY OF ALCOHOL AND SUBSTANCE USE DISORDERS AS RISK FACTORS FOR NON-FATAL INJURY. Alcohol and Alcoholism, 2005, 40, 257-262.	1.6	20
175	Gender Differences in the Relationship Between Alcohol and Violent Injury: An Analysis of Cross-National Emergency Department Data. Journal of Studies on Alcohol and Drugs, 2007, 68, 824-833.	1.0	20
176	The Influence of Parental Psychopathology on Offspring Suicidal Behavior across the Lifespan. PLoS ONE, 2015, 10, e0134970.	2.5	20
177	Do Childhood Adversities Predict Suicidality? Findings from the General Population of the Metropolitan Area of São Paulo, Brazil. PLoS ONE, 2016, 11, e0155639.	2.5	20
178	Traumatic life events and posttraumatic stress disorder among Mexican adolescents: results from a survey. Salud Publica De Mexico, 2008, 50, S29-37.	0.4	20
179	Alcohol consumption in emergency room patients and the general population: a population-based study. Alcoholism: Clinical and Experimental Research, 1998, 22, 1986-91.	2.4	20
180	Suicide Attempts in a Sample of Patients from a General Hospital. Archives of Medical Research, 2000, 31, 366-372.	3.3	19

#	Article	IF	CITATIONS
181	Epidemiology of Fears and Specific Phobia in Adolescence. Journal of Clinical Psychiatry, 2012, 73, 152-158.	2.2	19
182	Factors Explaining Variation in Alcohol Use Disorder Prevalence Across Border and Nonborder Communities in Texas. Alcoholism: Clinical and Experimental Research, 2016, 40, 1707-1716.	2.4	18
183	Screening Instruments for Alcohol Problems: A Comparison of Cut Points between Mexican American and Mexican Patients in the Emergency Room. Substance Use and Misuse, 2000, 35, 1419-1430.	1.4	17
184	Threshold and Optimal Cut-Points for Alcohol Use Disorders Among Patients in the Emergency Department. Alcoholism: Clinical and Experimental Research, 2011, 35, 1270-1276.	2.4	17
185	Risk of injury after alcohol consumption from case–crossover studies in five countries from the <scp>A</scp> mericas. Addiction, 2013, 108, 97-103.	3.3	17
186	The DSM-5 Field Trials and Reliability of Alcohol Use Disorder. American Journal of Psychiatry, 2013, 170, 442-443.	7.2	17
187	Suicide ideation, dementia and mental disorders among a community sample of older people in Mexico. International Journal of Geriatric Psychiatry, 2015, 30, 247-255.	2.7	17
188	Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 207-219.	3.1	17
189	A Transnational Study of Migration and Smoking Behavior in the Mexican-Origin Population. American Journal of Public Health, 2012, 102, 2116-2122.	2.7	16
190	Suicide risk and psychopathology in immigrants: a multi-group confirmatory factor analysis. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1105-1114.	3.1	16
191	Evaluating recall bias in a caseâ€crossover design estimating risk of injury related to alcohol: Data from six countries. Drug and Alcohol Review, 2013, 32, 512-518.	2.1	16
192	Investigating dimensionality and measurement bias of DSM-5 alcohol use disorder in a representative sample of the largest metropolitan area in South America. Drug and Alcohol Dependence, 2015, 152, 123-130.	3.2	16
193	Demographic and Clinical Characteristics of Completed Suicides in Mexico City 2014–2015. Frontiers in Psychiatry, 2018, 9, 402.	2.6	16
194	DSM-5 Internet gaming disorder among a sample of Mexican first-year college students. Journal of Behavioral Addictions, 2019, 8, 714-724.	3.7	16
195	Suicide thought and behaviors, non-suicidal self-injury, and perceived life stress among sexual minority Mexican college students. Journal of Affective Disorders, 2021, 281, 891-898.	4.1	16
196	(Internet) Gaming Disorder in <i>DSM</i> -5 and <i>ICD</i> -11: A Case of the Glass Half Empty or Half Full: (Internet) Le trouble du jeu dans le <i>DSM</i> -5 et la CIM-11: Un cas de verre à moitié vide et à moitié plein. Canadian Journal of Psychiatry, 2021, 66, 477-484.	1.9	16
197	Immigration, Suicidal Ideation and Deliberate Selfâ€Injury in the Boston Youth Survey 2006. Suicide and Life-Threatening Behavior, 2011, 41, 193-202.	1.9	15
198	Moving internet gaming disorder forward: A reply. Addiction, 2014, 109, 1412-1413.	3.3	15

#	Article	IF	Citations
199	DSM-IV personality disorders in Mexico: results from a general population survey. Revista Brasileira De Psiquiatria, 2008, 30, 227-234.	1.7	14
200	Mexico–United States Migration and the Prevalence of Obesity: A Transnational Perspective. Archives of Internal Medicine, 2012, 172, 1760.	3.8	14
201	Posttraumatic Stress Disorder in a Nationally Representative Mexican Community Sample. Journal of Traumatic Stress, 2014, 27, 323-330.	1.8	14
202	Estimating the drink driving attributable fraction of road traffic deaths in Mexico. Addiction, 2018, 113, 828-835.	3.3	14
203	Adolescent Predictors of Incidence and Persistence of Suicideâ€Related Outcomes in Young Adulthood: A Longitudinal Study of Mexican Youth. Suicide and Life-Threatening Behavior, 2018, 48, 755-766.	1.9	14
204	Scaling Properties of the Combined ICD-10 Dependence and Harms Criteria and Comparisons With DSM-5 Alcohol Use Disorder Criteria Among Patients in the Emergency Department. Journal of Studies on Alcohol and Drugs, 2012, 73, 328-336.	1.0	13
205	Does beverage type and drinking context matter in an alcohol-related injury? Evidence from emergency department patients in Latin America. Drug and Alcohol Dependence, 2014, 137, 90-97.	3.2	13
206	DSM-5 latent classes of alcohol users in a population-based sample: Results from the São Paulo Megacity Mental Health Survey, Brazil. Drug and Alcohol Dependence, 2014, 136, 92-99.	3.2	13
207	The growth of suicide ideation, plan and attempt among young adults in the Mexico City metropolitan area. Epidemiology and Psychiatric Sciences, 2017, 26, 635-643.	3.9	13
208	Unintentional injuries in Mexico, 1990–2017: findings from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i154-i161.	2.4	13
209	Health Profiles of Clients in Substance Abuse Treatment: A Comparison of Clients Dependent on Alcohol or Cocaine With Those Concurrently Dependent. Substance Use and Misuse, 2014, 49, 1899-1907.	1.4	12
210	Alcohol Use Patterns and <scp>DSM</scp> â€5 Alcohol Use Disorder on Both Sides of the U.S.â€Mexico Border. Alcoholism: Clinical and Experimental Research, 2017, 41, 769-778.	2.4	12
211	Alcohol Consumption in Emergency Room Patients and the General Population. Alcoholism: Clinical and Experimental Research, 1998, 22, 1986.	2.4	12
212	Alcohol Use and Injury Severity Among Emergency Department Patients in Six Countries. Journal of Addictions Nursing, 2013, 24, 158-165.	0.4	11
213	A state level analyses of suicide and the COVID-19 pandemic in Mexico. BMC Psychiatry, 2022, 22, .	2.6	11
214	The rate ratio of injury and aggressive incident for alcohol alone, cocaine alone and simultaneous use before the event: A case–crossover study. Accident Analysis and Prevention, 2015, 75, 137-143.	5.7	10
215	Area-level disadvantage and alcohol use disorder in northern Mexico. Drug and Alcohol Dependence, 2017, 175, 219-226.	3.2	10
216	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. BMC Psychiatry, 2021, 21, 392.	2.6	10

#	Article	IF	Citations
217	Parental Psychopathology and Offspring Suicidality in Mexico. Archives of Suicide Research, 2013, 17, 123-135.	2.3	9
218	Drug use on both sides of the US-Mexico border. Salud Publica De Mexico, 2018, 60, 451.	0.4	9
219	Barriers to treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. Journal of Affective Disorders, 2022, 303, 273-285.	4.1	9
220	Dropout from treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. Journal of Affective Disorders, 2022, 303, 168-179.	4.1	8
221	Symptoms of anxiety on both sides of the US–Mexico border: The role of immigration. Journal of Psychiatric Research, 2015, 61, 46-51.	3.1	7
222	A longitudinal study of reciprocal risk between mental and substance use disorders among Mexican youth. Journal of Psychiatric Research, 2018, 105, 45-53.	3.1	7
223	Prevalence of 12-month mental and substance use disorders in sexual minority college students in Mexico. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 247-257.	3.1	7
224	Comorbidity: Depression and Substance Abuse. Issues in Children's and Families' Lives, 2008, , 73-91.	0.2	7
225	The associations between traumatic experiences and subsequent onset of a substance use disorder: Findings from the World Health Organization World Mental Health surveys. Drug and Alcohol Dependence, 2022, 240, 109574.	3.2	7
226	Alcohol Use and Alcohol Use Disorders in Mexico. Contemporary Drug Problems, 2007, 34, 389-410.	1.6	6
227	Comorbidity for Alcohol Use Disorders and Drug Use in Mexican-Origin Groups: Comparison of Data From National Alcohol Surveys in the U.S. and Mexico. Substance Use and Misuse, 2007, 42, 1685-1703.	1.4	6
228	Hazardous Drinking and Exposure to Interpersonal and Community Violence on Both Sides of the U.SMexico Border. Hispanic Journal of Behavioral Sciences, 2017, 39, 528-545.	0.5	6
229	Understanding differences in prescription drug misuse between two Texas border communities. Ethnicity and Health, 2021, 26, 1028-1044.	2.5	6
230	The relationship between all-cause mortality and depression in different gender and age groups of the Spanish population. Journal of Affective Disorders, 2020, 266, 424-428.	4.1	6
231	Alcohol as a Trigger for Medical Emergencies. Substance Use and Misuse, 2013, 48, 484-489.	1.4	5
232	Wanting and Getting Help for Substance Problems on Both Sides of the US-Mexico Border. Journal of Immigrant and Minority Health, 2017, 19, 1174-1185.	1.6	5
233	Drinking context and cause of injury: Emergency department studies from 22 countries. Journal of Substance Use, 2018, 23, 240-246.	0.7	5
234	Prevalence and correlates of arrests or stops for drunk driving on both sides of the U.SMexico border. Journal of Ethnicity in Substance Abuse, 2018, 17, 478-500.	0.9	5

#	Article	IF	Citations
235	Chronic childhood adversity and speed of transition through stages of alcohol involvement. Drug and Alcohol Dependence, 2019, 205, 107669.	3.2	5
236	The relationship between social inequalities, substance use and violence in border and non-border cities of northern Mexico. Drug and Alcohol Dependence, 2019, 200, 1-5.	3.2	5
237	Childhood adversities and suicidal thoughts and behaviors among first-year college students: results from the WMH-ICS initiative. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1591-1601.	3.1	5
238	Global estimates of the attributable risk of alcohol consumption on road injuries. Alcoholism: Clinical and Experimental Research, 2021, 45, 2080-2089.	2.4	5
239	Central neurocytoma: report of two cases. Arquivos De Neuro-Psiquiatria, 2005, 63, 1084-1089.	0.8	4
240	Traumatic life-events and suicidality among Mexican adolescents as they grow up: A longitudinal community survey. Journal of Psychiatric Research, 2021, 142, 171-178.	3.1	4
241	Traumatic life-events and alcohol and drug use disorders among Mexican adolescents: Bidirectional associations over 8 years. Drug and Alcohol Dependence, 2021, 228, 109051.	3.2	4
242	Road traffic injuries and substance use in Latin America: A systematic review. Traffic Injury Prevention, 2022, 23, 209-214.	1.4	4
243	DRINKING IN THE INJURY EVENT: A COMPARISON OF MEXICAN-AMERICAN MALE ER PATIENTS IN THE UNITED STATES AND IN MEXICO. Substance Use and Misuse, 2002, 37, 133-143.	1.4	3
244	PSYCHOMETRIC PROPERTIES AND CONSTRUCT VALIDITY OF A SPANISH LANGUAGE SCALE FOR SCREENING ANTISOCIAL PERSONALITY. Social Behavior and Personality, 2002, 30, 223-234.	0.6	3
245	Internet gaming and addiction: a reply to King & Delfabbro. Addiction, 2014, 109, 1567-1568.	3.3	3
246	Age at Immigration and Substance Use and Problems Among Males and Females at the U.S.–Mexico Border. Journal of Studies on Alcohol and Drugs, 2017, 78, 827-834.	1.0	3
247	DRINKING PATTERNS AND DSM-IV ALCOHOL USE DISORDERS' CRITERIA IN ARGENTINEAN EMERGENCY DEPARTMENT PATIENTS. Journal of Drug Addiction, Education, and Eradication, 2010, 6, 209-220.	0.0	3
248	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. International Journal of Mental Health Systems, 2022, 16, 6.	2.7	3
249	Parental alcohol consumption and postneonatal mortality. Journal of Community and Applied Social Psychology, 1993, 3, 17-27.	2.4	2
250	Screening for Alcohol Problems: A Comparison of Instrument Performance Between the Er and the General Population Among Mexican Americans in the U.S. And Mexicans in Mexico. Addiction Research and Theory, 2001, 9, 59-72.	1.9	2
251	Mexican immigration to the U.S., the occurrence of violence and the impact of mental disorders. Revista Brasileira De Psiquiatria, 2013, 35, 161-168.	1.7	2
252	The role of ageing in the wish to be dead: disentangling age, period and cohort effects in suicide ideation in European population. Epidemiology and Psychiatric Sciences, 2021, 30, e17.	3.9	2

#	‡	Article	IF	CITATIONS
2	253	Parental Involvement, Needs and Drug-Related Service Utilization Among Mexican Middle and High School Students. Journal of Family Social Work, 2001, 6, 79-95.	0.2	1
2	254	A Comparison of Two Case-Crossover Methods for Studying the Dose-Response Relationship between Alcohol and Injury. Contemporary Drug Problems, 2014, 41, 91-108.	1.6	1
2	255	Who should stay, who should leave?. Addiction, 2014, 109, 1779-1780.	3.3	1
2	256	Misconceptions about substance use in the US–Mexico border area. Nature Human Behaviour, 2019, 3, 4-4.	12.0	1
2	257	Collaborative care for depression and suicide prevention: a feasible intervention within the Mexican health system. Salud Publica De Mexico, 2021, 63, 274-280.	0.4	1
2	258	Descriptive Epidemiology of Depression in Latin America and Hispanics in the United States. Issues in Children's and Families' Lives, 2008, , 53-71.	0.2	1
2	259	A Comparison of two Case-crossover Methods for Studying the Dose-Response Relationship Between Alcohol and Injury. Contemporary Drug Problems, 2014, 41, 04.	1.6	1
2	260	Diagnostic profiles in adolescence and emerging adulthood: Transition patterns and risk factors. Revista De PsiquiatrÃa Y Salud Mental, 2023, 16, 42-50.	1.8	1
2	261	Determinants of effective treatment coverage for major depressive disorder in the WHO World Mental Health Surveys. International Journal of Mental Health Systems, 2022, 16, .	2.7	1
2	262	Injury, alcohol, and drug use in an emergency department in Mexico City. Journal of Substance Use, 0, , $1\text{-}7$.	0.7	1
2	263	161 EXPRESSION OF EXTRACELLULARâ€SIGNAL REGULATED KINASES IN MONOAMINERGIC BRAINSTEM NUCLEI OF NEUROPATHIC PAIN RATS SUBJECTED NOXIOUS STIMULATION AND ANTIDEPRESSANTS TREATMENT. European Journal of Pain, 2009, 13, S56.	2.8	0
2	264	An observational study of the impact of service use on suicidality among adults with mental disorders. Injury Epidemiology, 2014, 1, 29.	1.8	0
2	265	Does Beverage Type and Drinking Context Matter in an Alcohol-Related Injury? Evidence from Emergency Department Patients in Latin America International Journal of Epidemiology, 2015, 44, i161-i161.	1.9	О
2	266	The burden of mental disorders in Mexico, 1990-2019: Mental and neurological disorders, substance use, suicides, and related somatic disorders. Revista De PsiquiatrÃa Y Salud Mental, 2021, , .	1.8	0