

Manpreet Bedi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3961113/publications.pdf>

Version: 2024-02-01

47
papers

849
citations

567281

15
h-index

501196

28
g-index

47
all docs

47
docs citations

47
times ranked

1285
citing authors

#	ARTICLE	IF	CITATIONS
1	Significant Reduction of Late Toxicities in Patients With Extremity Sarcoma Treated With Image-Guided Radiation Therapy to a Reduced Target Volume: Results of Radiation Therapy Oncology Group RTOG-0630 Trial. <i>Journal of Clinical Oncology</i> , 2015, 33, 2231-2238.	1.6	214
2	Duration of Androgen Deprivation in Locally Advanced Prostate Cancer: Long-Term Update of NRG Oncology RTOG 9202. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017, 98, 296-303.	0.8	99
3	Radiation Therapy for Treatment of Soft Tissue Sarcoma in Adults: Executive Summary of an ASTRO Clinical Practice Guideline. <i>Practical Radiation Oncology</i> , 2021, 11, 339-351.	2.1	65
4	Tumor volume is a better predictor of post-operative wound complications compared to tumor size in soft tissue sarcomas of the proximal lower extremity. <i>Clinical Sarcoma Research</i> , 2016, 6, 1.	2.3	34
5	Overall survival after resection of retroperitoneal sarcoma at academic cancer centers versus community cancer centers: An analysis of the National Cancer Data Base. <i>Surgery</i> , 2018, 163, 318-323.	1.9	29
6	Retroperitoneal solitary fibrous tumor: surgery as first line therapy. <i>Clinical Sarcoma Research</i> , 2015, 5, 19.	2.3	28
7	Does Vacuum-assisted Closure Reduce the Risk of Wound Complications in Patients With Lower Extremity Sarcomas Treated With Preoperative Radiation?. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 768-774.	1.5	28
8	Neoadjuvant radiotherapy for retroperitoneal sarcoma: A systematic review. <i>Journal of Surgical Oncology</i> , 2016, 113, 628-634.	1.7	24
9	Multimodality Management of Metastatic Patients With Soft Tissue Sarcomas May Prolong Survival. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2014, 37, 272-277.	1.3	21
10	Prognostic variables in patients with primary soft tissue sarcoma of the extremity and trunk treated with neoadjuvant radiotherapy or neoadjuvant sequential chemoradiotherapy. <i>Radiation Oncology</i> , 2013, 8, 60.	2.7	20
11	Pathologic necrosis following neoadjuvant radiotherapy or chemoradiotherapy is prognostic of poor survival in soft tissue sarcoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 1321-1330.	2.5	20
12	Association of Locoregional Control With High Body Mass Index in Women Undergoing Breast Conservation Therapy for Early-Stage Breast Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016, 96, 65-71.	0.8	19
13	Multispectral diffusion-weighted imaging near metal implants. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 987-993.	3.0	19
14	Assessing the Role of Neoadjuvant Chemotherapy in Primary High-Risk Truncal/Extremity Soft Tissue Sarcomas: An Analysis of the Multi-institutional U.S. Sarcoma Collaborative. <i>Annals of Surgical Oncology</i> , 2019, 26, 3542-3549.	1.5	19
15	Margin reduction from image guided radiation therapy for soft tissue sarcoma: Secondary analysis of Radiation Therapy Oncology Group 0630 results. <i>Practical Radiation Oncology</i> , 2016, 6, e135-e140.	2.1	18
16	The role of radiation therapy and margin width in localized soft tissue sarcoma: Analysis from the US Sarcoma Collaborative. <i>Journal of Surgical Oncology</i> , 2019, 120, 325-331.	1.7	16
17	Preoperative Radiation Therapy Followed by Reexcision May Improve Local Control and Progression-Free Survival in Unplanned Excisions of Soft Tissue Sarcomas of the Extremity and Chest-Wall. <i>International Journal of Surgical Oncology</i> , 2016, 2016, 1-8.	0.6	15
18	Elective Lymph Node Irradiation With Intensity-Modulated Radiotherapy: Is Conventional Dose Fractionation Necessary?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, e87-e92.	0.8	13

#	ARTICLE	IF	CITATIONS
19	Studying a Rare Disease Using Multi-Institutional Research Collaborations vs Big Data: Where Lies the Truth?. Journal of the American College of Surgeons, 2018, 227, 357-366e3.	0.5	13
20	Is long-term survival possible after margin-positive resection of retroperitoneal sarcoma (RPS)?. Journal of Surgical Oncology, 2016, 113, 823-827.	1.7	12
21	Is 5 the New 25? Long-Term Oncologic Outcomes From a Phase II, Prospective, 5-Fraction Preoperative Radiation Therapy Trial in Patients With Localized Soft Tissue Sarcoma. Advances in Radiation Oncology, 2022, 7, 100850.	1.2	12
22	Pathologic complete response and survival outcomes in patients with localized soft tissue sarcoma treated with neoadjuvant chemoradiotherapy or radiotherapy: Long-term update of NRG Oncology RTOG 9514 and 0630.. Journal of Clinical Oncology, 2017, 35, 11012-11012.	1.6	11
23	Is a Nomogram Able to Predict Postoperative Wound Complications in Localized Soft-tissue Sarcomas of the Extremity?. Clinical Orthopaedics and Related Research, 2020, 478, 550-559.	1.5	10
24	Serial T2-Weighted Magnetic Resonance Images Acquired on a 1.5 Tesla Magnetic Resonance Linear Accelerator Reveal Radiomic Feature Variation in Organs at Risk: An Exploratory Analysis of Novel Metrics of Tissue Response in Prostate Cancer. Cureus, 2019, 11, e4510.	0.5	10
25	Smoking is predictive of poorer distant metastasis-free and progression free-survival in soft tissue sarcoma patients treated with pre-operative radiotherapy or chemoradiotherapy. Clinical Sarcoma Research, 2018, 8, 7.	2.3	9
26	Neoadjuvant radiation improves margin-negative resection rates in extremity sarcoma but not survival. Journal of Surgical Oncology, 2020, 121, 1249-1258.	1.7	9
27	A multi-institutional validation study of prognostic nomograms for retroperitoneal sarcoma. Journal of Surgical Oncology, 2021, 124, 829-837.	1.7	9
28	The Effect of Smoking and Major Vein Resection on Post-therapy Lymphedema in Soft Tissue Sarcomas Treated With Neoadjuvant Radiation and Limb-salvage Surgery. American Journal of Clinical Oncology: Cancer Clinical Trials, 2015, 38, 184-188.	1.3	7
29	A novel preoperative risk score to guide patient selection for resection of soft tissue sarcoma lung metastases: An analysis from the United States Sarcoma Collaborative. Journal of Surgical Oncology, 2021, 124, 1477-1484.	1.7	7
30	Outcomes of Elderly Patients Undergoing Curative Resection for Retroperitoneal Sarcomas: Analysis From the US Sarcoma Collaborative. Journal of Surgical Research, 2019, 233, 154-162.	1.6	6
31	Evaluating Thresholds to Adopt Hypofractionated Preoperative Radiotherapy as Standard of Care in Sarcoma. Sarcoma, 2021, 2021, 1-8.	1.3	6
32	Minimally Invasive Local Treatments for Bone and Pulmonary Metastases. Minimally Invasive Surgery, 2014, 2014, 1-9.	0.5	5
33	Extremity Soft Tissue Sarcoma: A Multi-Institutional Validation of Prognostic Nomograms. Annals of Surgical Oncology, 2022, , 1.	1.5	5
34	The impact of 3D conformal radiotherapy versus intensity-modulated radiotherapy on post-operative wound complications in soft tissue sarcomas of the extremity and chest-wall. Journal of Radiation Oncology, 2016, 5, 389-394.	0.7	4
35	A novel, simplified, externally validated staging system for truncal/extremity soft tissue sarcomas: An analysis of the US Sarcoma Collaborative database. Journal of Surgical Oncology, 2018, 118, 1135-1141.	1.7	4
36	High neutrophil-lymphocyte ratio is not independently associated with worse survival or recurrence in patients with extremity soft tissue sarcoma. Surgery, 2020, 168, 760-767.	1.9	2

#	ARTICLE	IF	CITATIONS
37	A closer look at the natural history and recurrence patterns of high-grade truncal/extremity leiomyosarcomas: A multi-institutional analysis from the US Sarcoma Collaborative. <i>Surgical Oncology</i> , 2020, 34, 292-297.	1.6	2
38	Postoperative Day 1 Glucose May Be Associated With Wound Complications in Sarcomas Treated With Preoperative Radiation. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 580-586.	1.5	1
39	Abstract PO-231: Exploring social vulnerability in locally advanced cervical cancer patients undergoing brachytherapy irradiation. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, PO-231-PO-231.	2.5	1
40	Long term clinical outcomes and associated predictors of progression free survival in anal canal cancer. <i>Journal of Gastrointestinal Oncology</i> , 2022, 13, 185-196.	1.4	1
41	Dosimetric predictors of local control and complications in gynecologic transperineal implant patients: The medical college of wisconsin experience. <i>Brachytherapy</i> , 2022, 21, 94-109.	0.5	1
42	Staged reconstruction of soft tissue sarcoma resections using temporizing negative pressure wound therapy is safe and efficacious. <i>European Journal of Plastic Surgery</i> , 0, , 1.	0.6	1
43	Risk-Adapted Radiation Deintensification in Children and Young Adults With Soft Tissue Sarcoma: New Questions Arise and Prior Questions Resurface. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 110, 831-832.	0.8	0
44	High SPARC expression in treated sarcomas may correlate with decreased overall survival.. <i>Journal of Clinical Oncology</i> , 2016, 34, e22529-e22529.	1.6	0
45	Development of a Prompt Radiation Oncology Mediated Palliative Treatment (PROMPT) program for handling urgent cases at an academic hospital.. <i>Journal of Clinical Oncology</i> , 2017, 35, 173-173.	1.6	0
46	ASO Visual Abstract: Extremity Soft Tissue Sarcoma—A Multi-institutional Validation of Prognostic Nomograms. <i>Annals of Surgical Oncology</i> , 2022, 29, 3304.	1.5	0
47	Trainee and program director perspectives of parental leave and parenthood in oncologic specialties.. <i>Journal of Clinical Oncology</i> , 2022, 40, 11051-11051.	1.6	0