

Eric Thorin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/396224/publications.pdf>

Version: 2024-02-01

176
papers

4,750
citations

76326

40
h-index

138484

58
g-index

182
all docs

182
docs citations

182
times ranked

5891
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of cellular senescence in cardiac disease: basic biology and clinical relevance. <i>Nature Reviews Cardiology</i> , 2022, 19, 250-264.	13.7	84
2	Adenylate cyclase type 9 antagonizes cAMP accumulation and regulates endothelial signaling involved in atheroprotection. <i>Cardiovascular Research</i> , 2022, , .	3.8	3
3	Therapeutic Potential of Quercetin to Alleviate Endothelial Dysfunction in Age-Related Cardiovascular Diseases. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 658400.	2.4	51
4	Design of a Randomized Placebo-Controlled Trial to Evaluate the Anti-inflammatory and Senolytic Effects of Quercetin in Patients Undergoing Coronary Artery Bypass Graft Surgery. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 741542.	2.4	10
5	Angptl2 is a Marker of Cellular Senescence: The Physiological and Pathophysiological Impact of Angptl2-Related Senescence. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12232.	4.1	12
6	The quest for a biomarker of premature biological aging. <i>Canadian Journal of Cardiology</i> , 2021, , .	1.7	0
7	Hypertension accelerates cerebral tissue PO2 disruption in Alzheimer's disease. <i>Neuroscience Letters</i> , 2020, 715, 134626.	2.1	3
8	Voluntary exercise increases brain tissue oxygenation and spatially homogenizes oxygen delivery in a mouse model of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2020, 88, 11-23.	3.1	17
9	Pathological Continuum From the Rise in Pulse Pressure to Impaired Neurovascular Coupling and Cognitive Decline. <i>American Journal of Hypertension</i> , 2020, 33, 375-390.	2.0	12
10	A Novel Molecular Pathway of Plaque Vulnerability Reveals a Cholesterol-Independent Effect of Statins and Supports Inflammation as a Therapeutic Target. <i>Canadian Journal of Cardiology</i> , 2020, 36, 1710-1713.	1.7	1
11	Serum tenascin-C is independently associated with increased major adverse cardiovascular events and death in individuals with type 2 diabetes: a French prospective cohort. <i>Diabetologia</i> , 2020, 63, 915-923.	6.3	17
12	Single Endothelial Cell mRNA Sequencing Better Captures the Severity of Coronary Artery Disease Than Targeted Total Arterial Markers of Inflammation and Senescence. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.5	0
13	Knockdown of ANGPTL2 promotes cardiac left ventricular dysfunction in mice via up-regulation of NOX4. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.5	0
14	Tracking adiponectin biodistribution via fluorescence molecular tomography indicates increased vascular permeability after streptozotocin-induced diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019, 317, E760-E772.	3.5	5
15	Therapeutic Targeting of LRP6 in Cardiovascular Diseases: Challenging But Not Wnt-Possible!. <i>Canadian Journal of Cardiology</i> , 2019, 35, 1567-1575.	1.7	8
16	The impact of high-intensity interval training on ventricular remodeling in patients with a recent acute myocardial infarction: A randomized training intervention pilot study. <i>Clinical Cardiology</i> , 2019, 42, 1222-1231.	1.8	23
17	Atherosclerosis is associated with a decrease in cerebral microvascular blood flow and tissue oxygenation. <i>PLoS ONE</i> , 2019, 14, e0221547.	2.5	12
18	Non-Alcoholic Fatty Liver Disease, and the Underlying Altered Fatty Acid Metabolism, Reveals Brain Hypoperfusion and Contributes to the Cognitive Decline in APP/PS1 Mice. <i>Metabolites</i> , 2019, 9, 104.	2.9	34

#	ARTICLE	IF	CITATIONS
19	Systolic hypertension-induced neurovascular unit disruption magnifies vascular cognitive impairment in middle-age atherosclerotic LDLR ^{-/-} :hApoB ^{+/+} mice. <i>GeroScience</i> , 2019, 41, 511-532.	4.6	26
20	Functional Dosage of Muscarinic Cholinergic Receptor 3 Signalling, Not the Gene Dose, Determines Its Hypertension Pathogenesis. <i>Canadian Journal of Cardiology</i> , 2019, 35, 661-670.	1.7	8
21	Reduction of plasma angiotensin-like 2 after cardiac surgery is related to tissue inflammation and senescence status of patients. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019, 158, 792-802.e5.	0.8	12
22	A Pilot Study Investigating Changes in Capillary Hemodynamics and Its Modulation by Exercise in the APP-PS1 Alzheimer Mouse Model. <i>Frontiers in Neuroscience</i> , 2019, 13, 1261.	2.8	11
23	High Systolic Blood Pressure Induces Cerebral Microvascular Endothelial Dysfunction, Neurovascular Unit Damage, and Cognitive Decline in Mice. <i>Hypertension</i> , 2019, 73, 217-228.	2.7	77
24	Knockdown of angiotensin-like 2 induces clearance of vascular endothelial senescent cells by apoptosis, promotes endothelial repair and slows atherogenesis in mice. <i>Ageing</i> , 2019, 11, 3832-3850.	3.1	21
25	Mice knockdown for angiotensin-like 2 spontaneously develop aortic valve stenosis. <i>FASEB Journal</i> , 2019, 33, 120.4.	0.5	0
26	Reduction of plasma angiotensin-like 2 after cardiac surgery is related to tissue inflammation and senescence status of patients. <i>FASEB Journal</i> , 2019, 33, 828.10.	0.5	0
27	Impact of atherosclerotic disease on cerebral microvasculature and tissue oxygenation in awake LDLR ^{-/-} :hApoB ^{+/+} transgenic mice. <i>Neurophotonics</i> , 2019, 6, 1.	3.3	3
28	ADCY9 (Adenylate Cyclase Type 9) Inactivation Protects From Atherosclerosis Only in the Absence of CETP (Cholesteryl Ester Transfer Protein). <i>Circulation</i> , 2018, 138, 1677-1692.	1.6	28
29	Knockdown of angiotensin-like 2 mimics the benefits of intermittent fasting on insulin responsiveness and weight loss. <i>Experimental Biology and Medicine</i> , 2018, 243, 45-49.	2.4	3
30	Novel Pathogenesis of Hypertension and Diastolic Dysfunction Caused by M3R (Muscarinic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 T	2.7	20
31	Impact of pulse pressure on cerebrovascular events leading to age-related cognitive decline. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018, 314, H1214-H1224.	3.2	96
32	Influence of micro- and macro-vascular disease and Tumor Necrosis Factor Receptor 1 on the level of lower-extremity amputation in patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2018, 17, 81.	6.8	8
33	Abstract 624: Interactions Between Adenylate Cyclase Type 9 (ADCY9) and Cholesteryl Ester Transfer Protein (CETP) in Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, .	2.4	0
34	Pulse pressure-dependent cerebrovascular eNOS regulation in mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 413-424.	4.3	32
35	Magnetic resonance fingerprinting based on realistic vasculature in mice. <i>NeuroImage</i> , 2017, 149, 436-445.	4.2	17
36	Life [ageing] is like riding a bicycle. To keep your [coronary and heart] balance you must keep moving. <i>Journal of Physiology</i> , 2017, 595, 3701-3702.	2.9	2

#	ARTICLE	IF	CITATIONS
37	Bariatric Surgery-Induced Lower Angiotensin-Like 2 Protein Is Associated With Improved Cardiometabolic Profile. Canadian Journal of Cardiology, 2017, 33, 1044-1051.	1.7	9
38	Levels of Angiotensin-Like-2 Are Positively Associated With Aortic Stiffness and Mortality After Kidney Transplantation. American Journal of Hypertension, 2017, 30, 409-416.	2.0	12
39	High Circulating Levels of ANGPTL2: Beyond a Clinical Marker of Systemic Inflammation. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-12.	4.0	27
40	Age-Dependent Demethylation of Sod2 Promoter in the Mouse Femoral Artery. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-6.	4.0	13
41	Ivabradine and metoprolol differentially affect cardiac glucose metabolism despite similar heart rate reduction in a mouse model of dyslipidemia. American Journal of Physiology - Heart and Circulatory Physiology, 2016, 311, H991-H1003.	3.2	10
42	14.5 LEVELS OF ANGIOPOIETIN-LIKE-2 ARE POSITIVELY ASSOCIATED WITH AORTIC STIFFNESS AND MORTALITY AFTER KIDNEY TRANSPLANTATION. Artery Research, 2016, 16, 83.	0.6	0
43	Estrogen and testosterone in concert with EFNB3 regulate vascular smooth muscle cell contractility and blood pressure. American Journal of Physiology - Heart and Circulatory Physiology, 2016, 310, H861-H872.	3.2	18
44	Lifelong Cyclic Mechanical Strain Promotes Large Elastic Artery Stiffening: Increased Pulse Pressure and Old Age-Related Organ Failure. Canadian Journal of Cardiology, 2016, 32, 624-633.	1.7	28
45	ANGPTL2 is associated with an increased risk of cardiovascular events and death in diabetic patients. Diabetologia, 2016, 59, 2321-2330.	6.3	30
46	A single Mediterranean meal does not impair postprandial flow-mediated dilatation in healthy men with subclinical metabolic dysregulations. Applied Physiology, Nutrition and Metabolism, 2016, 41, 888-894.	1.9	15
47	Reduced blood pressure after smooth muscle EFNB2 deletion and the potential association of EFNB2 mutation with human hypertension risk. European Journal of Human Genetics, 2016, 24, 1817-1825.	2.8	16
48	Arterial Stiffness and the Brain. , 2016, , 135-153.		1
49	Anti-phospholipid antibody-mediated effects in an arterial model of thrombosis are dependent on Toll-like receptor 4. Lupus, 2016, 25, 162-176.	1.6	31
50	Epigenetic Regulatory Effect of Exercise on Glutathione Peroxidase 1 Expression in the Skeletal Muscle of Severely Dyslipidemic Mice. PLoS ONE, 2016, 11, e0151526.	2.5	20
51	Lower Methylation of the ANGPTL2 Gene in Leukocytes from Post-Acute Coronary Syndrome Patients. PLoS ONE, 2016, 11, e0153920.	2.5	18
52	Exercise Lowers Plasma Angiotensin-Like 2 in Men with Post-Acute Coronary Syndrome. PLoS ONE, 2016, 11, e0164598.	2.5	12
53	Angiotensin II Type I and Prostaglandin F ₂ ± Receptors Cooperatively Modulate Signaling in Vascular Smooth Muscle Cells. Journal of Biological Chemistry, 2015, 290, 3137-3148.	3.4	48
54	EPHB4 Protein Expression in Vascular Smooth Muscle Cells Regulates Their Contractility, and EPHB4 Deletion Leads to Hypotension in Mice. Journal of Biological Chemistry, 2015, 290, 14235-14244.	3.4	32

#	ARTICLE	IF	CITATIONS
55	Knockdown of angiotensin-like-2 protects against angiotensin II-induced cerebral endothelial dysfunction in mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 308, H386-H397.	3.2	11
56	Acute High-Intensity Intermittent Aerobic Exercise Reduces Plasma Angiotensin-Like 2 in Patients With Coronary Artery Disease. <i>Canadian Journal of Cardiology</i> , 2015, 31, 1232-1239.	1.7	14
57	Neuroprotection after ischemic stroke by activation of angiotensin receptor type 2. <i>Journal of Hypertension</i> , 2015, 33, 66-68.	0.5	1
58	Hypertension and Alzheimer Disease. <i>Hypertension</i> , 2015, 65, 36-38.	2.7	25
59	Pulse Pressure Reveals Shear Stress-Dependent eNOS Activity in Mice Cerebral Arteries. <i>FASEB Journal</i> , 2015, 29, 832.3.	0.5	0
60	The Anti-Hypercholesterolemic Effect of Low p53 Expression Protects Vascular Endothelial Function in Mice. <i>PLoS ONE</i> , 2014, 9, e92394.	2.5	3
61	Lack of Angiotensin-Like 2 Expression Limits the Metabolic Stress Induced by a High-Fat Diet and Maintains Endothelial Function in Mice. <i>Journal of the American Heart Association</i> , 2014, 3, .	3.7	17
62	Angiotensin-like-2: a multifaceted protein with physiological and pathophysiological properties. <i>Expert Reviews in Molecular Medicine</i> , 2014, 16, e17.	3.9	42
63	Aganirsen Antisense Oligonucleotide Eye Drops Inhibit Keratitis-Induced Corneal Neovascularization and Reduce Need for Transplantation. <i>Ophthalmology</i> , 2014, 121, 1683-1692.	5.2	88
64	Cloning, expression and purification of functionally active human angiotensin-like protein 2. <i>SpringerPlus</i> , 2014, 3, 337.	1.2	3
65	Mouse strain differences in metabolic fluxes and function of ex vivo working hearts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014, 306, H78-H87.	3.2	22
66	Role of Oxidative Stress in Vascular Endothelial Cells Through Aging – a Double-Edged Sword. , 2014, , 1383-1403.		1
67	Intracrine endothelin signaling evokes IP3-dependent increases in nucleoplasmic Ca ²⁺ in adult cardiac myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2013, 62, 189-202.	1.9	43
68	Postnatal exposure to voluntary exercise but not the antioxidant catechin protects the vasculature after a switch to an atherogenic environment in middle-age mice. <i>Pflügers Archiv European Journal of Physiology</i> , 2013, 465, 197-208.	2.8	9
69	A Single Mediterranean-Type Meal Leads to Postprandial Enrichment in Omega-3 Pufas and Does Not Impair Flow-Mediated Dilatation in Comparison to a High-Saturated Fat Meal in Healthy Men With High-Normal Fasting Triglyceridemia. <i>Canadian Journal of Cardiology</i> , 2013, 29, S357.	1.7	0
70	Comparison of Hemodynamic Responses and Substrate Utilisation During High Intensity Intermittent Exercise Vs Moderate Continuous Intensity Exercise in Healthy Adults. <i>Canadian Journal of Cardiology</i> , 2013, 29, S321.	1.7	0
71	Differential Pharmacological Profiles of Different B-Blockers on Vascular Function in Atherosclerotic Mice. <i>Canadian Journal of Cardiology</i> , 2013, 29, S179.	1.7	0
72	Endothelium-dependent control of cerebrovascular functions through age: exercise for healthy cerebrovascular aging. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2013, 305, H620-H633.	3.2	78

#	ARTICLE	IF	CITATIONS
73	Angiotensin II Promotes Atherogenesis in Mice. Journal of the American Heart Association, 2013, 2, e000201.	3.7	53
74	Ivabradine but not metoprolol preserves ex vivo function and glycolysis of working dyslipidemic mouse hearts without activation of stress signaling pathways. FASEB Journal, 2013, 27, 791.6.	0.5	0
75	Angiotensin II knockdown improves the lipid profile of high-fat diet-fed mice and maintains vascular endothelial function. FASEB Journal, 2013, 27, .	0.5	0
76	Oscillatory pulse pressure changes endothelial sensitivity to shear stress and myogenic tone in isolated mouse cerebral arteries. FASEB Journal, 2013, 27, 700.12.	0.5	0
77	Regulation of antioxidant enzyme expression in response to exercise in skeletal muscles of dyslipidemic mice. FASEB Journal, 2013, 27, 1136.14.	0.5	0
78	Catechin prevents severe dyslipidemia-associated changes in wall biomechanics of cerebral arteries in LDLr ^{-/-} :hApoB ^{+/+} mice and improves cerebral blood flow. American Journal of Physiology - Heart and Circulatory Physiology, 2012, 302, H1330-H1339.	3.2	25
79	Antiangiogenic Activity of Aganirsen in Nonhuman Primate and Rodent Models of Retinal Neovascular Disease after Topical Administration. , 2012, 53, 1195.		42
80	Possible Role of Efnb1 Protein, a Ligand of Eph Receptor Tyrosine Kinases, in Modulating Blood Pressure. Journal of Biological Chemistry, 2012, 287, 15557-15569.	3.4	28
81	Receptor Tyrosine Kinase Ephb6 Regulates Vascular Smooth Muscle Contractility and Modulates Blood Pressure in Concert with Sex Hormones. Journal of Biological Chemistry, 2012, 287, 6819-6829.	3.4	35
82	On the environmental stress that reshapes our vessels. Cardiovascular Research, 2012, 93, 537-539.	3.8	4
83	Time-Dependent Beneficial Effect of Chronic Polyphenol Treatment with Catechin on Endothelial Dysfunction in Aging Mice. Dose-Response, 2012, 10, dose-response.1.	1.6	13
84	027 Low P53 Expression Counteracts the Age-Dependent Decline in Endothelial Function. Canadian Journal of Cardiology, 2012, 28, S94.	1.7	0
85	031 A High Fat Diet Does Not Induce Hypercholesterolemia in p53 ^{-/-} Mice. Canadian Journal of Cardiology, 2012, 28, S96.	1.7	0
86	MLCP activation limits oscillatory pulse pressure-induced rise in myogenic tone of isolated mouse cerebral arteries in the absence of NO. FASEB Journal, 2012, 26, lb611.	0.5	0
87	Angiotensin II stimulates leukocytes adhesion to the native aortic endothelium in LDLr ^{-/-} ; hApoB100 ^{+/+} mice. FASEB Journal, 2012, 26, 841.4.	0.5	0
88	Contribution of prostacyclin regulation in the vascular tone of angiotensin II deficient mice. FASEB Journal, 2012, 26, 866.22.	0.5	0
89	Vascular Disease Risk in Patients With Hypertriglyceridemia: Endothelial Progenitor Cells, Oxidative Stress, Accelerated Senescence, and Impaired Vascular Repair. Canadian Journal of Cardiology, 2011, 27, 538-540.	1.7	20
90	Measurement of cerebral microvascular compliance in a model of atherosclerosis with optical coherence tomography. Biomedical Optics Express, 2011, 2, 3079.	2.9	19

#	ARTICLE	IF	CITATIONS
91	Up-regulation of thromboxane A2 impairs cerebrovascular eNOS function in aging atherosclerotic mice. Pflugers Archiv European Journal of Physiology, 2011, 462, 371-383.	2.8	23
92	Synthetic reconstruction of dynamic blood flow in cortical arteries using optical coherence tomography for the evaluation of vessel compliance. , 2011, , .		0
93	Heart rate-associated mechanical stress impairs carotid but not cerebral artery compliance in dyslipidemic atherosclerotic mice. American Journal of Physiology - Heart and Circulatory Physiology, 2011, 301, H2081-H2092.	3.2	43
94	Catechin treatment improves cerebrovascular flow-mediated dilation and learning abilities in atherosclerotic mice. American Journal of Physiology - Heart and Circulatory Physiology, 2011, 300, H1032-H1043.	3.2	52
95	Ivabradine reduces heart rate while preserving metabolic fluxes and energy status of healthy normoxic working hearts. American Journal of Physiology - Heart and Circulatory Physiology, 2011, 300, H845-H852.	3.2	18
96	Endothelium-derived endothelin-1. Pflugers Archiv European Journal of Physiology, 2010, 459, 951-958.	2.8	93
97	Endogenous oxidative stress prevents telomerase-dependent immortalization of human endothelial cells. Mechanisms of Ageing and Development, 2010, 131, 354-363.	4.6	31
98	Ascorbate improves metabolic abnormalities in <i>Wrn</i> mutant mice but not the free radical scavenger catechin. Annals of the New York Academy of Sciences, 2010, 1197, 40-44.	3.8	23
99	Vitamin C restores healthy aging in a mouse model for Werner syndrome. FASEB Journal, 2010, 24, 158-172.	0.5	100
100	The Cardiovascular Physiology and Pharmacology of Endothelin-1. Advances in Pharmacology, 2010, 60, 1-26.	2.0	73
101	HO-1, a new target of PPAR α with 'anti-atherogenic' properties: is it the one?. Cardiovascular Research, 2010, 85, 647-648.	3.8	3
102	Late chronic catechin antioxidant treatment is deleterious to the endothelial function in aging mice with established atherosclerosis. American Journal of Physiology - Heart and Circulatory Physiology, 2010, 298, H2062-H2070.	3.2	34
103	NTPDase1 (CD39) controls nucleotide-dependent vasoconstriction in mouse. Cardiovascular Research, 2010, 85, 204-213.	3.8	88
104	Working under pressure: coronary arteries and the endothelin system. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2010, 298, R1188-R1194.	1.8	25
105	Heart Rate Reduction by Ivabradine Reduces Diastolic Dysfunction and Cardiac Fibrosis. Cardiology, 2010, 117, 234-242.	1.4	57
106	Vascular Aging and Oxidative Stress: Hormesis and Adaptive Cellular Pathways. , 2010, , 309-321.		3
107	Potent in Vivo Antiangiogenic Effects of GS-101 (5 μ M-TATCCGGAGGGCTCGCCATGCTGCT-3 μ M), an Antisense Oligonucleotide Preventing the Expression of Insulin Receptor Substrate-1. Journal of Pharmacology and Experimental Therapeutics, 2009, 329, 496-504.	2.5	31
108	Endothelial Progenitor Cells Bind and Inhibit Platelet Function and Thrombus Formation. Circulation, 2009, 120, 2230-2239.	1.6	69

#	ARTICLE	IF	CITATIONS
109	Flow-Induced Dilation Is Mediated by Akt-Dependent Activation of Endothelial Nitric Oxide Synthase-Derived Hydrogen Peroxide in Mouse Cerebral Arteries. <i>Stroke</i> , 2009, 40, 1827-1833.	2.0	50
110	Vascular endothelial ageing, heartbeat after heartbeat. <i>Cardiovascular Research</i> , 2009, 84, 24-32.	3.8	75
111	Tolerability and safety of GS101 eye drops, an antisense oligonucleotide to insulin receptor substrate: a "first in man" Phase I investigation. <i>British Journal of Clinical Pharmacology</i> , 2009, 68, 169-173.	2.4	16
112	Autoantibodies to heat shock protein60 promote thrombus formation in a murine model of arterial thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , 2009, 7, 710-719.	3.8	30
113	Change in pharmacological effect of endothelin receptor antagonists in rats with pulmonary hypertension: Role of ETB-receptor expression levels. <i>Pulmonary Pharmacology and Therapeutics</i> , 2009, 22, 311-317.	2.6	34
114	Increase of myogenic tone in the cerebral arteries of dyslipidemic mice is not due to a vessel wall remodelling. <i>FASEB Journal</i> , 2009, 23, 627.2.	0.5	0
115	Chronic heart rate reduction by ivabradine prevents endothelial dysfunction in dyslipidaemic mice. <i>British Journal of Pharmacology</i> , 2008, 154, 749-757.	5.4	83
116	Regression of aortic valve stenosis by ApoA mimetic peptide infusions in rabbits. <i>British Journal of Pharmacology</i> , 2008, 154, 765-773.	5.4	52
117	Activation of ET _B receptors regulates the abundance of ET-1 mRNA in vascular endothelial cells. <i>British Journal of Pharmacology</i> , 2008, 153, 1420-1431.	5.4	18
118	Chronic treatment with N-acetyl-cystein delays cellular senescence in endothelial cells isolated from a subgroup of atherosclerotic patients. <i>Mechanisms of Ageing and Development</i> , 2008, 129, 261-270.	4.6	68
119	Endothelin-3-dependent pulmonary vasoconstriction in monocrotaline-induced pulmonary arterial hypertension. <i>Peptides</i> , 2008, 29, 2039-2045.	2.4	7
120	Stress-induced senescence predominates in endothelial cells isolated from atherosclerotic chronic smokers. <i>Canadian Journal of Physiology and Pharmacology</i> , 2008, 86, 761-769.	1.4	79
121	Ouabain decreases reactive oxygen species and salvages nitric oxide: or is it the other way around?. <i>Journal of Hypertension</i> , 2008, 26, 1901-1902.	0.5	0
122	Replicative senescence of vascular endothelial cells isolated from coronary patients is worsened by oxidative stress associated with risk factors for cardiovascular disease. <i>FASEB Journal</i> , 2008, 22, 964.24.	0.5	0
123	hTERT overexpression delays replicative senescence but not damage-induced senescence of vascular endothelial cells isolated from patients with severe CAD. <i>FASEB Journal</i> , 2008, 22, 964.21.	0.5	0
124	A change in the redox environment and thromboxane A2 production precede endothelial dysfunction in mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H2508-H2515.	3.2	26
125	Endothelial nitric oxide synthase activation leads to dilatory H2O2 production in mouse cerebral arteries. <i>Cardiovascular Research</i> , 2007, 73, 73-81.	3.8	75
126	Ageing associated with mild dyslipidemia reveals that COX-2 preserves dilation despite endothelial dysfunction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 292, H451-H458.	3.2	33

#	ARTICLE	IF	CITATIONS
127	Endothelin-1-Induced Pulmonary Vasoreactivity Is Regulated by ET _A and ET _B Receptor Interactions. <i>Journal of Vascular Research</i> , 2007, 44, 375-381.	1.4	57
128	Cellular senescence in endothelial cells from atherosclerotic patients is accelerated by oxidative stress associated with cardiovascular risk factors. <i>Mechanisms of Ageing and Development</i> , 2007, 128, 662-671.	4.6	132
129	Alterations in the endothelial G-protein coupled receptor pathway in epicardial arteries and subendocardial arterioles in compensated left ventricular hypertrophy. <i>Basic Research in Cardiology</i> , 2007, 102, 144-153.	5.9	8
130	ROS-sensitive cytochrome P 450 activity maintains endothelial dilatation in ageing but is transitory in dyslipidaemic mice. <i>British Journal of Pharmacology</i> , 2006, 147, 897-904.	5.4	28
131	Increased insulin, triglycerides, reactive oxygen species, and cardiac fibrosis in mice with a mutation in the helicase domain of the Werner syndrome gene homologue. <i>Experimental Gerontology</i> , 2006, 41, 157-168.	2.8	65
132	Evaluation of endothelin-1-induced pulmonary vasoconstriction following myocardial infarction. <i>Experimental Biology and Medicine</i> , 2006, 231, 840-6.	2.4	24
133	Two distinct pathways account for EDHF-dependent dilatation in the <i>gracilis</i> artery of dyslipidaemic hApoB ^{+/+} mice. <i>British Journal of Pharmacology</i> , 2005, 145, 264-270.	5.4	41
134	Inhaled but not intravenous milrinone prevents pulmonary endothelial dysfunction after cardiopulmonary bypass. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005, 130, 83-92.	0.8	69
135	Chapter 10 Heterogeneity of lung endothelial cells. <i>Advances in Molecular and Cell Biology</i> , 2005, 35, 277-310.	0.1	1
136	Chronically Elevated Endothelin Levels Reduce Pulmonary Vascular Reactivity to Nitric Oxide. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005, 171, 506-513.	5.6	31
137	Pathological aging of the vascular endothelium: are endothelial progenitor cells the sentinels of the cardiovascular system?. <i>Canadian Journal of Cardiology</i> , 2005, 21, 1019-24.	1.7	11
138	Pathophysiological plasma ET-1 levels antagonize β_2 -adrenergic dilation of coronary resistance vessels in conscious dogs. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004, 287, H1476-H1483.	3.2	3
139	Loss of endothelial KATP channel-dependent, NO-mediated dilation of endocardial resistance coronary arteries in pigs with left ventricular hypertrophy. <i>British Journal of Pharmacology</i> , 2004, 143, 285-291.	5.4	19
140	Na ⁺ /K ⁺ pump and endothelial cell survival: [Na ⁺] _i /[K ⁺] _i -independent necrosis triggered by ouabain, and protection against apoptosis mediated by elevation of [Na ⁺] _i . <i>Pflügers Archiv European Journal of Physiology</i> , 2004, 448, 335-345.	2.8	54
141	Novel Benzo[1,4]diazepin-2-one Derivatives as Endothelin Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 2776-2795.	6.4	80
142	Hyperreactivity of cerebral arteries from ovariectomized rats: therapeutic benefit of tamoxifen. <i>British Journal of Pharmacology</i> , 2003, 140, 1187-1192.	5.4	22
143	Role of ET-1 in the regulation of coronary circulation. <i>Canadian Journal of Physiology and Pharmacology</i> , 2003, 81, 570-577.	1.4	16
144	Evolution of the atrial fibrillation substrate in experimental congestive heart failure: angiotensin-dependent and -independent pathways. <i>Cardiovascular Research</i> , 2003, 60, 315-325.	3.8	230

#	ARTICLE	IF	CITATIONS
145	Endothelin-1 Limits Vascular Smooth Muscle \hat{I}^2 -Adrenergic Receptor Sensitivity by a PKC-Dependent Pathway. <i>Journal of Cardiovascular Pharmacology</i> , 2003, 42, 534-538.	1.9	2
146	Endothelin B Receptor-Mediated Regulation of Endothelin-1 Content and Release in Cultured Porcine Aorta Endothelial Cell. <i>Journal of Cardiovascular Pharmacology</i> , 2002, 39, 652-659.	1.9	20
147	Effects of age, gender, and blood pressure on myogenic responses of mesenteric arteries from C57BL/6 mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 282, H380-H388.	3.2	75
148	Different Contribution of Endothelial Nitric Oxide in the Relaxation of Human Coronary Arteries of Ischemic and Dilated Cardiomyopathic Hearts. <i>Journal of Cardiovascular Pharmacology</i> , 2001, 37, 227-232.	1.9	8
149	Endothelium-Derived Endothelin-1 Reduces Cerebral Artery Sensitivity to Nitric Oxide by a Protein Kinase \hat{C} -Independent Pathway. <i>Stroke</i> , 2001, 32, 2351-2355.	2.0	15
150	Influence of Nitric Oxide Synthase Inhibition and Endothelin-1 Receptor Blockade on Acetylcholine-Induced Coronary Artery Contraction In Vitro in Dilated and Ischemic Cardiomyopathies. <i>Journal of Cardiovascular Pharmacology</i> , 2001, 38, 90-98.	1.9	20
151	Crosstalk between endothelin and nitric oxide in the control of vascular tone. <i>Heart Failure Reviews</i> , 2001, 6, 265-276.	3.9	66
152	Endothelial G Protein \hat{I}^2 -Subunits Trigger Nitric Oxide \hat{C} but not Endothelium-Derived Hyperpolarizing Factor \hat{C} -Dependent Dilation in Rabbit Resistance Arteries. <i>Circulation Research</i> , 2001, 89, 716-722.	4.5	14
153	Simultaneous measurement of ERK, p38, and JNK MAP kinase cascades in vascular smooth muscle cells. <i>Journal of Pharmacological and Toxicological Methods</i> , 2000, 44, 429-439.	0.7	16
154	Role of ET _A receptors in the regulation of vascular reactivity in rats with congestive heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 279, H844-H851.	3.2	13
155	Influence of Postangioplasty \hat{I}^2 -Irradiation on Endothelial Function in Porcine Coronary Arteries. <i>Circulation</i> , 2000, 101, 1430-1435.	1.6	25
156	Contribution of endogenous endothelin to large epicardial coronary artery tone in dogs and humans. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999, 277, H524-H532.	3.2	19
157	Effects of endothelin receptor antagonists and nitric oxide on myogenic tone and \hat{I}^{\pm} -adrenergic-dependent contractions of rabbit resistance arteries. <i>Cardiovascular Research</i> , 1999, 43, 755-761.	3.8	27
158	Effects of low-dose-rate \hat{I}^2 -irradiation on vascular smooth muscle cells. <i>Cardiovascular Radiation Medicine</i> , 1999, 1, 125-130.	0.6	8
159	Functional cross-talk between endothelial muscarinic and \hat{I}^{\pm} 2 -adrenergic receptors in rabbit cerebral arteries. <i>British Journal of Pharmacology</i> , 1998, 125, 1188-1193.	5.4	9
160	Heterogeneity of Vascular Endothelial Cells in Normal and Disease States. , 1998, 78, 155-166.		96
161	Endothelin-Dependent Tone Limits Acetylcholine-Induced Dilation of Resistance Coronary Vessels After Blockade of NO Formation in Conscious Dogs. <i>Hypertension</i> , 1998, 32, 844-848.	2.7	19
162	Endothelin-1 Regulates Tone of Isolated Small Arteries in the Rat. <i>Hypertension</i> , 1998, 31, 1035-1041.	2.7	19

#	ARTICLE	IF	CITATIONS
163	Control of Vascular Tone by Endogenous Endothelin-1 in Human Pial Arteries. <i>Stroke</i> , 1998, 29, 175-180.	2.0	51
164	Nitric Oxide Inhibits α_2 -Adrenoceptor-Mediated Endothelium-Dependent Vasodilation. <i>Circulation Research</i> , 1998, 82, 1323-1329.	4.5	73
165	Reversal of Endothelin-1 Release by Stimulation of Endothelial α_2 -Adrenoceptor Contributes to Cerebral Vasorelaxation. <i>Hypertension</i> , 1997, 30, 830-836.	2.7	19
166	Human Vascular Endothelium Heterogeneity. <i>Stroke</i> , 1997, 28, 375-381.	2.0	57
167	α_2 -Thrombin Upregulates Ca^{2+} in Human Vascular Endothelial Cells. <i>Stroke</i> , 1996, 27, 2211-2215.	2.0	8
168	Oxidized-LDL induced changes in membrane physico-chemical properties and $[Ca^{2+}]_i$ of bovine aortic endothelial cells. Influence of vitamin E. <i>Atherosclerosis</i> , 1995, 114, 185-195.	0.8	19
169	Chronic exposure of cultured bovine endothelial cells to oxidized LDL abolishes prostacyclin release. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1994, 14, 453-459.	3.9	49
170	Modulation by the endothelium of sympathetic vasoconstriction in an <i>in vitro</i> preparation of the rat tail artery. <i>British Journal of Pharmacology</i> , 1994, 111, 351-357.	5.4	47
171	Sympathetic neurotransmission in the tail artery of aging rats. <i>British Journal of Pharmacology</i> , 1994, 113, 363-368.	5.4	5
172	Chronic exposure of bovine aortic endothelial cells to native and oxidized LDL modifies phosphatidylinositol metabolism. <i>Atherosclerosis</i> , 1994, 107, 55-63.	0.8	8
173	The role of endogenous norepinephrine release in potassium-evoked vasoconstriction of the rat tail artery. <i>European Journal of Pharmacology</i> , 1991, 205, 63-72.	3.5	12
174	Differences between the <i>in vitro</i> vasoconstrictor responses of the tail artery to potassium and norepinephrine between spontaneously hypertensive, renovascular hypertensive, and various strains of normotensive rats. <i>Journal of Pharmacological Methods</i> , 1991, 25, 61-68.	0.7	9
175	Vascular Calcium Overload Produced by Administration of Vitamin D3 and Nicotine in Rats. Changes in Tissue Calcium Levels, Blood Pressure, and Pressor Responses to Electrical Stimulation or Norepinephrine <i>In Vivo</i> . <i>Journal of Cardiovascular Pharmacology</i> , 1990, 16, 257-266.	1.9	17
176	Chronic Treatment with Naftidrofuryl Attenuates the Development of Vascular Hypersensitivity to Serotonin in the Spontaneously Hypertensive Rat. <i>Journal of Cardiovascular Pharmacology</i> , 1990, 16, S54-S57.	1.9	5