

# Pau Montesinos

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3963960/publications.pdf>

Version: 2024-02-01

164  
papers

7,564  
citations

101384

36  
h-index

60497

81  
g-index

170  
all docs

170  
docs citations

170  
times ranked

6635  
citing authors

#	ARTICLE	IF	CITATIONS
1	Enasidenib vs conventional care in older patients with late-stage mutant-IDH2 relapsed/refractory AML: a randomized phase 3 trial. <i>Blood</i> , 2023, 141, 156-167.	0.6	27
2	Treatment patterns and outcomes of 2310 patients with secondary acute myeloid leukemia: a PETHEMA registry study. <i>Blood Advances</i> , 2022, 6, 1278-1295.	2.5	29
3	Long-term survival after intensive chemotherapy or hypomethylating agents in AML patients aged 70 years and older: a large patient data set study from European registries. <i>Leukemia</i> , 2022, 36, 913-922.	3.3	23
4	Follow-up of patients with R/R FLT3-mutation-positive AML treated with gilteritinib in the phase 3 ADMIRAL trial. <i>Blood</i> , 2022, 139, 3366-3375.	0.6	55
5	Emerging FLT3 inhibitors for the treatment of acute myeloid leukemia. <i>Expert Opinion on Emerging Drugs</i> , 2022, 27, 1-18.	1.0	7
6	Use of Venetoclax in Patients with Relapsed or Refractory Acute Myeloid Leukemia: The PETHEMA Registry Experience. <i>Cancers</i> , 2022, 14, 1734.	1.7	13
7	Role of Pharmacogenetics in the Treatment of Acute Myeloid Leukemia: Systematic Review and Future Perspectives. <i>Pharmaceutics</i> , 2022, 14, 559.	2.0	6
8	Acute leukemia arising from myeloproliferative or myelodysplastic/myeloproliferative neoplasms: A series of 372 patients from the PETHEMA AML registry. <i>Leukemia Research</i> , 2022, 115, 106821.	0.4	3
9	Systematic Review of Pharmacogenetics of ABC and SLC Transporter Genes in Acute Myeloid Leukemia. <i>Pharmaceutics</i> , 2022, 14, 878.	2.0	5
10	Venetoclax combinations delay the time to deterioration of HRQoL in unfit patients with acute myeloid leukemia. <i>Blood Cancer Journal</i> , 2022, 12, 71.	2.8	12
11	Healthcare Resource Utilization among Patients between 60-75 Years with Secondary Acute Myeloid Leukemia Receiving Intensive Chemotherapy Induction: A Spanish Retrospective Observational Study. <i>Cancers</i> , 2022, 14, 1921.	1.7	1
12	Idasanutlin Plus Cytarabine in Relapsed or Refractory Acute Myeloid Leukemia: Results of the MIRROS Trial. <i>Blood Advances</i> , 2022, , .	2.5	13
13	Azacitidine vs. Decitabine in Unfit Newly Diagnosed Acute Myeloid Leukemia Patients: Results from the PETHEMA Registry. <i>Cancers</i> , 2022, 14, 2342.	1.7	4
14	Timing of response with venetoclax combination treatment in patients with newly diagnosed acute myeloid leukemia. <i>American Journal of Hematology</i> , 2022, 97, .	2.0	5
15	Clinical outcomes in patients with relapsed/refractory FLT3-mutated acute myeloid leukemia treated with gilteritinib who received prior midostaurin or sorafenib. <i>Blood Cancer Journal</i> , 2022, 12, .	2.8	23
16	Ponatinib, chemotherapy, and transplant in adults with Philadelphia chromosome-positive acute lymphoblastic leukemia. <i>Blood Advances</i> , 2022, 6, 5395-5402.	2.5	21
17	A scoring system for AML patients aged 70 years or older, eligible for intensive chemotherapy: a study based on a large European data set using the DATAML, SAL, and PETHEMA registries. <i>Blood Cancer Journal</i> , 2022, 12, .	2.8	4
18	Safety and efficacy of talacotuzumab plus decitabine or decitabine alone in patients with acute myeloid leukemia not eligible for chemotherapy: results from a multicenter, randomized, phase 2/3 study. <i>Leukemia</i> , 2021, 35, 62-74.	3.3	63

#	ARTICLE	IF	CITATIONS
19	Chemotherapy or allogeneic transplantation in high-risk Philadelphia chromosome-negative adult lymphoblastic leukemia. <i>Blood</i> , 2021, 137, 1879-1894.	0.6	48
20	Evolving treatment patterns and outcomes in older patients (>=60 years) with AML: changing everything to change nothing?. <i>Leukemia</i> , 2021, 35, 1571-1585.	3.3	12
21	Impact of combinations of single-nucleotide polymorphisms of anthracycline transporter genes upon the efficacy and toxicity of induction chemotherapy in acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2021, 62, 659-668.	0.6	10
22	Gilteritinib use in the treatment of relapsed or refractory acute myeloid leukemia with a FLT3 mutation. <i>Future Oncology</i> , 2021, 17, 215-227.	1.1	0
23	Impact of measurable residual disease by decentralized flow cytometry: a PETHEMA real-world study in 1076 patients with acute myeloid leukemia. <i>Leukemia</i> , 2021, 35, 2358-2370.	3.3	31
24	A phase 3 trial of azacitidine versus a semi-intensive fludarabine and cytarabine schedule in older patients with untreated acute myeloid leukemia. <i>Cancer</i> , 2021, 127, 2003-2014.	2.0	16
25	Differentiation syndrome with lower-intensity treatments for acute myeloid leukemia. <i>American Journal of Hematology</i> , 2021, 96, 735-746.	2.0	12
26	Clinical benefit of glasdegib plus low-dose cytarabine in patients with de novo and secondary acute myeloid leukemia: long-term analysis of a phase II randomized trial. <i>Annals of Hematology</i> , 2021, 100, 1181-1194.	0.8	27
27	Role of Hematopoietic Stem Cell Transplantation in Acute Promyelocytic Leukemia. <i>Frontiers in Oncology</i> , 2021, 11, 614215.	1.3	7
28	Healthcare resource utilization in adult patients with relapsed/refractory FLT3 mutated acute myeloid leukemia: A retrospective chart review from Spain. <i>European Journal of Haematology</i> , 2021, 106, 724-733.	1.1	1
29	A phase I trial of selinexor plus FLAG-Ida for the treatment of refractory/relapsed adult acute myeloid leukemia patients. <i>Annals of Hematology</i> , 2021, 100, 1497-1508.	0.8	7
30	Updated results from DIAMOND-01 (CLI24-001) trial: A phase I/II study of SEL24/MEN1703, a first-in-class dual PIM/FLT3 kinase inhibitor, in acute myeloid leukemia.. <i>Journal of Clinical Oncology</i> , 2021, 39, 7023-7023.	0.8	3
31	Extracorporeal photopheresis vs standard therapies for steroid-refractory chronic graft-versus-host disease: Pharmacoeconomic assessment of hospital resource use in Spain. <i>Journal of Clinical Apheresis</i> , 2021, 36, 612-620.	0.7	2
32	The Mutational Landscape of Acute Myeloid Leukaemia Predicts Responses and Outcomes in Elderly Patients from the PETHEMA-FLUGAZA Phase 3 Clinical Trial. <i>Cancers</i> , 2021, 13, 2458.	1.7	7
33	Current status of acute myeloid leukaemia in Spain: Results from a Delphi study on its epidemiology, disease management and unmet clinical needs. <i>Medicina Clínica</i> , 2021, 156, 573-574.	0.3	2
34	Evolving patterns of care and outcomes in relapsed/refractory FLT3 mutated acute myeloid leukemia adult patients. <i>Leukemia and Lymphoma</i> , 2021, 62, 2727-2736.	0.6	0
35	Current status of acute myeloid leukaemia in Spain: Results from a Delphi study on its epidemiology, disease management and unmet clinical needs. <i>Medicina Clínica (English Edition)</i> , 2021, 156, 573-574.	0.1	0
36	Characteristics, clinical outcomes, and risk factors of SARS-COV-2 infection in adult acute myeloid leukemia patients: experience of the PETHEMA group. <i>Leukemia and Lymphoma</i> , 2021, 62, 2928-2938.	0.6	21

#	ARTICLE	IF	CITATIONS
37	A 2:1 randomized, open-label, phase II study of selinexor vs. physician's choice in older patients with relapsed or refractory acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2021, 62, 1-12.	0.6	9
38	Results of a randomized phase 3 study of oral sapacitabine in elderly patients with newly diagnosed acute myeloid leukemia (SEAMLESS). <i>Cancer</i> , 2021, 127, 4421-4431.	2.0	4
39	Outcomes and prognostic factors of adults with refractory or relapsed T-cell acute lymphoblastic leukemia included in measurable residual disease-oriented trials. <i>Hematological Oncology</i> , 2021, 39, 529-538.	0.8	3
40	6-month follow-up of VIALE-C demonstrates improved and durable efficacy in patients with untreated AML ineligible for intensive chemotherapy. <i>Blood Cancer Journal</i> , 2021, 11, 163.	2.8	17
41	Secondary AML. <i>Hematologic Malignancies</i> , 2021, , 71-101.	0.2	0
42	Networking for advanced molecular diagnosis in acute myeloid leukemia patients is possible: the PETHEMA NGS-AML project. <i>Haematologica</i> , 2021, 106, 3079-3089.	1.7	15
43	Characteristics and outcome of acute myeloid leukemia with uncommon retinoic acid receptor-alpha (RARA) fusion variants. <i>Blood Cancer Journal</i> , 2021, 11, 167.	2.8	11
44	A prospective biomarker analysis of alvocidib followed by cytarabine and mitoxantrone in MCL-1-dependent relapsed/refractory acute myeloid leukemia. <i>Blood Cancer Journal</i> , 2021, 11, 175.	2.8	3
45	Use of Azacitidine or Decitabine for the Up-Front Setting in Acute Myeloid Leukaemia: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2021, 13, 5677.	1.7	8
46	Partial T Cell-Depleted Peripheral Blood Stem Cell Transplantation from HLA-Identical Sibling Donors for Patients with Severe Aplastic Anemia. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 83-87.	2.0	3
47	Prospective Randomized Study Comparing Myeloablative Unrelated Umbilical Cord Blood Transplantation versus HLA-Haploidentical Related Stem Cell Transplantation for Adults with Hematologic Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 358-366.	2.0	36
48	Practical Considerations for Treatment of Relapsed/Refractory FLT3-ITD Acute Myeloid Leukaemia with Quizartinib: Illustrative Case Reports. <i>Clinical Drug Investigation</i> , 2020, 40, 227-235.	1.1	2
49	Characteristics and outcome of adult patients with acute promyelocytic leukemia and increased body mass index treated with the PETHEMA Protocols. <i>European Journal of Haematology</i> , 2020, 104, 162-169.	1.1	6
50	First-in-Human Phase I Study of Iadademstat (ORY-1001): A First-in-Class Lysine-Specific Histone Demethylase 1A Inhibitor, in Relapsed or Refractory Acute Myeloid Leukemia. <i>Journal of Clinical Oncology</i> , 2020, 38, 4260-4273.	0.8	59
51	Survival outcomes and clinical benefit in patients with acute myeloid leukemia treated with glasdegib and low-dose cytarabine according to response to therapy. <i>Journal of Hematology and Oncology</i> , 2020, 13, 92.	6.9	28
52	Drug-drug interactions of newly approved small molecule inhibitors for acute myeloid leukemia. <i>Annals of Hematology</i> , 2020, 99, 1989-2007.	0.8	26
53	Special considerations in the management of adult patients with acute leukaemias and myeloid neoplasms in the COVID-19 era: recommendations from a panel of international experts. <i>Lancet Haematology</i> , 2020, 7, e601-e612.	2.2	56
54	Precision medicine in acute myeloid leukemia: where are we now and what does the future hold?. <i>Expert Review of Hematology</i> , 2020, 13, 1057-1065.	1.0	5

#	ARTICLE	IF	CITATIONS
55	Selection and management of older patients with acute myeloid leukemia treated with glasdegib plus low-dose cytarabine: expert panel review. <i>Leukemia and Lymphoma</i> , 2020, 61, 3287-3305.	0.6	2
56	Oral Azacitidine Maintenance Therapy for Acute Myeloid Leukemia in First Remission. <i>New England Journal of Medicine</i> , 2020, 383, 2526-2537.	13.9	265
57	Unique clinico-biological, genetic and prognostic features of adult early T-cell precursor acute lymphoblastic leukemia. <i>Haematologica</i> , 2020, 105, e294-e297.	1.7	29
58	MIRROS: a randomized, placebo-controlled, Phase III trial of cytarabine ± idasanutlin in relapsed or refractory acute myeloid leukemia. <i>Future Oncology</i> , 2020, 16, 807-815.	1.1	53
59	Management of hyperleukocytosis and impact of leukapheresis among patients with acute myeloid leukemia (AML) on short- and long-term clinical outcomes: a large, retrospective, multicenter, international study. <i>Leukemia</i> , 2020, 34, 3149-3160.	3.3	54
60	Patterns of care and clinical outcomes of patients with newly diagnosed acute myeloid leukemia presenting with hyperleukocytosis who do not receive intensive chemotherapy. <i>Leukemia and Lymphoma</i> , 2020, 61, 1220-1225.	0.6	15
61	Improving the prediction of acute myeloid leukaemia outcomes by complementing mutational profiling with <i>in vivo</i> chemosensitivity. <i>British Journal of Haematology</i> , 2020, 189, 672-683.	1.2	11
62	Outcome of older (>=70 years) APL patients frontline treated with or without arsenic trioxide: an International Collaborative Study. <i>Leukemia</i> , 2020, 34, 2333-2341.	3.3	20
63	Tyrosine kinase inhibitors for acute myeloid leukemia: A step toward disease control?. <i>Blood Reviews</i> , 2020, 44, 100675.	2.8	23
64	A pediatric regimen for adolescents and young adults with Philadelphia chromosome-negative acute lymphoblastic leukemia: Results of the ALLRE08 PETHEMA trial. <i>Cancer Medicine</i> , 2020, 9, 2317-2329.	1.3	13
65	Treatment of Frail Older Adults and Elderly Patients With Philadelphia Chromosome-negative Acute Lymphoblastic Leukemia: Results of a Prospective Trial With Minimal Chemotherapy. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, e513-e522.	0.2	5
66	Treatment of acute promyelocytic leukemia in older patients: recommendations of an International Society of Geriatric Oncology (SIOG) task force. <i>Journal of Geriatric Oncology</i> , 2020, 11, 1199-1209.	0.5	8
67	Analysis of SNP Array Abnormalities in Patients with DE NOVO Acute Myeloid Leukemia with Normal Karyotype. <i>Scientific Reports</i> , 2020, 10, 5904.	1.6	8
68	Performance of prognostic scoring systems in elderly patients with acute myeloid leukaemia on intensive chemotherapy: A PETHEMA registry study. <i>Leukemia Research</i> , 2020, 92, 106352.	0.4	0
69	Robust Efficacy Signals in Elderly AML Patients Treated with ladademstat in Combination with Azacitidine (ALICE Phase IIa Trial). <i>Blood</i> , 2020, 136, 22-22.	0.6	1
70	Venetoclax plus LDAC for newly diagnosed AML ineligible for intensive chemotherapy: a phase 3 randomized placebo-controlled trial. <i>Blood</i> , 2020, 135, 2137-2145.	0.6	470
71	Azacitidine Vs. Decitabine in Unfit Newly Diagnosed Acute Myeloid Leukemia Patients: Results from the Pethema Registry. <i>Blood</i> , 2020, 136, 25-27.	0.6	3
72	Use of Venetoclax in Patients with Relapsed or Refractory Acute Myeloid Leukemia: The Pethema Registry Experience. <i>Blood</i> , 2020, 136, 2-3.	0.6	0

#	ARTICLE	IF	CITATIONS
73	Delays in Time to Deterioration of Health-Related Quality of Life Were Observed in Patients with Acute Myeloid Leukemia Receiving Venetoclax in Combination with Azacitidine or in Combination with Low-Dose Cytarabine. <i>Blood</i> , 2020, 136, 33-35.	0.6	1
74	Performance of the Medical Research Council (MRC) and the Leukemia Research Foundation (LRF) score in predicting survival benefit with hypomethylating agent use in patients with relapsed or refractory acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2019, 60, 246-249.	0.6	0
75	A novel deep targeted sequencing method for minimal residual disease monitoring in acute myeloid leukemia. <i>Haematologica</i> , 2019, 104, 288-296.	1.7	36
76	Molecular profiling refines minimal residual disease-based prognostic assessment in adults with Philadelphia chromosome-negative B-cell precursor acute lymphoblastic leukemia. <i>Genes Chromosomes and Cancer</i> , 2019, 58, 815-819.	1.5	6
77	&lt;p&gt;IDH1-mutated relapsed or refractory AML: current challenges and future prospects&lt;/p&gt;. <i>Blood and Lymphatic Cancer: Targets and Therapy</i> , 2019, Volume 9, 19-32.	1.2	24
78	Quizartinib in FLT3-ITD-Mutated Relapsed/Refractory Acute Myeloid Leukemia: QuANTUM-R Trial Results. <i>Annals of Oncology</i> , 2019, 30, vi81.	0.6	2
79	Update on management and progress of novel therapeutics for R/R AML: an Iberian expert panel consensus. <i>Annals of Hematology</i> , 2019, 98, 2467-2483.	0.8	9
80	Gilteritinib or Chemotherapy for Relapsed or Refractory <i>FLT3</i>-Mutated AML. <i>New England Journal of Medicine</i> , 2019, 381, 1728-1740.	13.9	796
81	Low-Dose Cytarabine With or Without Glasdegib in Newly Diagnosed Patients with Acute Myeloid Leukemia: Long-Term Analysis of a Phase 2 Randomized Trial. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, S228-S229.	0.2	4
82	Clinical Benefit of Glasdegib Plus Low-Dose Cytarabine in Patients with De Novo and Secondary Acute Myeloid Leukemia: Long-Term Analysis of a Phase 2 Randomized Trial. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, S231.	0.2	4
83	Daunorubicin and cytarabine for certain types of poor-prognosis acute myeloid leukemia: a systematic literature review. <i>Expert Review of Clinical Pharmacology</i> , 2019, 12, 197-218.	1.3	15
84	Incidence and outcome of invasive fungal disease after front-line intensive chemotherapy in patients with acute myeloid leukemia: impact of antifungal prophylaxis. <i>Annals of Hematology</i> , 2019, 98, 2081-2088.	0.8	16
85	Quizartinib versus salvage chemotherapy in relapsed or refractory FLT3-ITD acute myeloid leukaemia (QuANTUM-R): a multicentre, randomised, controlled, open-label, phase 3 trial. <i>Lancet Oncology</i> , The, 2019, 20, 984-997.	5.1	330
86	Real life outcomes of patients aged ≥75 years old with acute promyelocytic leukemia: experience of the PETHEMA registry. <i>Leukemia and Lymphoma</i> , 2019, 60, 2720-2732.	0.6	2
87	Incidence and outcome after first molecular versus overt recurrence in patients with Philadelphia chromosome-positive acute lymphoblastic leukemia included in the ALL Ph08 trial from the Spanish PETHEMA Group. <i>Cancer</i> , 2019, 125, 2810-2817.	2.0	13
88	Challenges in the diagnosis and treatment of secondary acute myeloid leukemia. <i>Critical Reviews in Oncology/Hematology</i> , 2019, 138, 6-13.	2.0	16
89	The poor prognosis of low hypodiploidy in adults with B-cell precursor acute lymphoblastic leukaemia is restricted to older adults and elderly patients. <i>British Journal of Haematology</i> , 2019, 186, 263-268.	1.2	6
90	DIFFERENCES IN EX-VIVO CHEMOSENSITIVITY TO ANTHRACYCLINES IN FIRST LINE ACUTE MYELOID LEUKEMIA. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2019, 11, e2019016.	0.5	3

#	ARTICLE	IF	CITATIONS
91	Management of acute promyelocytic leukemia: updated recommendations from an expert panel of the European LeukemiaNet. <i>Blood</i> , 2019, 133, 1630-1643.	0.6	393
92	PF261 A RANDOMIZED, OPEN-LABEL, PHASE II STUDY OF SELINEXOR VERSUS PHYSICIAN'S CHOICE (PC) IN OLDER PATIENTS WITH RELAPSED OR REFRACTORY ACUTE MYELOID LEUKEMIA (AML). <i>HemaSphere</i> , 2019, 3, 82-83.	1.2	2
93	Clinical Utility of a Next-Generation Sequencing Panel for Acute Myeloid Leukemia Diagnostics. <i>Journal of Molecular Diagnostics</i> , 2019, 21, 228-240.	1.2	24
94	Randomized comparison of low dose cytarabine with or without glasdegib in patients with newly diagnosed acute myeloid leukemia or high-risk myelodysplastic syndrome. <i>Leukemia</i> , 2019, 33, 379-389.	3.3	396
95	Clinical significance of complex karyotype at diagnosis in pediatric and adult patients with de novo acute promyelocytic leukemia treated with ATRA and chemotherapy. <i>Leukemia and Lymphoma</i> , 2019, 60, 1146-1155.	0.6	12
96	Time and Cost of Hospitalisation for Salvage Therapy in Adults with Philadelphia Chromosome-Negative B Cell Precursor Relapsed or Refractory Acute Lymphoblastic Leukaemia in Spain. <i>PharmacoEconomics - Open</i> , 2019, 3, 229-235.	0.9	3
97	A precision medicine test predicts clinical response after idarubicin and cytarabine induction therapy in AML patients. <i>Leukemia Research</i> , 2019, 76, 1-10.	0.4	15
98	Validation of a multivariable prediction model for post-engraftment invasive fungal disease in 465 adult allogeneic hematopoietic stem cell transplant recipients. <i>Mycoses</i> , 2019, 62, 418-427.	1.8	3
99	Increased survival due to lower toxicity for high-risk cell acute lymphoblastic leukemia patients in two consecutive pediatric-inspired PETHEMA trials. <i>European Journal of Haematology</i> , 2019, 102, 79-86.	1.1	14
100	PF277 ALICE: AN AML STUDY WITH LSD1 INHIBITION IN COMBINATION WITH AZACITIDINE IN THE ELDERLY. <i>HemaSphere</i> , 2019, 3, 90.	1.2	1
101	Abstract CT184: Gilteritinib significantly prolongs overall survival in patients with FLT3-mutated (FLT3 mut+) relapsed/refractory (R/R) acute myeloid leukemia (AML): Results from the Phase III ADMIRAL trial. <i>Cancer Research</i> , 2019, 79, CT184-CT184.	0.4	18
102	Emerging Mutations at Relapse in Patients with FLT3-Mutated Relapsed/Refractory Acute Myeloid Leukemia Who Received Gilteritinib Therapy in the Phase 3 Admiral Trial. <i>Blood</i> , 2019, 134, 14-14.	0.6	20
103	Olutasidenib (FT-2102), an IDH1m Inhibitor As a Single Agent or in Combination with Azacitidine, Induces Deep Clinical Responses with Mutation Clearance in Patients with Acute Myeloid Leukemia Treated in a Phase 1 Dose Escalation and Expansion Study. <i>Blood</i> , 2019, 134, 231-231.	0.6	23
104	Salvage regimens using conventional chemotherapy agents for relapsed/refractory adult AML patients: a systematic literature review. <i>Annals of Hematology</i> , 2018, 97, 1115-1153.	0.8	81
105	Allogeneic Hematopoietic Stem Cell Transplantation Following the Use of Hypomethylating Agents among Patients with Relapsed or Refractory AML: Findings from an International Retrospective Study. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1754-1758.	2.0	6
106	A phase II study of plerixafor in combination with fludarabine, idarubicin, cytarabine, and G-CSF (PLERIFLAG regimen) for the treatment of patients with the first early-relapsed or refractory acute myeloid leukemia. <i>Annals of Hematology</i> , 2018, 97, 763-772.	0.8	39
107	Cohort-Controlled Comparison of Umbilical Cord Blood Transplantation Using Carlecortemcel-L, a Single Progenitor-Enriched Cord Blood, to Double Cord Blood Unit Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1463-1470.	2.0	31
108	Frequency and prognostic significance of additional cytogenetic abnormalities to the Philadelphia chromosome in young and older adults with acute lymphoblastic leukemia. <i>Leukemia and Lymphoma</i> , 2018, 59, 146-154.	0.6	17

#	ARTICLE	IF	CITATIONS
109	Long-term outcome of older patients with newly diagnosed de novo acute promyelocytic leukemia treated with ATRA plus anthracycline-based therapy. <i>Leukemia</i> , 2018, 32, 21-29.	3.3	24
110	Real life experience with frontline azacitidine in a large series of older adults with acute myeloid leukemia stratified by MRC/LRF score: results from the expanded international E-ALMA series (E-ALMA+). <i>Leukemia and Lymphoma</i> , 2018, 59, 1113-1120.	0.6	23
111	Focal Adhesion Genes Refine the Intermediate-Risk Cytogenetic Classification of Acute Myeloid Leukemia. <i>Cancers</i> , 2018, 10, 436.	1.7	8
112	Testing for minimal residual disease in adults with acute lymphoblastic leukemia in Europe: a clinician survey. <i>BMC Cancer</i> , 2018, 18, 1100.	1.1	12
113	Hypomethylating agents in relapsed and refractory AML: outcomes and their predictors in a large international patient cohort. <i>Blood Advances</i> , 2018, 2, 923-932.	2.5	114
114	Pharmacogenetics of Metabolic Genes of Anthracyclines in Acute Myeloid Leukemia. <i>Current Drug Metabolism</i> , 2018, 19, 55-74.	0.7	22
115	Efficacy and safety of native versus pegylated <i>Escherichia coli</i> asparaginase for treatment of adults with high-risk, Philadelphia chromosome-negative acute lymphoblastic leukemia. <i>Leukemia and Lymphoma</i> , 2018, 59, 1634-1643.	0.6	13
116	Efficacy and Safety of Single-Agent Quizartinib (Q), a Potent and Selective FLT3 Inhibitor (FLT3i), in Patients (pts) with FLT3-Internal Tandem Duplication (FLT3-ITD)-Mutated Relapsed/Refractory (R/R) Acute Myeloid Leukemia (AML) Enrolled in the Global, Phase 3, Randomized Controlled Quantum-R Trial. <i>Blood</i> , 2018, 132, 563-563.	0.6	26
117	Multicenter, Open-Label, 3-Arm Study of Gilteritinib, Gilteritinib Plus Azacitidine, or Azacitidine Alone in Newly Diagnosed FLT3 Mutated (FLT3mut+) Acute Myeloid Leukemia (AML) Patients Ineligible for Intensive Induction Chemotherapy: Findings from the Safety Cohort. <i>Blood</i> , 2018, 132, 2736-2736.	0.6	44
118	Zella 201: A Biomarker-Guided Phase II Study of Alvocidib Followed By Cytarabine and Mitoxantrone in MCL-1 Dependent Relapsed/Refractory Acute Myeloid Leukemia (AML). <i>Blood</i> , 2018, 132, 30-30.	0.6	7
119	Assessment of late cardiomyopathy by magnetic resonance imaging in patients with acute promyelocytic leukaemia treated with all-trans retinoic acid and idarubicin. <i>Annals of Hematology</i> , 2017, 96, 1077-1084.	0.8	8
120	Impact of ABC single nucleotide polymorphisms upon the efficacy and toxicity of induction chemotherapy in acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2017, 58, 1197-1206.	0.6	33
121	QuANTUM-First: phase 3, double-blind, placebo-controlled study of quizartinib in combination with induction and consolidation chemotherapy, and as maintenance therapy in patients (pts) with newly diagnosed (NDx) FLT3-ITD acute myeloid leukemia (AML). <i>Annals of Oncology</i> , 2017, 28, v370.	0.6	5
122	Design of the randomized, Phase III, QUAZAR AML Maintenance trial of CC-486 (oral azacitidine) maintenance therapy in acute myeloid leukemia. <i>Future Oncology</i> , 2016, 12, 293-302.	1.1	36
123	A prognostic model for survival after salvage treatment with FLAG-gemtuzumab-ogamicine in adult patients with refractory/relapsed acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2016, 174, 700-710.	1.2	44
124	Pharmacogenomics and the treatment of acute myeloid leukemia. <i>Pharmacogenomics</i> , 2016, 17, 1245-1272.	0.6	25
125	Busulfan-based reduced intensity conditioning regimens for haploidentical transplantation in relapsed/refractory Hodgkin lymphoma: Spanish multicenter experience. <i>Bone Marrow Transplantation</i> , 2016, 51, 1307-1312.	1.3	31
126	Emerging strategies for the treatment of older patients with acute myeloid leukemia. <i>Annals of Hematology</i> , 2016, 95, 1583-1593.	0.8	16



#	ARTICLE	IF	CITATIONS
127	Minimal residual disease evaluation by flow cytometry is a complementary tool to cytogenetics for treatment decisions in acute myeloid leukaemia. <i>Leukemia Research</i> , 2016, 40, 1-9.	0.4	29
128	Positive impact of ABCB1 polymorphisms in overall survival and complete remission in acute myeloid leukemia: a systematic review and meta-analysis. <i>Pharmacogenomics Journal</i> , 2016, 16, 1-2.	0.9	9
129	Safety, Pharmacokinetics (PK), Pharmacodynamics (PD) and Preliminary Activity in Acute Leukemia of Ory-1001, a First-in-Class Inhibitor of Lysine-Specific Histone Demethylase 1A (LSD1/KDM1A): Initial Results from a First-in-Human Phase 1 Study. <i>Blood</i> , 2016, 128, 4060-4060.	0.6	34
130	Influence of ABCB1 polymorphisms upon the effectiveness of standard treatment for acute myeloid leukemia: A systematic review and meta-analysis of observational studies. <i>Pharmacogenomics Journal</i> , 2015, 15, 109-118.	0.9	26
131	Treatment of invasive fungal disease using anidulafungin alone or in combination for hematologic patients with concomitant hepatic or renal impairment. <i>Revista Iberoamericana De Micologia</i> , 2015, 32, 185-189.	0.4	4
132	Arsenic trioxide-based therapy of relapsed acute promyelocytic leukemia: registry results from the European LeukemiaNet. <i>Leukemia</i> , 2015, 29, 1084-1091.	3.3	70
133	Incidence and risk factors of post-engraftment invasive fungal disease in adult allogeneic hematopoietic stem cell transplant recipients receiving oral azoles prophylaxis. <i>Bone Marrow Transplantation</i> , 2015, 50, 1465-1472.	1.3	33
134	Post-Remission Treatment with Chemotherapy or Allogeneic Hematopoietic Stem Cell Transplantation (alloHSCT) of High-Risk (HR) Philadelphia Chromosome-Negative (Ph-neg) Adult Acute Lymphoblastic Leukemia (ALL) According to Minimal Residual Disease (MRD). Preliminary Results of the Pethema ALL-HR-11 Trial. <i>Blood</i> , 2015, 126, 1333-1333.	0.6	9
135	Autoimmune cytopenias after umbilical cord blood transplantation in adults with hematological malignancies: a single-center experience. <i>Bone Marrow Transplantation</i> , 2014, 49, 1084-1088.	1.3	31
136	EBV-associated post-transplant lymphoproliferative disorder after umbilical cord blood transplantation in adults with hematological diseases. <i>Bone Marrow Transplantation</i> , 2014, 49, 397-402.	1.3	63
137	T Cell-Depleted Related HLA-Mismatched Peripheral Blood Stem Cell Transplantation as Salvage Therapy for Graft Failure after Single Unit Unrelated Donor Umbilical Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1060-1063.	2.0	16
138	Incidence, risk factors, and outcome of bacteremia following autologous hematopoietic stem cell transplantation in 720 adult patients. <i>Annals of Hematology</i> , 2014, 93, 299-307.	0.8	38
139	Phase II trial to assess the safety and efficacy of clofarabine in combination with low-dose cytarabine in elderly patients with acute myeloid leukemia. <i>Annals of Hematology</i> , 2014, 93, 43-46.	0.8	16
140	Treatment of High-Risk Philadelphia Chromosome-Negative Acute Lymphoblastic Leukemia in Adolescents and Adults According to Early Cytologic Response and Minimal Residual Disease After Consolidation Assessed by Flow Cytometry: Final Results of the PETHEMA ALL-AR-03 Trial. <i>Journal of Clinical Oncology</i> , 2014, 32, 1595-1604.	0.8	227
141	How we prevent and treat differentiation syndrome in patients with acute promyelocytic leukemia. <i>Blood</i> , 2014, 123, 2777-2782.	0.6	130
142	Pharmacological Profiles of Acute Myeloid Leukemia Treatments in Patient Samples by Automated Flow Cytometry: A Bridge to Individualized Medicine. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2014, 14, 305-318.	0.2	30
143	International Randomized Phase III Study of Elacytarabine Versus Investigator Choice in Patients With Relapsed/Refractory Acute Myeloid Leukemia. <i>Journal of Clinical Oncology</i> , 2014, 32, 1919-1926.	0.8	166
144	Myeloablative Cord Blood Transplantation in Adults with Acute Leukemia: Comparison of Two Different Transplant Platforms. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 1725-1730.	2.0	31

#	ARTICLE	IF	CITATIONS
145	Impact of Graft-versus-Host Disease Prophylaxis on Outcomes after Myeloablative Single-Unit Umbilical Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 1387-1392.	2.0	24
146	Intensive (2+5) Or Semi-Intensive (FLUGA) Chemotherapy For Patients With Acute Myeloid Leukemia Who Are 70 Years Of Age Or Older. <i>Blood</i> , 2013, 122, 2687-2687.	0.6	2
147	Treatment of young patients with Philadelphia chromosome-positive acute lymphoblastic leukaemia using increased dose of imatinib and deintensified chemotherapy before allogeneic stem cell transplantation. <i>British Journal of Haematology</i> , 2012, 159, 78-81.	1.2	43
148	Significance of Increased Blastic-Appearing Cells in Bone Marrow Following Myeloablative Unrelated Cord Blood Transplantation in Adult Patients. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 388-395.	2.0	7
149	A scoring system to predict the risk of death during induction with anthracycline plus cytarabine-based chemotherapy in patients with de novo acute myeloid leukemia. <i>Cancer</i> , 2012, 118, 410-417.	2.0	24
150	Prognostic value of FLT3 mutations in patients with acute promyelocytic leukemia treated with all-trans retinoic acid and anthracycline monochemotherapy. <i>Haematologica</i> , 2011, 96, 1470-1477.	1.7	59
151	Clinical significance of CD56 expression in patients with acute promyelocytic leukemia treated with all-trans retinoic acid and anthracycline-based regimens. <i>Blood</i> , 2011, 117, 1799-1805.	0.6	112
152	THE DIFFERENTIATION SYNDROME IN PATIENTS WITH ACUTE PROMYELOCYTIC LEUKEMIA: EXPERIENCE OF THE PETHEMA GROUP AND REVIEW OF THE LITERATURE.. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2011, 3, e2011059.	0.5	77
153	Risk-adapted treatment of acute promyelocytic leukemia based on all-trans retinoic acid and anthracycline with addition of cytarabine in consolidation therapy for high-risk patients: further improvements in treatment outcome. <i>Blood</i> , 2010, 115, 5137-5146.	0.6	278
154	Additional chromosome abnormalities in patients with acute promyelocytic leukemia treated with all-trans retinoic acid and chemotherapy. <i>Haematologica</i> , 2010, 95, 424-431.	1.7	84
155	Cord Blood Transplantation from Unrelated Donors in Adults with High-Risk Acute Myeloid Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 86-94.	2.0	79
156	Single-Unit Umbilical Cord Blood Transplantation from Unrelated Donors in Adult Patients with Chronic Myelogenous Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 1589-1595.	2.0	30
157	Imipenem/Cilastatin with or without Glycopeptide as Initial Antibiotic Therapy for Recipients of Autologous Stem Cell Transplantation: Results of a Spanish Multicenter Study. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 512-516.	2.0	7
158	Incidence, Risk Factors, and Outcome of Cytomegalovirus Infection and Disease in Patients Receiving Prophylaxis with Oral Valganciclovir or Intravenous Ganciclovir after Umbilical Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 730-740.	2.0	54
159	Central nervous system involvement at first relapse in patients with acute promyelocytic leukemia treated with all-trans retinoic acid and anthracycline monochemotherapy without intrathecal prophylaxis. <i>Haematologica</i> , 2009, 94, 1242-1249.	1.7	93
160	Differentiation syndrome in patients with acute promyelocytic leukemia treated with all-trans retinoic acid and anthracycline chemotherapy: characteristics, outcome, and prognostic factors. <i>Blood</i> , 2009, 113, 775-783.	0.6	279
161	Tumor lysis syndrome in patients with acute myeloid leukemia: identification of risk factors and development of a predictive model. <i>Haematologica</i> , 2008, 93, 67-74.	1.7	188
162	Causes and prognostic factors of remission induction failure in patients with acute promyelocytic leukemia treated with all-trans retinoic acid and idarubicin. <i>Blood</i> , 2008, 111, 3395-3402.	0.6	303

#	ARTICLE	IF	CITATIONS
163	Risk-adapted treatment of acute promyelocytic leukemia with all-trans retinoic acid and anthracycline monochemotherapy: long-term outcome of the LPA 99 multicenter study by the PETHEMA Group. <i>Blood</i> , 2008, 112, 3130-3134.	0.6	154
164	A Study of Incidence and Characteristics of Infections in 476 Patients from a Single Center Undergoing Autologous Blood Stem Cell Transplantation. <i>International Journal of Hematology</i> , 2007, 86, 186-192.	0.7	16