

William Casey

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3964006/publications.pdf>

Version: 2024-02-01

189
papers

9,679
citations

39113

52
h-index

48101

92
g-index

218
all docs

218
docs citations

218
times ranked

9979
citing authors

#	ARTICLE	IF	CITATIONS
1	Protocaseyite, a new decavanadate mineral containing a $[Al_4(OH)_6(H_2O)_{12}]^{6+}$ linear tetramer, a novel isopolycation. <i>American Mineralogist</i> , 2022, 107, 1181-1189.	0.9	5
2	Novel color center platforms enabling fundamental scientific discovery. <i>Informa-Materially</i> , 2021, 3, 869-890.	8.5	29
3	A conspicuous ^{27}Al -NMR signal at 72 ppm during isomerization of Keggin Al_{13} ions. <i>Inorganica Chimica Acta</i> , 2021, 514, 120014.	1.2	2
4	Metallo-inhibition of Mnx, a bacterial manganese multicopper oxidase complex. <i>Journal of Inorganic Biochemistry</i> , 2021, 224, 111547.	1.5	3
5	Investigation of the physical, optical, and chemical properties of phase segregated AlCoOx thin films from a novel hexol-type cluster. <i>Dalton Transactions</i> , 2021, 50, 3247-3252.	1.6	0
6	Optically detected NMR in a diamond-anvil cell for geochemistry. <i>Advances in Inorganic Chemistry</i> , 2021, 78, 269-287.	0.4	0
7	ac Sensing Using Nitrogen-Vacancy Centers in a Diamond Anvil Cell up to 6 GPa. <i>Physical Review Applied</i> , 2021, 16, .	1.5	4
8	The Surface Chemistry of Metal Oxide Clusters: From Metal-Organic Frameworks to Minerals. <i>ACS Central Science</i> , 2020, 6, 1523-1533.	5.3	46
9	Dynamics of Cation-Induced Conformational Changes in Nanometer-Sized Uranyl Peroxide Clusters. <i>Inorganic Chemistry</i> , 2020, 59, 2495-2502.	1.9	7
10	Calculated Oxygen-Isotope Fractionations among Brucite, Portlandite, and Water. <i>ACS Earth and Space Chemistry</i> , 2019, 3, 1584-1593.	1.2	4
11	Aqueous geochemistry at gigapascal pressures: NMR spectroscopy of fluoroborate solutions. <i>Geochimica Et Cosmochimica Acta</i> , 2019, 244, 173-181.	1.6	11
12	Rates of Ligand Exchange around the Bis-Oxalato Complex $[NpO_2(C_2O_4)_2]^{3-}$ Measured by Using Multinuclear NMR Spectroscopy under Neutral to Semi-Alkaline Conditions. <i>ChemPlusChem</i> , 2018, 83, 590-596.	1.3	0
13	Computational prediction of Mg-isotope fractionation between aqueous $[Mg(OH_2)_6]^{2+}$ and brucite. <i>Geochimica Et Cosmochimica Acta</i> , 2018, 227, 64-74.	1.6	9
14	Synthesis, characterization and properties of a glycol-coordinated μ -Keggin-type Al_{13} chloride. <i>Chemical Communications</i> , 2018, 54, 4148-4151.	2.2	8
15	Probing Electron Transfer in the Manganese-Oxide-Forming MnxEFG Protein Complex using Fourier Transformed AC Voltammetry: Understanding the Oxidative Priming Effect. <i>ChemElectroChem</i> , 2018, 5, 872-876.	1.7	2
16	Niobium Is Highly Mobile As a Polyoxometalate Ion During Natural Weathering. <i>Canadian Mineralogist</i> , 2018, 56, 905-912.	0.3	18
17	^{29}Si NMR of aqueous silicate complexes at gigapascal pressures. <i>Communications Chemistry</i> , 2018, 1, .	2.0	3
18	^{17}O NMR as a Tool in Discrete Metal Oxide Cluster Chemistry. <i>Annual Reports on NMR Spectroscopy</i> , 2018, 94, 187-248.	0.7	7

#	ARTICLE	IF	CITATIONS
19	Mn(III) species formed by the multi-copper oxidase MnxG investigated by electron paramagnetic resonance spectroscopy. <i>Journal of Biological Inorganic Chemistry</i> , 2018, 23, 1093-1104.	1.1	8
20	Acceptance of the 2016 C.C. Patterson Award by William H. Casey. <i>Geochimica Et Cosmochimica Acta</i> , 2017, 201, 432-433.	1.6	0
21	²⁷ Al MQMAS of the $\hat{\Gamma}$ -Al ₁₃ -Keggin. <i>Dalton Transactions</i> , 2017, 46, 2249-2254.	1.6	10
22	Hierarchy of Pyrophosphate-Functionalized Uranyl Peroxide Nanocluster Synthesis. <i>Inorganic Chemistry</i> , 2017, 56, 5478-5487.	1.9	22
23	Synthesis of an Aluminum Hydroxide Octamer through a Simple Dissolution Method. <i>Angewandte Chemie</i> , 2017, 129, 10295-10298.	1.6	10
24	Synthesis of an Aluminum Hydroxide Octamer through a Simple Dissolution Method. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 10161-10164.	7.2	24
25	Oxygen-18 Isotope Exchange and Metastable Dissociation in Oxides. <i>Advances in Inorganic Chemistry</i> , 2017, , 91-115.	0.4	2
26	Stable Heterometallic Cluster Ions based on Werner's Hexol. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 8776-8779.	7.2	2
27	Copper Binding Sites in the Manganese-Oxidizing Mnx Protein Complex Investigated by Electron Paramagnetic Resonance Spectroscopy. <i>Journal of the American Chemical Society</i> , 2017, 139, 8868-8877.	6.6	14
28	Pressure Dependence of Carbonate Exchange with [NpO ₂ (CO ₃) ₃] ⁴⁻ in Aqueous Solutions. <i>Inorganic Chemistry</i> , 2017, 56, 661-666.	1.9	5
29	Steps to achieving high-resolution NMR spectroscopy on solutions at GPa pressure. <i>Numerische Mathematik</i> , 2017, 317, 846-860.	0.7	8
30	Cation-Directed Isomerization of the U ²⁸ Uranyl-Peroxide Cluster. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 5429-5433.	1.0	1
31	Tunable Biogenic Manganese Oxides. <i>Chemistry - A European Journal</i> , 2017, 23, 13482-13492.	1.7	8
32	Mn(II) Oxidation by the Multicopper Oxidase Complex Mnx: A Coordinated Two-Stage Mn(II)/(III) and Mn(III)/(IV) Mechanism. <i>Journal of the American Chemical Society</i> , 2017, 139, 11381-11391.	6.6	58
33	Mn(II) Oxidation by the Multicopper Oxidase Complex Mnx: A Binuclear Activation Mechanism. <i>Journal of the American Chemical Society</i> , 2017, 139, 11369-11380.	6.6	39
34	Stable Heterometallic Cluster Ions based on Werner's Hexol. <i>Angewandte Chemie</i> , 2017, 129, 8902-8905.	1.6	1
35	The Propensity of Uranium-Peroxide Systems to Preserve Nanosized Assemblies. <i>Inorganic Chemistry</i> , 2017, 56, 9602-9608.	1.9	19
36	Biogenic Manganese-Oxide Mineralization is Enhanced by an Oxidative Priming Mechanism for the Multi-Copper Oxidase, MnxEFG. <i>Chemistry - A European Journal</i> , 2017, 23, 1346-1352.	1.7	12

#	ARTICLE	IF	CITATIONS
37	Front Cover: Cation-Directed Isomerization of the U ₂₈ Uranyl-Peroxide Cluster (Eur. J. Inorg. Chem.) Tj ETQq1 1 0.784314 rgBT /Overl	1.0	0
38	Cation-Directed Isomerization of the U ₂₈ Uranyl-Peroxide Cluster. European Journal of Inorganic Chemistry, 2017, 2017, 5248-5248.	1.0	0
39	Dynamic Phosphonic Bridges in Aqueous Uranyl Clusters. European Journal of Inorganic Chemistry, 2016, 2016, 797-801.	1.0	8
40	Isomerization of Keggin Al ₁₃ Ions Followed by Diffusion Rates. Chemistry - A European Journal, 2016, 22, 18637-18637.	1.7	2
41	Proton-Exchange Rates on Hydroxide Bridges of Mineral-Like Metal-Hydroxide Clusters. ChemistrySelect, 2016, 1, 1118-1122.	0.7	1
42	Titanium-Substituted Polyoxotantalate Clusters Exhibiting Wide pH Stabilities: [Ti ₂ Ta ₈ O ₂₈] ⁸⁻ and [Ti ₁₂ Ta ₆ O ₄₄] ¹⁰⁻ . Chemistry - A European Journal, 2016, 22, 14155-14157.	1.7	44
43	NMR spectroscopy of some electrolyte solutions to 1.9 GPa. Geochimica Et Cosmochimica Acta, 2016, 193, 66-74.	1.6	6
44	Isomerization of Keggin Al ₁₃ Ions Followed by Diffusion Rates. Chemistry - A European Journal, 2016, 22, 18682-18685.	1.7	16
45	Characterization of decavanadate and decaniobate solutions by Raman spectroscopy. Dalton Transactions, 2016, 45, 7391-7399.	1.6	74
46	Structure and Reactivity of X-ray Amorphous Uranyl Peroxide, U ₂ O ₇ . Inorganic Chemistry, 2016, 55, 3541-3546.	1.9	50
47	Pathways for oxygen-isotope exchange in two model oxide clusters. New Journal of Chemistry, 2016, 40, 898-905.	1.4	12
48	The Aqueous Chemistry of Oxides. , 2016, , .		29
49	² H and ¹³⁹ La NMR Spectroscopy in Aqueous Solutions at Geochemical Pressures. Angewandte Chemie, 2015, 127, 15664-15667.	1.6	4
50	Energetic Insight into the Formation of Solids from Aluminum Polyoxocations. Angewandte Chemie - International Edition, 2015, 54, 9253-9256.	7.2	9
51	A New Nanometer-Sized Ga(III)-Oxyhydroxide Cation. Inorganics, 2015, 3, 21-26.	1.2	6
52	InnenrÄ¼cktitelbild: ² H and ¹³⁹ La NMR Spectroscopy in Aqueous Solutions at Geochemical Pressures (Angew. Chem. 51/2015). Angewandte Chemie, 2015, 127, 15805-15805.	1.6	0
53	The Effect of Monovalent Electrolytes on the Deprotonation of MAI ₂ Keggin Ions. Aquatic Geochemistry, 2015, 21, 81-97.	1.5	4
54	An overview of selected current approaches to the characterization of aqueous inorganic clusters. Dalton Transactions, 2015, 44, 16982-17006.	1.6	41

#	ARTICLE	IF	CITATIONS
55	Acidâ€Stable Peroxonio phosphate Clusters To Make Patterned Films. <i>Chemistry - A European Journal</i> , 2015, 21, 6727-6731.	1.7	39
56	Ligand- and oxygen-isotope-exchange pathways of geochemical interest. <i>Environmental Chemistry</i> , 2015, 12, 1.	0.7	18
57	Lithium isotope fractionation during uptake by gibbsite. <i>Geochimica Et Cosmochimica Acta</i> , 2015, 168, 133-150.	1.6	67
58	Multicopper manganese oxidase accessory proteins bind Cu and heme. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2015, 1854, 1853-1859.	1.1	24
59	² H and ¹³⁹ Laâ€NMR Spectroscopy in Aqueous Solutions at Geochemical Pressures. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 15444-15447.	7.2	15
60	Mn(II) Binding and Subsequent Oxidation by the Multicopper Oxidase MnxG Investigated by Electron Paramagnetic Resonance Spectroscopy. <i>Journal of the American Chemical Society</i> , 2015, 137, 10563-10575.	6.6	17
61	A new Keggin-like niobium-phosphate cluster that reacts reversibly with hydrogen peroxide. <i>Chemical Communications</i> , 2015, 51, 12744-12747.	2.2	30
62	Reversible capping/uncapping of phosphorous-centered Keggin-type polyoxoniobate clusters. <i>Chemical Communications</i> , 2015, 51, 1436-1438.	2.2	43
63	Structure, stability and photocatalytic H ₂ production by Cr-, Mn-, Fe-, Co-, and Ni-substituted decaniobate clusters. <i>Dalton Transactions</i> , 2014, 43, 17928-17933.	1.6	34
64	Energetics of heterometal substitution in \hat{A} -Keggin [MO ₄ Al ₁₂ (OH) ₂₄ (OH ₂) ₁₂] ^{6/7/8+} ions. <i>American Mineralogist</i> , 2014, 99, 2337-2343.	0.9	7
65	A tellurium-substituted Lindqvist-type polyoxoniobate showing high H ₂ evolution catalyzed by tellurium nanowires via photodecomposition. <i>Chemical Communications</i> , 2014, 50, 836-838.	2.2	61
66	The energetics of isomerisation in Keggin-series aluminate cations. <i>Dalton Transactions</i> , 2014, 43, 14533-14536.	1.6	24
67	A Highâ€Pressure NMR Probe for Aqueous Geochemistry. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 9788-9791.	7.2	15
68	Investigating the behaviour of Mg isotopes during the formation of clay minerals. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 128, 178-194.	1.6	145
69	Kinetic Studies of the [NpO ₂ (CO ₃) ₃] ⁴⁺ Ion at Alkaline Conditions Using ¹³ C NMR. <i>Inorganic Chemistry</i> , 2014, 53, 4202-4208.	1.9	7
70	Synthesis and Characterization of a Soluble Vanadium-Containing Keggin Polyoxoniobate by ESI-MS and ⁵¹ V NMR: (TMA) ₉ [V ₃ Nb ₁₂ O ₄₂] \hat{A} ·18H ₂ O. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 1748-1753.	1.0	40
71	Highly soluble iron- and nickel-substituted decaniobates with tetramethylammonium countercations. <i>Dalton Transactions</i> , 2013, 42, 7529.	1.6	37
72	A decatungstate-type polyoxoniobate with centered manganese: [H ₂ MnIVNb ₁₀ O ₃₂] ⁸⁻ as a soluble tetramethylammonium salt. <i>Dalton Transactions</i> , 2013, 42, 13339.	1.6	26

#	ARTICLE	IF	CITATIONS
73	Computational characterization of the internal bonding and solvation structure for $[\text{Nb}_{10}\text{O}_{28}]^{6-}$. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 20929.	1.3	1
74	Calcium-isotope fractionation between solution and solids with six, seven or eight oxygens bound to Ca(II). <i>Geochimica Et Cosmochimica Acta</i> , 2013, 121, 363-373.	1.6	38
75	Ab initio calculation of the deprotonation constants of an atomistically defined nanometer-sized, aluminium hydroxide oligomer. <i>Molecular Simulation</i> , 2013, 39, 220-227.	0.9	1
76	Dynamics of a Nanometer-Sized Uranyl Cluster in Solution. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 7464-7467.	7.2	30
77	A Soluble Phosphorus-Centered Keggin Polyoxoniobate with Bicapping Vanadyl Groups. <i>Chemistry - A European Journal</i> , 2013, 19, 5191-5197.	1.7	67
78	Decavanadate, decaniobate, tungstate and molybdate interactions with sarcoplasmic reticulum Ca^{2+} -ATPase: quercetin prevents cysteine oxidation by vanadate but does not reverse ATPase inhibition. <i>Dalton Transactions</i> , 2012, 41, 12749.	1.6	38
79	A new class of soluble and stable transition-metal-substituted polyoxoniobate: $[\text{Cr}_2(\text{OH})_4\text{Nb}_{10}\text{O}_{30}]^{8-}$. <i>Dalton Transactions</i> , 2012, 41, 12674.	1.6	39
80	Rates of Water Exchange on the $[\text{Fe}_4(\text{OH})_2(\text{hpdt})_2(\text{H}_2\text{O})_4]^{0+}$ Molecule and Its Implications for Geochemistry. <i>Inorganic Chemistry</i> , 2012, 51, 6731-6738.	1.9	21
81	Cooperation between bound waters and hydroxyls in controlling isotope-exchange rates. <i>Geochimica Et Cosmochimica Acta</i> , 2012, 78, 18-27.	1.6	7
82	Metastable structures and isotope exchange reactions in polyoxometalate ions provide a molecular view of oxide dissolution. <i>Nature Materials</i> , 2012, 11, 223-226.	13.3	63
83	Selectivity, Kinetics, and Efficiency of Reversible Anion Exchange with TcO_4^{+} in a Supertetrahedral Cationic Framework. <i>Advanced Functional Materials</i> , 2012, 22, 2241-2250.	7.8	141
84	Sarcoplasmic reticulum calcium ATPase interactions with decaniobate, decavanadate, vanadate, tungstate and molybdate. <i>Journal of Inorganic Biochemistry</i> , 2012, 107, 82-89.	1.5	58
85	Energetics of Al_{13} Keggin cluster compounds. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 14775-14779.	3.3	30
86	Geochemical kinetics via the Swift-Connick equations and solution NMR. <i>Geochimica Et Cosmochimica Acta</i> , 2011, 75, 3711-3725.	1.6	19
87	Water-oxidation catalysis by manganese in a geochemical-like cycle. <i>Nature Chemistry</i> , 2011, 3, 461-466.	6.6	479
88	Electrochemical Water Oxidation with Cobalt-Based Electrocatalysts from pH 0-14: The Thermodynamic Basis for Catalyst Structure, Stability, and Activity. <i>Journal of the American Chemical Society</i> , 2011, 133, 14431-14442.	6.6	686
89	Multinuclear NMR Study of the Pressure Dependence for Carbonate Exchange in the $\text{UO}_2(\text{CO}_3)_3^{4-}$ (aq) Ion. <i>ChemPhysChem</i> , 2011, 12, 2903-2906.	1.0	11
90	The Pressure Dependence of Oxygen Isotope Exchange Rates Between Solution and Apical Oxygen Atoms on the $[\text{UO}_2(\text{OH})_4]^{2-}$ Ion. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 4467-4469.	7.2	11

#	ARTICLE	IF	CITATIONS
91	Rates of Water Exchange for Two Cobalt(II) Heteropolyoxotungstate Compounds in Aqueous Solution. <i>Chemistry - A European Journal</i> , 2011, 17, 4408-4417.	1.7	52
92	¹⁷ O NMR and Computational Study of a Tetrasiliconiobate Ion, [H ₂ Si ₄ Nb ₁₆ O ₅₆] ⁽¹⁴⁻⁾ . <i>Chemistry - A European Journal</i> , 2011, 17, 9359-9367.	1.7	22
93	EPR Evidence for Co(IV) Species Produced During Water Oxidation at Neutral pH. <i>Journal of the American Chemical Society</i> , 2010, 132, 6882-6883.	6.6	488
94	Borate Accelerates Rates of Steady Oxygen-Isotope Exchange for Polyoxoniobate Ions in Water. <i>Chemistry - A European Journal</i> , 2010, 16, 8631-8634.	1.7	17
95	NDTB-1: A Supertetrahedral Cationic Framework That Removes TcO ₄ ⁻ from Solution. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 1057-1060.	7.2	238
96	Tchnetium-99 MAS-NMR Spectroscopy of a Cationic Framework Material that Traps TcO ₄ ⁻ Ions. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 5975-5977.	7.2	49
97	The first peroxotitanoniobate cluster. <i>Inorganica Chimica Acta</i> , 2010, 363, 4405-4407.	1.2	6
98	Adding reactivity to structure 2: Oxygen-isotope-exchange rates in three isostructural oxide ions. <i>Numerische Mathematik</i> , 2010, 310, 629-644.	0.7	8
99	Isotopic fractionation of Mg ²⁺ (aq), Ca ²⁺ (aq), and Fe ²⁺ (aq) with carbonate minerals. <i>Geochimica Et Cosmochimica Acta</i> , 2010, 74, 6301-6323.	1.6	190
100	Oxygen-Isotope Exchange Rates for Three Isostructural Polyoxometalate Ions. <i>Journal of the American Chemical Society</i> , 2010, 132, 5264-5272.	6.6	59
101	Dissolution of insulating oxide materials at the molecular scale. <i>Nature Materials</i> , 2010, 9, 11-19.	13.3	99
102	Minerals as Molecules: Use of Aqueous Oxide and Hydroxide Clusters to Understand Geochemical Reactions. <i>Chemistry - A European Journal</i> , 2009, 15, 4496-4515.	1.7	76
103	One-pot synthesis of the decaniobate salt [N(CH ₃) ₄] ₆ [Nb ₁₀ O ₂₈] ⁶⁻ ·6H ₂ O from hydrous niobium oxide. <i>Inorganica Chimica Acta</i> , 2009, 362, 1391-1392.	1.2	47
104	A new titanoniobate ion completing the series [Nb ₁₀ O ₂₈] ⁶⁻ , [TiNb ₉ O ₂₈] ⁷⁻ and [Ti ₂ Nb ₈ O ₂₈] ⁸⁻ . <i>Dalton Transactions</i> , 2009, , 2677.	1.6	55
105	Isotope-Exchange Dynamics in Isostructural Decametallates with Profound Differences in Reactivity. <i>Journal of the American Chemical Society</i> , 2009, 131, 16488-16492.	6.6	42
106	Enhanced Water Purification: A Single Atom Makes a Difference. <i>Environmental Science & Technology</i> , 2009, 43, 5416-5422.	4.6	62
107	Reaction Dynamics of the Decaniobate Ion [H ₂ Nb ₁₀ O ₂₈] ⁽⁶⁻⁾ in Water. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 4844-4846.	7.2	101
108	The [Ti ₁₂ Nb ₆ O ₄₄] ¹⁰⁻ Ion: A New Type of Polyoxometalate Structure. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 5634-5636.	7.2	104

#	ARTICLE	IF	CITATIONS
109	Distinctly Different Reactivities of Two Similar Polyoxoniobates with Hydrogen Peroxide. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 8251-8254.	7.2	67
110	High-pressure 17O NMR studies on some aqueous polyoxoions in water. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2008, 53, 193-207.	3.9	18
111	Dynamics and durability. <i>Nature Materials</i> , 2008, 7, 930-932.	13.3	30
112	Calculating Geochemical Reaction Pathways - Exploration of the Inner-Sphere Water Exchange Mechanism in $\text{Al}(\text{H}_2\text{O})_6^{3+}(\text{aq}) + n\text{H}_2\text{O}$ with ab Initio Calculations and Molecular Dynamics. <i>Journal of Physical Chemistry A</i> , 2008, 112, 4125-4140.	1.1	41
113	Adding reactivity to structure–reaction dynamics in a nanometer-size oxide ion in water. <i>Numerische Mathematik</i> , 2008, 308, 942-953.	0.7	10
114	Synthesis of experimental models for molecular inorganic geochemistry—A review with examples. <i>Geochimica Et Cosmochimica Acta</i> , 2007, 71, 5590-5604.	1.6	17
115	Calculation of Water-Exchange Rates on Aqueous Polynuclear Clusters and at Oxide–Water Interfaces. <i>Inorganic Chemistry</i> , 2007, 46, 2962-2964.	1.9	59
116	Rates of Oxygen-Isotope Exchange between Sites in the $[\text{H}_x\text{Ta}_6\text{O}_{19}]^{8-x}(\text{aq})$ Lindqvist Ion and Aqueous Solutions: A Comparison to $[\text{H}_x\text{Nb}_6\text{O}_{19}]^{8-x}(\text{aq})$. <i>Inorganic Chemistry</i> , 2007, 46, 7032-7039.	1.9	59
117	Rates of Ligand Exchange between $\text{Fe}^{\text{III}}\text{OH}_2$ Functional Groups on a Nanometer-Sized Aqueous Cluster and Bulk Solution. <i>Inorganic Chemistry</i> , 2007, 46, 7087-7092.	1.9	39
118	Magnesium Isotopic Equilibrium in Chlorophylls. <i>Journal of the American Chemical Society</i> , 2007, 129, 8690-8691.	6.6	65
119	Reaction Dynamics, Molecular Clusters, and Aqueous Geochemistry. <i>Annual Review of Earth and Planetary Sciences</i> , 2007, 35, 21-46.	4.6	68
120	Rates of Oxygen Exchange between the $[\text{H}_x\text{Nb}_6\text{O}_{19}]^{8-x}(\text{aq})$ Lindqvist Ion and Aqueous Solutions. <i>Journal of the American Chemical Society</i> , 2006, 128, 14712-14720.	6.6	76
121	Large Aqueous Aluminum Hydroxide Molecules. <i>Chemical Reviews</i> , 2006, 106, 1-16.	23.0	443
122	Distinct Water-Exchange Mechanisms for Trinuclear Transition-Metal Clusters. <i>Inorganic Chemistry</i> , 2006, 45, 7962-7967.	1.9	15
123	Residence times for protons bound to three oxygen sites in the $\text{AlO}_4\text{Al}_{12}(\text{OH})_{24}(\text{H}_2\text{O})_{127+}$ polyoxocation. <i>Geochimica Et Cosmochimica Acta</i> , 2006, 70, 1636-1643.	1.6	17
124	A molecular dynamics investigation of the titration of a trivalent aqueous ion. <i>Theoretical Chemistry Accounts</i> , 2006, 115, 136-144.	0.5	4
125	Calorimetric determination of the enthalpies of formation of hydrotalcite-like solids and their use in the geochemical modeling of metals in natural waters. <i>Clays and Clay Minerals</i> , 2006, 54, 409-417.	0.6	41
126	A New Aluminum Hydroxide Octamer, $[\text{Al}_8(\text{OH})_{14}(\text{H}_2\text{O})_{18}](\text{SO}_4)_5 \cdot 16\text{H}_2\text{O}$. <i>ChemInform</i> , 2005, 36, no.	0.1	2

#	ARTICLE	IF	CITATIONS
127	Large Molecules as Models for Small Particles in Aqueous Geochemistry Research. <i>Journal of Nanoparticle Research</i> , 2005, 7, 377-387.	0.8	26
128	A New Aluminum Hydroxide Octamer, $[Al_8(OH)_{14}(H_2O)_{18}](SO_4)_5 \cdot 16H_2O$. <i>Inorganic Chemistry</i> , 2005, 44, 4888-4890.	1.9	79
129	Water Exchange from the Oxo-Centered Rhodium(III) Trimer $[Rh_3(\mu_3-O)(\mu_3-O_2CCH_3)_6(OH)_2]^{3+}$: A High-Pressure ^{17}O NMR Study. <i>Inorganic Chemistry</i> , 2005, 44, 5176-5182.	1.9	22
130	Modeling Water Exchange on an Aluminum Polyoxocation. <i>Journal of Physical Chemistry B</i> , 2005, 109, 23771-23775.	1.2	20
131	Kinetic Evidence for Five-Coordination in $Al(OH)(aq)_2^+$ Ion. <i>Science</i> , 2005, 308, 1450-1453.	6.0	168
132	Proton exchange kinetics from the bound waters on the oxo-centered rhodium(III) trimer $[Rh_3(\mu_3-O)(\mu_3-O_2CCH_3)_6(OH)_2]^{3+}$: a variable pH and temperature 1H NMR study. <i>Dalton Transactions</i> , 2005, , 3667.	1.6	6
133	AFM investigation of step kinetics and hillock morphology of the {100} face of KDP. <i>Journal of Crystal Growth</i> , 2004, 260, 566-579.	0.7	44
134	Aqueous silicate complexes in wheat, <i>Triticum aestivum</i> L. <i>Plant, Cell and Environment</i> , 2004, 27, 51-54.	2.8	145
135	Broad reactivity trends for oxygen-isotope exchange from the near-surface regions of some metal (hydr)oxide solids. <i>Journal of Colloid and Interface Science</i> , 2004, 274, 142-149.	5.0	1
136	Molecular properties of adsorbates that affect the growth kinetics of archerite (KDP). <i>Journal of Colloid and Interface Science</i> , 2004, 280, 18-26.	5.0	18
137	Oxygen-exchange pathways in aluminum polyoxocations. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 3011-3017.	1.6	76
138	Activation volumes for oxygen exchange between the $GaO_4Al_{12}(OH)_{24}(H_2O)_{127}^+(aq)$ ($GaAl_{12}$) polyoxocation and aqueous solution from variable pressure ^{17}O NMR spectroscopy. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 2791-2798.	1.6	21
139	The flux of oxygen from the basal surface of gibbsite ($\mu_3-Al(OH)_3$) at equilibrium. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 3547-3555.	1.6	20
140	Why small? The use of small inorganic clusters to understand mineral surface and dissolution reactions in geochemistry. <i>Reviews of Geophysics</i> , 2003, 41, .	9.0	89
141	Potentiometric and ^{19}F nuclear magnetic resonance spectroscopic study of fluoride substitution in the $GaAl_{12}$ polyoxocation: implications for aluminum (hydr)oxide mineral surfaces. <i>Geochimica Et Cosmochimica Acta</i> , 2003, 67, 1065-1080.	1.6	23
142	Rates of oxygen exchange between the $Al_2O_8Al_{28}(OH)_{56}(H_2O)_{2618}^+(aq)$ (Al_{30}) molecule and aqueous solution. <i>Geochimica Et Cosmochimica Acta</i> , 2003, 67, 2725-2733.	1.6	51
143	The Origin of Aluminum Floccs in Polluted Streams. <i>Science</i> , 2002, 297, 2245-2247.	6.0	246
144	GEOCHEMISTRY: The Fate of Chlorine in Soils. <i>Science</i> , 2002, 295, 985-986.	6.0	6

#	ARTICLE	IF	CITATIONS
145	Rates of solvent exchange in aqueous aluminium(III)–maltolate complexes. Dalton Transactions RSC, 2002, , 2119.	2.3	19
146	The kinetics of oxygen exchange between the $\text{GeO}_4\text{Al}_{12}(\text{OH})_{24}(\text{H}_2\text{O})_{12}^{8+}$ (aq) molecule and aqueous solutions. Geochimica Et Cosmochimica Acta, 2002, 66, 577-587.	1.6	45
147	On the Acid–Base Chemistry of the Keggin Polymers: GaAl_{12} and GeAl_{12} . Journal of Colloid and Interface Science, 2002, 250, 269-270.	5.0	27
148	A Correlation for Establishing Solvolysis Rates of Aqueous Al(III) Complexes: A Possible Strategy for Colloids and Nanoparticles. Journal of Colloid and Interface Science, 2002, 251, 1-9.	5.0	5
149	Aqueous Aluminum Polynuclear Complexes and Nanoclusters: A Review. Reviews in Mineralogy and Geochemistry, 2001, 44, 167-190.	2.2	60
150	Kinetics of oxygen exchange between sites in the $\text{GaO}_4\text{Al}_{12}(\text{OH})_{24}(\text{H}_2\text{O})_{12}^{8+}$ (aq) molecule and aqueous solution. Geochimica Et Cosmochimica Acta, 2001, 65, 705-714.	1.6	72
151	Nitrogen release from rock and soil under simulated field conditions. Chemical Geology, 2001, 174, 403-414.	1.4	32
152	Synthesis and Characterization of the $\text{GeO}_4\text{Al}_{12}(\text{OH})_{24}(\text{H}_2\text{O})_{12}^{8+}$ Polyoxocation. Inorganic Chemistry, 2001, 40, 4485-4487.	1.9	41
153	Water Exchange in Fluoroaluminate Complexes in Aqueous Solution: A Variable Temperature Multinuclear NMR Study. Inorganic Chemistry, 2001, 40, 4750-4754.	1.9	28
154	5. Aqueous Aluminum Polynuclear Complexes and Nanoclusters: A Review. , 2001, , 167-190.		13
155	Speciation and complexation in aqueous Al(III)–quinolate solutions: a spectroscopic study. Polyhedron, 2001, 20, 1983-1994.	1.0	6
156	Infrared spectra of phthalic acid, the hydrogen phthalate ion, and the phthalate ion in aqueous solution. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2001, 57, 1635-1642.	2.0	30
157	A view of reactions at mineral surfaces from the aqueous phase. Mineralogical Magazine, 2001, 65, 323-337.	0.6	14
158	Bonding and reactivity at oxide mineral surfaces from model aqueous complexes. Nature, 2000, 404, 379-382.	13.7	139
159	Rates and mechanisms of oxygen exchanges between sites in the $\text{AlO}_4\text{Al}_{12}(\text{OH})_{24}(\text{H}_2\text{O})_{12}^{8+}$ (aq) complex and water: implications for mineral surface chemistry. Geochimica Et Cosmochimica Acta, 2000, 64, 2951-2964.	1.6	89
160	Attenuated total reflection–Fourier-transform infrared and ^{27}Al –nuclear magnetic resonance investigation of speciation and complexation in aqueous Al(III)–picolinate solutions. Geochimica Et Cosmochimica Acta, 2000, 64, 4115-4129.	1.6	26
161	Interaction Kinetics of I_2 (aq) with Substituted Phenols and Humic Substances. Environmental Science & Technology, 2000, 34, 3180-3185.	4.6	65
162	Field weathering rates of Mt. St. Helens tephra. Geochimica Et Cosmochimica Acta, 1999, 63, 587-598.	1.6	61

#	ARTICLE	IF	CITATIONS
163	The rates of water exchange in Al(III)-salicylate and Al(III)-sulfosalicylate complexes. <i>Geochimica Et Cosmochimica Acta</i> , 1999, 63, 1471-1480.	1.6	34
164	Mechanisms for fluoride-promoted dissolution of bayerite [$\text{Al}(\text{OH})_3(\text{s})$] and boehmite [AlOOH]: ^{19}F -NMR spectroscopy and aqueous surface chemistry. <i>Geochimica Et Cosmochimica Acta</i> , 1999, 63, 3513-3524.	1.6	75
165	Interfacial Kinetics Through the Lens of Solution Chemistry: Hydrolytic Processes at Oxide Mineral Surfaces. ACS Symposium Series, 1999, , 244-264.	0.5	2
166	Contribution of bedrock nitrogen to high nitrate concentrations in stream water. <i>Nature</i> , 1998, 395, 785-788.	13.7	238
167	Gibbs energies of formation of metal-carbonate solid solutions: part 3. The $\text{Ca}_x\text{Mn}_{1-x}\text{CO}_3$ system at 298 K and 1 bar. <i>Geochimica Et Cosmochimica Acta</i> , 1998, 62, 2799-2808.	1.6	24
168	The rates of exchange of water molecules from Al(III)-methylmalonate complexes: the effect of chelate ring size. <i>Geochimica Et Cosmochimica Acta</i> , 1998, 62, 2789-2797.	1.6	31
169	An ^{17}O -NMR Study of the Exchange of Water on $\text{AlOH}(\text{H}_2\text{O})_5^{2+}(\text{aq})$. <i>Inorganic Chemistry</i> , 1998, 37, 4760-4763.	1.9	76
170	Experimental and Theoretical Treatment of Elementary Ligand Exchange Reactions in Aluminum Complexes. <i>Environmental Science & Technology</i> , 1998, 32, 2865-2870.	4.6	29
171	Gibbs energies of formation for hydrocerussite [$\text{Pb}(\text{OH})_2$], (PbCO_3) $_2$ (S)] and hydrozincite [$\text{Zn}(\text{OH})_2$] $_3$ (S). (ZnCO_3) $_2$ (S)] at 298 K and 1 bar from electrochemical cell measurements. <i>American Mineralogist</i> , 1998, 83, 739-745.	0.9	32
172	Hydroxamate Complexes in Solution and at the Goethite~Water Interface: A Cylindrical Internal Reflection Fourier Transform Infrared Spectroscopy Study. <i>Langmuir</i> , 1997, 13, 2197-2206.	1.6	59
173			

#	ARTICLE	IF	CITATIONS
181	A new method for determining Gibbs energies of formation of metal-carbonate solid solutions: 1. The $\text{Ca}_x\text{Cd}_{1-x}\text{CO}_3(\text{s})$ system at 298 K and 1 bar. <i>Geochimica Et Cosmochimica Acta</i> , 1994, 58, 4281-4291.	1.6	19
182	Investigation of the Ligand Exchange Reaction for the Aqueous Be^{2+} Ion. <i>The Journal of Physical Chemistry</i> , 1994, 98, 8641-8647.	2.9	30
183	Leaching and reconstruction at the surfaces of dissolving chain-silicate minerals. <i>Nature</i> , 1993, 366, 253-256.	13.7	226
184	On the temperature dependence of mineral dissolution rates. <i>Geochimica Et Cosmochimica Acta</i> , 1992, 56, 3825-3830.	1.6	140
185	Control of dissolution rates of orthosilicate minerals by divalent metal-oxygen bonds. <i>Nature</i> , 1992, 355, 157-159.	13.7	153
186	On the relative dissolution rates of some oxide and orthosilicate minerals. <i>Journal of Colloid and Interface Science</i> , 1991, 146, 586-589.	5.0	90
187	CHAPTER 10. LEACHING OF MINERAL AND GLASS SURFACES DURING DISSOLUTION. , 1990, , 397-426.		41
188	The surface chemistry of dissolving labradorite feldspar. <i>Geochimica Et Cosmochimica Acta</i> , 1989, 53, 821-832.	1.6	165
189	Mineral Oxides: Dissolution. , 0, , 4662-4670.		0