

Pedro M. Persechini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3965217/publications.pdf>

Version: 2024-02-01

52
papers

2,831
citations

201674

27
h-index

182427

51
g-index

52
all docs

52
docs citations

52
times ranked

3110
citing authors

#	ARTICLE	IF	CITATIONS
1	Regulation of Extracellular ATP in Human Erythrocytes Infected with <i>Plasmodium falciparum</i> . <i>PLoS ONE</i> , 2014, 9, e96216.	2.5	23
2	ATP induces the death of developing avian retinal neurons in culture via activation of P2X7 and glutamate receptors. <i>Purinergic Signalling</i> , 2013, 9, 15-29.	2.2	28
3	Differential Modulation of ATP-Induced P2X7-Associated Permeabilities to Cations and Anions of Macrophages by Infection with <i>Leishmania amazonensis</i> . <i>PLoS ONE</i> , 2011, 6, e25356.	2.5	27
4	Perforin and Gamma Interferon Expression Are Required for CD4 ⁺ and CD8 ⁺ T-Cell-Dependent Protective Immunity against a Human Parasite, <i>Trypanosoma cruzi</i> , Elicited by Heterologous Plasmid DNA Prime-Recombinant Adenovirus 5 Boost Vaccination. <i>Infection and Immunity</i> , 2009, 77, 4383-4395.	2.2	88
5	ATP-induced apoptosis involves a Ca ²⁺ -independent phospholipase A2 and 5-lipoxygenase in macrophages. <i>Prostaglandins and Other Lipid Mediators</i> , 2009, 88, 51-61.	1.9	35
6	Modulation of P2X7 purinergic receptor in macrophages by <i>Leishmania amazonensis</i> and its role in parasite elimination. <i>Microbes and Infection</i> , 2009, 11, 842-849.	1.9	75
7	P2X7 modulatory web in <i>Trypanosoma cruzi</i> infection. <i>Parasitology Research</i> , 2008, 103, 829-838.	1.6	17
8	Modulation of P2X7 receptor expression in macrophages from mineral oil-injected mice. <i>Immunobiology</i> , 2008, 213, 481-492.	1.9	13
9	ATP-induced P2X7-associated uptake of large molecules involves distinct mechanisms for cations and anions in macrophages. <i>Journal of Cell Science</i> , 2008, 121, 3261-3270.	2.0	70
10	ATP Activates a Reactive Oxygen Species-dependent Oxidative Stress Response and Secretion of Proinflammatory Cytokines in Macrophages. <i>Journal of Biological Chemistry</i> , 2007, 282, 2871-2879.	3.4	661
11	The role of P2 receptors in controlling infections by intracellular pathogens. <i>Purinergic Signalling</i> , 2007, 3, 83-90.	2.2	45
12	Modulation of CD4 ⁺ T Cell-Dependent Specific Cytotoxic CD8 ⁺ T Cells Differentiation and Proliferation by the Timing of Increase in the Pathogen Load. <i>PLoS ONE</i> , 2007, 2, e393.	2.5	54
13	Activation of ERK1/2 by extracellular nucleotides in macrophages is mediated by multiple P2 receptors independently of P2X7-associated pore or channel formation. <i>British Journal of Pharmacology</i> , 2006, 147, 324-334.	5.4	36
14	The role of purinergic P2X7 receptors in the inflammation and fibrosis of unilateral ureteral obstruction in mice. <i>Kidney International</i> , 2006, 70, 1599-1606.	5.2	107
15	Effect of Extracellular ATP on the Human Leukaemic Cell Line K562 and its Multidrug Counterpart. <i>Molecular and Cellular Biochemistry</i> , 2006, 289, 111-124.	3.1	6
16	Apoptosis-inducing factor of a cytotoxic T cell line: involvement of a secretory phospholipase A2. <i>Cell and Tissue Research</i> , 2006, 324, 255-266.	2.9	18
17	Modulation of extracellular matrix components by metalloproteinases and their tissue inhibitors during degeneration and regeneration of rat sural nerve. <i>Brain Research</i> , 2006, 1122, 36-46.	2.2	20
18	Distinct Kinetics of Effector CD8 ⁺ Cytotoxic T Cells after Infection with <i>Trypanosoma cruzi</i> in Naïve or Vaccinated Mice. <i>Infection and Immunity</i> , 2006, 74, 2477-2481.	2.2	99

#	ARTICLE	IF	CITATIONS
19	Multiple P2X and P2Y receptor subtypes in mouse J774, spleen and peritoneal macrophages. <i>Biochemical Pharmacology</i> , 2005, 69, 641-655.	4.4	60
20	Modulation of intercellular communication in macrophages: possible interactions between GAP junctions and P2 receptors. <i>Journal of Cell Science</i> , 2004, 117, 4717-4726.	2.0	49
21	What Is Going on with Natural Killer Cells in HIV Infection?. <i>International Archives of Allergy and Immunology</i> , 2004, 133, 330-339.	2.1	9
22	Extracellular ATP induces cell death in CD4+/CD8+ double-positive thymocytes in mice infected with <i>Trypanosoma cruzi</i> . <i>Microbes and Infection</i> , 2003, 5, 1363-1371.	1.9	39
23	Evidence for a perforin-mediated mechanism controlling cardiac inflammation in <i>Trypanosoma cruzi</i> infection. <i>International Journal of Experimental Pathology</i> , 2002, 83, 67-79.	1.3	33
24	Modulation of P2Z/P2X ₇ receptor activity in macrophages infected with <i>Chlamydia psittaci</i> . <i>American Journal of Physiology - Cell Physiology</i> , 2001, 280, C81-C89.	4.6	97
25	P _{2Z} /P2X ₇ receptor-dependent apoptosis of dendritic cells. <i>American Journal of Physiology - Cell Physiology</i> , 1999, 276, C1139-C1147.	4.6	204
26	<i>Trypanosoma cruzi</i> : Resistance to the Pore Forming Protein of Cytotoxic Lymphocytes' Perforin. <i>Experimental Parasitology</i> , 1997, 86, 144-154.	1.2	5
27	Cell membrane damage in lymphocyte-mediated cytolysis. <i>Biomembranes: A Multi-Volume Treatise</i> , 1996, , 151-173.	0.1	0
28	The P2Z purinoceptor: an open question in the immune system. <i>Trends in Immunology</i> , 1996, 17, 292-293.	7.5	4
29	Perforin and Lymphocyte-mediated Cytolysis. <i>Immunological Reviews</i> , 1995, 146, 145-175.	6.0	72
30	Characterization of Recombinant Mouse Perforin Expressed in Insect Cells Using the Baculovirus System. <i>Biochemical and Biophysical Research Communications</i> , 1994, 201, 318-325.	2.1	19
31	Channel-forming activity of the perforin N-terminus and a putative .alpha.-helical region homologous with complement C9. <i>Biochemistry</i> , 1992, 31, 5017-5021.	2.5	26
32	Cytoplasm from cytotoxic t lymphocytes are resistant to perforin-mediated lysis. <i>Molecular Immunology</i> , 1991, 28, 1011-1018.	2.2	21
33	Cytolytic and ion channel-forming properties of the N terminus of lymphocyte perforin.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 4621-4625.	7.1	34
34	The distribution of perforin in normal tissues. <i>Immunology Letters</i> , 1991, 28, 195-199.	2.5	9
35	Structural and functional identification of GP57/51 antigen of <i>Trypanosoma cruzi</i> as a cysteine proteinase. <i>Molecular and Biochemical Parasitology</i> , 1990, 43, 27-38.	1.1	171
36	Membrane channel formation by the lymphocyte pore-forming protein: comparison between susceptible and resistant target cells.. <i>Journal of Cell Biology</i> , 1990, 110, 2109-2116.	5.2	36

#	ARTICLE	IF	CITATIONS
37	Resistance to the pore-forming protein of cytotoxic T cells: Comparison of target cell membrane rigidity. <i>Molecular Immunology</i> , 1990, 27, 839-845.	2.2	8
38	Resistance of cytolytic lymphocytes to perforin-mediated killing. Induction of resistance correlates with increase in cytotoxicity.. <i>Journal of Experimental Medicine</i> , 1989, 169, 2211-2225.	8.5	29
39	Purified perforin induces target cell lysis but not DNA fragmentation.. <i>Journal of Experimental Medicine</i> , 1989, 170, 1451-1456.	8.5	162
40	The lymphocyte pore-forming protein perforin is associated with granules by a pH-dependent mechanism. <i>Immunology Letters</i> , 1989, 22, 23-27.	2.5	16
41	Heterogeneity of granules of murine cytolytic T lymphocytes isolation of a homogeneous population of dense granules. <i>Journal of Immunological Methods</i> , 1989, 124, 7-15.	1.4	3
42	The structure of the mouse lymphocyte pore-forming protein perforin. <i>Biochemical and Biophysical Research Communications</i> , 1989, 158, 1-10.	2.1	59
43	Differential susceptibility of type III erythrocytes of paroxysmal nocturnal hemoglobinuria to lysis mediated by complement and perforin. <i>Biochemical and Biophysical Research Communications</i> , 1989, 162, 316-325.	2.1	12
44	Perforin-Dependent and -Independent Pathways of Cytotoxicity Mediated by Lymphocytes. <i>Immunological Reviews</i> , 1988, 103, 161-202.	6.0	83
45	Stage-specific distinctions in potassium channel blocker control of T-lymphocyte activation. <i>International Journal of Immunopharmacology</i> , 1988, 10, 217-226.	1.1	11
46	Depolarization of macrophage polykaryons in the absence of external sodium induces a cyclic stimulation of a calcium-activated potassium conductance. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1988, 972, 283-292.	4.1	3
47	Depolarization of macrophage polykaryons in the absence of external sodium induces a cyclic stimulation of a calcium-activated potassium conductance. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1988, 972, 283-292.	1.0	2
48	The primary structure of the lymphocyte pore-forming protein perforin: Partial amino acid sequencing and determination of isoelectric point. <i>Biochemical and Biophysical Research Communications</i> , 1988, 156, 740-745.	2.1	31
49	Resistance of cytolytic lymphocytes to perforin-mediated killing. Lack of correlation with complement-associated homologous species restriction.. <i>Journal of Experimental Medicine</i> , 1988, 168, 2207-2219.	8.5	51
50	Electrophysiology of phagocytic membranes: intracellular K ⁺ activity and K ⁺ equilibrium potential in macrophage polykaryons. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1987, 899, 213-221.	2.6	4
51	Electrophysiology of phagocytic membranes. Role of divalent cations in membrane hyperpolarizations of macrophage polykaryons. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1986, 856, 362-372.	2.6	12
52	Electrophysiology of phagocytic membranes: Induction of slow membrane hyperpolarizations in macrophages and macrophage polykaryons by intracellular calcium injection. <i>Journal of Membrane Biology</i> , 1981, 61, 81-90.	2.1	35