## N Paul Ohori

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3966074/publications.pdf

Version: 2024-02-01

55 3,179 22 51 g-index

55 55 55 55 2654

55 55 2654 all docs docs citations times ranked citing authors

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | A decade into thyroid molecular testing: where do we stand?. Journal of the American Society of Cytopathology, 2022, 11, 59-61.   | 0.2 | 5         |
| 2  | Accuracy of definitive rapid onsite evaluation cytopathology diagnoses: Assessment of potentially critical diagnoses as a quality assurance measure. Journal of the American Society of Cytopathology, 2022, 11, 133-141.                       | 0.2 | 2         |
| 3  | Thyroid cytology smear slides: An untapped resource for ThyroSeq testing. Cancer Cytopathology, 2021, 129, 33-42.   | 1.4 | 30        |
| 4  | Impact of molecular testing on detecting mimics of oncocytic neoplasms in thyroid fineâ€needle aspirates diagnosed as follicular neoplasm of Hürthle cell (oncocytic) type. Cancer Cytopathology, 2021, 129, 788-797.                           | 1.4 | 9         |
| 5  | Molecular alterations in HÃ $^{1}\!\!/\!\!$ 4rthle cell nodules and preoperative cancer risk. Endocrine-Related Cancer, 2021, 28, 301-309.  | 1.6 | 23        |
| 6  | Comparison of quantitative internal and external measures of performance for trainees in cytopathology fellowships. Journal of the American Society of Cytopathology, 2021, 10, 495-503.  | 0.2 | 2         |
| 7  | Molecular testing and thyroid nodule management in North America. Gland Surgery, 2020, 9, 1628-1638.  | 0.5 | 10        |
| 8  | The Clinical Utility of Molecular Testing in the Management of Thyroid Follicular Neoplasms (Bethesda IV Nodules). Annals of Surgery, 2020, 272, 621-627.   | 2.1 | 23        |
| 9  | Molecular-derived estimation of risk of malignancy for indeterminate thyroid cytology diagnoses. Journal of the American Society of Cytopathology, 2020, 9, 213-220.  | 0.2 | 23        |
| 10 | Tumor Size Differences Between Preoperative Endoscopic Ultrasound and Postoperative Pathology for Neoadjuvant-Treated Pancreatic Ductal Adenocarcinoma Predict Patient Outcome. Clinical Gastroenterology and Hepatology, 2020, , .             | 2.4 | 5         |
| 11 | Comparison of urinary cytology and fluorescence in situ hybridization in the detection of urothelial neoplasia: An analysis of discordant results. Diagnostic Cytopathology, 2019, 47, 282-288.   | 0.5 | 8         |
| 12 | <i>GLIS</i> rearrangements in thyroid nodules: A key to preoperative diagnosis of hyalinizing trabecular tumor. Cancer Cytopathology, 2019, 127, 560-566.   | 1.4 | 21        |
| 13 | Percutaneous computed tomography–guided biopsy performed by thoracic surgeons in 955 patients: A paradigm shift in image-guided thoracic procedures. Journal of Thoracic and Cardiovascular Surgery, 2019, 157, 1239-1245.                      | 0.4 | 5         |
| 14 | Thyroid Fine-Needle Aspiration Cytology Molecular Testing in the USA., 2019,, 451-463.  |     | 0         |
| 15 | Comparison of the collection approaches of 2 large thyroid fine-needle aspiration practices reveals differing advantages for cytology and molecular testing adequacy rates. Journal of the American Society of Cytopathology, 2019, 8, 243-249. | 0.2 | 4         |
| 16 | Benign call rate and molecular test result distribution of ThyroSeq v3. Cancer Cytopathology, 2019, 127, 161-168.   | 1.4 | 50        |
| 17 | Incidental Diagnosis of Parathyroid Lesions by Preoperative Use of Nextâ€Generation Molecular Testing.<br>World Journal of Surgery, 2018, 42, 2840-2845.  | 0.8 | 2         |
| 18 | Cancer risk and clinicopathological characteristics of thyroid nodules harboring thyroidâ€stimulating hormone receptor gene mutations. Diagnostic Cytopathology, 2018, 46, 369-377.   | 0.5 | 30        |

| #  | Article  | lF  | Citations |
|----|--|-----|-----------|
| 19 | Correct extent of thyroidectomy is poorly predicted preoperatively by the guidelines of the American Thyroid Association for low and intermediate risk thyroid cancers. Surgery, 2018, 163, 81-87.   | 1.0 | 46        |
| 20 | Young Investigator Challenge: Molecular testing in noninvasive follicular thyroid neoplasm with papillaryâ€like nuclear features. Cancer Cytopathology, 2017, 125, 292-293.  | 1.4 | 2         |
| 21 | Critical diagnoses in cytopathology: Experience at a large medical center. Cancer Cytopathology, 2017, 125, 726-730.   | 1.4 | 4         |
| 22 | The influence of the noninvasive follicular thyroid neoplasm with papillaryâ€like nuclear features (NIFTP) resection diagnosis on the falseâ€positive thyroid cytology rate relates to quality assurance thresholds and the application of NIFTP criteria. Cancer Cytopathology, 2017, 125, 692-700. | 1.4 | 39        |
| 23 | Preoperative detection of RAS mutation may guide extent of thyroidectomy. Surgery, 2017, 161, 168-175.   | 1.0 | 56        |
| 24 | A diagnostically difficult case of a cellular pleural fluid: Morphology, immunohistochemistry, and fluorescence in situ hybridization study. CytoJournal, 2017, 14, 18.  | 0.8 | 0         |
| 25 | Endoscopic ultrasound–guided <scp>FNA</scp> and <scp>P</scp> ro <scp>C</scp> ore biopsy in sampling pancreatic and intraâ€abdominal masses. Cancer Cytopathology, 2016, 124, 110-121.  | 1.4 | 29        |
| 26 | Epithelioid Hemangioendothelioma: a Rare Primary Thyroid Tumor with Confirmation of WWTR1 and CAMTA1 Rearrangements. Endocrine Pathology, 2016, 27, 147-152.   | 5.2 | 8         |
| 27 | Committee I: Indications for pulmonary cytology sampling methods. Diagnostic Cytopathology, 2016, 44, 1010-1023.   | 0.5 | 9         |
| 28 | Significance of what is not sampled: Characteristics of thyroid nonmicrocarcinomas (>1.0 cm) that were not targeted. Cancer Cytopathology, 2015, 123, 678-683.   | 1.4 | 1         |
| 29 | Tumor Genotype Determines Phenotype and Disease-related Outcomes in Thyroid Cancer. Annals of Surgery, 2015, 262, 519-525.   | 2.1 | 100       |
| 30 | Adequacy of Core Needle Biopsy Specimens and Fine-Needle Aspirates for Molecular Testing of Lung Adenocarcinomas. American Journal of Clinical Pathology, 2015, 143, 193-200.  | 0.4 | 79        |
| 31 | Impact of the Multi-Gene ThyroSeq Next-Generation Sequencing Assay on Cancer Diagnosis in Thyroid Nodules with Atypia of Undetermined Significance/Follicular Lesion of Undetermined Significance Cytology. Thyroid, 2015, 25, 1217-1223.  | 2.4 | 344       |
| 32 | Highly accurate diagnosis of cancer in thyroid nodules with follicular neoplasm/suspicious for a follicular neoplasm cytology by ThyroSeq v2 nextâ€generation sequencing assay. Cancer, 2014, 120, 3627-3634.  | 2.0 | 445       |
| 33 | Thyroid nodules with <i>KRAS</i> mutations are different from nodules with <i>NRAS</i> and <i>HRAS</i> mutations with regard to cytopathologic and histopathologic outcome characteristics. Cancer Cytopathology, 2014, 122, 873-882.  | 1.4 | 63        |
| 34 | <i>PAX8/PPARγ</i> Rearrangement in Thyroid Nodules Predicts Follicular-Pattern Carcinomas, in Particular the Encapsulated Follicular Variant of Papillary Carcinoma. Thyroid, 2014, 24, 1369-1374.   | 2.4 | 83        |
| 35 | Ancillary Studies in Thyroid Cytopathology. Surgical Pathology Clinics, 2014, 7, 47-60.  | 0.7 | 1         |
| 36 | Correlation of Ultrasound Findings With the Bethesda Cytopathology Classification for Thyroid Nodule Fine-Needle Aspiration: A Primer for Radiologists. American Journal of Roentgenology, 2013, 201, W487-W494.   | 1.0 | 14        |

| #  | Article   | IF          | CITATIONS |
|----|---|-------------|-----------|
| 37 | Nodule size is an independent predictor of malignancy in mutation-negative nodules with follicular lesion of undetermined significance cytology. Surgery, 2013, 154, 730-738.   | 1.0         | 34        |
| 38 | <i>RAS</i> Mutations in Thyroid FNA Specimens Are Highly Predictive of Predominantly Low-Risk Follicular-Pattern Cancers. Journal of Clinical Endocrinology and Metabolism, 2013, 98, E914-E922.  | 1.8         | 128       |
| 39 | <i>BRAF</i> mutation detection in indeterminate thyroid cytology specimens. Cancer Cytopathology, 2013, 121, 197-205.   | 1.4         | 71        |
| 40 | "Colloidâ€Richâ€follicular neoplasm/suspicious for follicular neoplasm thyroid fineâ€needle aspiration specimens: Cytologic, histologic, and molecular basis for considering an alternate view. Cancer Cytopathology, 2013, 121, 718-728.     | 1.4         | 20        |
| 41 | Intraoperative Pathologic Examination in the Era of Molecular Testing for Differentiated Thyroid Cancer. Journal of the American College of Surgeons, 2012, 215, 546-554.   | 0.2         | 18        |
| 42 | Bronchoscopic and transthoracic cytology and biopsy for pulmonary nonsmall cell carcinomas: Performance characteristics by procedure and tumor type. Diagnostic Cytopathology, 2012, 40, 659-663.   | 0.5         | 10        |
| 43 | Thyroid Cytology: Challenges in the Pursuit of Low-Grade Malignancies. Radiologic Clinics of North America, 2011, 49, 435-451.  | 0.9         | 3         |
| 44 | Variability in the Atypia of Undetermined Significance/Follicular Lesion of Undetermined Significance Diagnosis in the Bethesda System for Reporting Thyroid Cytopathology: Sources and Recommendations. Acta Cytologica, 2011, 55, 492-498.  | 0.7         | 136       |
| 45 | Selective screening for nongynecologic cytology specimens: Modifying the screening process for improved efficiency and practice. Diagnostic Cytopathology, 2011, 39, 717-722.   | 0.5         | 1         |
| 46 | Impact of Mutational Testing on the Diagnosis and Management of Patients with Cytologically Indeterminate Thyroid Nodules: A Prospective Analysis of 1056 FNA Samples. Journal of Clinical Endocrinology and Metabolism, 2011, 96, 3390-3397. | 1.8         | 712       |
| 47 | Contribution of molecular testing to thyroid fineâ€needle aspiration cytology of "follicular lesion of undetermined significance significance latypia of undetermined significanceâ€. Cancer Cytopathology, 2010, 118, 17-23.                 | 1.4         | 229       |
| 48 | A Novel Complex BRAF Mutation Detected in a Solid Variant of Papillary Thyroid Carcinoma. Endocrine Pathology, 2009, 20, 122-126.   | <b>5.</b> 2 | 74        |
| 49 | Discrepancy analysis, communication, and feedback for cytotechnologist quality improvement of nongynecologic cytopathology. Diagnostic Cytopathology, 2006, 34, 265-269.  | 0.5         | 5         |
| 50 | Double Slide Viewing as a Cytology Quality Improvement Initiative. American Journal of Clinical Pathology, 2006, 125, 526-533.  | 0.4         | 19        |
| 51 | Cytologic-histologic correlation of nongynecologic cytopathology cases: Separation of determinate from indeterminate cytologic diagnoses for analysis and monitoring of laboratory performance. Diagnostic Cytopathology, 2003, 28, 28-34.    | 0.5         | 9         |
| 52 | Dramatic response of adult Wilms tumor to paclitaxel and cisplatin., 2000, 34, 296-298.   |             | 11        |
| 53 | Cytopathology of high-grade papillary thyroid carcinomas: Tall-cell variant, diffuse sclerosing variant, and poorly differentiated papillary carcinoma. , 1999, 20, 19-23.  |             | 29        |
| 54 | Cytopathology of highâ€grade papillary thyroid carcinomas: Tallâ€cell variant, diffuse sclerosing variant, and poorly differentiated papillary carcinoma. Diagnostic Cytopathology, 1999, 20, 19-23.  | 0.5         | 1         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Occurrence of Human Papillomavirus DNA in Primary Lung Neoplasms. Cancer, 1992, 69, 693-697. | 2.0 | 94        |