

Julian I Schroeder

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3967848/publications.pdf>

Version: 2024-02-01

269
papers

52,678
citations

729

120
h-index

1381

222
g-index

283
all docs

283
docs citations

283
times ranked

25710
citing authors

#	ARTICLE	IF	CITATIONS
1	Plant hormone regulation of abiotic stress responses. <i>Nature Reviews Molecular Cell Biology</i> , 2022, 23, 680-694.	16.1	279
2	Signaling mechanisms in abscisic acid-mediated stomatal closure. <i>Plant Journal</i> , 2021, 105, 307-321.	2.8	214
3	A role for calcium-dependent protein kinases in differential CO ₂ and ABA-controlled stomatal closing and low CO ₂ -induced stomatal opening in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2021, 229, 2765-2779.	3.5	38
4	An <i>amiRNA</i> screen uncovers redundant <i>CBF</i> and <i>ERF34/35</i> transcription factors that differentially regulate arsenite and cadmium responses. <i>Plant, Cell and Environment</i> , 2021, 44, 1692-1706.	2.8	19
5	The <i>SLIM1</i> transcription factor is required for arsenic resistance in <i>Arabidopsis thaliana</i> . <i>FEBS Letters</i> , 2021, 595, 1696-1707.	1.3	12
6	Protein kinase sensors: an overview of new designs for visualizing kinase dynamics in single plant cells. <i>Plant Physiology</i> , 2021, 187, 527-536.	2.3	4
7	Molecular mechanisms of stomatal closure in response to rising vapour pressure deficit. <i>New Phytologist</i> , 2021, 232, 468-475.	3.5	26
8	Boolink: a graphical interface for open access Boolean network simulations and use in guard cell CO ₂ signaling. <i>Plant Physiology</i> , 2021, 187, 2311-2322.	2.3	17
9	Jasmonic acid and salicylic acid play minor roles in stomatal regulation by CO ₂ , abscisic acid, darkness, vapor pressure deficit and ozone. <i>Plant Journal</i> , 2021, 108, 134-150.	2.8	18
10	Deep dive into CO ₂ -dependent molecular mechanisms driving stomatal responses in plants. <i>Plant Physiology</i> , 2021, 187, 2032-2042.	2.3	30
11	Identification and characterization of <i>SaeIF1</i> from the eukaryotic translation factor <i>SUI1</i> family in cadmium hyperaccumulator <i>Sedum alfredii</i> . <i>Planta</i> , 2021, 253, 12.	1.6	0
12	Raf-like kinases and receptor-like (pseudo)kinase <i>GHR1</i> are required for stomatal vapor pressure difference response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	21
13	MAP3Kinase-dependent SnRK2-kinase activation is required for abscisic acid signal transduction and rapid osmotic stress response. <i>Nature Communications</i> , 2020, 11, 12.	5.8	202
14	Dynamic regulation of Pep-induced immunity through post-translational control of defence transcript splicing. <i>Nature Plants</i> , 2020, 6, 1008-1019.	4.7	40
15	Monitoring and mitigation of toxic heavy metals and arsenic accumulation in food crops: A case study of an urban community garden. <i>Plant Direct</i> , 2020, 4, e00198.	0.8	40
16	FRET kinase sensor development reveals SnRK2/OST1 activation by ABA but not by MeJA and high CO ₂ during stomatal closure. <i>ELife</i> , 2020, 9, .	2.8	68
17	A seed resource for screening functionally redundant genes and isolation of new mutants impaired in CO ₂ and ABA responses. <i>Journal of Experimental Botany</i> , 2019, 70, 641-651.	2.4	12
18	Chemical genetic identification of a lectin receptor kinase that transduces immune responses and interferes with abscisic acid signaling. <i>Plant Journal</i> , 2019, 98, 492-510.	2.8	19

#	ARTICLE	IF	CITATIONS
19	Cryo-EM structure of OSCA1.2 from <i>Oryza sativa</i> elucidates the mechanical basis of potential membrane hyperosmolality gating. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 14309-14318.	3.3	71
20	Intact leaf gas exchange provides a robust method for measuring the kinetics of stomatal conductance responses to abscisic acid and other small molecules in Arabidopsis and grasses. Plant Methods, 2019, 15, 38.	1.9	38
21	Calcium signals are necessary to establish auxin transporter polarity in a plant stem cell niche. Nature Communications, 2019, 10, 726.	5.8	51
22	Genetic strategies for improving crop yields. Nature, 2019, 575, 109-118.	13.7	799
23	Toward a better understanding of signaling networks in plants: yeast has the power!. EMBO Journal, 2019, 38, e102478.	3.5	2
24	Abscisic acid-induced degradation of <i>Arabidopsis</i> guanine nucleotide exchange factor requires calcium-dependent protein kinases. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E4522-E4531.	3.3	36
25	The <i>BIG</i> protein distinguishes the process of CO_2 -induced stomatal closure from the inhibition of stomatal opening by CO_2 . New Phytologist, 2018, 218, 232-241.	3.5	43
26	Insights into the Molecular Mechanisms of CO_2 -Mediated Regulation of Stomatal Movements. Current Biology, 2018, 28, R1356-R1363.	1.8	85
27	Abscisic acid-independent stomatal CO_2 signal transduction pathway and convergence of CO_2 and ABA signaling downstream of OST1 kinase. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E9971-E9980.	3.3	91
28	Identification of SLAC1 anion channel residues required for CO_2 /bicarbonate sensing and regulation of stomatal movements. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 11129-11137.	3.3	58
29	A transportome-scale amiRNA-based screen identifies redundant roles of Arabidopsis ABCB6 and ABCB20 in auxin transport. Nature Communications, 2018, 9, 4204.	5.8	42
30	Mitogen-activated protein kinases <i>MPK4</i> and <i>MPK12</i> are key components mediating CO_2 -induced stomatal movements. Plant Journal, 2018, 96, 1018-1035.	2.8	49
31	Cytosolic malate and oxaloacetate activate S_α -type anion channels in <i>Arabidopsis</i> guard cells. New Phytologist, 2018, 220, 178-186.	3.5	14
32	Starch biosynthesis by <i>AGPase</i> , but not starch degradation by <i>BAM1/3</i> and <i>SEX1</i> , is rate-limiting for CO_2 -regulated stomatal movements under short-day conditions. FEBS Letters, 2018, 592, 2739-2759.	1.3	10
33	Eukaryotic lipid metabolic pathway is essential for functional chloroplasts and CO_2 and light responses in <i>Arabidopsis</i> guard cells. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 9038-9043.	3.3	32
34	Control of seed dormancy and germination by DOG1-AHG1 PP2C phosphatase complex via binding to heme. Nature Communications, 2018, 9, 2132.	5.8	138
35	Screening for Natural Variation in Water Use Efficiency Traits in a Diversity Set of Brassica napus L. Identifies Candidate Variants in Photosynthetic Assimilation. Plant and Cell Physiology, 2017, 58, 1700-1709.	1.5	10
36	SnapShot: Abscisic Acid Signaling. Cell, 2017, 171, 1708-1708.e0.	13.5	109

#	ARTICLE	IF	CITATIONS
37	Two-electrode Voltage-clamp Recordings in <i>Xenopus laevis</i> Oocytes Reconstitution of Abscisic Acid Activation of SLAC1 Anion Channel via PYL9 ABA Receptor. <i>Bio-protocol</i> , 2017, 7, .	0.2	9
38	Release of GTP Exchange Factor Mediated Down-Regulation of Abscisic Acid Signal Transduction through ABA-Induced Rapid Degradation of RopGEFs. <i>PLoS Biology</i> , 2016, 14, e1002461.	2.6	45
39	An ABA-increased interaction of the PYL6 ABA receptor with MYC2 Transcription Factor: A putative link of ABA and JA signaling. <i>Scientific Reports</i> , 2016, 6, 28941.	1.6	155
40	A Dominant Mutation in the HT1 Kinase Uncovers Roles of MAP Kinases and GHR1 in CO ₂ -Induced Stomatal Closure. <i>Plant Cell</i> , 2016, 28, 2493-2509.	3.1	89
41	Rapid hyperosmotic-induced Ca ²⁺ responses in <i>Arabidopsis thaliana</i> exhibit sensory potentiation and involvement of plastidial KEA transporters. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E5242-9.	3.3	81
42	OshKT1;4-mediated Na ⁺ transport in stems contributes to Na ⁺ exclusion from leaf blades of rice at the reproductive growth stage upon salt stress. <i>BMC Plant Biology</i> , 2016, 16, 22.	1.6	168
43	Mapping transcription factor interactome networks using HaloTag protein arrays. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E4238-47.	3.3	67
44	The Transmembrane Region of Guard Cell SLAC1 Channels Perceives CO ₂ Signals via an ABA-Independent Pathway in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2016, 28, 557-567.	3.1	47
45	Reconstitution of CO ₂ Regulation of SLAC1 Anion Channel and Function of CO ₂ -Permeable PIP2;1 Aquaporin as CARBONIC ANHYDRASE4 Interactor. <i>Plant Cell</i> , 2016, 28, 568-582.	3.1	130
46	Molecular and systems approaches towards drought-tolerant canola crops. <i>New Phytologist</i> , 2016, 210, 1169-1189.	3.5	70
47	Toward a Molecular Understanding of Plant Hormone Actions. <i>Molecular Plant</i> , 2016, 9, 1-3.	3.9	7
48	CO ₂ Sensing and CO ₂ Regulation of Stomatal Conductance: Advances and Open Questions. <i>Trends in Plant Science</i> , 2016, 21, 16-30.	4.3	244
49	Identification of AtOPT4 as a Plant Glutathione Transporter. <i>Molecular Plant</i> , 2016, 9, 481-484.	3.9	24
50	Starch Biosynthesis in Guard Cells But Not in Mesophyll Cells Is Involved in CO ₂ -Induced Stomatal Closing. <i>Plant Physiology</i> , 2016, 171, 788-98.	2.3	34
51	Natural Variation in <i>Arabidopsis</i> Cvi-0 Accession Reveals an Important Role of MPK12 in Guard Cell CO ₂ Signaling. <i>PLoS Biology</i> , 2016, 14, e2000322.	2.6	69
52	Small Molecule DFPM Derivative-Activated Plant Resistance Protein Signaling in Roots Is Unaffected by EDS1 Subcellular Targeting Signal and Chemical Genetic Isolation of victor R-Protein Mutants. <i>PLoS ONE</i> , 2016, 11, e0155937.	1.1	5
53	The HT1 protein kinase is essential for red light-induced stomatal opening and genetically interacts with OST1 in red light and CO ₂ -induced stomatal movement responses. <i>New Phytologist</i> , 2015, 208, 1126-1137.	3.5	56
54	Abscisic acid and other plant hormones: Methods to visualize distribution and signaling. <i>BioEssays</i> , 2015, 37, 1338-1349.	1.2	41

#	ARTICLE	IF	CITATIONS
55	Guard cell photosynthesis is critical for stomatal turgor production, yet does not directly mediate CO_2 - and ABA-induced stomatal closing. <i>Plant Journal</i> , 2015, 83, 567-581.	2.8	73
56	Calcium specificity signaling mechanisms in abscisic acid signal transduction in <i>Arabidopsis</i> guard cells. <i>ELife</i> , 2015, 4, .	2.8	172
57	HKT transporters mediate salt stress resistance in plants: from structure and function to the field. <i>Current Opinion in Biotechnology</i> , 2015, 32, 113-120.	3.3	195
58	Identification of Open Stomata1-Interacting Proteins Reveals Interactions with Sucrose Non-fermenting1-Related Protein Kinases2 and with Type 2A Protein Phosphatases That Function in Abscisic Acid Responses. <i>Plant Physiology</i> , 2015, 169, 760-779.	2.3	100
59	Live Cell Imaging with R-GECO1 Sheds Light on flg22- and Chitin-Induced Transient $[\text{Ca}^{2+}]_{\text{cyt}}$ Patterns in <i>Arabidopsis</i> . <i>Molecular Plant</i> , 2015, 8, 1188-1200.	3.9	150
60	Distinct Cellular Locations of Carbonic Anhydrases Mediate Carbon Dioxide Control of Stomatal Movements. <i>Plant Physiology</i> , 2015, 169, 1168-1178.	2.3	78
61	Mechanisms of abscisic acid-mediated control of stomatal aperture. <i>Current Opinion in Plant Biology</i> , 2015, 28, 154-162.	3.5	438
62	FRET-based reporters for the direct visualization of abscisic acid concentration changes and distribution in <i>Arabidopsis</i> . <i>ELife</i> , 2014, 3, e01739.	2.8	213
63	Regulation of Drought Tolerance by the F-Box Protein MAX2 in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2014, 164, 424-439.	2.3	254
64	Decreased capacity for sodium export out of <i>Arabidopsis</i> chloroplasts impairs salt tolerance, photosynthesis and plant performance. <i>Plant Journal</i> , 2014, 78, 646-658.	2.8	57
65	Phytochelatins—metal(loid) transport into vacuoles shows different substrate preferences in barley and <i>Arabidopsis</i> . <i>Plant, Cell and Environment</i> , 2014, 37, 1192-1201.	2.8	134
66	Plant salt-tolerance mechanisms. <i>Trends in Plant Science</i> , 2014, 19, 371-379.	4.3	1,343
67	Plant salt stress status is transmitted systemically via propagating calcium waves. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 6126-6127.	3.3	17
68	Plastidial transporters KEA1, -2, and -3 are essential for chloroplast osmoregulation, integrity, and pH regulation in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 7480-7485.	3.3	241
69	Border Control—A Membrane-Linked Interactome of <i>Arabidopsis</i> . <i>Science</i> , 2014, 344, 711-716.	6.0	213
70	Protein Fragment Bimolecular Fluorescence Complementation Analyses for the In vivo Study of Protein-Protein Interactions and Cellular Protein Complex Localizations. <i>Methods in Molecular Biology</i> , 2014, 1062, 629-658.	0.4	30
71	Loss of Cytosolic Phosphoglucose Isomerase Affects Carbohydrate Metabolism in Leaves and Is Essential for Fertility of <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2014, 166, 753-765.	2.3	39
72	OPT3 Is a Component of the Iron-Signaling Network between Leaves and Roots and Misregulation of OPT3 Leads to an Over-Accumulation of Cadmium in Seeds. <i>Molecular Plant</i> , 2014, 7, 1455-1469.	3.9	135

#	ARTICLE	IF	CITATIONS
73	Carbonic anhydrases, EPF2 and a novel protease mediate CO ₂ control of stomatal development. <i>Nature</i> , 2014, 513, 246-250.	13.7	189
74	COP1 Jointly Modulates Cytoskeletal Processes and Electrophysiological Responses Required for Stomatal Closure. <i>Molecular Plant</i> , 2014, 7, 1441-1454.	3.9	30
75	Defining membrane spanning domains and crucial membrane-localized acidic amino acid residues for K ⁺ transport of a Kup/HAK/KT-type <i>Escherichia coli</i> potassium transporter. <i>Journal of Biochemistry</i> , 2014, 155, 315-323.	0.9	37
76	A Dof Transcription Factor, SCAP1, Is Essential for the Development of Functional Stomata in <i>Arabidopsis</i> . <i>Current Biology</i> , 2013, 23, 479-484.	1.8	125
77	Mutations in the <i>SLAC1</i> anion channel slow stomatal opening and severely reduce K ⁺ uptake channel activity via enhanced cytosolic [Ca ²⁺] and increased Ca ²⁺ sensitivity of K ⁺ uptake channels. <i>New Phytologist</i> , 2013, 197, 88-98.	3.5	50
78	Using membrane transporters to improve crops for sustainable food production. <i>Nature</i> , 2013, 497, 60-66.	13.7	440
79	PYR/RCAR Receptors Contribute to Ozone-, Reduced Air Humidity-, Darkness-, and CO ₂ -Induced Stomatal Regulation. <i>Plant Physiology</i> , 2013, 162, 1652-1668.	2.3	190
80	Natural Variation in Small Molecule-Induced TIR-NB-LRR Signaling Induces Root Growth Arrest via EDS1- and PAD4-Complexed R Protein VICTR in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 24, 5177-5192.	3.1	64
81	Going Green: Phytohormone Mimetics for Drought Rescue. <i>Plant Physiology</i> , 2013, 163, 1087-1088.	2.3	7
82	A Genomic-Scale Artificial MicroRNA Library as a Tool to Investigate the Functionally Redundant Gene Space in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 25, 2848-2863.	3.1	62
83	Calcium-Dependent and -Independent Stomatal Signaling Network and Compensatory Feedback Control of Stomatal Opening via Ca ²⁺ Sensitivity Priming. <i>Plant Physiology</i> , 2013, 163, 504-513.	2.3	47
84	Identification of Cyclic GMP-Activated Nonselective Ca ²⁺ -Permeable Cation Channels and Associated <i>CNGC5</i> and <i>CNGC6</i> Genes in <i>Arabidopsis</i> Guard Cells. <i>Plant Physiology</i> , 2013, 163, 578-590.	2.3	111
85	Elemental Concentrations in the Seed of Mutants and Natural Variants of <i>Arabidopsis thaliana</i> Grown under Varying Soil Conditions. <i>PLoS ONE</i> , 2013, 8, e63014.	1.1	19
86	Abscisic acid and CO ₂ signalling via calcium sensitivity priming in guard cells, new CDPK mutant phenotypes and a method for improved resolution of stomatal stimulus-response analyses. <i>Annals of Botany</i> , 2012, 109, 5-17.	1.4	125
87	Reconstitution of abscisic acid activation of <i>SLAC1</i> anion channel by CPK6 and OST1 kinases and branched ABI1 PP2C phosphatase action. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 10593-10598.	3.3	393
88	Feedback inhibition by thiols outranks glutathione depletion: a luciferase-based screen reveals glutathione-deficient <i>ECS</i> and glutathione synthetase mutants impaired in cadmium-induced sulfate assimilation. <i>Plant Journal</i> , 2012, 70, 783-795.	2.8	60
89	Exploring CO ₂ permeability of plant aquaporins. <i>FASEB Journal</i> , 2012, 26, 1103.8.	0.2	0
90	Roles of intracellular hydrogen peroxide accumulation in abscisic acid signaling in <i>Arabidopsis</i> guard cells. <i>Journal of Plant Physiology</i> , 2011, 168, 1919-1926.	1.6	71

#	ARTICLE	IF	CITATIONS
91	Quantitative transcriptomic analysis of abscisic acid-induced and reactive oxygen species-dependent expression changes and proteomic profiling in Arabidopsis suspension cells. <i>Plant Journal</i> , 2011, 67, 105-118.	2.8	83
92	Central functions of bicarbonate in S-type anion channel activation and OST1 protein kinase in CO ₂ signal transduction in guard cell. <i>EMBO Journal</i> , 2011, 30, 1645-1658.	3.5	167
93	Long-distance transport, vacuolar sequestration, tolerance, and transcriptional responses induced by cadmium and arsenic. <i>Current Opinion in Plant Biology</i> , 2011, 14, 554-562.	3.5	366
94	Evolution of Abscisic Acid Synthesis and Signaling Mechanisms. <i>Current Biology</i> , 2011, 21, R346-R355.	1.8	425
95	Chemical Genetics Reveals Negative Regulation of Abscisic Acid Signaling by a Plant Immune Response Pathway. <i>Current Biology</i> , 2011, 21, 990-997.	1.8	152
96	K ⁺ Transport by the OsHKT2;4 Transporter from Rice with Atypical Na ⁺ Transport Properties and Competition in Permeation of K ⁺ over Mg ²⁺ and Ca ²⁺ Ions. <i>Plant Physiology</i> , 2011, 156, 1493-1507.	2.3	138
97	AtHKT1;1 Mediates Nernstian Sodium Channel Transport Properties in Arabidopsis Root Stele Cells. <i>PLoS ONE</i> , 2011, 6, e24725.	1.1	61
98	Spotlight on Julian Schroeder. <i>FEBS Letters</i> , 2010, 584, 2963-2964.	1.3	0
99	PYR/PYL/RCAR family members are major <i>in vivo</i> ABI1 protein phosphatase 2C-interacting proteins in Arabidopsis. <i>Plant Journal</i> , 2010, 61, 290-299.	2.8	451
100	H ₂ O ₂ in plant peroxisomes: an <i>in vivo</i> analysis uncovers a Ca ²⁺ -dependent scavenging system. <i>Plant Journal</i> , 2010, 62, 760-772.	2.8	211
101	Carbonic anhydrases are upstream regulators of CO ₂ -controlled stomatal movements in guard cells. <i>Nature Cell Biology</i> , 2010, 12, 87-93.	4.6	364
102	A membrane protein / signaling protein interaction network for Arabidopsis version AMPv2. <i>Frontiers in Physiology</i> , 2010, 1, 24.	1.3	131
103	The <i>Arabidopsis</i> Nitrate Transporter NRT1.8 Functions in Nitrate Removal from the Xylem Sap and Mediates Cadmium Tolerance. <i>Plant Cell</i> , 2010, 22, 1633-1646.	3.1	413
104	Tonoplast-localized Abc2 Transporter Mediates Phytochelatin Accumulation in Vacuoles and Confers Cadmium Tolerance. <i>Journal of Biological Chemistry</i> , 2010, 285, 40416-40426.	1.6	87
105	Arsenic tolerance in <i>Arabidopsis</i> is mediated by two ABCC-type phytochelatin transporters. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 21187-21192.	3.3	555
106	High-Affinity K ⁺ Transport in Arabidopsis: AtHAK5 and AKT1 Are Vital for Seedling Establishment and Postgermination Growth under Low-Potassium Conditions. <i>Plant Physiology</i> , 2010, 153, 863-875.	2.3	219
107	Guard Cell Signal Transduction Network: Advances in Understanding Abscisic Acid, CO ₂ , and Ca ²⁺ Signaling. <i>Annual Review of Plant Biology</i> , 2010, 61, 561-591.	8.6	1,165
108	Ion Channels and Plant Stress: Past, Present, and Future. <i>Signaling and Communication in Plants</i> , 2010, 1-22.	0.5	12

#	ARTICLE	IF	CITATIONS
109	Early abscisic acid signal transduction mechanisms: newly discovered components and newly emerging questions. <i>Genes and Development</i> , 2010, 24, 1695-1708.	2.7	592
110	Differential Sodium and Potassium Transport Selectivities of the Rice OsHKT2;1 and OsHKT2;2 Transporters in Plant Cells. <i>Plant Physiology</i> , 2009, 152, 341-355.	2.3	135
111	Triple Loss of Function of Protein Phosphatases Type 2C Leads to Partial Constitutive Response to Endogenous Abscisic Acid. <i>Plant Physiology</i> , 2009, 150, 1345-1355.	2.3	252
112	Disruption of the pollen-expressed <i>FERONIA</i> homologs <i>ANXUR1</i> and <i>ANXUR2</i> triggers pollen tube discharge. <i>Development (Cambridge)</i> , 2009, 136, 3279-3288.	1.2	273
113	Calcium elevation-dependent and attenuated resting calcium-dependent abscisic acid induction of stomatal closure and abscisic acid-induced enhancement of calcium sensitivities of S-type anion and inward-rectifying K ⁺ channels in Arabidopsis guard cells. <i>Plant Journal</i> , 2009, 59, 207-220.	2.8	142
114	ARS5 is a component of the 26S proteasome complex, and negatively regulates thiol biosynthesis and arsenic tolerance in Arabidopsis. <i>Plant Journal</i> , 2009, 59, 802-813.	2.8	64
115	Water Balance and the Regulation of Stomatal Movements. , 2009, , 283-305.		4
116	HKT transporter-mediated salinity resistance mechanisms in Arabidopsis and monocot crop plants. <i>Trends in Plant Science</i> , 2009, 14, 660-668.	4.3	433
117	Plant Ion Channels: Gene Families, Physiology, and Functional Genomics Analyses. <i>Annual Review of Physiology</i> , 2009, 71, 59-82.	5.6	335
118	Abscisic Acid Inhibits Type 2C Protein Phosphatases via the PYR/PYL Family of START Proteins. <i>Science</i> , 2009, 324, 1068-1071.	6.0	2,385
119	Structural Mechanism of Abscisic Acid Binding and Signaling by Dimeric PYR1. <i>Science</i> , 2009, 326, 1373-1379.	6.0	457
120	KDC1, a carrot Shaker-like potassium channel, reveals its role as a silent regulatory subunit when expressed in plant cells. <i>Plant Molecular Biology</i> , 2008, 66, 61-72.	2.0	31
121	An HPLC-ICP-MS technique for determination of cadmium-phytochelatin in genetically modified Arabidopsis thaliana. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008, 861, 123-129.	1.2	39
122	Identification of high levels of phytochelatin, glutathione and cadmium in the phloem sap of <i>Brassica napus</i> . A role for thiol-peptides in the long-distance transport of cadmium and the effect of cadmium on iron translocation. <i>Plant Journal</i> , 2008, 54, 249-259.	2.8	311
123	The Peroxin Loss-of-Function Mutation abstinence by mutual consent Disrupts Male-Female Gametophyte Recognition. <i>Current Biology</i> , 2008, 18, 63-68.	1.8	116
124	Isolation of a strong Arabidopsis guard cell promoter and its potential as a research tool. <i>Plant Methods</i> , 2008, 4, 6.	1.9	295
125	SLAC1 is required for plant guard cell S-type anion channel function in stomatal signalling. <i>Nature</i> , 2008, 452, 487-491.	13.7	733
126	Expression of the Novel Wheat Gene TM20 Confers Enhanced Cadmium Tolerance to Bakers' Yeast. <i>Journal of Biological Chemistry</i> , 2008, 283, 15893-15902.	1.6	42

#	ARTICLE	IF	CITATIONS
127	The Clickable Guard Cell, Version II: Interactive Model of Guard Cell Signal Transduction Mechanisms and Pathways. <i>The Arabidopsis Book</i> , 2008, 6, e0114.	0.5	36
128	Functions of HKT transporters in sodium transport in roots and in protecting leaves from salinity stress. <i>Plant Biotechnology</i> , 2008, 25, 233-239.	0.5	22
129	A cyclic nucleotide-gated channel is essential for polarized tip growth of pollen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 14531-14536.	3.3	248
130	The ATP Binding Cassette Transporter AtMRP5 Modulates Anion and Calcium Channel Activities in Arabidopsis Guard Cells. <i>Journal of Biological Chemistry</i> , 2007, 282, 1916-1924.	1.6	117
131	In SYNC: The Ins and Outs of Circadian Oscillations in Calcium. <i>Science Signaling</i> , 2007, 2007, pe32.	1.6	10
132	The receptor-like kinase SERK3/BAK1 is a central regulator of innate immunity in plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 12217-12222.	3.3	998
133	Daily Watch on Metabolism. <i>Science</i> , 2007, 318, 1730-1731.	6.0	18
134	Plant transporters and channels. <i>FEBS Letters</i> , 2007, 581, 2203-2203.	1.3	0
135	Identification of an arsenic tolerant double mutant with a thiol-mediated component and increased arsenic tolerance in phyA mutants. <i>Plant Journal</i> , 2007, 49, 1064-1075.	2.8	26
136	Rice OsHKT2;1 transporter mediates large Na ⁺ influx component into K ⁺ -starved roots for growth. <i>EMBO Journal</i> , 2007, 26, 3003-3014.	3.5	333
137	mRNA metabolism of flowering-time regulators in wild-type Arabidopsis revealed by a nuclear cap binding protein mutant, abh1. <i>Plant Journal</i> , 2007, 50, 1049-1062.	2.8	67
138	A hypermorphic mutation in the protein phosphatase 2C HAB1 strongly affects ABA signaling in Arabidopsis. <i>FEBS Letters</i> , 2006, 580, 4691-4696.	1.3	84
139	A Quick Release Mechanism for Abscisic Acid. <i>Cell</i> , 2006, 126, 1023-1025.	13.5	51
140	Nomenclature for HKT transporters, key determinants of plant salinity tolerance. <i>Trends in Plant Science</i> , 2006, 11, 372-374.	4.3	329
141	CDPKs CPK6 and CPK3 Function in ABA Regulation of Guard Cell S-Type Anion- and Ca ²⁺ - Permeable Channels and Stomatal Closure. <i>PLoS Biology</i> , 2006, 4, e327.	2.6	523
142	Abscisic acid in bloom. <i>Nature</i> , 2006, 439, 277-278.	13.7	5
143	Arabidopsis HT1 kinase controls stomatal movements in response to CO ₂ . <i>Nature Cell Biology</i> , 2006, 8, 391-397.	4.6	261
144	Nitrate at the ion exchange. <i>Nature</i> , 2006, 442, 877-878.	13.7	9

#	ARTICLE	IF	CITATIONS
145	Guard cell ABA and CO ₂ signaling network updates and Ca ²⁺ sensor priming hypothesis. <i>Current Opinion in Plant Biology</i> , 2006, 9, 654-663.	3.5	164
146	Enhancement of Abscisic Acid Sensitivity and Reduction of Water Consumption in Arabidopsis by Combined Inactivation of the Protein Phosphatases Type 2C ABI1 and HAB1. <i>Plant Physiology</i> , 2006, 141, 1389-1399.	2.3	235
147	CO ₂ signaling in guard cells: Calcium sensitivity response modulation, a Ca ²⁺ -independent phase, and CO ₂ insensitivity of the <i>gca2</i> mutant. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 7506-7511.	3.3	174
148	An Improved Grafting Technique for Mature Arabidopsis Plants Demonstrates Long-Distance Shoot-to-Root Transport of Phytochelatin in Arabidopsis. <i>Plant Physiology</i> , 2006, 141, 108-120.	2.3	144
149	The Protein Phosphatase AtPP2CA Negatively Regulates Abscisic Acid Signal Transduction in Arabidopsis, and Effects of <i>abh1</i> on AtPP2CA mRNA. <i>Plant Physiology</i> , 2006, 140, 127-139.	2.3	252
150	The Role of Reactive Oxygen Species in Hormonal Responses. <i>Plant Physiology</i> , 2006, 141, 323-329.	2.3	330
151	Calcium Regulation of Sodium Hypersensitivities of <i>sos3</i> and <i>athkt1</i> Mutants. <i>Plant and Cell Physiology</i> , 2006, 47, 622-633.	1.5	80
152	Enhanced salt tolerance mediated by AtHKT1 transporter-induced Na ⁺ unloading from xylem vessels to xylem parenchyma cells. <i>Plant Journal</i> , 2005, 44, 928-938.	2.8	572
153	All Four Putative Selectivity Filter Glycine Residues in KtrB Are Essential for High Affinity and Selective K ⁺ Uptake by the KtrAB System from <i>Vibrio alginolyticus</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 41146-41154.	1.6	71
154	Arabidopsis SOMATIC EMBRYOGENESIS RECEPTOR KINASES1 and 2 Are Essential for Tapetum Development and Microspore Maturation. <i>Plant Cell</i> , 2005, 17, 3350-3361.	3.1	283
155	Overexpression of Phytochelatin Synthase in Arabidopsis Leads to Enhanced Arsenic Tolerance and Cadmium Hypersensitivity. <i>Plant and Cell Physiology</i> , 2005, 46, 387-387.	1.5	4
156	The Potassium Transporter AtHAK5 Functions in K ⁺ Deprivation-Induced High-Affinity K ⁺ Uptake and AKT1 K ⁺ Channel Contribution to K ⁺ Uptake Kinetics in Arabidopsis Roots. <i>Plant Physiology</i> , 2005, 137, 1105-1114.	2.3	449
157	Microarray Expression Analyses of Arabidopsis Guard Cells and Isolation of a Recessive Abscisic Acid Hypersensitive Protein Phosphatase 2C Mutant[W]. <i>Plant Cell</i> , 2004, 16, 596-615.	3.1	508
158	Microarray-based rapid cloning of an ion accumulation deletion mutant in <i>Arabidopsis thaliana</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 15404-15409.	3.3	83
159	Overexpression of Phytochelatin Synthase in Arabidopsis Leads to Enhanced Arsenic Tolerance and Cadmium Hypersensitivity. <i>Plant and Cell Physiology</i> , 2004, 45, 1787-1797.	1.5	265
160	Sodium Transporters in Plants. Diverse Genes and Physiological Functions. <i>Plant Physiology</i> , 2004, 136, 2457-2462.	2.3	199
161	Reactive Oxygen Species Activation of Plant Ca ²⁺ Channels. A Signaling Mechanism in Polar Growth, Hormone Transduction, Stress Signaling, and Hypothetically Mechanotransduction: Figure 1.. <i>Plant Physiology</i> , 2004, 135, 702-708.	2.3	364
162	Enhancing the first enzymatic step in the histidine biosynthesis pathway increases the free histidine pool and nickel tolerance in <i>Arabidopsis thaliana</i> . <i>FEBS Letters</i> , 2004, 578, 128-134.	1.3	74

#	ARTICLE	IF	CITATIONS
163	NADPH oxidase AtrbohD and AtrbohF genes function in ROS-dependent ABA signaling in Arabidopsis. <i>EMBO Journal</i> , 2003, 22, 2623-2633.	3.5	1,474
164	Impacts of altered RNA metabolism on abscisic acid signaling. <i>Current Opinion in Plant Biology</i> , 2003, 6, 463-469.	3.5	83
165	AtNRAMP3, a multispecific vacuolar metal transporter involved in plant responses to iron deficiency. <i>Plant Journal</i> , 2003, 34, 685-695.	2.8	433
166	ars1, an Arabidopsis mutant exhibiting increased tolerance to arsenate and increased phosphate uptake. <i>Plant Journal</i> , 2003, 35, 637-646.	2.8	68
167	Genomic scale profiling of nutrient and trace elements in Arabidopsis thaliana. <i>Nature Biotechnology</i> , 2003, 21, 1215-1221.	9.4	407
168	Long-distance root-to-shoot transport of phytochelatin and cadmium in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 10118-10123.	3.3	319
169	Knockout of the guard cell K ⁺ channel and stomatal movements. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 4976-4977.	3.3	14
170	Localization, Ion Channel Regulation, and Genetic Interactions during Abscisic Acid Signaling of the Nuclear mRNA Cap-Binding Protein, ABH1. <i>Plant Physiology</i> , 2002, 130, 1276-1287.	2.3	82
171	Glycine residues in potassium channel-like selectivity filters determine potassium selectivity in four-loop-per-subunit HKT transporters from plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 6428-6433.	3.3	257
172	Plasma Membrane-Associated ROP10 Small GTPase Is a Specific Negative Regulator of Abscisic Acid Responses in Arabidopsis. <i>Plant Cell</i> , 2002, 14, 2787-2797.	3.1	146
173	Phosphatidylinositol 3- and 4-Phosphate Are Required for Normal Stomatal Movements. <i>Plant Cell</i> , 2002, 14, 2399-2412.	3.1	186
174	Disruption of a Guard Cell-Expressed Protein Phosphatase 2A Regulatory Subunit, RCN1, Confers Abscisic Acid Insensitivity in Arabidopsis. <i>Plant Cell</i> , 2002, 14, 2849-2861.	3.1	192
175	Convergence of Calcium Signaling Pathways of Pathogenic Elicitors and Abscisic Acid in Arabidopsis Guard Cells. <i>Plant Physiology</i> , 2002, 130, 2152-2163.	2.3	222
176	Hypersensitivity of Abscisic Acid-Induced Cytosolic Calcium Increases in the Arabidopsis Farnesyltransferase Mutant era1-2. <i>Plant Cell</i> , 2002, 14, 1649-1662.	3.1	105
177	Altered shoot/root Na ⁺ distribution and bifurcating salt sensitivity in Arabidopsis by genetic disruption of the Na ⁺ transporter AtHKT1. <i>FEBS Letters</i> , 2002, 531, 157-161.	1.3	336
178	Loading acetoxymethyl ester fluorescent dyes into the cytoplasm of Arabidopsis and Commelina guard cells. <i>New Phytologist</i> , 2002, 153, 527-533.	3.5	22
179	Divergent perspectives on GM food. <i>Nature Biotechnology</i> , 2002, 20, 1195-1196.	9.4	11
180	Molecular mechanisms of potassium and sodium uptake in plants. <i>Plant and Soil</i> , 2002, 247, 43-54.	1.8	151

#	ARTICLE	IF	CITATIONS
181	Molecular mechanisms of potassium and sodium uptake in plants. , 2002, , 43-54.		31
182	Molecular Mechanisms that Control Plant Tolerance to Heavy Metals and Possible Roles in Manipulating Metal Accumulation. , 2002, , .		1
183	GUARDCELLSIGNALTRANSDUCTION. Annual Review of Plant Biology, 2001, 52, 627-658.	14.2	1,038
184	An integrated Arabidopsis annotation database for Affymetrix Genechip® data analysis, and tools for regulatory motif searches. Trends in Plant Science, 2001, 6, 448-449.	4.3	17
185	An mRNA Cap Binding Protein, ABH1, Modulates Early Abscisic Acid Signal Transduction in Arabidopsis. Cell, 2001, 106, 477-487.	13.5	414
186	Phylogenetic Relationships within Cation Transporter Families of Arabidopsis. Plant Physiology, 2001, 126, 1646-1667.	2.3	1,110
187	Caenorhabditis elegans expresses a functional phytochelatin synthase. FEBS Journal, 2001, 268, 3640-3643.	0.2	128
188	Guard cell abscisic acid signalling and engineering drought hardiness in plants. Nature, 2001, 410, 327-330.	13.7	694
189	A defined range of guard cell calcium oscillation parameters encodes stomatal movements. Nature, 2001, 411, 1053-1057.	13.7	531
190	Editorial overview: Plant signal transduction pathways: greying of the black boxes. Current Opinion in Plant Biology, 2001, 4, 379-381.	3.5	9
191	Abscisic Acid Activation of Plasma Membrane Ca ²⁺ Channels in Guard Cells Requires Cytosolic NAD(P)H and Is Differentially Disrupted Upstream and Downstream of Reactive Oxygen Species Production in <i>abi1-1</i> and <i>abi2-1</i> Protein Phosphatase 2C Mutants. Plant Cell, 2001, 13, 2513-2523.	3.1	530
192	Dominant Negative Guard Cell K ⁺ Channel Mutants Reduce Inward-Rectifying K ⁺ Currents and Light-Induced Stomatal Opening in Arabidopsis. Plant Physiology, 2001, 127, 473-485.	2.3	173
193	Abscisic Acid Activation of Plasma Membrane Ca ²⁺ Channels in Guard Cells Requires Cytosolic NAD(P)H and Is Differentially Disrupted Upstream and Downstream of Reactive Oxygen Species Production in <i>abi1-1</i> and <i>abi2-1</i> Protein Phosphatase 2C Mutants. Plant Cell, 2001, 13, 2513.	3.1	13
194	The Identity of Plant Glutamate Receptors. Science, 2001, 292, 1486b-1487.	6.0	175
195	Enhancement of Na ⁺ Uptake Currents, Time-Dependent Inward-Rectifying K ⁺ Channel Currents, and K ⁺ Channel Transcripts by K ⁺ Starvation in Wheat Root Cells. Plant Physiology, 2000, 122, 1387-1398.	2.3	136
196	Calcium channels activated by hydrogen peroxide mediate abscisic acid signalling in guard cells. Nature, 2000, 406, 731-734.	13.7	1,938
197	Cadmium and iron transport by members of a plant metal transporter family in Arabidopsis with homology to Nramp genes. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 4991-4996.	3.3	800
198	The Arabidopsis HKT1 Gene Homolog Mediates Inward Na ⁺ Currents in Xenopus laevis Oocytes and Na ⁺ Uptake in Saccharomyces cerevisiae. Plant Physiology, 2000, 122, 1249-1260.	2.3	445

#	ARTICLE	IF	CITATIONS
199	Alteration of Stimulus-Specific Guard Cell Calcium Oscillations and Stomatal Closing in Arabidopsis det3 Mutant. <i>Science</i> , 2000, 289, 2338-2342.	6.0	467
200	Arabidopsis abi1-1 and abi2-1 Phosphatase Mutations Reduce Abscisic Acid-Induced Cytoplasmic Calcium Rises in Guard Cells. <i>Plant Cell</i> , 1999, 11, 1785.	3.1	15
201	Proteins for Transport of Water and Mineral Nutrients across the Membranes of Plant Cells. <i>Plant Cell</i> , 1999, 11, 661.	3.1	4
202	Magnesium Sensitizes Slow Vacuolar Channels to Physiological Cytosolic Calcium and Inhibits Fast Vacuolar Channels in Fava Bean Guard Cell Vacuoles. <i>Plant Physiology</i> , 1999, 121, 977-986.	2.3	98
203	Genetic selection of inward-rectifying K ⁺ channel mutants with reduced Cs ⁺ sensitivity by random recombinant DNA shuffling mutagenesis and mutant selection in yeast. <i>Journal of Experimental Botany</i> , 1999, 50, 967-978.	2.4	10
204	Proteins for Transport of Water and Mineral Nutrients across the Membranes of Plant Cells. <i>Plant Cell</i> , 1999, 11, 661-675.	3.1	178
205	Arabidopsis abi1-1 and abi2-1 Phosphatase Mutations Reduce Abscisic Acid-Induced Cytoplasmic Calcium Rises in Guard Cells. <i>Plant Cell</i> , 1999, 11, 1785-1798.	3.1	286
206	Genetic Selection of Mutations in the High Affinity K ⁺ Transporter HKT1 That Define Functions of a Loop Site for Reduced Na ⁺ Permeability and Increased Na ⁺ Tolerance. <i>Journal of Biological Chemistry</i> , 1999, 274, 6839-6847.	1.6	113
207	Cameleon calcium indicator reports cytoplasmic calcium dynamics in Arabidopsis guard cells. <i>Plant Journal</i> , 1999, 19, 735-747.	2.8	332
208	Molecular Mechanisms Of Drought Resistance and Advances On Plant Genes For Clean Up Of Heavy Metals. <i>Nature Biotechnology</i> , 1999, 17, 36-36.	9.4	0
209	Tolerance to toxic metals by a gene family of phytochelatin synthases from plants and yeast. <i>EMBO Journal</i> , 1999, 18, 3325-3333.	3.5	568
210	Suppression of Inward-Rectifying K ⁺ Channels KAT1 and AKT2 by Dominant Negative Point Mutations in the KAT1 β -Subunit. <i>Journal of Membrane Biology</i> , 1999, 167, 119-125.	1.0	61
211	Recent advances in the regulation of plant calcium channels: evidence for regulation by G-proteins, the cytoskeleton and second messengers. <i>Current Opinion in Plant Biology</i> , 1998, 1, 424-427.	3.5	33
212	Cyclic ADP-ribose and ABA signal transduction. <i>Trends in Plant Science</i> , 1998, 3, 123-125.	4.3	8
213	Abscisic acid maintains S-type anion channel activity in ATP-depleted <i>Vicia faba</i> guard cells. <i>FEBS Letters</i> , 1998, 428, 177-182.	1.3	38
214	The plant cDNA LCT1 mediates the uptake of calcium and cadmium in yeast. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 12043-12048.	3.3	259
215	Role of Farnesyltransferase in ABA Regulation of Guard Cell Anion Channels and Plant Water Loss. , 1998, 282, 287-290.		334
216	Rapid Up-Regulation of HKT1, a High-Affinity Potassium Transporter Gene, in Roots of Barley and Wheat following Withdrawal of Potassium. <i>Plant Physiology</i> , 1998, 118, 651-659.	2.3	131

#	ARTICLE	IF	CITATIONS
217	Background ion channel activities in Arabidopsis guard cells and review of ion channel regulation by protein phosphorylation events. <i>Journal of Experimental Botany</i> , 1998, 49, 319-328.	2.4	15
218	Determination of transmembrane topology of an inward-rectifying potassium channel from <i>Arabidopsis thaliana</i> based on functional expression in <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 9773-9778.	3.3	87
219	AtKUP1: An Arabidopsis Gene Encoding High-Affinity Potassium Transport Activity. <i>Plant Cell</i> , 1998, 10, 51.	3.1	12
220	AtKUP1: An Arabidopsis Gene Encoding High-Affinity Potassium Transport Activity. <i>Plant Cell</i> , 1998, 10, 51-62.	3.1	314
221	Protein Kinase and Phosphatase Regulation During Abscisic Acid Signaling and Ion Channel Regulation in Guard Cells. , 1998, , 59-69.		4
222	Characterization of ion channel modulator effects on ABA- and malate-induced stomatal movements: strong regulation by kinase and phosphatase inhibitors, and relative insensitivity to mastoparan. <i>Journal of Experimental Botany</i> , 1997, 48, 539-550.	2.4	27
223	Expression of a Cs ⁺ -Resistant Guard Cell K ⁺ Channel Confers Cs ⁺ -Resistant, Light-Induced Stomatal Opening in Transgenic Arabidopsis. <i>Plant Cell</i> , 1997, 9, 1843.	3.1	37
224	Differential Abscisic Acid Regulation of Guard Cell Slow Anion Channels in Arabidopsis Wild-Type and <i>abi1</i> and <i>abi2</i> Mutants. <i>Plant Cell</i> , 1997, 9, 409.	3.1	84
225	Molecular and functional characterization of a novel low-affinity cation transporter (LCT1) in higher plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 11079-11084.	3.3	177
226	Roles of Higher Plant K ⁺ Channels. <i>Plant Physiology</i> , 1997, 114, 1141-1149.	2.3	197
227	A gene family of silicon transporters. <i>Nature</i> , 1997, 385, 688-689.	13.7	319
228	Two Plasma Membrane H ⁺ -ATPase Genes Expressed in Guard Cells of <i>Vicia faba</i> Are Also Expressed Throughout the Plant. <i>Plant and Cell Physiology</i> , 1996, 37, 650-659.	1.5	48
229	Increased Resistance to Extracellular Cation Block by Mutation of the Pore Domain of the Arabidopsis Inward-rectifying K ⁺ Channel KAT1. <i>Journal of Membrane Biology</i> , 1996, 151, 53-62.	1.0	42
230	Alkali cation selectivity of the wheat root high-affinity potassium transporter HKT1. <i>Plant Journal</i> , 1996, 10, 869-882.	2.8	240
231	Strong regulation of slow anion channels and abscisic acid signaling in guard cells by phosphorylation and dephosphorylation events.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 9535-9539.	3.3	196
232	Effects of cytosolic calcium and limited, possible dual, effects of G protein modulators on guard cell inward potassium channels. <i>Plant Journal</i> , 1995, 8, 479-489.	2.8	87
233	Anion channels as central mechanisms for signal transduction in guard cells and putative functions in roots for plant-soil interactions. <i>Plant Molecular Biology</i> , 1995, 28, 353-361.	2.0	84
234	At the roots of nutrition. <i>Nature</i> , 1995, 378, 560-561.	13.7	3

#	ARTICLE	IF	CITATIONS
235	Amino Terminus and the First Four Membrane-spanning Segments of the Arabidopsis K ⁺ Channel KAT1 Confer Inward-rectification Property of Plant-Animal Chimeric Channels. <i>Journal of Biological Chemistry</i> , 1995, 270, 17697-17701.	1.6	53
236	Multiple Genes, Tissue Specificity, and Expression-Dependent Modulation Contribute to the Functional Diversity of Potassium Channels in <i>Arabidopsis thaliana</i> . <i>Plant Physiology</i> , 1995, 109, 1093-1106.	2.3	145
237	Roles of Ion Channels in Initiation of Signal Transduction in Higher Plants. <i>Plant Cell</i> , 1995, 7, 833.	3.1	58
238	Identification of Strong Modifications in Cation Selectivity in an Arabidopsis Inward Rectifying Potassium Channel by Mutant Selection in Yeast. <i>Journal of Biological Chemistry</i> , 1995, 270, 24276-24281.	1.6	102
239	Chapter 37 Heterologous Expression of Higher Plant Transport Proteins and Repression of Endogenous Ion Currents in <i>Xenopus</i> Oocytes. <i>Methods in Cell Biology</i> , 1995, 50, 519-533.	0.5	7
240	Magnesium-independent activation of inward-rectifying K ⁺ channels in <i>Vicia faba</i> guard cells. <i>FEBS Letters</i> , 1995, 363, 157-160.	1.3	24
241	Sodium-Driven Potassium Uptake by the Plant Potassium Transporter HKT1 and Mutations Conferring Salt Tolerance. <i>Science</i> , 1995, 270, 1660-1663.	6.0	628
242	Perspectives on the Physiology and Structure of Inward-Rectifying K ⁺ Channels in Higher Plants: Biophysical Implications for K ⁺ Uptake. <i>Annual Review of Biophysics and Biomolecular Structure</i> , 1994, 23, 441-471.	18.3	326
243	Structure and transport mechanism of a high-affinity potassium uptake transporter from higher plants. <i>Nature</i> , 1994, 370, 655-658.	13.7	603
244	Heterologous Expression and Functional Analysis of Higher Plant Transport Proteins in <i>Xenopus</i> Oocytes. <i>Methods</i> , 1994, 6, 70-81.	1.9	21
245	Calcium-Activated K ⁺ Channels and Calcium-Induced Calcium Release by Slow Vacuolar Ion Channels in Guard Cell Vacuoles Implicated in the Control of Stomatal Closure. <i>Plant Cell</i> , 1994, 6, 669.	3.1	225
246	Signal transduction and calcium channels in higher plants. <i>Current Opinion in Biotechnology</i> , 1993, 4, 172-176.	3.3	9
247	Physiological Roles of Inward-Rectifying K ⁺ Channels. <i>Plant Cell</i> , 1993, 5, 1491.	3.1	10
248	Expression of an Outward-Rectifying Potassium Channel from Maize mRNA and Complementary RNA in <i>Xenopus</i> Oocytes. <i>Plant Cell</i> , 1992, 4, 961.	3.1	0
249	Expression of an inward-rectifying potassium channel by the Arabidopsis KAT1 cDNA. <i>Science</i> , 1992, 258, 1654-1658.	6.0	452
250	Excitation in Plant Membrane Biology. <i>Plant Cell</i> , 1992, 4, 1180.	3.1	0
251	Expression of Ca ²⁺ receptors in <i>Xenopus</i> oocytes injected with poly(A) ⁺ mRNA from a rat calcitonin-secreting cell line. <i>Biochemical and Biophysical Research Communications</i> , 1992, 184, 1235-1240.	1.0	5
252	Electrical measurements on endomembranes. <i>Science</i> , 1992, 258, 873-874.	6.0	189

#	ARTICLE	IF	CITATIONS
253	Inward-rectifying K ⁺ channels in guard cells provide a mechanism for low-affinity K ⁺ uptake.. Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 11583-11587.	3.3	132
254	Ca ²⁺ Channels in Higher Plant Cells. Plant Cell, 1991, 3, 555.	3.1	42
255	Ca ²⁺ Channels in Higher Plant Cells.. Plant Cell, 1991, 3, 555-559.	3.1	61
256	Repetitive increases in cytosolic Ca ²⁺ of guard cells by abscisic acid activation of nonselective Ca ²⁺ permeable channels.. Proceedings of the National Academy of Sciences of the United States of America, 1990, 87, 9305-9309.	3.3	381
257	Function of Ion Channels and Cytosolic Ca ²⁺ in the Mediation of Higher Plant Cell Ion Transport. , 1990, , 103-116.		1
258	Quantitative analysis of outward rectifying K ⁺ channel currents in guard cell protoplasts from <i>Vicia faba</i> . Journal of Membrane Biology, 1989, 107, 229-235.	1.0	81
259	Cytosolic calcium regulates ion channels in the plasma membrane of <i>Vicia faba</i> guard cells. Nature, 1989, 338, 427-430.	13.7	586
260	Involvement of ion channels and active transport in osmoregulation and signaling of higher plant cells. Trends in Biochemical Sciences, 1989, 14, 187-192.	3.7	213
261	Channel-mediated K ⁺ flux in barley aleurone protoplasts. Planta, 1988, 176, 368-377.	1.6	70
262	K ⁺ transport properties of K ⁺ channels in the plasma membrane of <i>Vicia faba</i> guard cells.. Journal of General Physiology, 1988, 92, 667-683.	0.9	245
263	General Mechanisms for Solute Transport Across the Tonoplast of Plant Vacuoles: a Patchâ€Clamp Survey of Ion Channels and Proton Pumps. Botanica Acta, 1988, 101, 7-13.	1.6	116
264	Exploring Biophysical and Biochemical Components of the Osmotic Motor that Drives Stomatal Movement*. Botanica Acta, 1988, 101, 283-294.	1.6	88
265	Voltage dependence of K ⁺ channels in guard-cell protoplasts. Proceedings of the National Academy of Sciences of the United States of America, 1987, 84, 4108-4112.	3.3	421
266	Blue light activates electrogenic ion pumping in guard cell protoplasts of <i>Vicia faba</i> . Nature, 1985, 318, 285-287.	13.7	389
267	Potassium-selective single channels in guard cell protoplasts of <i>Vicia faba</i> . Nature, 1984, 312, 361-362.	13.7	288
268	Crosstalk in Ca ²⁺ Signaling Pathways. , 0, , 59-95.		0
269	Dominant Negative Guard Cell K ⁺ Channel Mutants Reduce Inward-Rectifying K ⁺ Currents and Light-Induced Stomatal Opening in <i>Arabidopsis</i> . , 0, .		30