

Jeremy Driskell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/39701/publications.pdf>

Version: 2024-02-01

38
papers

3,939
citations

172457

29
h-index

315739

38
g-index

38
all docs

38
docs citations

38
times ranked

4673
citing authors

#	ARTICLE	IF	CITATIONS
1	Rapid vertical flow immunoassay on AuNP plasmonic paper for SERS-based point of need diagnostics. <i>Talanta</i> , 2021, 223, 121739.	5.5	20
2	Probing the Mechanism of Antibody-Triggered Aggregation of Gold Nanoparticles. <i>Langmuir</i> , 2021, 37, 2993-3000.	3.5	20
3	High-Affinity Points of Interaction on Antibody Allow Synthesis of Stable and Highly Functional Antibody-Gold Nanoparticle Conjugates. <i>Bioconjugate Chemistry</i> , 2021, 32, 1753-1762.	3.6	20
4	Role of Free Thiol on Protein Adsorption to Gold Nanoparticles. <i>Langmuir</i> , 2020, 36, 9241-9249.	3.5	40
5	Integrating SERS and PSI-MS with Dual Purpose Plasmonic Paper Substrates for On-Site Illicit Drug Confirmation. <i>Analytical Chemistry</i> , 2020, 92, 6676-6683.	6.5	53
6	Antibodies Irreversibly Adsorb to Gold Nanoparticles and Resist Displacement by Common Blood Proteins. <i>Langmuir</i> , 2019, 35, 10601-10609.	3.5	33
7	pH Impacts the Orientation of Antibody Adsorbed onto Gold Nanoparticles. <i>Bioconjugate Chemistry</i> , 2019, 30, 1182-1191.	3.6	97
8	Sandwiching analytes with structurally diverse plasmonic nanoparticles on paper substrates for surface enhanced Raman spectroscopy. <i>RSC Advances</i> , 2019, 9, 32535-32543.	3.6	10
9	Quantifying Bound and Active Antibodies Conjugated to Gold Nanoparticles: A Comprehensive and Robust Approach To Evaluate Immobilization Chemistry. <i>ACS Omega</i> , 2018, 3, 8253-8259.	3.5	90
10	Chemical modification of antibodies enables the formation of stable antibody-gold nanoparticle conjugates for biosensing. <i>Analyst</i> , The, 2017, 142, 4456-4467.	3.5	32
11	A fluorescence-based method to directly quantify antibodies immobilized on gold nanoparticles. <i>Analyst</i> , The, 2016, 141, 3851-3857.	3.5	37
12	SERS immunoassay based on the capture and concentration of antigen-assembled gold nanoparticles. <i>Talanta</i> , 2016, 146, 388-393.	5.5	47
13	Rapid screening of antibody-antigen binding using dynamic light scattering (DLS) and gold nanoparticles. <i>Analytical Methods</i> , 2015, 7, 7249-7255.	2.7	42
14	Effect of Hydration on Plasmonic Coupling of Bioconjugated Gold Nanoparticles Immobilized on a Gold Film Probed by Surface-Enhanced Raman Spectroscopy. <i>Langmuir</i> , 2014, 30, 6309-6313.	3.5	17
15	Accelerated Surface-Enhanced Raman Spectroscopy (SERS)-Based Immunoassay on a Gold-Plated Membrane. <i>Analytical Chemistry</i> , 2013, 85, 8609-8617.	6.5	52
16	Monitoring gold nanoparticle conjugation and analysis of biomolecular binding with nanoparticle tracking analysis (NTA) and dynamic light scattering (DLS). <i>Analyst</i> , The, 2013, 138, 1212.	3.5	92
17	Detection and Differentiation of Avian Mycoplasmas by Surface-Enhanced Raman Spectroscopy Based on a Silver Nanorod Array. <i>Applied and Environmental Microbiology</i> , 2012, 78, 1930-1935.	3.1	37
18	Label-Free Detection of Micro-RNA Hybridization Using Surface-Enhanced Raman Spectroscopy and Least-Squares Analysis. <i>Journal of the American Chemical Society</i> , 2012, 134, 12889-12892.	13.7	99

#	ARTICLE	IF	CITATIONS
19	Fabrication of Spiropyran-Containing Thin Film Sensors Used for the Simultaneous Identification of Multiple Metal Ions. <i>Langmuir</i> , 2011, 27, 12253-12260.	3.5	58
20	One-step assay for detecting influenza virus using dynamic light scattering and gold nanoparticles. <i>Analyst</i> , 2011, 136, 3083.	3.5	136
21	Rapid and Sensitive Detection of Rotavirus Molecular Signatures Using Surface Enhanced Raman Spectroscopy. <i>PLoS ONE</i> , 2010, 5, e10222.	2.5	92
22	Detection of <i>Mycoplasma pneumoniae</i> in Simulated and True Clinical Throat Swab Specimens by Nanorod Array-Surface-Enhanced Raman Spectroscopy. <i>PLoS ONE</i> , 2010, 5, e13633.	2.5	57
23	Rotationally Induced Hydrodynamics: Fundamentals and Applications to High-Speed Bioassays. <i>Annual Review of Analytical Chemistry</i> , 2010, 3, 387-407.	5.4	12
24	Spectroscopic Analysis of Metal Ion Binding in Spiropyran Containing Copolymer Thin Films. <i>Analytical Chemistry</i> , 2010, 82, 3306-3314.	6.5	90
25	Emerging Technologies in Nanotechnology-Based Pathogen Detection. <i>Clinical Microbiology Newsletter</i> , 2009, 31, 137-144.	0.7	21
26	Fabrication and characterization of a multiwell array SERS chip with biological applications. <i>Biosensors and Bioelectronics</i> , 2009, 24, 3663-3670.	10.1	74
27	Quantitative Surface-Enhanced Raman Spectroscopy Based Analysis of MicroRNA Mixtures. <i>Applied Spectroscopy</i> , 2009, 63, 1107-1114.	2.2	61
28	Control of Antigen Mass Transport via Capture Substrate Rotation: Binding Kinetics and Implications on Immunoassay Speed and Detection Limits. <i>Analytical Chemistry</i> , 2009, 81, 6175-6185.	6.5	19
29	Identification and classification of respiratory syncytial virus (RSV) strains by surface-enhanced Raman spectroscopy and multivariate statistical techniques. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 390, 1551-1555.	3.7	127
30	Infectious Agent Detection With SERS-Active Silver Nanorod Arrays Prepared by Oblique Angle Deposition. <i>IEEE Sensors Journal</i> , 2008, 8, 863-870.	4.7	52
31	The Use of Aligned Silver Nanorod Arrays Prepared by Oblique Angle Deposition as Surface Enhanced Raman Scattering Substrates. <i>Journal of Physical Chemistry C</i> , 2008, 112, 895-901.	3.1	254
32	Surface-Enhanced Raman Scattering Immunoassays Using a Rotated Capture Substrate. <i>Analytical Chemistry</i> , 2007, 79, 4141-4148.	6.5	83
33	Rapid and Sensitive Detection of Respiratory Virus Molecular Signatures Using a Silver Nanorod Array SERS Substrate. <i>Nano Letters</i> , 2006, 6, 2630-2636.	9.1	578
34	Labeled Gold Nanoparticles Immobilized at Smooth Metallic Substrates: A Systematic Investigation of Surface Plasmon Resonance and Surface-Enhanced Raman Scattering. <i>Journal of Physical Chemistry B</i> , 2006, 110, 17444-17451.	2.6	218
35	Control of antigen mass transfer via capture substrate rotation: An absolute method for the determination of viral pathogen concentration and reduction of heterogeneous immunoassay incubation times. <i>Journal of Virological Methods</i> , 2006, 138, 160-169.	2.1	14
36	Low-Level Detection of Viral Pathogens by a Surface-Enhanced Raman Scattering Based Immunoassay. <i>Analytical Chemistry</i> , 2005, 77, 6147-6154.	6.5	286

#	ARTICLE	IF	CITATIONS
37	The β -Effect in Methyl Transfers from S-Methyldibenzothiophenium Fluoroborate to Substituted N-Methylbenzohydroxamates. <i>Journal of Organic Chemistry</i> , 2003, 68, 1810-1814.	3.2	41
38	Femtolar Detection of Prostate-Specific Antigen: An Immunoassay Based on Surface-Enhanced Raman Scattering and Immunogold Labels. <i>Analytical Chemistry</i> , 2003, 75, 5936-5943.	6.5	828