

# Gunter Wolf, Mhba

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3971408/publications.pdf>

Version: 2024-02-01

260  
papers

18,280  
citations

24978

57  
h-index

13338

130  
g-index

305  
all docs

305  
docs citations

305  
times ranked

17360  
citing authors

#	ARTICLE	IF	CITATIONS
1	Educational Attainment Is Associated With Kidney and Cardiovascular Outcomes in the German CKD (GCKD) Cohort. <i>Kidney International Reports</i> , 2022, 7, 1004-1015.	0.4	8
2	Cloning of the Human MORG1 Promoter: Differential Regulation by Hypoxia and Prolyl-Hydroxylase Inhibitors. <i>Genes</i> , 2022, 13, 427.	1.0	0
3	Organ Manifestation and Systematic Organ Screening at the Onset of Inflammatory Rheumatic Diseases. <i>Diagnostics</i> , 2022, 12, 67.	1.3	2
4	Assessing the diagnostic value of a potential screening tool for detecting early interstitial lung disease at the onset of inflammatory rheumatic diseases. <i>Arthritis Research and Therapy</i> , 2022, 24, 107.	1.6	8
5	Reduction of Severe Hypoglycaemia in People with Type 2 Diabetes after a Structured Inpatient Intervention. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2021, 129, 587-592.	0.6	7
6	Antidiabetic Therapy and Rate of Severe Hypoglycaemia in Patients with Type 2 Diabetes and Chronic Kidney Disease of Different Stages – A Follow-up Analysis of Health Insurance Data from Germany. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2021, 129, 821-830.	0.6	4
7	IgM-MGUS and associated membranoproliferative glomerulonephritis during IVIG administration. <i>Annals of Hematology</i> , 2021, 100, 1087-1088.	0.8	1
8	Revealing the true face behind the mask of ALK-positive anaplastic large cell lymphoma (ALCL). <i>Annals of Hematology</i> , 2021, 100, 1107-1109.	0.8	0
9	Association Between Glycaemic Control and the Intake of Thiazide Diuretics, Beta Blockers and Levothyroxine in People Without Diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2021, 129, 443-448.	0.6	3
10	Rate, Factors, and Outcome of Delayed Graft Function After Kidney Transplantation of Deceased Donors. <i>Transplantation Proceedings</i> , 2021, 53, 1454-1461.	0.3	8
11	Virtual teaching for medical students during SARS-CoV-2 pandemic. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 1447-1448.	0.4	0
12	Sex Differences in Diabetes- and TGF- $\beta$ 1-Induced Renal Damage. <i>Cells</i> , 2020, 9, 2236.	1.8	24
13	Radiographic remission in rheumatoid arthritis quantified by computer-aided joint space analysis (CASJA): a post hoc analysis of the RAPID 1 trial. <i>Arthritis Research and Therapy</i> , 2020, 22, 229.	1.6	3
14	AGE-Induced Suppression of EZH2 Mediates Injury of Podocytes by Reducing H3K27me3. <i>American Journal of Nephrology</i> , 2020, 51, 676-692.	1.4	12
15	Ramipril pretreatment worsened renal injury and survival despite a reduction in renal inflammation in experimentally induced sepsis in mice. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2020, 21, 147032032092397.	1.0	2
16	Novel Biomarkers in Patients with Chronic Kidney Disease: An Analysis of Patients Enrolled in the GCKD-Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 886.	1.0	15
17	Results from the German Chronic Kidney Disease (GCKD) study support association of relative telomere length with mortality in a large cohort of patients with moderate chronic kidney disease. <i>Kidney International</i> , 2020, 98, 488-497.	2.6	16
18	After ten years of follow-up, no difference between supportive care plus immunosuppression and supportive care alone in IgA nephropathy. <i>Kidney International</i> , 2020, 98, 1044-1052.	2.6	103

#	ARTICLE	IF	CITATIONS
19	Mitochondrial DNA copy number is associated with mortality and infections in a large cohort of patients with chronic kidney disease. <i>Kidney International</i> , 2019, 96, 480-488.	2.6	53
20	Uromodulin-related autosomal-dominant tubulointerstitial kidney disease—pathogenetic insights based on a case. <i>CKJ: Clinical Kidney Journal</i> , 2019, 12, 172-179.	1.4	14
21	AB1171—COMPUTER-BASED EVALUATION OF JOINT SPACE NARROWING IN PATIENTS WITH RHEUMATOID ARTHRITIS TREATED WITH WITH CERTOLIZUMAB PEGOL. , 2019, , .		0
22	AB1224—IS THERE A NEED TO OPTIMIZE REFERRAL DIAGNOSIS TO A RHEUMATOLOGY DEPARTMENT?.. , 2019, , .		0
23	Inhibition of periarticular bone loss is associated with clinical remission and ACR70-Response in rheumatoid arthritis. <i>Rheumatology International</i> , 2019, 39, 637-645.	1.5	6
24	AGE-RAGE Interaction Does Not Explain the Clinical Improvements after Therapeutic Fasting in Osteoarthritis. <i>Complementary Medicine Research</i> , 2018, 25, 167-172.	0.5	5
25	Reduction of HbA1c and diabetes-related distress after intervention in a diabetes day care clinic in people with type 2 diabetes but not with type 1 diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2018, 126, 242-248.	0.6	6
26	Mortality and its Causes in a German Cohort with Diabetes Mellitus Type 1 after 20 Years of Follow-Up: The JEVIN Trial. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2018, 126, 387-393.	0.6	6
27	Valganciclovir Prophylaxis Versus Preemptive Therapy in Cytomegalovirus-Positive Renal Allograft Recipients. <i>Transplantation</i> , 2018, 102, 876-882.	0.5	53
28	Prevalence and Progression Rate of Diabetic Retinopathy in Type 2 Diabetes Patients in Correlation with the Duration of Diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2018, 126, 570-576.	0.6	71
29	FSP1-specific SMAD2 knockout in renal tubular, endothelial, and interstitial cells reduces fibrosis and epithelial-to-mesenchymal transition in murine STZ-induced diabetic nephropathy. <i>Cell and Tissue Research</i> , 2018, 372, 115-133.	1.5	33
30	MORG1+/+ mice are protected from histological renal damage and inflammation in a murine model of endotoxemia. <i>BMC Nephrology</i> , 2018, 19, 29.	0.8	5
31	Complications and monitoring of percutaneous renal biopsy — a retrospective study. <i>Clinical Nephrology</i> , 2018, 89, 260-268.	0.4	19
32	Growth arrest specific 2—like protein 1 expression is upregulated in podocytes through advanced glycation end-products. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw313.	0.4	4
33	Digital X-ray radiogrammetry and its sensitivity and specificity for the identification of rheumatoid arthritis-related cortical hand bone loss. <i>Journal of Bone and Mineral Metabolism</i> , 2017, 35, 192-198.	1.3	15
34	Heterozygosity of mitogen-activated protein kinase organizer 1 ameliorates diabetic nephropathy and suppresses epithelial-to-mesenchymal transition-like changes in db/db mice. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 2017-2034.	0.4	7
35	Metacarpal bone loss in patients with rheumatoid arthritis estimated by a new Digital X-ray Radiogrammetry method — initial results. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 6.	0.8	6
36	Psoriatic arthritis is associated with bone loss of the metacarpals. <i>Arthritis Research and Therapy</i> , 2016, 18, 248.	1.6	13

#	ARTICLE	IF	CITATIONS
37	The association between endothelial microparticles and inflammation in patients with systemic sclerosis and Raynaud's phenomenon as detected by functional imaging. <i>Clinical Hemorheology and Microcirculation</i> , 2016, 61, 549-557.	0.9	23
38	Retinal vessel regulation at high altitudes1. <i>Clinical Hemorheology and Microcirculation</i> , 2016, 63, 281-292.	0.9	17
39	Erdheim-Chester disease with vascular involvement mimics large vessel vasculitis. <i>Postgraduate Medical Journal</i> , 2016, 92, 687-688.	0.9	4
40	A new implementation of digital X-ray radiogrammetry and reference curves of four indices of cortical bone for healthy European adults. <i>Archives of Osteoporosis</i> , 2016, 11, 17.	1.0	8
41	Prospective analysis of principles and frequency of self-adjustment of insulin dose in people with diabetes type 1 before and after participation in a diabetes treatment and teaching programme. <i>Diabetes Research and Clinical Practice</i> , 2016, 119, 65-70.	1.1	4
42	History of mild hypoglycaemia does not affect the prevalence of diabetes-related distress in people with diabetes. <i>Acta Diabetologica</i> , 2016, 53, 833-838.	1.2	6
43	Principles and frequency of self-adjustment of insulin dose in people with diabetes mellitus type 1 and correlation with markers of metabolic control. <i>Diabetes Research and Clinical Practice</i> , 2016, 116, 299-305.	1.1	6
44	Preconditioned suppression of prolyl-hydroxylases attenuates renal injury but increases mortality in septic murine models. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1100-1113.	0.4	13
45	The Application of Fluorescence Optical Imaging in Systemic Sclerosis. <i>BioMed Research International</i> , 2015, 2015, 1-6.	0.9	11
46	Role of Neuropilin-1 in Diabetic Nephropathy. <i>Journal of Clinical Medicine</i> , 2015, 4, 1293-1311.	1.0	21
47	Epithelial-to-Mesenchymal Transition in Diabetic Nephropathy: Fact or Fiction?. <i>Cells</i> , 2015, 4, 631-652.	1.8	198
48	The role of hypoxia and Morg1 in renal injury. <i>European Journal of Clinical Investigation</i> , 2015, 45, 294-302.	1.7	17
49	Influence of angulation on metacarpal bone mineral density measurements using digital X-ray radiogrammetry. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2015, 10, 587-592.	1.7	3
50	CC Chemokine Ligand 18 in ANCA-Associated Crescentic GN. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 2105-2117.	3.0	38
51	Morg1 heterozygous deficiency ameliorates hypoxia-induced acute renal injury. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, F511-F521.	1.3	15
52	Is there a role for Digital X-ray Radiogrammetry as surrogate marker for radiological progression and imaging of structural integrity in rheumatoid arthritis?. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 155.	0.8	9
53	Clinical and endocrine correlates of circulating sclerostin levels in patients with type 1 diabetes mellitus. <i>Clinical Endocrinology</i> , 2014, 80, 649-655.	1.2	47
54	Urine protein profiling identified alpha-1-microglobulin and haptoglobin as biomarkers for early diagnosis of acute allograft rejection following kidney transplantation. <i>World Journal of Urology</i> , 2014, 32, 1619-1624.	1.2	13

#	ARTICLE	IF	CITATIONS
55	Reactive oxygen species in diabetic nephropathy: friend or foe?. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 1998-2003.	0.4	45
56	Visualisation of structural damage as a surrogate marker of radiographic progression in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, e24-e24.	0.5	8
57	Fluorescence optical imaging as a novel technique for the visualisation of inflammation in patients with systemic sclerosis with Raynaud's phenomenon: a pilot study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1279-1280.	0.5	13
58	Activation of the receptor for advanced glycation end products induces nuclear inhibitor of protein phosphatase-1 suppression. <i>Kidney International</i> , 2014, 86, 103-117.	2.6	20
59	Randomized Crossover Study to Examine the Necessity of an Injection-to-Meal Interval in Patients With Type 2 Diabetes and Human Insulin. <i>Diabetes Care</i> , 2013, 36, 1865-1869.	4.3	23
60	Clonal T-LGL population mimicking leukemia in Felty's syndrome" part of a continuous spectrum of T-LGL proliferations?. <i>Annals of Hematology</i> , 2013, 92, 985-987.	0.8	10
61	The role of first-pass perfusion deficit in the detection of cardiac subendocardial manifestation in patients with autoimmune vasculitis. <i>Rheumatology International</i> , 2013, 33, 29-35.	1.5	6
62	Advanced Glycated End-Products Affect HIF-Transcriptional Activity in Renal Cells. <i>Molecular Endocrinology</i> , 2013, 27, 1918-1933.	3.7	29
63	The usefulness of computer-aided joint space analysis in the assessment of rheumatoid arthritis. <i>Joint Bone Spine</i> , 2013, 80, 380-385.	0.8	20
64	Evaluation of a treatment and teaching refresher programme for the optimization of intensified insulin therapy in type 1 diabetes. <i>Patient Education and Counseling</i> , 2013, 93, 108-113.	1.0	18
65	Obesity and Renal Disease: Introduction. <i>Seminars in Nephrology</i> , 2013, 33, 1.	0.6	2
66	The Role of the Renin-Angiotensin-Aldosterone System in Obesity-Related Renal Diseases. <i>Seminars in Nephrology</i> , 2013, 33, 44-53.	0.6	119
67	Utilité de l'analyse de l'interligne articulaire assistée par ordinateur dans l'évaluation de la polyarthrite rhumatoïde. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2013, 80, 473-478.	0.0	0
68	Magnetic resonance venography of the upper venous system with blood pool contrast agent: comparison of two different T1-weighted sequences. <i>Clinical Imaging</i> , 2013, 37, 245-250.	0.8	2
69	MicroRNA-155 Drives TH17 Immune Response and Tissue Injury in Experimental Crescentic GN. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1955-1965.	3.0	41
70	Rituximab for the second- and thirdline therapy of idiopathic membranous nephropathy: a prospective single center study using a new treatment strategy. <i>Clinical Nephrology</i> , 2013, 80, 105-113.	0.4	13
71	Advanced Glycation End Products and Î²<sub>2</sub>-Microglobulin as Predictors of Carpal Tunnel Syndrome in Hemodialysis Patients. <i>Blood Purification</i> , 2012, 34, 3-9.	0.9	9
72	Angiotensin II Differentially Regulates Morg1 Expression in Kidney Cells. <i>American Journal of Nephrology</i> , 2012, 35, 442-455.	1.4	7

#	ARTICLE	IF	CITATIONS
73	Screening and Differential Diagnosis of Renal Light Chain-Associated Diseases. <i>Kidney and Blood Pressure Research</i> , 2012, 35, 120-128.	0.9	9
74	The German Chronic Kidney Disease (GCKD) study: design and methods. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1454-1460.	0.4	127
75	Valganciclovir Prophylaxis Versus Preemptive Therapy in Cytomegalovirus-Positive Renal Allograft Recipients: 1-Year Results of a Randomized Clinical Trial. <i>Transplantation</i> , 2012, 93, 61-68.	0.5	138
76	Magnetic resonance VIBE venography using the blood pool contrast agent gadofosveset trisodium—An interrater reliability study. <i>European Journal of Radiology</i> , 2012, 81, 547-552.	1.2	34
77	Quantitative first pass perfusion in cardiovascular magnetic resonance for determination of peak ventricular transit time—A technique for evaluation of heart function. <i>European Journal of Radiology</i> , 2012, 81, e996-e1001.	1.2	6
78	Improvement of HbA1c and stable weight loss 2 years after an outpatient treatment and teaching program for patients with type 2 diabetes without insulin therapy based on urine glucose self-monitoring. <i>International Journal of General Medicine</i> , 2012, 5, 241.	0.8	12
79	Compatibility of temporary pacemaker myocardial pacing leads with magnetic resonance imaging: an ex vivo tissue study. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 317-326.	0.7	9
80	Quantitative evaluation of MR perfusion imaging using blood pool contrast agent in subjects without pulmonary diseases and in patients with pulmonary embolism. <i>European Radiology</i> , 2012, 22, 1748-1756.	2.3	9
81	Serological response to influenza A H1N1 vaccine (Pandemrix®) and seasonal influenza vaccine 2009/2010 in renal transplant recipients and in hemodialysis patients. <i>Medical Microbiology and Immunology</i> , 2012, 201, 297-302.	2.6	22
82	Reproducibility and influence of hand rotation on computer-aided joint space analysis. <i>Joint Bone Spine</i> , 2012, 79, 384-388.	0.8	12
83	The balance between soluble receptors regulating IL-6 trans-signaling is predictive for the RANKL/osteoprotegerin ratio in postmenopausal women with rheumatoid arthritis. <i>Rheumatology International</i> , 2012, 32, 199-206.	1.5	15
84	Podocytes of AT2 Receptor Knockout Mice Are Protected from Angiotensin II-Mediated RAGE Induction. <i>American Journal of Nephrology</i> , 2011, 34, 309-317.	1.4	15
85	Combined magnetic resonance imaging of deep venous thrombosis and pulmonary arteries after a single injection of a blood pool contrast agent. <i>European Radiology</i> , 2011, 21, 318-325.	2.3	39
86	Novel developments in thrombotic microangiopathies: is there a common link between hemolytic uremic syndrome and thrombotic thrombocytopenic purpura?. <i>Pediatric Nephrology</i> , 2011, 26, 1947-1956.	0.9	20
87	Feasibility study of semi-automated measurements of finger joint space widths. <i>Rheumatology International</i> , 2011, 31, 1349-1354.	1.5	8
88	Influence of Rituximab on markers of bone remodeling in patients with rheumatoid arthritis: a prospective open-label pilot study. <i>Rheumatology International</i> , 2011, 31, 269-272.	1.5	27
89	Value of digital X-ray radiogrammetry in the assessment of inflammatory bone loss in rheumatoid arthritis. <i>Arthritis Care and Research</i> , 2011, 63, 666-674.	1.5	36
90	Type VIII Collagen Modulates TGF- $\beta$ 1-induced Proliferation of Mesangial Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 649-663.	3.0	41

#	ARTICLE	IF	CITATIONS
91	The eye, the kidney and microcirculation. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 4-6.	0.4	15
92	Association between socioeconomic status and renal function in a population of German patients with diabetic nephropathy treated at a tertiary centre. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 4017-4023.	0.4	24
93	Angiotensin II as a Morphogenic Cytokine Stimulating Renal Fibrogenesis. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 1189-1199.	3.0	169
94	Transthoracic Sonography in Comparison to Multislice Computed Tomography in Detection of Peripheral Pulmonary Embolism. <i>Lung</i> , 2010, 188, 43-50.	1.4	30
95	Advanced glycation end-products and the kidney. <i>European Journal of Clinical Investigation</i> , 2010, 40, 742-755.	1.7	184
96	Treatment of osteoporosis after liver transplantation with ibandronate. <i>Transplant International</i> , 2010, 23, 753-759.	0.8	26
97	Proteinuria after conversion to sirolimus in kidney transplant recipients: impact of pre-existing proteinuria, graft function, and angiotensin-converting enzyme inhibitors/angiotensin-receptor antagonists. <i>Clinical Transplantation</i> , 2010, 24, 626-630.	0.8	9
98	Spontaneous Rupture of the Right Coronary Artery. <i>Circulation</i> , 2010, 121, 2692-2693.	1.6	7
99	Inflammatory Obstruction of the Ureter Caused by Infrarenal Aortitis. <i>Circulation</i> , 2010, 121, e453-4.	1.6	1
100	Models of diabetic nephropathy. <i>Drug Discovery Today: Disease Models</i> , 2010, 7, 35-41.	1.2	5
101	Erythropoietin Protects Podocytes from Damage by Advanced Glycation End-Products. <i>Nephron Experimental Nephrology</i> , 2010, 117, e21-e30.	2.4	10
102	Lack of Type VIII Collagen in Mice Ameliorates Diabetic Nephropathy. <i>Diabetes</i> , 2009, 58, 1672-1681.	0.3	19
103	Bone histomorphometry after treatment with teriparatide (PTH 1-34) in a patient with adynamic bone disease subsequent to parathyroidectomy. <i>CKJ: Clinical Kidney Journal</i> , 2009, 2, 49-51.	1.4	6
104	The IL-23/Th17 Axis Contributes to Renal Injury in Experimental Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 969-979.	3.0	205
105	Advanced Glycation End Products Suppress Neuropilin-1 Expression in Podocytes by a Reduction in Sp1-Dependent Transcriptional Activity. <i>American Journal of Nephrology</i> , 2009, 30, 336-345.	1.4	19
106	Diabetic foot syndrome and renal function in type 1 and 2 diabetes mellitus show close association. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 1896-1901.	0.4	60
107	Advanced glycation end-products suppress neuropilin-1 expression in podocytes. <i>Kidney International</i> , 2009, 75, 605-616.	2.6	41
108	Transforming growth factor- $\beta$ 2 and diabetic nephropathy. <i>Journal of Organ Dysfunction</i> , 2009, 5, 130-139.	0.3	3

#	ARTICLE	IF	CITATIONS
109	Morg1 heterozygous mice are protected from acute renal ischemia-reperfusion injury. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, F1273-F1287.	1.3	27
110	Implementation of Z-Scores as an Age- and Sex-independent Parameter for Estimating Joint Space Widths in Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2009, 36, 717-723.	1.0	14
111	Diagnosis of Large-Vessel Vasculitis by [ 18 F ] Fluorodeoxyglucose-Positron Emission Tomography. <i>Circulation</i> , 2009, 119, 338-339.	1.6	9
112	Cognitive Function Is Not Associated With Recurrent Foot Ulcers in Patients With Diabetes and Neuropathy. <i>Diabetes Care</i> , 2009, 32, 894-896.	4.3	25
113	Benefit of a 17-year long-term bisphosphonate therapy in a patient with Gorham-Stout syndrome. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2009, 129, 967-972.	1.3	43
114	Effects of leflunomide and methotrexate in rheumatoid arthritis detected by digital X-ray radiogrammetry and computer-aided joint space analysis. <i>Rheumatology International</i> , 2009, 29, 287-295.	1.5	29
115	Impact of sex, age, body mass index and handedness on finger joint space width in patients with prolonged rheumatoid arthritis using computer-aided joint space analysis. <i>Rheumatology International</i> , 2009, 29, 517-524.	1.5	14
116	Acute Chest Pain, Heart Failure, and Eosinophilia in a Woman Without Coronary Disease. <i>CardioVascular and Interventional Radiology</i> , 2009, 32, 1272-1274.	0.9	6
117	Abnormal retinal autoregulation is detected by provoked stimulation with flicker light in well-controlled patients with type 1 diabetes without retinopathy. <i>Diabetes Research and Clinical Practice</i> , 2009, 86, 51-55.	1.1	36
118	Reduced Morg1 expression in ischemic human brain. <i>Neuroscience Letters</i> , 2009, 455, 46-50.	1.0	9
119	Angiotensin II Upregulates RAGE Expression on Podocytes: Role of AT2 Receptors. <i>American Journal of Nephrology</i> , 2009, 29, 538-550.	1.4	40
120	Combined En-bloc Liver-Pancreas Transplantation in Patients With Liver Cirrhosis and Insulin-Dependent Type 2 Diabetes Mellitus. <i>Transplantation</i> , 2009, 87, 542-545.	0.5	15
121	Pregnancy-associated thrombotic thrombocytopenic purpura. <i>Thrombosis and Haemostasis</i> , 2009, 101, 248-51.	1.8	17
122	Effects of metabolic control, patient education and initiation of insulin therapy on the quality of life of patients with type 2 diabetes mellitus. <i>Patient Education and Counseling</i> , 2008, 73, 50-59.	1.0	44
123	Cryoglobulinaemia type III with severe neuropathy and immune complex glomerulonephritis: remission after plasmapheresis and rituximab. <i>Rheumatology International</i> , 2008, 28, 503-506.	1.5	26
124	Significance of risk factors for osteoporosis is dependent on gender and menopause in rheumatoid arthritis. <i>Rheumatology International</i> , 2008, 28, 1143-1150.	1.5	51
125	New aspects of the relationship among hypertension, obesity, and the kidneys. <i>Current Hypertension Reports</i> , 2008, 10, 138-142.	1.5	4
126	Cholesterol embolization in a renal graft. <i>Clinical Transplantation</i> , 2008, 22, 677-680.	0.8	4



#	ARTICLE	IF	CITATIONS
127	Comparison of the ecarin chromogenic assay and different aPTT assays for the measurement of argatroban concentrations in plasma from healthy individuals and from coagulation factor deficient patients. <i>Thrombosis Research</i> , 2008, 123, 159-165.	0.8	24
128	Hemoglobin Concentrations Are Closely Linked to Renal Function in Patients with Type 1 or 2 Diabetes Mellitus. <i>Kidney and Blood Pressure Research</i> , 2008, 31, 313-321.	0.9	11
129	Advanced glycation end-products induce cell cycle arrest and hypertrophy in podocytes. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2179-2191.	0.4	55
130	A kidney from hell? A nephrological view of the Whitechapel murders in 1888. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3343-3349.	0.4	2
131	Pathogenesis of the Podocytopathy and Proteinuria in Diabetic Glomerulopathy. <i>Current Diabetes Reviews</i> , 2008, 4, 39-45.	0.6	331
132	Antiproteinuric response to dual blockade of the renin-angiotensin system in primary glomerulonephritis. <i>Nature Clinical Practice Nephrology</i> , 2008, 4, 474-475.	2.0	1
133	15-Deoxy- $\Delta^{12,14}$ -prostaglandin J2 inhibits INF- $\alpha$ -induced JAK/STAT1 signalling pathway activation and IP-10/CXCL10 expression in mesangial cells. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3776-3785.	0.4	27
134	Influence of direct thrombin inhibitor argatroban on coagulation assays in healthy individuals, patients under oral anticoagulation therapy and patients with liver dysfunction. <i>Blood Coagulation and Fibrinolysis</i> , 2008, 19, 288-293.	0.5	12
135	Advanced glycation endproducts influence the mRNA expression of RAGE, RANKL and various osteoblastic genes in human osteoblasts. <i>Archives of Physiology and Biochemistry</i> , 2007, 113, 154-161.	1.0	200
136	Histiocytosis X and renal insufficiency. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 3664-3667.	0.4	4
137	Differential Regulation of Toll-Like Receptor 4 Gene Expression in Renal Cells by Angiotensin II: Dependency on AP1 and PU.1 Transcriptional Sites. <i>American Journal of Nephrology</i> , 2007, 27, 308-314.	1.4	44
138	Angiotensin II-Induced Reactive Oxygen Species and the Kidney. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 2439-2446.	3.0	232
139	Rosiglitazone Increases PPAR $\gamma$ 3 in Renal Tubular Epithelial Cells and Protects against Damage by Hydrogen Peroxide. <i>American Journal of Nephrology</i> , 2007, 27, 425-434.	1.4	28
140	Increased Binding of Beta-2-Microglobulin to Blood Cells in Dialysis Patients Treated with High-Flux Dialyzers Compared with Low-Flux Membranes Contributed to Reduced Beta-2-Microglobulin Concentrations. <i>Blood Purification</i> , 2007, 25, 432-440.	0.9	25
141	Influence of Flickering Light on the Retinal Vessels in Diabetic Patients. <i>Diabetes Care</i> , 2007, 30, 3048-3052.	4.3	170
142	Computer-Aided Joint Space Analysis (CAJSA) of the Proximal-Interphalangeal Joint: Normative Age-Related and Gender Specific Data. <i>Academic Radiology</i> , 2007, 14, 594-602.	1.3	16
143	Cellular and Molecular Mechanisms of Proteinuria in Diabetic Nephropathy. <i>Nephron Physiology</i> , 2007, 106, p26-p31.	1.5	203
144	Computer-aided joint space analysis of the metacarpal-phalangeal and proximal-interphalangeal finger joint: normative age-related and gender-specific data. <i>Skeletal Radiology</i> , 2007, 36, 853-864.	1.2	33

#	ARTICLE	IF	CITATIONS
145	Normative Data for Digital X-Ray Radiogrammetry From a Female and Male German Cohort. <i>Journal of Clinical Densitometry</i> , 2006, 9, 341-350.	0.5	27
146	Renin-Angiotensin-Aldosterone System and Progression of Renal Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 2985-2991.	3.0	396
147	Inhibition of platelet-derived growth factor-induced mesangial cell proliferation by cyclooxygenase-2 overexpression is abolished through reactive oxygen species. <i>FEBS Letters</i> , 2006, 580, 2523-2528.	1.3	9
148	Kidney Diseases and Chemokines. <i>Current Drug Targets</i> , 2006, 7, 65-80.	1.0	51
149	Computerized Quantification of Joint Space Narrowing and Periarticular Demineralization in Patients With Rheumatoid Arthritis Based on Digital X-Ray Radiogrammetry. <i>Investigative Radiology</i> , 2006, 41, 36-44.	3.5	33
150	Fatal outcome of pyoderma gangrenosum with multiple organ involvement and partially responding to Infliximab. <i>Open Medicine (Poland)</i> , 2006, 1, 306-312.	0.6	3
151	Computerized Digital Imaging Techniques Provided by Digital X-ray Radiogrammetry as New Diagnostic Tool in Rheumatoid Arthritis. <i>Journal of Digital Imaging</i> , 2006, 19, 279-288.	1.6	32
152	Hypercalcemia in rheumatoid arthritis: relationship with disease activity and bone metabolism. <i>Rheumatology International</i> , 2006, 26, 908-915.	1.5	18
153	The Advanced Glycation End Product N <sup>ε</sup> -Carboxymethyllysine Is Not a Predictor of Cardiovascular Events and Renal Outcomes in Patients With Type 2 Diabetic Kidney Disease and Hypertension. <i>American Journal of Kidney Diseases</i> , 2006, 48, 571-579.	2.1	59
154	As time goes by: Angiotensin II-mediated transactivation of the EGF-receptor comes of age. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 239-239.	0.4	0
155	A Swelling of the Right Neck and Sudden Death. <i>Circulation</i> , 2006, 113, e768-e769.	1.6	1
156	A Friday afternoon case of apparent anti-glomerular basement nephritis. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 2328-2330.	0.4	4
157	Are oral contraceptives associated with increased renin-angiotensin activity and risk of nephropathy in diabetic women?. <i>Nature Clinical Practice Nephrology</i> , 2006, 2, 78-79.	2.0	0
158	Angiotensin II Upregulates Toll-Like Receptor 4 on Mesangial Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 1585-1593.	3.0	81
159	Compartment-Specific Expression and Function of the Chemokine IP-10/CXCL10 in a Model of Renal Endothelial Microvascular Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 454-464.	3.0	87
160	The Novel WD-repeat Protein Morg1 Acts as a Molecular Scaffold for Hypoxia-inducible Factor Prolyl Hydroxylase 3 (PHD3). <i>Journal of Biological Chemistry</i> , 2006, 281, 8645-8655.	1.6	65
161	Renal Angiotensin Receptor Type 1 and 2 Upregulation in Intrauterine Growth Restriction of Newborn Piglets. <i>Cells Tissues Organs</i> , 2006, 182, 106-114.	1.3	9
162	Metacarpal Index Estimated by Digital X-ray Radiogrammetry as a Tool for Differentiating Rheumatoid Arthritis Related Periarticular Osteopenia. <i>International Journal of Biomedical Science</i> , 2006, 2, 241-50.	0.5	1

#	ARTICLE	IF	CITATIONS
163	Angiotensin II stimulates $\alpha$ 3(IV) collagen production in mouse podocytes via TGF- $\beta$ 2 and VEGF signalling: implications for diabetic glomerulopathy. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 1320-1328.	0.4	98
164	Combination therapy with ACE inhibitors and angiotensin II receptor blockers to halt progression of chronic renal disease: Pathophysiology and indications. <i>Kidney International</i> , 2005, 67, 799-812.	2.6	259
165	p27Kip1 knockout mice are protected from diabetic nephropathy: Evidence for p27Kip1 haplotype insufficiency. See editorial by Qi and Breyer, p. 1896. <i>Kidney International</i> , 2005, 68, 1583-1589.	2.6	73
166	Targeted disruption of Col8a1 and Col8a2 genes in mice leads to anterior segment abnormalities in the eye. <i>FASEB Journal</i> , 2005, 19, 1232-1244.	0.2	102
167	Role of Reactive Oxygen Species in Angiotensin II-Mediated Renal Growth, Differentiation, and Apoptosis. <i>Antioxidants and Redox Signaling</i> , 2005, 7, 1337-1345.	2.5	62
168	Zenon's paradox or how much to lower blood pressure for optimal renoprotection. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 2304-2307.	0.4	4
169	As time goes by: angiotensin II-mediated transactivation of the EGF receptor comes of age. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 2050-2053.	0.4	11
170	Angiotensin II down-regulates the SR-BI HDL receptor in proximal tubular cells. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 1222-1227.	0.4	9
171	New Selective AT2 Receptor Ligands Encompassing a $\beta$ -Turn Mimetic Replacing the Amino Acid Residues 4 $\alpha$ 5 of Angiotensin II Act as Agonists. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 4009-4024.	2.9	41
172	From the Periphery of the Glomerular Capillary Wall Toward the Center of Disease: Podocyte Injury Comes of Age in Diabetic Nephropathy. <i>Diabetes</i> , 2005, 54, 1626-1634.	0.3	521
173	Combination of intermittent haemodialysis and high-volume continuous haemofiltration for the treatment of severe metformin-induced lactic acidosis. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 2157-2158.	0.4	71
174	Angiotensin II Induces Hypoxia-Inducible Factor-1 $\alpha$ in PC 12 Cells through a Posttranscriptional Mechanism: Role of AT <sub>2</sub> Receptors. <i>American Journal of Nephrology</i> , 2004, 24, 415-421.	1.4	48
175	Angiotensin II and Cell Cycle Regulation. <i>Hypertension</i> , 2004, 43, 693-698.	1.3	65
176	Not known from ADAM(TS-13)--novel insights into the pathophysiology of thrombotic microangiopathies. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1687-1693.	0.4	13
177	An expensive multifactorial renal failure. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 2921-2922.	0.4	1
178	Oxidized LDL Induces Proliferation and Hypertrophy in Human Umbilical Vein Endothelial Cells via Regulation of p27Kip1 Expression: Role of RhoA. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 3026-3034.	3.0	41
179	Albumin up-regulates the type II transforming growth factor-beta receptor in cultured proximal tubular cells. <i>Kidney International</i> , 2004, 66, 1849-1858.	2.6	65
180	A 63-year-old man with acute abdominal pain and laboratory signs of rapid progressive renal disease. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 742-744.	0.4	2

#	ARTICLE	IF	CITATIONS
181	Georg Büchner's Woyzeck. A tragic example of human experimentation without informed consent. The Pharos of Alpha Omega Alpha-honor Medical Society Alpha Omega Alpha, 2004, 67, 23-8.	0.1	0
182	The Renin-Angiotensin System and Progression of Renal Disease: From Hemodynamics to Cell Biology. Nephron Physiology, 2003, 93, p3-p13.	1.5	173
183	Growth factors and the development of diabetic nephropathy. Current Diabetes Reports, 2003, 3, 485-490.	1.7	37
184	Angiotensin II-induced hypertrophy of proximal tubular cells requires p27Kip1. Kidney International, 2003, 64, 71-81.	2.6	33
185	Why should an angiogenic factor modulate tubular structure in diabetic nephropathy? Some answers, more questions. Kidney International, 2003, 64, 758-759.	2.6	3
186	CD2-associated protein and glomerular disease. Lancet, The, 2003, 362, 1746-1748.	6.3	66
187	Diabetic Nephropathy in Type 2 Diabetes Prevention and Patient Management. Journal of the American Society of Nephrology: JASN, 2003, 14, 1396-1405.	3.0	102
188	p27Kip1: The "Rosebud" of Diabetic Nephropathy?. Journal of the American Society of Nephrology: JASN, 2003, 14, 819-822.	3.0	20
189	Extracellular Actin Impairs Glomerular Capillary Repair in Experimental Mesangioproliferative Glomerulonephritis. Nephron Experimental Nephrology, 2003, 93, e158-e167.	2.4	3
190	Beneficial and adverse renal and vascular effects of the vasopeptidase inhibitor omapatrilat in renovascular hypertensive rats. Nephrology Dialysis Transplantation, 2003, 18, 2005-2013.	0.4	18
191	After all those fat years: renal consequences of obesity. Nephrology Dialysis Transplantation, 2003, 18, 2471-2474.	0.4	55
192	Cell cycle control in glomerular disease. Progress in Cell Cycle Research, 2003, 5, 71-9.	0.9	5
193	"The road not taken": role of angiotensin II type 2 receptor in pathophysiology. Nephrology Dialysis Transplantation, 2002, 17, 195-198.	0.4	39
194	The Hypertrophic Effect of Transforming Growth Factor- $\beta$ 2 is Reduced in the Absence of Cyclin-Dependent Kinase-Inhibitors p21 and p27. Journal of the American Society of Nephrology: JASN, 2002, 13, 1172-1178.	3.0	72
195	Angiotensin II and tubular development. Nephrology Dialysis Transplantation, 2002, 17, 48-51.	0.4	56
196	A woman with increasing weakness of the legs and irregular heartbeat who took her husband's medication. Nephrology Dialysis Transplantation, 2002, 17, 1698-1701.	0.4	1
197	No association between a genetic variant of the p22phox component of NAD(P)H oxidase and the incidence and progression of IgA nephropathy. Nephrology Dialysis Transplantation, 2002, 17, 1509-1512.	0.4	9
198	Existence of a regulatory loop between MCP-1 and TGF- $\beta$ 2 in glomerular immune injury. American Journal of Physiology - Renal Physiology, 2002, 283, F1075-F1084.	1.3	49

#	ARTICLE	IF	CITATIONS
199	Cyclooxygenase-2 Overexpression Inhibits Platelet-derived Growth Factor-induced Mesangial Cell Proliferation through Induction of the Tumor Suppressor Gene p53 and the Cyclin-dependent Kinase Inhibitors p21waf-1/cip-1 and p27kip-1. <i>Journal of Biological Chemistry</i> , 2002, 277, 9763-9771.	1.6	50
200	Friedrich Theodor von Frerichs (1819–1885) and Bright's Disease. <i>American Journal of Nephrology</i> , 2002, 22, 596-602.	1.4	4
201	Remembrance of things past: tumoural calcifications in a haemodialysis patient. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 304-307.	0.4	1
202	Leptin and renal disease. <i>American Journal of Kidney Diseases</i> , 2002, 39, 1-11.	2.1	6,157
203	Induction of p27KIP1 after unilateral ureteral obstruction is independent of angiotensin II. <i>Kidney International</i> , 2002, 61, 68-79.	2.6	22
204	Angiotensin II infusion ameliorates the early phase of a mesangioproliferative glomerulonephritis. See Editorial by de Zeeuw, p. 1176. <i>Kidney International</i> , 2002, 61, 1020-1029.	2.6	18
205	Chronic anti-Thy-1 nephritis is aggravated in the nonclipped but not in the clipped kidney of Goldblatt hypertensive rats. <i>Kidney International</i> , 2002, 61, 2119-2131.	2.6	15
206	Angiotensin II activates nuclear transcription factor- $\kappa$ B through AT1 and AT2 receptors. See Editorial by Luft, p. 2272. <i>Kidney International</i> , 2002, 61, 1986-1995.	2.6	197
207	Effects of different PPAR $\gamma$ -agonists on MCP-1 expression and monocyte recruitment in experimental glomerulonephritis. <i>Kidney International</i> , 2002, 62, 455-464.	2.6	33
208	Angiotensin II's Antiproliferative Effects Mediated Through AT2-Receptors Depend On Down-Regulation of SM-20. <i>Laboratory Investigation</i> , 2002, 82, 1305-1317.	1.7	37
209	Molecular Mechanisms of Diabetic Mesangial Cell Hypertrophy. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 2611-2613.	3.0	31
210	Thrombosis associated with cytomegalovirus infection in patients with ANCA-positive vasculitis. <i>American Journal of Kidney Diseases</i> , 2001, 38, E27.	2.1	20
211	High Glucose-Induced Hypertrophy of Mesangial Cells Requires p27Kip1, an Inhibitor of Cyclin-Dependent Kinases. <i>American Journal of Pathology</i> , 2001, 158, 1091-1100.	1.9	107
212	Antioxidant treatment induces transcription and expression of transforming growth factor $\beta$ 2 in cultured renal proximal tubular cells. <i>FEBS Letters</i> , 2001, 488, 154-159.	1.3	28
213	Angiotensin II induces p27Kip1 expression in renal tubules in vivo: role of reactive oxygen species. <i>Journal of Molecular Medicine</i> , 2001, 79, 382-389.	1.7	35
214	Leptin stimulates type I collagen production in db/db mesangial cells: Glucose uptake and TGF- $\beta$ 2 type II receptor expression. <i>Kidney International</i> , 2001, 59, 1315-1323.	2.6	126
215	Monocyte chemoattractant protein-1 and osteopontin differentially regulate monocytes recruitment in experimental glomerulonephritis. <i>Kidney International</i> , 2001, 59, 1762-1769.	2.6	92
216	Renal handling of human apolipoprotein(a) and its fragments in the rat. <i>American Journal of Kidney Diseases</i> , 2001, 38, 619-630.	2.1	24

#	ARTICLE	IF	CITATIONS
217	Necrotizing glomerulonephritis associated with Hodgkin's disease. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 187-188.	0.4	6
218	Transmission of Glomerular Permeability Factor from a Mother to Her Child. <i>New England Journal of Medicine</i> , 2001, 344, 386-387.	13.9	130
219	“Show Your Wound”-Medicine and the Work of Joseph Beuys. <i>Annals of Internal Medicine</i> , 2000, 133, 927.	2.0	0
220	Regulatory peptides and their antagonists in nephropathies. <i>Current Opinion in Nephrology and Hypertension</i> , 2000, 9, 233-239.	1.0	5
221	Renal expression of aminopeptidase A in rats with two-kidney, one-lip hypertension. <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 1935-1942.	0.4	20
222	Franz Volhard and his students' tortuous road to renovascular hypertension. <i>Kidney International</i> , 2000, 57, 2156-2166.	2.6	8
223	CCKB/gastrin receptors mediate changes in sodium and potassium absorption in the isolated perfused rat kidney. <i>Kidney International</i> , 2000, 58, 995-1003.	2.6	34
224	Renovascular hypertension does not influence repair of glomerular lesions induced by anti-thymocyte glomerulonephritis. <i>Kidney International</i> , 2000, 58, 1135-1147.	2.6	15
225	Free radical production and angiotensin. <i>Current Hypertension Reports</i> , 2000, 2, 167-173.	1.5	124
226	Cell cycle regulatory proteins in renal disease: role in hypertrophy, proliferation, and apoptosis. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 278, F515-F529.	1.3	154
227	Premature closure or do not get lost in your diagnostic workup and blame it on the patient. <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 1072-1075.	0.4	1
228	IDENTIFICATION OF $\alpha 1$ , $\alpha 2$ , AND $\alpha 3$ CHAINS OF TYPE IV COLLAGEN AS ALLOANTIGENS FOR ALPORT POSTTRANSPLANT ANTI-GLOMERULAR BASEMENT MEMBRANE ANTIBODIES. <i>Transplantation</i> , 2000, 69, 679-684.	0.5	48
229	Reactive Oxygen Species Stimulate p44/42 Mitogen-Activated Protein Kinase and Induce p27Kip1. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 1387-1397.	3.0	91
230	Vasoactive Factors and Tubulointerstitial Injury. <i>Kidney and Blood Pressure Research</i> , 1999, 22, 62-70.	0.9	20
231	Cyclooxygenase metabolites mediate glomerular monocyte chemoattractant protein-1 formation and monocyte recruitment in experimental glomerulonephritis. See Editorial by Breyer, p. 738. <i>Kidney International</i> , 1999, 55, 430-441.	2.6	57
232	Monocyte chemoattractant protein-1 mediates collagen deposition in experimental glomerulonephritis by transforming growth factor- $\beta$ . <i>Kidney International</i> , 1999, 56, 135-144.	2.6	92
233	Molecular mechanisms of diabetic renal hypertrophy. <i>Kidney International</i> , 1999, 56, 393-405.	2.6	417
234	Leptin stimulates proliferation and TGF- $\beta$ expression in renal glomerular endothelial cells: Potential role in glomerulosclerosis. See Editorial by Ballermann, p. 1154. <i>Kidney International</i> , 1999, 56, 860-872.	2.6	326

#	ARTICLE	IF	CITATIONS
235	Molecular mechanisms of renal hypertrophy: Role of p27Kip1. <i>Kidney International</i> , 1999, 56, 1262-1265.	2.6	36
236	Angiotensin II stimulates expression of transforming growth factor $\beta$ 2 receptor type II in cultured mouse proximal tubular cells. <i>Journal of Molecular Medicine</i> , 1999, 77, 556-564.	1.7	88
237	Endure!: how Paul Klee's illness influenced his art. <i>Lancet, The</i> , 1999, 353, 1516-1518.	6.3	12
238	Angiotensin II Induces alpha3(IV) Collagen Expression in Cultured Murine Proximal Tubular Cells. <i>Proceedings of the Association of American Physicians</i> , 1999, 111, 357-364.	2.1	35
239	Glomerular expression of p27Kip1 in diabetic db/db mouse: Role of hyperglycemia. <i>Kidney International</i> , 1998, 53, 869-879.	2.6	88
240	Evidence for CCKB receptors in the guinea-pig kidney: localization and characterization by [125I]gastrin binding studies and by RT-PCR. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1998, 358, 287-292.	1.4	12
241	Angiotensin II-mediated expression of p27Kip1 and induction of cellular hypertrophy in renal tubular cells depend on the generation of oxygen radicals[1]1See Editorial by Shankland, p. 2241.. <i>Kidney International</i> , 1998, 54, 1923-1933.	2.6	155
242	Link between Angiotensin II and TGF- $\beta$ 2 in the Kidney. <i>Mineral and Electrolyte Metabolism</i> , 1998, 24, 174-180.	1.1	87
243	AT <sub>1</sub> -Receptor Antagonists Abolish Glomerular MCP-1 Expression in a Model of Mesangial Proliferative Glomerulonephritis. <i>Nephron Experimental Nephrology</i> , 1998, 6, 112-120.	2.4	56
244	The role of angiotensin II in diabetic nephropathy: Emphasis on nonhemodynamic mechanisms. <i>American Journal of Kidney Diseases</i> , 1997, 29, 153-163.	2.1	220
245	Prostaglandin E2 stimulates expression of matrix metalloproteinase 2 in cultured rat mesangial cells. <i>Kidney International</i> , 1997, 51, 1116-1123.	2.6	30
246	Overexpression of aminopeptidase A abolishes the growth promoting effects of angiotensin II in cultured mouse mesangial cells. <i>Kidney International</i> , 1997, 52, 1250-1260.	2.6	15
247	Prostaglandin E1 inhibits collagen expression in anti-thymocyte antibody-induced glomerulonephritis: Possible role of TGF $\beta$ 2. <i>Kidney International</i> , 1996, 50, 190-199.	2.6	26
248	Angiotensin II-stimulated hypertrophy of LLC-PK1 cells depends on the induction of the cyclin-dependent kinase inhibitor p27Kip1. <i>Kidney International</i> , 1996, 50, 2112-2119.	2.6	56
249	Angiotensin II Is Mitogenic for Cultured Rat Glomerular Endothelial Cells. <i>Hypertension</i> , 1996, 27, 897-905.	1.3	70
250	CYCLOSPORINE STIMULATES EXPRESSION OF TRANSFORMING GROWTH FACTOR- $\beta$ 2 IN RENAL CELLS POSSIBLE MECHANISM OF CYCLOSPORINES ANTIPROLIFERATIVE EFFECTS. <i>Transplantation</i> , 1995, 60, 237-241.	0.5	119
251	Angiotensin II-stimulated expression of transforming growth factor beta in renal proximal tubular cells: Attenuation after stable transfection with the c-mas oncogene. <i>Kidney International</i> , 1995, 48, 1818-1827.	2.6	63
252	Angiotensin II as a Renal Cytokine. <i>Physiology</i> , 1994, 9, 40-42.	1.6	1

#	ARTICLE	IF	CITATIONS
253	TNF $\alpha$ induces expression of the chemoattractant cytokine RANTES in cultured mouse mesangial cells. <i>Kidney International</i> , 1993, 44, 795-804.	2.6	81
254	Changing Concepts of Compensatory Renal Growth: From Humoral Pathology to Molecular Biology. <i>American Journal of Nephrology</i> , 1992, 12, 369-373.	1.4	9
255	Isolation and characterization of cDNA from renal tubular epithelium encoding murine Rantes. <i>Kidney International</i> , 1992, 41, 220-225.	2.6	119
256	High glucose-induced proliferation in mesangial cells is reversed by autocrine TGF- $\beta$ <sup>2</sup> . <i>Kidney International</i> , 1992, 42, 647-656.	2.6	306
257	The influence of glucose concentration on angiotensin II-induced hypertrophy of proximal tubular cells in culture. <i>Biochemical and Biophysical Research Communications</i> , 1991, 176, 902-909.	1.0	70
258	Expression of homeobox genes in a proximal tubular cell line derived from adult mice. <i>Kidney International</i> , 1991, 39, 1027-1033.	2.6	34
259	Molecular mechanisms of tubulointerstitial hypertrophy and hyperplasia. <i>Kidney International</i> , 1991, 39, 401-420.	2.6	100
260	Glomerular angiotensinase A in the rat: Increase of enzyme activity following renal ablation. <i>Kidney International</i> , 1990, 38, 862-868.	2.6	32