

# Lizhi Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/397236/publications.pdf>

Version: 2024-02-01

27  
papers

1,856  
citations

516710

16  
h-index

526287

27  
g-index

27  
all docs

27  
docs citations

27  
times ranked

3045  
citing authors

#	ARTICLE	IF	CITATIONS
1	Anticachectic regulator analysis reveals Perp-dependent antitumorigenic properties of 3-methyladenine in pancreatic cancer. <i>JCI Insight</i> , 2022, 7, .	5.0	6
2	Morphologic and Molecular Findings in Myxoid Hepatic Adenomas. <i>American Journal of Surgical Pathology</i> , 2021, 45, 1098-1107.	3.7	12
3	Diagnosing Biliary Strictures. <i>Mayo Clinic Proceedings Innovations, Quality &amp; Outcomes</i> , 2021, 5, 535-541.	2.4	6
4	Somatostatin-derived amyloidosis: a novel type of amyloidosis associated with well-differentiated somatostatin-producing neuroendocrine tumours. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2021, , 1-6.	3.0	2
5	Clinicopathological significance of lymphocytic colitis/collagenous colitis in inflammatory bowel disease. <i>Human Pathology</i> , 2020, 96, 87-95.	2.0	5
6	Carboxypeptidase A1 and regenerating islet-derived 1 $\pm$ as new markers for pancreatic acinar cell carcinoma. <i>Human Pathology</i> , 2020, 103, 120-126.	2.0	10
7	Colonic Angiosarcoma Arising in Association with Amyloid Deposits. <i>Case Reports in Gastrointestinal Medicine</i> , 2020, 2020, 1-6.	0.3	2
8	Pancreatic tumor cell metastasis is restricted by MT1-MMP binding protein MTCBP-1. <i>Journal of Cell Biology</i> , 2019, 218, 317-332.	5.2	36
9	The clinicopathologic features of chronic active Epstein-Barr virus infective enteritis. <i>Modern Pathology</i> , 2019, 32, 387-395.	5.5	27
10	Trypsin activity governs increased susceptibility to pancreatitis in mice expressing human PRSS1R122H. <i>Journal of Clinical Investigation</i> , 2019, 130, 189-202.	8.2	44
11	Endoscopic Ultrasoundâ€“Guided Fine-Needle Biopsies Fromâ€“Pancreatic Ductal Adenocarcinomas Can Be Used to Quantify PD-L1. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 1535-1536.	4.4	2
12	Bim is an independent prognostic marker in intrahepatic cholangiocarcinoma. <i>Human Pathology</i> , 2018, 78, 97-105.	2.0	7
13	EUS fine-needle pancreatic core biopsy can determine eligibility for tumor-agnostic immunotherapy. <i>Endoscopy International Open</i> , 2018, 06, E1278-E1282.	1.8	10
14	CDK4/6-dependent activation of DUB3 regulates cancer metastasis through SNAIL1. <i>Nature Communications</i> , 2017, 8, 13923.	12.8	119
15	The Presence of Interleukin-13 at Pancreatic ADM/PanIN Lesions Alters Macrophage Populations and Mediates Pancreatic Tumorigenesis. <i>Cell Reports</i> , 2017, 19, 1322-1333.	6.4	87
16	USP49 negatively regulates tumorigenesis and chemoresistance through FKBP51â€“AKT signaling. <i>EMBO Journal</i> , 2017, 36, 1434-1446.	7.8	72
17	Gastroblastoma harbors a recurrent somatic MALAT1â€“GLI1 fusion gene. <i>Modern Pathology</i> , 2017, 30, 1443-1452.	5.5	93
18	Mutant KRas-Induced Mitochondrial Oxidative Stress in Acinar Cells Upregulates EGFR Signaling to Drive Formation of Pancreatic Precancerous Lesions. <i>Cell Reports</i> , 2016, 14, 2325-2336.	6.4	199

#	ARTICLE	IF	CITATIONS
19	TP53 alterations in pancreatic acinar cell carcinoma: new insights into the molecular pathology of this rare cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 468, 289-296.	2.8	19
20	The serum matrix metalloproteinase-9 level is an independent predictor of recurrence after ablation of persistent atrial fibrillation. <i>Clinics</i> , 2016, 71, 251-256.	1.5	11
21	Mutant KRAS-Induced Expression of ICAM-1 in Pancreatic Acinar Cells Causes Attraction of Macrophages to Expedite the Formation of Precancerous Lesions. <i>Cancer Discovery</i> , 2015, 5, 52-63.	9.4	152
22	Fibroblast growth factor receptor 2 translocations in intrahepatic cholangiocarcinoma. <i>Human Pathology</i> , 2014, 45, 1630-1638.	2.0	235
23	Proposed histopathologic grading system derived from a study of KIT and CK19 expression in pancreatic endocrine neoplasm. <i>Human Pathology</i> , 2011, 42, 324-331.	2.0	21
24	Gastric Stromal Tumors in Carney Triad Are Different Clinically, Pathologically, and Behaviorally From Sporadic Gastric Gastrointestinal Stromal Tumors: Findings in 104 Cases. <i>American Journal of Surgical Pathology</i> , 2010, 34, 53-64.	3.7	196
25	IgG4+ Plasma Cell Infiltrates in Liver Explants With Primary Sclerosing Cholangitis. <i>American Journal of Surgical Pathology</i> , 2010, 34, 88-94.	3.7	128
26	KIT is an Independent Prognostic Marker for Pancreatic Endocrine Tumors. <i>American Journal of Surgical Pathology</i> , 2009, 33, 1562-1569.	3.7	70
27	IgG4-positive plasma cell infiltration in the diagnosis of autoimmune pancreatitis. <i>Modern Pathology</i> , 2007, 20, 23-28.	5.5	285