

Dorte MÃ¸ller Jensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3975277/publications.pdf>

Version: 2024-02-01

117
papers

6,295
citations

101543

36
h-index

69250

77
g-index

123
all docs

123
docs citations

123
times ranked

6455
citing authors

#	ARTICLE	IF	CITATIONS
1	High Prevalence of Type 2 Diabetes and Pre-Diabetes in Adult Offspring of Women With Gestational Diabetes Mellitus or Type 1 Diabetes. <i>Diabetes Care</i> , 2008, 31, 340-346.	8.6	601
2	Outcomes in Type 1 Diabetic Pregnancies. <i>Diabetes Care</i> , 2004, 27, 2819-2823.	8.6	424
3	Overweight and the Metabolic Syndrome in Adult Offspring of Women with Diet-Treated Gestational Diabetes Mellitus or Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 2464-2470.	3.6	378
4	Pregnancy outcome and prepregnancy body mass index in 2459 glucose-tolerant Danish women. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 239-244.	1.3	304
5	Low birth weight is associated with NIDDM in discordant monozygotic and dizygotic twin pairs. <i>Diabetologia</i> , 1997, 40, 439-446.	6.3	299
6	The LiP (Lifestyle in Pregnancy) Study. <i>Diabetes Care</i> , 2011, 34, 2502-2507.	8.6	267
7	HbA1c Levels Are Significantly Lower in Early and Late Pregnancy. <i>Diabetes Care</i> , 2004, 27, 1200-1201.	8.6	262
8	Increasing Incidence of Diabetes After Gestational Diabetes: A long-term follow-up in a Danish population. <i>Diabetes Care</i> , 2004, 27, 1194-1199.	8.6	230
9	Effects of antenatal diet and physical activity on maternal and fetal outcomes: individual patient data meta-analysis and health economic evaluation. <i>Health Technology Assessment</i> , 2017, 21, 1-158.	2.8	214
10	Peri-Conceptional A1C and Risk of Serious Adverse Pregnancy Outcome in 933 Women With Type 1 Diabetes. <i>Diabetes Care</i> , 2009, 32, 1046-1048.	8.6	187
11	Clinical impact of mild carbohydrate intolerance in pregnancy: A study of 2904 nondiabetic Danish women with risk factors for gestational diabetes mellitus. <i>American Journal of Obstetrics and Gynecology</i> , 2001, 185, 413-419.	1.3	140
12	Effect of physical activity and/or healthy eating on GDM risk: The DALI Lifestyle Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, jc.2016-3455.	3.6	140
13	Gestational Weight Gain and Pregnancy Outcomes in 481 Obese Glucose-Tolerant Women. <i>Diabetes Care</i> , 2005, 28, 2118-2122.	8.6	128
14	Maternal and neonatal outcomes in pregnancies complicated by gestational diabetes. a nation-wide study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1720-1724.	1.5	117
15	Epidemiology of gestational diabetes mellitus according to IADPSG/WHO 2013 criteria among obese pregnant women in Europe. <i>Diabetologia</i> , 2017, 60, 1913-1921.	6.3	117
16	Screening for gestational diabetes mellitus by a model based on risk indicators: a prospective study. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 1383-1388.	1.3	102
17	Pregnancy in women with type 1 diabetes: Have the goals of St. Vincent declaration been met concerning foetal and neonatal complications?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013, 26, 1682-1686.	1.5	96
18	Results From a European Multicenter Randomized Trial of Physical Activity and/or Healthy Eating to Reduce the Risk of Gestational Diabetes Mellitus: The DALI Lifestyle Pilot. <i>Diabetes Care</i> , 2015, 38, 1650-1656.	8.6	93

#	ARTICLE	IF	CITATIONS
19	Maternal and perinatal outcomes in 143 Danish women with gestational diabetes mellitus and 143 controls with a similar risk profile. <i>Diabetic Medicine</i> , 2000, 17, 281-286.	2.3	90
20	Gestational weight gain outside the Institute of Medicine recommendations and adverse pregnancy outcomes: analysis using individual participant data from randomised trials. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 322.	2.4	87
21	DALI: Vitamin D and lifestyle intervention for gestational diabetes mellitus (GDM) prevention: an European multicentre, randomised trial " study protocol. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 142.	2.4	85
22	IADPSG and WHO 2013 Gestational Diabetes Mellitus Criteria Identify Obese Women With Marked Insulin Resistance in Early Pregnancy. <i>Diabetes Care</i> , 2016, 39, e90-e92.	8.6	79
23	Microalbuminuria, Preeclampsia, and Preterm Delivery in Pregnant Women With Type 1 Diabetes. <i>Diabetes Care</i> , 2010, 33, 90-94.	8.6	77
24	Adverse pregnancy outcome in women with mild glucose intolerance: is there a clinically meaningful threshold value for glucose?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 59-62.	2.8	75
25	Reference intervals for glucose, β -cell polypeptides, and counterregulatory factors during prolonged fasting. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001, 280, E50-E58.	3.5	72
26	Diabetes in pregnancy outcomes: A systematic review and proposed codification of definitions. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 680-690.	4.0	71
27	Gestational Diabetes Mellitus: Does One Size Fit All? A Challenge to Uniform Worldwide Diagnostic Thresholds. <i>Diabetes Care</i> , 2018, 41, 1339-1342.	8.6	68
28	Proposed diagnostic thresholds for gestational diabetes mellitus according to a 75-g oral glucose tolerance test. Maternal and perinatal outcomes in 3260 Danish women. <i>Diabetic Medicine</i> , 2003, 20, 51-57.	2.3	66
29	Postpartum weight retention and breastfeeding among obese women from the randomized controlled Lifestyle in Pregnancy (LiP) trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 794-801.	2.8	64
30	Effects of Lifestyle Intervention in Pregnancy and Anthropometrics at Birth on Offspring Metabolic Profile at 2.8 Years: Results From the Lifestyle in Pregnancy and Offspring (LiPO) Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 175-183.	3.6	58
31	A reduction in sedentary behaviour in obese women during pregnancy reduces neonatal adiposity: the DALI randomised controlled trial. <i>Diabetologia</i> , 2019, 62, 915-925.	6.3	50
32	Anthropometrics and Body Composition by Dual Energy X-Ray in Children of Obese Women: A Follow-Up of a Randomized Controlled Trial (the Lifestyle in Pregnancy and Offspring [LiPO] Study). <i>PLoS ONE</i> , 2014, 9, e89590.	2.5	46
33	Increased metabolic risk in adolescent offspring of mothers with type 1 diabetes: the EPICOM study. <i>Diabetologia</i> , 2015, 58, 1454-1463.	6.3	44
34	Pregnancy and perinatal outcomes according to surgery to conception interval and gestational weight gain in women with previous gastric bypass. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 1182-1188.	1.5	44
35	Elevated third-trimester haemoglobin A1c predicts preterm delivery in type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2008, 22, 297-302.	2.3	43
36	The DALI vitamin D randomized controlled trial for gestational diabetes mellitus prevention: No major benefit shown besides vitamin D sufficiency. <i>Clinical Nutrition</i> , 2020, 39, 976-984.	5.0	42

#	ARTICLE	IF	CITATIONS
37	Cognitive Function in Adult Offspring of Women with Gestational Diabetes—The Role of Glucose and Other Factors. <i>PLoS ONE</i> , 2013, 8, e67107.	2.5	38
38	Hyperandrogenism and phenotypes of polycystic ovary syndrome are not associated with differences in obstetric outcomes. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 204-211.	2.8	38
39	Metabolic effects of lifestyle intervention in obese pregnant women. Results from the randomized controlled trial “Lifestyle in Pregnancy” (LiP). <i>Diabetic Medicine</i> , 2014, 31, 1323-1330.	2.3	36
40	Physical activity, depressed mood and pregnancy worries in European obese pregnant women: results from the DALI study. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 158.	2.4	36
41	The Predictive Value of miR-16, -29a and -134 for Early Identification of Gestational Diabetes: A Nested Analysis of the DALI Cohort. <i>Cells</i> , 2021, 10, 170.	4.1	35
42	Cost-effectiveness of healthy eating and/or physical activity promotion in pregnant women at increased risk of gestational diabetes mellitus: economic evaluation alongside the DALI study, a European multicenter randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 23.	4.6	34
43	Cognitive function in adult offspring of women with Type 1 diabetes. <i>Diabetic Medicine</i> , 2011, 28, 838-844.	2.3	33
44	Lifestyle Intervention in Danish Obese Pregnant Women With Early Gestational Diabetes Mellitus According to WHO 2013 Criteria Does Not Change Pregnancy Outcomes: Results From the LiP (Lifestyle) Tj ETQq000 rgBT / Overlock 1	2.4	32
45	Beliefs, Barriers, and Preferences of European Overweight Women to Adopt a Healthier Lifestyle in Pregnancy to Minimize Risk of Developing Gestational Diabetes Mellitus: An Explorative Study. <i>Journal of Pregnancy</i> , 2016, 2016, 1-11.	2.4	31
46	Polycystic ovary syndrome and hyperglycaemia in pregnancy. A narrative review and results from a prospective Danish cohort study. <i>Diabetes Research and Clinical Practice</i> , 2018, 145, 167-177.	2.8	30
47	Long-term Cognitive Implications of Intrauterine Hyperglycemia in Adolescent Offspring of Women With Type 1 Diabetes (the EPICOM Study). <i>Diabetes Care</i> , 2016, 39, 1356-1363.	8.6	29
48	Academic Achievement in Primary School in Offspring Born to Mothers With Type 1 Diabetes (the) Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50	8.6	28
49	A prospective study of twinning and perinatal mortality in urban Guinea-Bissau. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 140.	2.4	27
50	First-trimester multimarker prediction of gestational diabetes mellitus using targeted mass spectrometry. <i>Diabetologia</i> , 2016, 59, 970-979.	6.3	27
51	Global cost-effectiveness of GDM screening and management: Current knowledge and future needs. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2015, 29, 206-224.	2.8	24
52	Isolated hyperproinsulinaemia heralding diabetes mellitus?. <i>Diabetologia</i> , 1994, 37, 729-730.	6.3	23
53	First-trimester proteomic profiling identifies novel predictors of gestational diabetes mellitus. <i>PLoS ONE</i> , 2019, 14, e0214457.	2.5	23
54	Association between Gestational Weight Gain, Gestational Diabetes Risk, and Obstetric Outcomes: A Randomized Controlled Trial Post Hoc Analysis. <i>Nutrients</i> , 2018, 10, 1568.	4.1	22

#	ARTICLE	IF	CITATIONS
55	Evolution of diagnostic criteria for gestational diabetes mellitus. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 739-745.	2.8	21
56	Nutritional Lifestyle Intervention in Obese Pregnant Women, Including Lower Carbohydrate Intake, Is Associated With Increased Maternal Free Fatty Acids, 3- β -Hydroxybutyrate, and Fasting Glucose Concentrations: A Secondary Factorial Analysis of the European Multicenter, Randomized Controlled DALI Lifestyle Intervention Trial. <i>Diabetes Care</i> , 2019, 42, 1380-1389.	8.6	21
57	Pregestational body mass index is related to neonatal abdominal circumference at birth—a Danish population-based study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 320-330.	2.3	20
58	Risk factors for hyperglycemia in pregnancy in the DALI study differ by period of pregnancy and OGTT time point. <i>European Journal of Endocrinology</i> , 2018, 179, 39-49.	3.7	20
59	Protocol for a randomised controlled trial of a co-produced, complex, health promotion intervention for women with prior gestational diabetes and their families: the Face-it study. <i>Trials</i> , 2020, 21, 146.	1.6	17
60	Multisystem Morbidity and Mortality in Offspring of Women With Type 1 Diabetes (the EPICOM Study): A Register-Based Prospective Cohort Study. <i>Diabetes Care</i> , 2015, 38, 821-826.	8.6	16
61	White coat hypertension in early pregnancy in women with pre-existing diabetes: prevalence and pregnancy outcomes. <i>Diabetologia</i> , 2019, 62, 2188-2199.	6.3	15
62	The effects of dietary and lifestyle interventions among pregnant women who are overweight or obese on longer-term maternal and early childhood outcomes: protocol for an individual participant data (IPD) meta-analysis. <i>Systematic Reviews</i> , 2017, 6, 51.	5.3	14
63	Differential effects of age and sex on insulin sensitivity and body composition in adolescent offspring of women with type 1 diabetes: results from the EPICOM study. <i>Diabetologia</i> , 2018, 61, 210-219.	6.3	14
64	Performance of early pregnancy HbA1c for predicting gestational diabetes mellitus and adverse pregnancy outcomes in obese European women. <i>Diabetes Research and Clinical Practice</i> , 2020, 168, 108378.	2.8	14
65	Fatty Liver Among Adolescent Offspring of Women With Type 1 Diabetes (the EPICOM Study). <i>Diabetes Care</i> , 2019, 42, 1560-1568.	8.6	13
66	Assessment of Attention Deficits in Adolescent Offspring Exposed to Maternal Type 1 Diabetes. <i>PLoS ONE</i> , 2017, 12, e0169308.	2.5	13
67	Variations in reporting of outcomes in randomized trials on diet and physical activity in pregnancy: A systematic review. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 1101-1110.	1.3	12
68	Less sedentary time is associated with a more favourable glucose-insulin axis in obese pregnant women—a secondary analysis of the DALI study. <i>International Journal of Obesity</i> , 2021, 45, 296-307.	3.4	12
69	Correlates of poor mental health in early pregnancy in obese European women. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 404.	2.4	11
70	Temporal relationships between maternal metabolic parameters with neonatal adiposity in women with obesity differ by neonatal sex: Secondary analysis of the DALI study. <i>Pediatric Obesity</i> , 2020, 15, e12628.	2.8	11
71	The importance of maternal insulin resistance throughout pregnancy on neonatal adiposity. <i>Paediatric and Perinatal Epidemiology</i> , 2021, 35, 83-91.	1.7	11
72	Prevalence of anxiety and depression symptoms in pregnant women with type 2 diabetes and the impact on glycaemic control. <i>Diabetic Medicine</i> , 2021, 38, e14506.	2.3	11

#	ARTICLE	IF	CITATIONS
73	Unchanged Prevalence of Preeclampsia After Implementation of Prophylactic Aspirin for All Pregnant Women With Preexisting Diabetes: A Prospective Cohort Study. <i>Diabetes Care</i> , 2021, , dc211182.	8.6	11
74	Systematically developing a family-based health promotion intervention for women with prior gestational diabetes based on evidence, theory and co-production: the Face-it study. <i>BMC Public Health</i> , 2021, 21, 1616.	2.9	11
75	Urine albumin is a superior predictor of preeclampsia compared to urine plasminogen in type I diabetes patients. <i>Journal of the American Society of Hypertension</i> , 2018, 12, 97-107.	2.3	10
76	Effect of motivational interviewing on gestational weight gain and fetal growth in pregnant women with type 2 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2019, 7, e000733.	2.8	10
77	Establishing a Twin Registry in Guinea-Bissau. <i>Twin Research and Human Genetics</i> , 2013, 16, 179-184.	0.6	9
78	Impact of maternal education on response to lifestyle interventions to reduce gestational weight gain: individual participant data meta-analysis. <i>BMJ Open</i> , 2019, 9, e025620.	1.9	9
79	Intima-Media Thickness Measurements in the Fetus and Mother During Pregnancy: A Feasibility Study. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 1949-1957.	1.5	8
80	The Effects of Lifestyle and/or Vitamin D Supplementation Interventions on Pregnancy Outcomes: What Have We Learned from the DALI Studies?. <i>Current Diabetes Reports</i> , 2019, 19, 162.	4.2	8
81	Risk of Metabolic Syndrome and Diabetes Among Young Twins and Singletons in Guinea-Bissau. <i>Diabetes Care</i> , 2013, 36, 3549-3556.	8.6	7
82	Prevalence of impaired glucose tolerance and other types of dysglycaemia among young twins and singletons in Guinea-Bissau. <i>BMC Endocrine Disorders</i> , 2016, 16, 46.	2.2	7
83	Impact of type 1 diabetes on maternal long-term risk of hospitalisation and mortality: a nationwide combined clinical and register-based cohort study (The EPICOM study). <i>Diabetologia</i> , 2018, 61, 1071-1080.	6.3	7
84	Infant twin mortality and hospitalisations after the perinatal period – a prospective cohort study from Guinea-Bissau. <i>Tropical Medicine and International Health</i> , 2014, 19, 1477-1487.	2.3	6
85	Glutamic acid decarboxylase autoantibody-positivity postpartum is associated with impaired β -cell function in women with gestational diabetes mellitus. <i>Diabetic Medicine</i> , 2015, 32, 198-205.	2.3	6
86	Abnormal levels of adipokines in adolescent offspring of women with type 1 diabetes – Results from the EPICOM study. <i>Metabolism: Clinical and Experimental</i> , 2017, 72, 47-56.	3.4	6
87	Is a motivational interviewing based lifestyle intervention for obese pregnant women across Europe implemented as planned? Process evaluation of the DALI study. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 293.	2.4	6
88	Lower daily carbohydrate consumption than recommended by the Institute of Medicine is common among women with type 2 diabetes in early pregnancy in Denmark. <i>Diabetes Research and Clinical Practice</i> , 2019, 152, 88-95.	2.8	6
89	Mediators of Lifestyle Behaviour Changes in Obese Pregnant Women. Secondary Analyses from the DALI Lifestyle Randomised Controlled Trial. <i>Nutrients</i> , 2019, 11, 311.	4.1	6
90	Adapting fasting plasma glucose threshold for GDM diagnosis according to the population distribution – An approach to the Danish paradox. <i>Diabetes Research and Clinical Practice</i> , 2021, 175, 108832.	2.8	6

#	ARTICLE	IF	CITATIONS
91	The unexplored role of sedentary time and physical activity in glucose and lipid metabolism-related placental mRNAs in pregnant women who are obese: the DALI lifestyle randomised controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 708-721.	2.3	6
92	Octreotide therapy and restricted fetal growth: pregnancy in familial hyperinsulinemic hypoglycemia. Endocrinology, Diabetes and Metabolism Case Reports, 2017, 2017, .	0.5	6
93	The Temporal Profile of Circulating miRNAs during Gestation in Overweight and Obese Women with or without Gestational Diabetes Mellitus. Biomedicines, 2022, 10, 482.	3.2	6
94	Re: Vitamin D and gestational diabetes mellitus: a systematic review based on data free of Hawthorne effect. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 1338-1339.	2.3	5
95	Interaction between rs10830962 polymorphism in MTNR1B and lifestyle intervention on maternal and neonatal outcomes: secondary analyses of the DALI lifestyle randomized controlled trial. American Journal of Clinical Nutrition, 2022, 115, 388-396.	4.7	5
96	Hypoglycemia in Pregnancies Following Gastric Bypass—a Systematic Review and Meta-analysis. Obesity Surgery, 2022, 32, 2047-2055.	2.1	5
97	Signs of low-grade systemic inflammation in female offspring of women with type 1 diabetes: The EPICOM study. Diabetes and Metabolism, 2016, 42, 462-465.	2.9	4
98	The Guinea-Bissau Twin Registry Update: A Platform for Studying Twin Mortality and Metabolic Disease. Twin Research and Human Genetics, 2019, 22, 554-560.	0.6	4
99	Venous thromboembolism in anorexia nervosa: four cases from a specialized unit. Indication for thromboprophylaxis?. Eating and Weight Disorders, 2020, 25, 1833-1837.	2.5	4
100	Live-born children after assisted reproduction in women with type 1 diabetes and type 2 diabetes: a nationwide cohort study. Diabetologia, 2020, 63, 1736-1744.	6.3	4
101	Strategies to promote health behaviors in parents with small children—A systematic review and realist synthesis of behavioral interventions. Obesity Reviews, 2022, 23, e13359.	6.5	4
102	Severe Hypothyroidism Masquerading as Renal Impairment. Nephron, 1996, 73, 299-300.	0.6	3
103	Outcomes in Type 1 Diabetic Pregnancies: A Nationwide, Population-Based Study. Obstetrical and Gynecological Survey, 2005, 60, 279-280.	0.4	3
104	Physical activity, sedentary behavior and development of preeclampsia in women with preexisting diabetes. Acta Diabetologica, 2020, 57, 559-567.	2.5	3
105	Impact of Lean Body Mass and Insulin Sensitivity on the IGF-1—Bone Mass Axis in Adolescence: the EPICOM Study. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e772-e781.	3.6	3
106	Home Blood Pressure for the Prediction of Preeclampsia in Women With Preexisting Diabetes. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e3670-e3678.	3.6	3
107	Continuous Venovenous Haemodialysis: A Three-Pump System. Nephron, 1996, 72, 159-162.	1.8	2
108	Diabetes in urban Guinea-Bissau; patient characteristics, mortality and prevalence of undiagnosed dysglycemia. Global Health Action, 2020, 13, 1802136.	1.9	2

#	ARTICLE	IF	CITATIONS
109	GAD65 autoantibodies and glucose tolerance in offspring born to women with and without type 1 diabetes (The EPICOM study). <i>Endocrinology, Diabetes and Metabolism</i> , 2021, 5, e00310.	2.4	2
110	Apolipoprotein D and transthyretin are reduced in female adolescent offspring of women with type 1 diabetes: The EPICOM study. <i>Diabetic Medicine</i> , 2021, , e14776.	2.3	2
111	Treatment of ANCA-Positive, Pauci-Immune Extracapillary Glomerulonephritis with Etoposide. <i>Nephron</i> , 1995, 69, 341-342.	1.8	1
112	Vitamin D levels were significantly higher during and after lifestyle intervention in pregnancy: A randomized controlled trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 350-356.	2.8	1
113	Twins in Guinea-Bissau have a "thin-fat"™ body composition compared to singletons. <i>Journal of Developmental Origins of Health and Disease</i> , 2022, 13, 787-793.	1.4	1
114	Long-Term Metabolic Outcomes after Gestational Diabetes Mellitus (GDM): Results from the Odense GDM Follow-Up Study (OGFUS). <i>Journal of Diabetes Research</i> , 2022, 2022, 1-11.	2.3	1
115	Evidence for an association between diabetes and birth weight still exists. <i>Diabetologia</i> , 1999, 42, 899-900.	6.3	0
116	The impact of anti-hypertensive treatment on foetal growth and haemodynamics in pregnant women with pre-existing diabetes – An explorative study. <i>Diabetic Medicine</i> , 2021, , e14722.	2.3	0
117	Clinical Consequences of Abnormal Glucose Metabolism. , 2012, , 31-42.		0