## Dorte Møller Jensen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3975277/publications.pdf

Version: 2024-02-01

117 papers

6,295 citations

36 h-index 69250 77 g-index

123 all docs

123 docs citations

123 times ranked 6455 citing authors

#	Article	IF	CITATIONS
1	The unexplored role of sedentary time and physical activity in glucose and lipid metabolismâ€related placental mRNAs in pregnant women who are obese: the DALI lifestyle randomised controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 708-721.	2.3	6
2	Interaction between rs10830962 polymorphism in MTNR1B and lifestyle intervention on maternal and neonatal outcomes: secondary analyses of the DALI lifestyle randomized controlled trial. American Journal of Clinical Nutrition, 2022, 115, 388-396.	4.7	5
3	Strategies to promote health behaviors in parents with small childrenâ€"A systematic review and realist synthesis of behavioral interventions. Obesity Reviews, 2022, 23, e13359.	6.5	4
4	The Temporal Profile of Circulating miRNAs during Gestation in Overweight and Obese Women with or without Gestational Diabetes Mellitus. Biomedicines, 2022, 10, 482.	3.2	6
5	Hypoglycemia in Pregnancies Following Gastric Bypass—a Systematic Review and Meta-analysis. Obesity Surgery, 2022, 32, 2047-2055.	2.1	5
6	Twins in Guinea-Bissau have a †thin-fat†body composition compared to singletons. Journal of Developmental Origins of Health and Disease, 2022, 13, 787-793.	1.4	1
7	Long-Term Metabolic Outcomes after Gestational Diabetes Mellitus (GDM): Results from the Odense GDM Follow-Up Study (OGFUS). Journal of Diabetes Research, 2022, 2022, 1-11.	2.3	1
8	Home Blood Pressure for the Prediction of Preeclampsia in Women With Preexisting Diabetes. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e3670-e3678.	3.6	3
9	The importance of maternal insulin resistance throughout pregnancy on neonatal adiposity. Paediatric and Perinatal Epidemiology, 2021, 35, 83-91.	1.7	11
10	Less sedentary time is associated with a more favourable glucose-insulin axis in obese pregnant women—a secondary analysis of the DALI study. International Journal of Obesity, 2021, 45, 296-307.	3.4	12
11	Prevalence of anxiety and depression symptoms in pregnant women with type 2 diabetes and the impact on glycaemic control. Diabetic Medicine, 2021, 38, e14506.	2.3	11
12	The Predictive Value of miR-16, -29a and -134 for Early Identification of Gestational Diabetes: A Nested Analysis of the DALI Cohort. Cells, 2021, 10, 170.	4.1	35
13	Adapting fasting plasma glucose threshold for GDM diagnosis according to the population distribution $\hat{a} \in \mathcal{C}$ An approach to the Danish paradox. Diabetes Research and Clinical Practice, 2021, 175, 108832.	2.8	6
14	Unchanged Prevalence of Preeclampsia After Implementation of Prophylactic Aspirin for All Pregnant Women With Preexisting Diabetes: A Prospective Cohort Study. Diabetes Care, 2021, , dc211182.	8.6	11
15	Systematically developing a family-based health promotion intervention for women with prior gestational diabetes based on evidence, theory and co-production: the Face-it study. BMC Public Health, 2021, 21, 1616.	2.9	11
16	The impact of antiâ€hypertensive treatment on foetal growth and haemodynamics in pregnant women with preâ€existing diabetes – An explorative study. Diabetic Medicine, 2021, , e14722.	2.3	0
17	Impact of Lean Body Mass and Insulin Sensitivity on the IGF-1–Bone Mass Axis in Adolescence: the EPICOM Study. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e772-e781.	3.6	3
18	GAD65 autoantibodies and glucose tolerance in offspring born to women with and without type 1 diabetes (The EPICOM study). Endocrinology, Diabetes and Metabolism, 2021, 5, e00310.	2.4	2

#	Article	IF	Citations
19	Apolipoprotein D and transthyretin are reduced in female adolescent offspring of women with type 1 diabetes: The EPICOM study. Diabetic Medicine, 2021, , e14776.	2.3	2
20	The DALI vitamin D randomized controlled trial for gestational diabetes mellitus prevention: No major benefit shown besides vitamin D sufficiency. Clinical Nutrition, 2020, 39, 976-984.	5.0	42
21	Vitamin D levels were significantly higher during and after lifestyle intervention in pregnancy: A randomized controlled trial. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 350-356.	2.8	1
22	Venous thromboembolism in anorexia nervosa: four cases from a specialized unit. Indication for thromboprophylaxis?. Eating and Weight Disorders, 2020, 25, 1833-1837.	2.5	4
23	Physical activity, sedentary behavior and development of preeclampsia in women with preexisting diabetes. Acta Diabetologica, 2020, 57, 559-567.	2.5	3
24	Performance of early pregnancy HbA1c for predicting gestational diabetes mellitus and adverse pregnancy outcomes in obese European women. Diabetes Research and Clinical Practice, 2020, 168, 108378.	2.8	14
25	Diabetes in urban Guinea-Bissau; patient characteristics, mortality and prevalence of undiagnosed dysglycemia. Global Health Action, 2020, 13, 1802136.	1.9	2
26	Live-born children after assisted reproduction in women with type 1 diabetes and type 2 diabetes: a nationwide cohort study. Diabetologia, 2020, 63, 1736-1744.	6.3	4
27	Temporal relationships between maternal metabolic parameters with neonatal adiposity in women with obesity differ by neonatal sex: Secondary analysis of the DALI study. Pediatric Obesity, 2020, 15, e12628.	2.8	11
28	Protocol for a randomised controlled trial of a co-produced, complex, health promotion intervention for women with prior gestational diabetes and their families: the Face-it study. Trials, 2020, 21, 146.	1.6	17
29	The Guinea-Bissau Twin Registry Update: A Platform for Studying Twin Mortality and Metabolic Disease. Twin Research and Human Genetics, 2019, 22, 554-560.	0.6	4
30	White coat hypertension in early pregnancy in women with pre-existing diabetes: prevalence and pregnancy outcomes. Diabetologia, 2019, 62, 2188-2199.	6.3	15
31	Gestational weight gain outside the Institute of Medicine recommendations and adverse pregnancy outcomes: analysis using individual participant data from randomised trials. BMC Pregnancy and Childbirth, 2019, 19, 322.	2.4	87
32	Lower daily carbohydrate consumption than recommended by the Institute of Medicine is common among women with type 2 diabetes in early pregnancy in Denmark. Diabetes Research and Clinical Practice, 2019, 152, 88-95.	2.8	6
33	Fatty Liver Among Adolescent Offspring of Women With Type 1 Diabetes (the EPICOM Study). Diabetes Care, 2019, 42, 1560-1568.	8.6	13
34	Nutritional Lifestyle Intervention in Obese Pregnant Women, Including Lower Carbohydrate Intake, Is Associated With Increased Maternal Free Fatty Acids, 3-Î <sup>2</sup> -Hydroxybutyrate, and Fasting Glucose Concentrations: A Secondary Factorial Analysis of the European Multicenter, Randomized Controlled DALI Lifestyle Intervention Trial. Diabetes Care, 2019, 42, 1380-1389.	8.6	21
35	A reduction in sedentary behaviour in obese women during pregnancy reduces neonatal adiposity: the DALI randomised controlled trial. Diabetologia, 2019, 62, 915-925.	6.3	50
36	First-trimester proteomic profiling identifies novel predictors of gestational diabetes mellitus. PLoS ONE, 2019, 14, e0214457.	2.5	23

#	Article	IF	CITATIONS
37	Mediators of Lifestyle Behaviour Changes in Obese Pregnant Women. Secondary Analyses from the DALI Lifestyle Randomised Controlled Trial. Nutrients, 2019, 11, 311.	4.1	6
38	Impact of maternal education on response to lifestyle interventions to reduce gestational weight gain: individual participant data meta-analysis. BMJ Open, 2019, 9, e025620.	1.9	9
39	Effect of motivational interviewing on gestational weight gain and fetal growth in pregnant women with type 2 diabetes. BMJ Open Diabetes Research and Care, 2019, 7, e000733.	2.8	10
40	The Effects of Lifestyle and/or Vitamin D Supplementation Interventions on Pregnancy Outcomes: What Have We Learned from the DALI Studies?. Current Diabetes Reports, 2019, 19, 162.	4.2	8
41	Impact of type 1 diabetes on maternal long-term risk of hospitalisation and mortality: a nationwide combined clinical and register-based cohort study (The EPICOM study). Diabetologia, 2018, 61, 1071-1080.	<b>6.</b> 3	7
42	Urine albumin is a superior predictor of preeclampsia compared to urine plasminogen in type I diabetes patients. Journal of the American Society of Hypertension, 2018, 12, 97-107.	2.3	10
43	Cost-effectiveness of healthy eating and/or physical activity promotion in pregnant women at increased risk of gestational diabetes mellitus: economic evaluation alongside the DALI study, a European multicenter randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity. 2018. 15, 23.	4.6	34
44	Polycystic ovary syndrome and hyperglycaemia in pregnancy. A narrative review and results from a prospective Danish cohort study. Diabetes Research and Clinical Practice, 2018, 145, 167-177.	2.8	30
45	Gestational Diabetes Mellitus: Does One Size Fit All? A Challenge to Uniform Worldwide Diagnostic Thresholds. Diabetes Care, 2018, 41, 1339-1342.	8.6	68
46	Differential effects of age and sex on insulin sensitivity and body composition in adolescent offspring of women with type 1 diabetes: results from the EPICOM study. Diabetologia, 2018, 61, 210-219.	6.3	14
47	Association between Gestational Weight Gain, Gestational Diabetes Risk, and Obstetric Outcomes: A Randomized Controlled Trial Post Hoc Analysis. Nutrients, 2018, 10, 1568.	4.1	22
48	Lifestyle Intervention in Danish Obese Pregnant Women With Early Gestational Diabetes Mellitus According to WHO 2013 Criteria Does Not Change Pregnancy Outcomes: Results From the LiP (Lifestyle) Tj ETQ	q08060 rgB	T <b>/®</b> verlock 1
49	Risk factors for hyperglycemia in pregnancy in the DALI study differ by period of pregnancy and OGTT time point. European Journal of Endocrinology, 2018, 179, 39-49.	3.7	20
50	Re: Vitamin D and gestational diabetes mellitus: a systematic review based on data free of Hawthorne effect. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 1338-1339.	2.3	5
51	Effect of physical activity and/or healthy eating on GDM risk: The DALI Lifestyle Study. Journal of Clinical Endocrinology and Metabolism, 2017, 102, jc.2016-3455.	3 <b>.</b> 6	140
52	The effects of dietary and lifestyle interventions among pregnant women who are overweight or obese on longer-term maternal and early childhood outcomes: protocol for an individual participant data (IPD) meta-analysis. Systematic Reviews, 2017, 6, 51.	5.3	14
53	Abnormal levels of adipokines in adolescent offspring of women with type 1 diabetes – Results from the EPICOM study. Metabolism: Clinical and Experimental, 2017, 72, 47-56.	3.4	6
54	Variations in reporting of outcomes in randomized trials on diet and physical activity in pregnancy: A systematic review. Journal of Obstetrics and Gynaecology Research, 2017, 43, 1101-1110.	1.3	12

#	Article	IF	Citations
55	Epidemiology of gestational diabetes mellitus according to IADPSG/WHO 2013 criteria among obese pregnant women in Europe. Diabetologia, 2017, 60, 1913-1921.	6.3	117
56	Pregnancy and perinatal outcomes according to surgery to conception interval and gestational weight gain in women with previous gastric bypass. Journal of Maternal-Fetal and Neonatal Medicine, 2017, 30, 1182-1188.	1.5	44
57	Is a motivational interviewing based lifestyle intervention for obese pregnant women across Europe implemented as planned? Process evaluation of the DALI study. BMC Pregnancy and Childbirth, 2017, 17, 293.	2.4	6
58	Correlates of poor mental health in early pregnancy in obese European women. BMC Pregnancy and Childbirth, 2017, 17, 404.	2.4	11
59	Assessment of Attention Deficits in Adolescent Offspring Exposed to Maternal Type 1 Diabetes. PLoS ONE, 2017, 12, e0169308.	2.5	13
60	Octreotide therapy and restricted fetal growth: pregnancy in familial hyperinsulinemic hypoglycemia. Endocrinology, Diabetes and Metabolism Case Reports, 2017, 2017, .	0.5	6
61	Effects of antenatal diet and physical activity on maternal and fetal outcomes: individual patient data meta-analysis and health economic evaluation. Health Technology Assessment, 2017, 21, 1-158.	2.8	214
62	Beliefs, Barriers, and Preferences of European Overweight Women to Adopt a Healthier Lifestyle in Pregnancy to Minimize Risk of Developing Gestational Diabetes Mellitus: An Explorative Study. Journal of Pregnancy, 2016, 2016, 1-11.	2.4	31
63	IADPSG and WHO 2013 Gestational Diabetes Mellitus Criteria Identify Obese Women With Marked Insulin Resistance in Early Pregnancy. Diabetes Care, 2016, 39, e90-e92.	8.6	79
64	Signs of low-grade systemic inflammation in female offspring of women with typeÂ1 diabetes: The EPICOM study. Diabetes and Metabolism, 2016, 42, 462-465.	2.9	4
65	Prevalence of impaired glucose tolerance and other types of dysglycaemia among young twins and singletons in Guinea-Bissau. BMC Endocrine Disorders, 2016, 16, 46.	2.2	7
66	Long-term Cognitive Implications of Intrauterine Hyperglycemia in Adolescent Offspring of Women With Type 1 Diabetes (the EPICOM Study). Diabetes Care, 2016, 39, 1356-1363.	8.6	29
67	First-trimester multimarker prediction of gestational diabetes mellitus using targeted mass spectrometry. Diabetologia, 2016, 59, 970-979.	6.3	27
68	Effects of Lifestyle Intervention in Pregnancy and Anthropometrics at Birth on Offspring Metabolic Profile at 2.8 Years: Results From the Lifestyle in Pregnancy and Offspring (LiPO) Study. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 175-183.	3.6	58
69	Diabetes in pregnancy outcomes: A systematic review and proposed codification of definitions. Diabetes/Metabolism Research and Reviews, 2015, 31, 680-690.	4.0	71
70	Results From a European Multicenter Randomized Trial of Physical Activity and/or Healthy Eating to Reduce the Risk of Gestational Diabetes Mellitus: The DALI Lifestyle Pilot. Diabetes Care, 2015, 38, 1650-1656.	8.6	93
71	Academic Achievement in Primary School in Offspring Born to Mothers With Type $1$ Diabetes (the) Tj ETQq $1$ 10	.784314 r 8.6	gBT/Overlo <mark>ck</mark>
72	Increased metabolic risk in adolescent offspring of mothers with type 1 diabetes: the EPICOM study. Diabetologia, 2015, 58, 1454-1463.	6.3	44

#	Article	IF	Citations
73	Multisystem Morbidity and Mortality in Offspring of Women With Type 1 Diabetes (the EPICOM Study): A Register-Based Prospective Cohort Study. Diabetes Care, 2015, 38, 821-826.	8.6	16
74	Hyperandrogenism and phenotypes of polycystic ovary syndrome are not associated with differences in obstetric outcomes. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 204-211.	2.8	38
75	Glutamic acid decarboxylase autoantibodyâ€positivity postâ€partum is associated with impaired β–cell function in women with gestational diabetes mellitus. Diabetic Medicine, 2015, 32, 198-205.	2.3	6
76	Physical activity, depressed mood and pregnancy worries in European obese pregnant women: results from the DALI study. BMC Pregnancy and Childbirth, 2015, 15, 158.	2.4	36
77	Global cost-effectiveness of GDM screening and management: Current knowledge and future needs. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2015, 29, 206-224.	2.8	24
78	Maternal and neonatal outcomes in pregnancies complicated by gestational diabetes. a nation-wide study. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 1720-1724.	1.5	117
79	Anthropometrics and Body Composition by Dual Energy X-Ray in Children of Obese Women: A Follow-Up of a Randomized Controlled Trial (the Lifestyle in Pregnancy and Offspring [LiPO] Study). PLoS ONE, 2014, 9, e89590.	2.5	46
80	Metabolic effects of lifestyle intervention in obese pregnant women. Results from the randomized controlled trial †Lifestyle in Pregnancy†(LiP). Diabetic Medicine, 2014, 31, 1323-1330.	2.3	36
81	Postpartum weight retention and breastfeeding among obese women from the randomized controlled Lifestyle in Pregnancy (LiP) trial. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 794-801.	2.8	64
82	Intima-Media Thickness Measurements in the Fetus and Mother During Pregnancy: A Feasibility Study. Ultrasound in Medicine and Biology, 2014, 40, 1949-1957.	1.5	8
83	Infant twin mortality and hospitalisations after the perinatal period – a prospective cohort study from Guineaâ€Bissau. Tropical Medicine and International Health, 2014, 19, 1477-1487.	2.3	6
84	DALI: Vitamin D and lifestyle intervention for gestational diabetes mellitus (GDM) prevention: an European multicentre, randomised trial – study protocol. BMC Pregnancy and Childbirth, 2013, 13, 142.	2.4	85
85	Evolution of diagnostic criteria for gestational diabetes mellitus. Acta Obstetricia Et Gynecologica Scandinavica, 2013, 92, 739-745.	2.8	21
86	Pregestational body mass index is related to neonatal abdominal circumference at birthâ€"a Danish populationâ€based study. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 320-330.	2.3	20
87	Pregnancy in women with type 1 diabetes: Have the goals of St. Vincent declaration been met concerning foetal and neonatal complications?. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 1682-1686.	1.5	96
88	Establishing a Twin Registry in Guinea-Bissau. Twin Research and Human Genetics, 2013, 16, 179-184.	0.6	9
89	Risk of Metabolic Syndrome and Diabetes Among Young Twins and Singletons in Guinea-Bissau. Diabetes Care, 2013, 36, 3549-3556.	8.6	7
90	Cognitive Function in Adult Offspring of Women with Gestational Diabetes–The Role of Glucose and Other Factors. PLoS ONE, 2013, 8, e67107.	2.5	38

#	Article	IF	CITATIONS
91	A prospective study of twinning and perinatal mortality in urban Guinea-Bissau. BMC Pregnancy and Childbirth, 2012, 12, 140.	2.4	27
92	Clinical Consequences of Abnormal Glucose Metabolism. , 2012, , 31-42.		0
93	Cognitive function in adult offspring of women with Type $\hat{a} \in f1$ diabetes. Diabetic Medicine, 2011, 28, 838-844.	2.3	33
94	The LiP (Lifestyle in Pregnancy) Study. Diabetes Care, 2011, 34, 2502-2507.	8.6	267
95	Microalbuminuria, Preeclampsia, and Preterm Delivery in Pregnant Women With Type 1 Diabetes. Diabetes Care, 2010, 33, 90-94.	8.6	77
96	Peri-Conceptional A1C and Risk of Serious Adverse Pregnancy Outcome in 933 Women With Type 1 Diabetes. Diabetes Care, 2009, 32, 1046-1048.	8.6	187
97	Overweight and the Metabolic Syndrome in Adult Offspring of Women with Diet-Treated Gestational Diabetes Mellitus or Type 1 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 2464-2470.	3.6	378
98	Adverse pregnancy outcome in women with mild glucose intolerance: is there a clinically meaningful threshold value for glucose?. Acta Obstetricia Et Gynecologica Scandinavica, 2008, 87, 59-62.	2.8	75
99	Elevated third-trimester haemoglobin A1c predicts preterm delivery in type 1 diabetes. Journal of Diabetes and Its Complications, 2008, 22, 297-302.	2.3	43
100	High Prevalence of Type 2 Diabetes and Pre-Diabetes in Adult Offspring of Women With Gestational Diabetes Mellitus or Type 1 Diabetes. Diabetes Care, 2008, 31, 340-346.	8.6	601
101	Outcomes in Type 1 Diabetic Pregnancies: A Nationwide, Population-Based Study. Obstetrical and Gynecological Survey, 2005, 60, 279-280.	0.4	3
102	Gestational Weight Gain and Pregnancy Outcomes in 481 Obese Glucose-Tolerant Women. Diabetes Care, 2005, 28, 2118-2122.	8.6	128
103	HbA1c Levels Are Significantly Lower in Early and Late Pregnancy. Diabetes Care, 2004, 27, 1200-1201.	8.6	262
104	Increasing Incidence of Diabetes After Gestational Diabetes: A long-term follow-up in a Danish population. Diabetes Care, 2004, 27, 1194-1199.	8.6	230
105	Outcomes in Type 1 Diabetic Pregnancies. Diabetes Care, 2004, 27, 2819-2823.	8.6	424
106	Pregnancy outcome and prepregnancy body mass index in 2459 glucose-tolerant Danish women. American Journal of Obstetrics and Gynecology, 2003, 189, 239-244.	1.3	304
107	Screening for gestational diabetes mellitus by a model based on risk indicators: a prospective study. American Journal of Obstetrics and Gynecology, 2003, 189, 1383-1388.	1.3	102
108	Proposed diagnostic thresholds for gestational diabetes mellitus according to a 75-g oral glucose tolerance test. Maternal and perinatal outcomes in 3260 Danish women. Diabetic Medicine, 2003, 20, 51-57.	2.3	66

#	Article	IF	CITATIONS
109	Reference intervals for glucose, $\hat{l}^2$ -cell polypeptides, and counterregulatory factors during prolonged fasting. American Journal of Physiology - Endocrinology and Metabolism, 2001, 280, E50-E58.	3.5	72
110	Clinical impact of mild carbohydrate intolerance in pregnancy: A study of 2904 nondiabetic Danish women with risk factors for gestational diabetes mellitus. American Journal of Obstetrics and Gynecology, 2001, 185, 413-419.	1.3	140
111	Maternal and perinatal outcomes in 143 Danish women with gestational diabetes mellitus and 143 controls with a similar risk profile. Diabetic Medicine, 2000, 17, 281-286.	2.3	90
112	Evidence for an association between diabetes and birth weight still exists. Diabetologia, 1999, 42, 899-900.	6.3	0
113	Low birth weight is associated with NIDDM in discordant monozygotic and dizygotic twin pairs. Diabetologia, 1997, 40, 439-446.	6.3	299
114	Severe Hypothyroidism Masquerading as Renal Impairment. Nephron, 1996, 73, 299-300.	0.6	3
115	Continuous Venovenous Haemodialysis: A Three-Pump System. Nephron, 1996, 72, 159-162.	1.8	2
116	Treatment of ANCA-Positive, Pauci-Immune Extracapillary Glomerulonephritis with Etoposide. Nephron, 1995, 69, 341-342.	1.8	1
117	Isolated hyperproinsulinaemia heralding diabetes mellitus?. Diabetologia, 1994, 37, 729-730.	6.3	23