

Masanobu Oshima

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3977683/publications.pdf>

Version: 2024-02-01

129
papers

17,064
citations

25034

57
h-index

14208

128
g-index

132
all docs

132
docs citations

132
times ranked

19793
citing authors

#	ARTICLE	IF	CITATIONS
1	Suppression of Intestinal Polyposis in Apc ^{Δ716} Knockout Mice by Inhibition of Cyclooxygenase 2 (COX-2). <i>Cell</i> , 1996, 87, 803-809.	28.9	2,230
2	Intestinal polyposis in mice with a dominant stable mutation of the beta -catenin gene. <i>EMBO Journal</i> , 1999, 18, 5931-5942.	7.8	1,074
3	CD44 Variant Regulates Redox Status in Cancer Cells by Stabilizing the xCT Subunit of System x ^{c-} and Thereby Promotes Tumor Growth. <i>Cancer Cell</i> , 2011, 19, 387-400.	16.8	1,020
4	Blocking TNF- α in mice reduces colorectal carcinogenesis associated with chronic colitis. <i>Journal of Clinical Investigation</i> , 2008, 118, 560-70.	8.2	706
5	TGF- β 2 Receptor Type II Deficiency Results in Defects of Yolk Sac Hematopoiesis and Vasculogenesis. <i>Developmental Biology</i> , 1996, 179, 297-302.	2.0	614
6	Intestinal Tumorigenesis in Compound Mutant Mice of both Dpc4(Smad4) and Apc Genes. <i>Cell</i> , 1998, 92, 645-656.	28.9	565
7	Acceleration of intestinal polyposis through prostaglandin receptor EP2 in Apc ^{Δ716} knockout mice. <i>Nature Medicine</i> , 2001, 7, 1048-1051.	30.7	562
8	Loss of Apc heterozygosity and abnormal tissue building in nascent intestinal polyps in mice carrying a truncated Apc gene.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 4482-4486.	7.1	513
9	Early Embryonic Lethality Caused by Targeted Disruption of the Mouse Thioredoxin Gene. <i>Developmental Biology</i> , 1996, 178, 179-185.	2.0	480
10	Gut Microbiota Promotes Obesity-Associated Liver Cancer through PGE2-Mediated Suppression of Antitumor Immunity. <i>Cancer Discovery</i> , 2017, 7, 522-538.	9.4	321
11	Early embryonic lethality caused by targeted disruption of the mouse selenocysteine tRNA gene (Trsp). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 5531-5534.	7.1	301
12	ROCK-I regulates closure of the eyelids and ventral body wall by inducing assembly of actomyosin bundles. <i>Journal of Cell Biology</i> , 2005, 168, 941-953.	5.2	289
13	SMAD4-deficient intestinal tumors recruit CCR1+ myeloid cells that promote invasion. <i>Nature Genetics</i> , 2007, 39, 467-475.	21.4	258
14	Pivotal Role of CXCR3 in Melanoma Cell Metastasis to Lymph Nodes. <i>Cancer Research</i> , 2004, 64, 4010-4017.	0.9	254
15	Activated macrophages promote Wnt signalling through tumour necrosis factor- α in gastric tumour cells. <i>EMBO Journal</i> , 2008, 27, 1671-1681.	7.8	252
16	Cyclooxygenase 2- and prostaglandin E(2) receptor EP(2)-dependent angiogenesis in Apc(Delta716) mouse intestinal polyps. <i>Cancer Research</i> , 2002, 62, 506-11.	0.9	249
17	Targeted Disruption of the Mouse Rho-Associated Kinase 2 Gene Results in Intrauterine Growth Retardation and Fetal Death. <i>Molecular and Cellular Biology</i> , 2003, 23, 5043-5055.	2.3	245
18	STAT3-Driven Upregulation of TLR2 Promotes Gastric Tumorigenesis Independent of Tumor Inflammation. <i>Cancer Cell</i> , 2012, 22, 466-478.	16.8	245

#	ARTICLE	IF	CITATIONS
19	Colonic polyposis caused by mTOR-mediated chromosomal instability in Apc+ ^{fl^y/716} Cdx2+/ ^{fl^y} compound mutant mice. <i>Nature Genetics</i> , 2003, 35, 323-330.	21.4	224
20	Hyperplastic gastric tumors induced by activated macrophages in COX-2/mPGES-1 transgenic mice. <i>EMBO Journal</i> , 2004, 23, 1669-1678.	7.8	218
21	Chemokine receptor CXCR3 promotes colon cancer metastasis to lymph nodes. <i>Oncogene</i> , 2007, 26, 4679-4688.	5.9	213
22	Carcinogenesis in Mouse Stomach by Simultaneous Activation of the Wnt Signaling and Prostaglandin E2 Pathway. <i>Gastroenterology</i> , 2006, 131, 1086-1095.	1.3	199
23	Optimization of the helper-dependent adenovirus system for production and potency in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 1002-1007.	7.1	193
24	Suppression of Colon Cancer Metastasis by Aes through Inhibition of Notch Signaling. <i>Cancer Cell</i> , 2011, 19, 125-137.	16.8	183
25	Inflammation in gastric cancer: Interplay of the COX-2/prostaglandin E ₂ and Toll-like receptor/MyD88 pathways. <i>Cancer Science</i> , 2016, 107, 391-397.	3.9	180
26	Hepatocarcinogenesis in Mice with β -Catenin and Ha-Ras Gene Mutations. <i>Cancer Research</i> , 2004, 64, 48-54.	0.9	179
27	Cell competition with normal epithelial cells promotes apical extrusion of transformed cells through metabolic changes. <i>Nature Cell Biology</i> , 2017, 19, 530-541.	10.3	172
28	Mutant p53 in colon cancer. <i>Journal of Molecular Cell Biology</i> , 2019, 11, 267-276.	3.3	170
29	Gastric and duodenal polyps in Smad4 (Dpc4) knockout mice. <i>Cancer Research</i> , 1999, 59, 6113-7.	0.9	160
30	Gastrointestinal hamartomatous polyposis in Lkb1 heterozygous knockout mice. <i>Cancer Research</i> , 2002, 62, 2261-6.	0.9	154
31	Stromal Fibroblasts Activated by Tumor Cells Promote Angiogenesis in Mouse Gastric Cancer. <i>Journal of Biological Chemistry</i> , 2008, 283, 19864-19871.	3.4	149
32	Lack of tumorigenesis in the mouse liver after adenovirus-mediated expression of a dominant stable mutant of beta-catenin. <i>Cancer Research</i> , 2002, 62, 1971-7.	0.9	137
33	MicroRNA-29c mediates initiation of gastric carcinogenesis by directly targeting ITGB1. <i>Gut</i> , 2015, 64, 203-214.	12.1	133
34	CD44 ⁺ slow-cycling tumor cell expansion is triggered by cooperative actions of Wnt and prostaglandin E ₂ in gastric tumorigenesis. <i>Cancer Science</i> , 2010, 101, 673-678.	3.9	130
35	TNF- α /TNFR1 signaling promotes gastric tumorigenesis through induction of Nox1 and Gna14 in tumor cells. <i>Oncogene</i> , 2014, 33, 3820-3829.	5.9	123
36	Prostaglandin E2 Signaling and Bacterial Infection Recruit Tumor-Promoting Macrophages to Mouse Gastric Tumors. <i>Gastroenterology</i> , 2011, 140, 596-607.e7.	1.3	107

#	ARTICLE	IF	CITATIONS
37	Inflammation-induced repression of tumor suppressor miR-7 in gastric tumor cells. <i>Oncogene</i> , 2012, 31, 3949-3960.	5.9	107
38	Combined Mutation of <i>Apc</i> , <i>Kras</i> , and <i>Tgfr2</i> Effectively Drives Metastasis of Intestinal Cancer. <i>Cancer Research</i> , 2018, 78, 1334-1346.	0.9	106
39	Hepatocellular carcinoma caused by loss of heterozygosity in <i>Lkb1</i> gene knockout mice. <i>Cancer Research</i> , 2002, 62, 4549-53.	0.9	104
40	CRISPR-Cas9-mediated gene knockout in intestinal tumor organoids provides functional validation for colorectal cancer driver genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 15635-15644.	7.1	100
41	The inflammatory network in the gastrointestinal tumor microenvironment: lessons from mouse models. <i>Journal of Gastroenterology</i> , 2012, 47, 97-106.	5.1	93
42	Estrogen-related receptor gamma functions as a tumor suppressor in gastric cancer. <i>Nature Communications</i> , 2018, 9, 1920.	12.8	85
43	Cyclooxygenase-2 expression in fibroblasts and endothelial cells of intestinal polyps. <i>Cancer Research</i> , 2002, 62, 6846-9.	0.9	85
44	Cooperation of cyclooxygenase 1 and cyclooxygenase 2 in intestinal polyposis. <i>Cancer Research</i> , 2003, 63, 4872-7.	0.9	82
45	Suppressing TGF β 2 Signaling in Regenerating Epithelia in an Inflammatory Microenvironment Is Sufficient to Cause Invasive Intestinal Cancer. <i>Cancer Research</i> , 2015, 75, 766-776.	0.9	80
46	Identification of tumor-initiating cells in a highly aggressive brain tumor using promoter activity of nucleostemin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 17163-17168.	7.1	79
47	The Interleukin-6 Family Cytokine Interleukin-11 Regulates Homeostatic Epithelial Cell Turnover and Promotes Gastric Tumor Development. <i>Gastroenterology</i> , 2009, 136, 967-977.e3.	1.3	79
48	COX Selectivity and Animal Models for Colon Cancer. <i>Current Pharmaceutical Design</i> , 2002, 8, 1021-1034.	1.9	78
49	Functional role of CD44 α CT system in the development of spasmodic polypeptide-expressing metaplasia. <i>Cancer Science</i> , 2013, 104, 1323-1329.	3.9	78
50	Chromosomal instability by β -catenin/TCF transcription in APC or β -catenin mutant cells. <i>Oncogene</i> , 2007, 26, 3511-3520.	5.9	74
51	Nuclear translocation of beta-catenin in hereditary and carcinogen-induced intestinal adenomas. <i>Carcinogenesis</i> , 1998, 19, 543-549.	2.8	71
52	HMGA1 Is Induced by Wnt/ β -Catenin Pathway and Maintains Cell Proliferation in Gastric Cancer. <i>American Journal of Pathology</i> , 2009, 175, 1675-1685.	3.8	69
53	Effects of docosahexaenoic acid (DHA) on intestinal polyp development in <i>Apc</i> ⁷¹⁶ knockout mice. <i>Carcinogenesis</i> , 1995, 16, 2605-2607.	2.8	66
54	Claudin-4 Deficiency Results in Urothelial Hyperplasia and Lethal Hydronephrosis. <i>PLoS ONE</i> , 2012, 7, e52272.	2.5	63

#	ARTICLE	IF	CITATIONS
55	Inflammasome Adaptor ASC Suppresses Apoptosis of Gastric Cancer Cells by an IL18-Mediated Inflammation-Independent Mechanism. <i>Cancer Research</i> , 2018, 78, 1293-1307.	0.9	62
56	Hyperplastic Gastric Tumors with Spasmolytic Polypeptide-Expressing Metaplasia Caused by Tumor Necrosis Factor- α -Dependent Inflammation in Cyclooxygenase-2/Microsomal Prostaglandin E Synthase-1 Transgenic Mice. <i>Cancer Research</i> , 2005, 65, 9147-9151.	0.9	61
57	Interleukin-11-expressing fibroblasts have a unique gene signature correlated with poor prognosis of colorectal cancer. <i>Nature Communications</i> , 2021, 12, 2281.	12.8	60
58	Induction and Down-regulation of Sox17 and Its Possible Roles During the Course of Gastrointestinal Tumorigenesis. <i>Gastroenterology</i> , 2009, 137, 1346-1357.	1.3	59
59	Activation of Bmp2-Smad1 Signal and Its Regulation by Coordinated Alteration of H3K27 Trimethylation in Ras-Induced Senescence. <i>PLoS Genetics</i> , 2011, 7, e1002359.	3.5	59
60	Identification of a TLR2-regulated gene signature associated with tumor cell growth in gastric cancer. <i>Oncogene</i> , 2017, 36, 5134-5144.	5.9	56
61	Intestinal cancer progression by mutant p53 through the acquisition of invasiveness associated with complex glandular formation. <i>Oncogene</i> , 2017, 36, 5885-5896.	5.9	56
62	Activation of epidermal growth factor receptor signaling by the prostaglandin E ₂ receptor EP4 pathway during gastric tumorigenesis. <i>Cancer Science</i> , 2011, 102, 713-719.	3.9	53
63	Requirement for tumor suppressor Apc in the morphogenesis of anterior and ventral mouse embryo. <i>Developmental Biology</i> , 2003, 253, 230-246.	2.0	52
64	Dipeptide species regulate p38MAPK-Smad3 signalling to maintain chronic myelogenous leukaemia stem cells. <i>Nature Communications</i> , 2015, 6, 8039.	12.8	52
65	Suppression of Tubulin Polymerization by the LKB1-Microtubule-associated Protein/Microtubule Affinity-regulating Kinase Signaling. <i>Journal of Biological Chemistry</i> , 2007, 282, 23532-23540.	3.4	51
66	Suppression of intestinal polyp development by low-fat and high-fiber diet in Apc(Δ 716) knockout mice. <i>Carcinogenesis</i> , 1997, 18, 1863-1865.	2.8	50
67	NF- κ B-induced NOX1 activation promotes gastric tumorigenesis through the expansion of SOX2-positive epithelial cells. <i>Oncogene</i> , 2019, 38, 4250-4263.	5.9	50
68	Prostaglandin E ₂ , Wnt, and BMP in gastric tumor mouse models. <i>Cancer Science</i> , 2009, 100, 1779-1785.	3.9	49
69	Interleukin 1 Up-regulates MicroRNA 135b to Promote Inflammation-Associated Gastric Carcinogenesis in Mice. <i>Gastroenterology</i> , 2019, 156, 1140-1155.e4.	1.3	49
70	18 β -glycyrrhetic acid suppresses gastric cancer by activation of miR-149-3p-Wnt-1 signaling. <i>Oncotarget</i> , 2016, 7, 71960-71973.	1.8	49
71	Clinical Utility of a STAT3-Regulated miRNA-200 Family Signature with Prognostic Potential in Early Gastric Cancer. <i>Clinical Cancer Research</i> , 2018, 24, 1459-1472.	7.0	46
72	Cox-2 deletion in myeloid and endothelial cells, but not in epithelial cells, exacerbates murine colitis.. <i>Carcinogenesis</i> , 2011, 32, 417-426.	2.8	45

#	ARTICLE	IF	CITATIONS
73	The Threshold Level of Adenomatous Polyposis Coli Protein for Mouse Intestinal Tumorigenesis. <i>Cancer Research</i> , 2005, 65, 8622-8627.	0.9	43
74	Hyperactive gp130/STAT3-driven gastric tumorigenesis promotes submucosal tertiary lymphoid structure development. <i>International Journal of Cancer</i> , 2018, 143, 167-178.	5.1	43
75	Destruction of Pancreatic β -Cells by Transgenic Induction of Prostaglandin E2 in the Islets. <i>Journal of Biological Chemistry</i> , 2006, 281, 29330-29336.	3.4	42
76	A Targeted Mutation of Nkd1 Impairs Mouse Spermatogenesis. <i>Journal of Biological Chemistry</i> , 2005, 280, 2831-2839.	3.4	41
77	Inflammation, tumor necrosis factor and Wnt promotion in gastric cancer development. <i>Future Oncology</i> , 2010, 6, 515-526.	2.4	41
78	Stemness Is Enhanced in Gastric Cancer by a SET/PP2A/E2F1 Axis. <i>Molecular Cancer Research</i> , 2018, 16, 554-563.	3.4	40
79	Pericentromeric noncoding RNA changes DNA binding of CTCF and inflammatory gene expression in senescence and cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	38
80	The role of PGE2-associated inflammatory responses in gastric cancer development. <i>Seminars in Immunopathology</i> , 2013, 35, 139-150.	6.1	34
81	Impact of Inflammation-Induced Metaplasia-Adenocarcinoma Sequence and Inflammatory Microenvironment in Esophageal Carcinogenesis Using Surgical Rat Models. <i>Annals of Surgical Oncology</i> , 2014, 21, 2012-2019.	1.5	34
82	Context-dependent activation of Wnt signaling by tumor suppressor RUNX3 in gastric cancer cells. <i>Cancer Science</i> , 2014, 105, 418-424.	3.9	33
83	Spred1 Safeguards Hematopoietic Homeostasis against Diet-Induced Systemic Stress. <i>Cell Stem Cell</i> , 2018, 22, 713-725.e8.	11.1	33
84	Loss of wild-type p53 promotes mutant p53-driven metastasis through acquisition of survival and tumor-initiating properties. <i>Nature Communications</i> , 2020, 11, 2333.	12.8	33
85	Accelerated onsets of gastric hamartomas and hepatic adenomas/carcinomas in Lkb1+ ^{p53} compound mutant mice. <i>Oncogene</i> , 2006, 25, 1816-1820.	5.9	32
86	Mouse gastric tumor models with prostaglandin E2 pathway activation show similar gene expression profiles to intestinal-type human gastric cancer. <i>BMC Genomics</i> , 2009, 10, 615.	2.8	32
87	Hepatocellular carcinoma development induced by conditional β -catenin activation in Lkb1 ^{+/p53} mice. <i>Cancer Science</i> , 2009, 100, 2046-2053.	3.9	32
88	Matrix metalloproteinase 7 is required for tumor formation, but dispensable for invasion and fibrosis in SMAD4-deficient intestinal adenocarcinomas. <i>Laboratory Investigation</i> , 2009, 89, 98-105.	3.7	32
89	The inflammatory microenvironment that promotes gastrointestinal cancer development and invasion. <i>Advances in Biological Regulation</i> , 2018, 68, 39-45.	2.3	32
90	A genome-scale CRISPR screen reveals factors regulating Wnt-dependent renewal of mouse gastric epithelial cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	32

#	ARTICLE	IF	CITATIONS
91	Impaired extrapyramidal function caused by the targeted disruption of Retinoid X receptor RXR β 1 isoform. <i>Genes To Cells</i> , 1999, 4, 219-228.	1.2	31
92	The unfolded protein response is activated in Helicobacter-induced gastric carcinogenesis in a non-cell autonomous manner. <i>Laboratory Investigation</i> , 2013, 93, 112-122.	3.7	31
93	Roles of cyclooxygenase-2 and microsomal prostaglandin E synthase-1 expression and β -catenin activation in gastric carcinogenesis in <i>N</i> -methyl- <i>N</i> -nitrosourea-treated K19-C2mE transgenic mice. <i>Cancer Science</i> , 2008, 99, 2356-2364.	3.9	29
94	Canolol Inhibits Gastric Tumors Initiation and Progression through COX-2/PGE2 Pathway in K19-C2mE Transgenic Mice. <i>PLoS ONE</i> , 2015, 10, e0120938.	2.5	29
95	Simultaneous expression of COX-2 and mPGES-1 in mouse gastrointestinal hamartomas. <i>British Journal of Cancer</i> , 2004, 90, 701-704.	6.4	28
96	Novel oral transforming growth factor- β 2 signaling inhibitor <i>EW7197</i> eradicates <i>CML</i> -initiating cells. <i>Cancer Science</i> , 2016, 107, 140-148.	3.9	28
97	Myeloid Differentiation Factor 88 Signaling in Bone Marrow-Derived Cells Promotes Gastric Tumorigenesis by Generation of Inflammatory Microenvironment. <i>Cancer Prevention Research</i> , 2016, 9, 253-263.	1.5	27
98	Functional loss of p53 cooperates with the in vivo microenvironment to promote malignant progression of gastric cancers. <i>Scientific Reports</i> , 2018, 8, 2291.	3.3	27
99	Malignant subclone drives metastasis of genetically and phenotypically heterogeneous cell clusters through fibrotic niche generation. <i>Nature Communications</i> , 2021, 12, 863.	12.8	27
100	Platelet-type 12-lipoxygenase accelerates tumor promotion of mouse epidermal cells through enhancement of cloning efficiency. <i>Carcinogenesis</i> , 2008, 29, 440-447.	2.8	26
101	A novel role for OATP2A1/SLCO2A1 in a murine model of colon cancer. <i>Scientific Reports</i> , 2017, 7, 16567.	3.3	26
102	Chronic liver disease enables gut <i>Enterococcus faecalis</i> colonization to promote liver carcinogenesis. <i>Nature Cancer</i> , 2021, 2, 1039-1054.	13.2	26
103	Induction of Prostaglandin E2 Pathway Promotes Gastric Hamartoma Development with Suppression of Bone Morphogenetic Protein Signaling. <i>Cancer Research</i> , 2009, 69, 2729-2733.	0.9	25
104	Inflammatory and mitogenic signals drive interleukin 23 subunit alpha (IL23A) secretion independent of IL12B in intestinal epithelial cells. <i>Journal of Biological Chemistry</i> , 2020, 295, 6387-6400.	3.4	25
105	Mouse models of gastric tumors: Wnt activation and PGE2 induction. <i>Pathology International</i> , 2010, 60, 599-607.	1.3	23
106	Effects of 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine on intestinal polyp development in <i>Apc</i> ^{fl^{-/-}} 716 knockout mice. <i>Gastroenterology</i> , 1996, 110, 11-17.		22
107	Estrogen-induced tumorigenesis in the pituitary gland of TGF- β 1(+/+) knockout mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1998, 1407, 79-83.	3.8	22
108	Inhibition of β -catenin and STAT3 with a curcumin analog suppresses gastric carcinogenesis in vivo. <i>Gastric Cancer</i> , 2015, 18, 774-783.	5.3	22

#	ARTICLE	IF	CITATIONS
109	Development of spontaneous tumours and intestinal lesions in Fhit gene knockout mice. <i>British Journal of Cancer</i> , 2004, 91, 1571-1574.	6.4	21
110	Hypergravity induces expression of cyclooxygenase-2 in the heart vessels. <i>Biochemical and Biophysical Research Communications</i> , 2005, 330, 928-933.	2.1	20
111	Adenomatous polyposis coli heterozygous knockout mice display hypoactivity and age-dependent working memory deficits. <i>Frontiers in Behavioral Neuroscience</i> , 2011, 5, 85.	2.0	20
112	Requisite role of vasohibin ² in spontaneous gastric cancer formation and accumulation of cancer-associated fibroblasts. <i>Cancer Science</i> , 2017, 108, 2342-2351.	3.9	20
113	NOTUM is a potential pharmacodynamic biomarker of Wnt pathway inhibition. <i>Oncotarget</i> , 2016, 7, 12386-12392.	1.8	20
114	FOXO3 is a latent tumor suppressor for FOXO3-positive and cytoplasmic-type gastric cancer cells. <i>Oncogene</i> , 2021, 40, 3072-3086.	5.9	18
115	Requirement of SLD5 for Early Embryogenesis. <i>PLoS ONE</i> , 2013, 8, e78961.	2.5	17
116	Characterization of <i>RNF43</i> frameshift mutations that drive <i>Wnt</i> ligand- and <i>R</i> -spondin-dependent colon cancer. <i>Journal of Pathology</i> , 2022, 257, 39-52.	4.5	17
117	Chemical fixation creates nanoscale clusters on the cell surface by aggregating membrane proteins. <i>Communications Biology</i> , 2022, 5, .	4.4	16
118	Nardilysin regulates inflammation, metaplasia, and tumors in murine stomach. <i>Scientific Reports</i> , 2017, 7, 43052.	3.3	13
119	Dietary intake of pyrolyzed deketene curcumin inhibits gastric carcinogenesis. <i>Journal of Functional Foods</i> , 2018, 50, 192-200.	3.4	13
120	Autophagy regulates levels of tumor suppressor enzyme protein phosphatase 6. <i>Cancer Science</i> , 2020, 111, 4371-4380.	3.9	13
121	Nano-scale physical properties characteristic to metastatic intestinal cancer cells identified by high-speed scanning ion conductance microscope. <i>Biomaterials</i> , 2022, 280, 121256.	11.4	13
122	<i>Ink4a/Arf</i> -Dependent Loss of Parietal Cells Induced by Oxidative Stress Promotes CD44-Dependent Gastric Tumorigenesis. <i>Cancer Prevention Research</i> , 2015, 8, 492-501.	1.5	12
123	Stat3 is indispensable for damage-induced crypt regeneration but not for Wnt-driven intestinal tumorigenesis. <i>FASEB Journal</i> , 2019, 33, 1873-1886.	0.5	12
124	Therapeutic activity of glycoengineered anti-GM2 antibodies against malignant pleural mesothelioma. <i>Cancer Science</i> , 2015, 106, 102-107.	3.9	9
125	Increased Level of Serum Vascular Endothelial Growth Factor by Long-Term Exposure to Hypergravity. <i>Experimental Animals</i> , 2007, 56, 309-313.	1.1	7
126	Toll-like receptor 2: therapeutic target for gastric carcinogenesis. <i>Oncotarget</i> , 2012, 3, 1260-1261.	1.8	7

#	ARTICLE	IF	CITATIONS
127	Morphologic and Molecular Analysis of Estrogen-Induced Pituitary Tumorigenesis in Targeted Disruption of Transforming Growth Factor- β 2 Receptor Type II and/or p27 Mice. <i>Endocrine</i> , 2001, 16, 55-66.	2.2	5
128	Genetic Alterations and Microenvironment that Drive Malignant Progression of Colorectal Cancer: Lessons from Mouse and Organoid Models. <i>Journal of Cancer Prevention</i> , 2022, 27, 1-6.	2.0	2
129	Laser Microdissection of Cellular Compartments for Expression Analyses in Cancer Models. <i>Methods in Molecular Biology</i> , 2018, 1725, 143-153.	0.9	0