Albert Sans

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3979880/publications.pdf

Version: 2024-02-01

	687363	839539
380	13	18
citations	h-index	g-index
1.0	1.0	200
19	19	300
docs citations	times ranked	citing authors
	citations 19	380 13 citations h-index 19 19

#	Article	IF	CITATIONS
1	Electrophilic derivatives antagonise pheromone attraction in (i) Cydia pomonella (i). Pest Management Science, 2013, 69, n/a - n/a .	3.4	2
2	Behavioural and electrophysiological responses of the European corn borer Ostrinia nubilalis to host-plant volatiles and related chemicals. Physiological Entomology, 2010, 35, 354-363.	1.5	34
3	Response of Mythimna unipuncta Males to Components of the Sesamia nonagrioides Pheromone. Journal of Chemical Ecology, 2009, 35, 779-784.	1.8	9
4	Development and Biological Activity of a New Antagonist of the Pheromone of the Codling Moth Cydia pomonella. Journal of Agricultural and Food Chemistry, 2009, 57, 8514-8519.	5.2	15
5	Differential activity of non-fluorinated and fluorinated analogues of the European corn borer pheromone. Chemoecology, 2008, 18, 99-108.	1.1	7
6	Inhibition of pheromone response inSesamia nonagrioides by the pheromone of the sympatric corn borer,Ostrinia nubilalis. Pest Management Science, 2007, 63, 608-614.	3.4	19
7	Reduction of damage by the Mediterranean corn borer, SesamiaÂnonagrioides, and the European corn borer, OstriniaÂnubilalis, in maize fields by a trifluoromethyl ketone pheromone analog. Entomologia Experimentalis Et Applicata, 2007, 126, 071115163010005-???.	1.4	8
8	Pheromone Antagonism in the European Corn Borer Moth Ostrinia nubilalis. Journal of Chemical Ecology, 2006, 32, 1071-1084.	1.8	33
9	Antagonism of Pheromone Response of Ostrinia nubilalis Males and Implications on Behavior in the Laboratory and in the Field. Journal of Agricultural and Food Chemistry, 2005, 53, 1158-1165.	5.2	21
10	Influence of azadirachtin on development and reproduction of Nezara viridula L. (Het., Pentatomidae). Journal of Applied Entomology, 2003, 127, 37-41.	1.8	33
11	Maize phenology influences field diapause induction of Sesamia nonagrioides (Lepidoptera:) Tj ETQq1 1 0.78431	14 rgBT /O	verlock 10 Tf
12	Mating disruption of the corn borer Sesamia nonagrioides (Lepidoptera: Noctuidae) using sprayable formulations of pheromone. Crop Protection, 2002, 21, 217-225.	2.1	33
13	Comparative studies of female sex pheromone components and male response of the corn stalk borer Sesamia nonagrioides in three different populations. Journal of Chemical Ecology, 2002, 28, 1463-1472.	1.8	14
14	Pheromone response inhibitors of the corn stalk borer Sesamia nonagrioides. Biological evaluation and toxicology. Journal of Chemical Ecology, 2001, 27, 1879-1897.	1.8	30
15	Phenological Model forSesamia nonagrioides(Lepidoptera: Noctuidae). Environmental Entomology, 2001, 30, 23-30.	1.4	30
16	Antifeedant activity of fruit and seed extracts of Melia azedarach and azadirachta indica on larvae of Sesamia nonagrioides. Phytoparasitica, 2000, 28, 311-319.	1.2	32
17	Electroantennogram, wind tunnel and field responses of male Mediterranean corn borer, Sesamia nonagrioides, to several blends of its sex pheromone components. Entomologia Experimentalis Et Applicata, 1997, 82, 121-127.	1.4	25
18	Inhibition of pheromone action inSesamia nonagrioidesby Haloacetate analogues. Pest Management Science, 1994, 41, 97-103.	0.4	14

#	Article	IF	CITATIONS
19	Plant volatiles challenge inhibition by structural analogs of the sex pheromone in Lobesia botrana (Lepidoptera: Tortricidae). European Journal of Entomology, 0, 113, 579-586.	1.2	8