Barbara Ukropcova

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3980445/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Calorie Restriction Increases Muscle Mitochondrial Biogenesis in Healthy Humans. PLoS Medicine, 2007, 4, e76. | 8.4 | 654 |
| 2 | Effects of obesity, diabetes and exercise on <i>Fndc5</i> gene expression and irisin release in human skeletal muscle and adipose tissue: <i>in vivo</i> and <i>in vitro</i> studies. Journal of Physiology, 2014, 592, 1091-1107. | 2.9 | 329 |
| 3 | Dietary obesity-associated Hif1α activation in adipocytes restricts fatty acid oxidation and energy expenditure via suppression of the Sirt2-NAD ⁺ system. Genes and Development, 2012, 26, 259-270. | 5.9 | 264 |
| 4 | Role of adiponectin in human skeletal muscle bioenergetics. Cell Metabolism, 2006, 4, 75-87. | 16.2 | 202 |
| 5 | Dynamic changes in fat oxidation in human primary myocytes mirror metabolic characteristics of the donor. Journal of Clinical Investigation, 2005, 115, 1934-1941. | 8.2 | 169 |
| 6 | Family History of Diabetes Links Impaired Substrate Switching and Reduced Mitochondrial Content in Skeletal Muscle. Diabetes, 2007, 56, 720-727. | 0.6 | 147 |
| 7 | Structural and Functional Consequences of Mitochondrial Biogenesis in Human Adipocytesin Vitro. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 6650-6656. | 3.6 | 123 |
| 8 | Effects of carnosine supplementation on glucose metabolism: Pilot clinical trial. Obesity, 2016, 24, 1027-1034. | 3.0 | 116 |
| 9 | Bmp4 Promotes a Brown to White-like AdipocyteÂShift. Cell Reports, 2016, 16, 2243-2258. | 6.4 | 95 |
| 10 | An acute bout of aerobic or strength exercise specifically modifies circulating exerkine levels and neurocognitive functions in elderly individuals with mild cognitive impairment. NeuroImage: Clinical, 2018, 17, 272-284. | 2.7 | 92 |
| 11 | Distinctive Effects of Aerobic and Resistance Exercise Modes on Neurocognitive and Biochemical Changes in Individuals with Mild Cognitive Impairment. Current Alzheimer Research, 2019, 16, 316-332. | 1.4 | 82 |
| 12 | The Potential of Carnosine in Brain-Related Disorders: A Comprehensive Review of Current Evidence. Nutrients, 2019, 11, 1196. | 4.1 | 68 |
| 13 | Physiological and therapeutic effects of carnosine on cardiometabolic risk and disease. Amino Acids, 2016, 48, 1131-1149. | 2.7 | 63 |
| 14 | Subcutaneous adipose tissue zinc″±2â€glycoprotein is associated with adipose tissue and wholeâ€body insulin sensitivity. Obesity, 2014, 22, 1821-1829. | 3.0 | 61 |
| 15 | Inhibition of Mevalonate Pathway Prevents Adipocyte Browning in Mice and Men by Affecting Protein Prenylation. Cell Metabolism, 2019, 29, 901-916.e8. | 16.2 | 59 |
| 16 | A carnosine intervention study in overweight human volunteers: bioavailability and reactive carbonyl species sequestering effect. Scientific Reports, 2016, 6, 27224. | 3.3 | 53 |
| 17 | Exercise-mimicking treatment fails to increase Fndc5 mRNA & irisin secretion in primary human myotubes. Peptides, 2014, 56, 1-7. | 2.4 | 46 |
| 18 | Remodeling Lipid Metabolism and Improving Insulin Responsiveness in Human Primary Myotubes. PLoS ONE, 2011, 6, e21068. | 2.5 | 45 |

BARBARA UKROPCOVA

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Adipokine Protein Expression Pattern in Growth Hormone Deficiency Predisposes to the Increased Fat Cell Size and the Whole Body Metabolic Derangements. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 2255-2262. | 3.6 | 44 |
| 20 | Relation of adipose tissue to metabolic flexibility. Diabetes Research and Clinical Practice, 2009, 83, 32-43. | 2.8 | 41 |
| 21 | Acute and regular exercise distinctly modulate serum, plasma and skeletal muscle BDNF in the elderly. Neuropeptides, 2019, 78, 101961. | 2.2 | 41 |
| 22 | Depthâ€resolved surface coil MRS (DRESS)â€localized dynamic ³¹ Pâ€MRS of the exercising human gastrocnemius muscle at 7 T. NMR in Biomedicine, 2014, 27, 1346-1352. | 2.8 | 35 |
| 23 | Regulation of De Novo Adipocyte Differentiation Through Cross Talk Between Adipocytes and Preadipocytes. Diabetes, 2015, 64, 4075-4087. | 0.6 | 33 |
| 24 | Interrelation of ³¹ Pâ€MRS metabolism measurements in resting and exercised quadriceps muscle of overweightâ€ŧoâ€obese sedentary individuals. NMR in Biomedicine, 2013, 26, 1714-1722. | 2.8 | 29 |
| 25 | TUSC5 regulates insulin-mediated adipose tissue glucose uptake by modulation of GLUT4 recycling. Molecular Metabolism, 2015, 4, 795-810. | 6.5 | 29 |
| 26 | Muscle Carnosine Is Associated with Cardiometabolic Risk Factors in Humans. PLoS ONE, 2015, 10, e0138707. | 2.5 | 29 |
| 27 | Adipose tissue and skeletal muscle plasticity modulates metabolic health. Archives of Physiology and Biochemistry, 2008, 114, 357-368. | 2.1 | 26 |
| 28 | Skeletal muscle alkaline Pi pool is decreased in overweight-to-obese sedentary subjects and relates to mitochondrial capacity and phosphodiester content. Scientific Reports, 2016, 6, 20087. | 3.3 | 26 |
| 29 | Metabolic Phenotype and Adipose Tissue Inflammation in Patients with Chronic Obstructive Pulmonary Disease. Mediators of Inflammation, 2010, 2010, 1-9. | 3.0 | 24 |
| 30 | Muscle Histidine-Containing Dipeptides Are Elevated by Glucose Intolerance in Both Rodents and Men. PLoS ONE, 2015, 10, e0121062. | 2.5 | 24 |
| 31 | Increased Adipose Tissue Expression of Proinflammatory CD40, MKK4 and JNK in Patients with Very Severe Chronic Obstructive Pulmonary Disease. Respiration, 2011, 81, 386-393. | 2.6 | 23 |
| 32 | Effect of carnosine supplementation on the plasma lipidome in overweight and obese adults: a pilot randomised controlled trial. Scientific Reports, 2017, 7, 17458. | 3.3 | 23 |
| 33 | Aerobic-Strength Exercise Improves Metabolism and Clinical State in Parkinson's Disease Patients. Frontiers in Neurology, 2017, 8, 698. | 2.4 | 23 |
| 34 | Relationship between osteoporosis and adipose tissue leptin and osteoprotegerin in patients with chronic obstructive pulmonary disease. Bone, 2011, 48, 1008-1014. | 2.9 | 22 |
| 35 | Improved spectral resolution and high reliability of in vivo 1 H MRS at 7 T allow the characterization of the effect of acute exercise on carnosine in skeletal muscle. NMR in Biomedicine, 2016, 29, 24-32. | 2.8 | 22 |
| 36 | The Role of Physical Fitness in the Neurocognitive Performance of Task Switching in Older Persons with Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2016, 53, 143-159. | 2.6 | 22 |

BARBARA UKROPCOVA

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Effects of running on adiponectin, insulin and cytokines in cerebrospinal fluid in healthy young individuals. Scientific Reports, 2019, 9, 1959. | 3.3 | 22 |
| 38 | Carnosine Supplementation Improves Serum Resistin Concentrations in Overweight or Obese Otherwise Healthy Adults: A Pilot Randomized Trial. Nutrients, 2018, 10, 1258. | 4.1 | 19 |
| 39 | Real-time Correction of Motion and Imager Instability Artifacts during 3D γ-Aminobutyric Acid–edited MR Spectroscopic Imaging. Radiology, 2018, 286, 666-675. | 7.3 | 17 |
| 40 | Cold Exposure Distinctively Modulates Parathyroid and Thyroid Hormones in Cold-Acclimatized and Non-Acclimatized Humans. Endocrinology, 2020, 161, . | 2.8 | 16 |
| 41 | Alterations in activin A–myostatin–follistatin system associate with disease activity in inflammatory myopathies. Rheumatology, 2020, 59, 2491-2501. | 1.9 | 15 |
| 42 | Repeated immobilization stress induces catecholamine production in rat mesenteric adipocytes. Stress, 2013, 16, 340-352. | 1.8 | 14 |
| 43 | Serum Afamin a Novel Marker of Increased Hepatic Lipid Content. Frontiers in Endocrinology, 2021, 12, 670425. | 3.5 | 14 |
| 44 | GPR180 is a component of TGFÎ ² signalling that promotes thermogenic adipocyte function and mediates the metabolic effects of the adipocyte-secreted factor CTHRC1. Nature Communications, 2021, 12, 7144. | 12.8 | 14 |
| 45 | Improved adipose tissue metabolism after 5-year growth hormone replacement therapy in growth hormone deficient adults: The role of zinc-α2-glycoprotein. Adipocyte, 2015, 4, 113-122. | 2.8 | 12 |
| 46 | Circulatory and Adipose Tissue Leptin and Adiponectin in Relationship to Resting Energy Expenditure in Patients With Chronic Obstructive Pulmonary Disease. Physiological Research, 2012, 61, 469-480. | 0.9 | 12 |
| 47 | Carnosine supplementation reduces plasma soluble transferrin receptor in healthy overweight or obese individuals: a pilot randomised trial. Amino Acids, 2019, 51, 73-81. | 2.7 | 10 |
| 48 | Multinuclear MRS at 7T Uncovers Exercise Driven Differences in Skeletal Muscle Energy Metabolism Between Young and Seniors. Frontiers in Physiology, 2020, 11, 644. | 2.8 | 10 |
| 49 | Acute Effects of Different Exercise Intensities on Executive Function and Oculomotor Performance in Middle-Aged and Older Adults: Moderate-Intensity Continuous Exercise vs. High-Intensity Interval Exercise. Frontiers in Aging Neuroscience, 2021, 13, 743479. | 3.4 | 10 |
| 50 | Adipokine zinc-α2-glycoprotein regulated by growth hormone and linked to insulin sensitivity. Obesity, 2015, 23, 322-328. | 3.0 | 9 |
| 51 | Cerebrospinal fluid and plasma metabolomics of acute endurance exercise. FASEB Journal, 2022, 36, . | O.5 | 9 |
| 52 | Metabolomic Analysis Reveals Changes in Plasma Metabolites in Response to Acute Cold Stress and Their Relationships to Metabolic Health in Cold-Acclimatized Humans. Metabolites, 2021, 11, 619. | 2.9 | 8 |
| 53 | Effects of Hypoxia on Adipose Tissue Expression of NFκB, IκBα, IKKγ and IKAP in Patients with Chronic Obstructive Pulmonary Disease. Cell Biochemistry and Biophysics, 2013, 66, 7-12. | 1.8 | 6 |
| 54 | O2-08-05: Combined aerobic-strength exercise improves cognitive functions in patients with mild | | 6 |

cognitive impairment. , 2015, 11, P193-P193.

BARBARA UKROPCOVA

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 55 | Upper and Lower Body Muscle Power Increases After 3-Month Resistance Training in Overweight and Obese Men. American Journal of Men's Health, 2017, 11, 1728-1738. | 1.6 | 6 |
| 56 | Chemotherapyâ€induced toxicity in patients with testicular germ cell tumors: The impact of physical fitness and regular exercise. Andrology, 2021, 9, 1879-1892. | 3.5 | 6 |
| 57 | Muscular Power during a Lifting Task Increases after Three Months of Resistance Training in Overweight and Obese Individuals. Sports, 2017, 5, 35. | 1.7 | 5 |
| 58 | Ultralong TE In Vivo 1 H MR Spectroscopy of Omegaâ€3 Fatty Acids in Subcutaneous Adipose Tissue at 7 T. Journal of Magnetic Resonance Imaging, 2019, 50, 71-82. | 3.4 | 5 |
| 59 | Three months of resistance training in overweight and obese individuals improves reactive balance control under unstable conditions. Journal of Back and Musculoskeletal Rehabilitation, 2017, 30, 353-362. | 1.1 | 4 |
| 60 | The effectiveness of two different multimodal training modes on physical performance in elderly. European Journal of Translational Myology, 2020, 30, 88-97. | 1.7 | 4 |
| 61 | Genetic analysis of single-minded 1 gene in early-onset severely obese children and adolescents. PLoS ONE, 2017, 12, e0177222. | 2.5 | 4 |
| 62 | MyomiRs in cultured muscle cells from patients with idiopathic inflammatory myopathy are modulated by disease but not by 6-month exercise training. Clinical and Experimental Rheumatology, 2022, 40, 346-357. | 0.8 | 4 |
| 63 | The effect of 3Âmonths aerobic and resistance training on step initiation speed and foot tapping frequency in the overweight and obese. Sport Sciences for Health, 2017, 13, 331-339. | 1.3 | 3 |
| 64 | Unilateral Stability and Visual Feedback Body Control Improves After Three-Month Resistance Training in Overweight Individuals. Journal of Motor Behavior, 2017, 49, 398-406. | 0.9 | 3 |
| 65 | Allelic Distribution of Genes for Apolipoprotein E and MTHFR in Patients with Alzheimer's Disease and Their Epistatic Interaction. Journal of Alzheimer's Disease, 2020, 77, 1095-1105. | 2.6 | 3 |
| 66 | Strength training as a supplemental therapy for androgen deficiency of the aging male (ADAM): study protocol for a three-arm clinical trial. BMJ Open, 2019, 9, e025991. | 1.9 | 2 |
| 67 | Altered dynamics of lipid metabolism in muscle cells from patients with idiopathic inflammatory myopathy is ameliorated by 6Âmonths of training. Journal of Physiology, 2021, 599, 207-229. | 2.9 | 2 |
| 68 | Macronutrient preferences in patients with chronic obstructive pulmonary disease and hypoxemia. Nutrition, 2011, 27, 1093-1094. | 2.4 | 1 |
| 69 | O3â€07â€03: A LINK BETWEEN COGNITIVE FUNCTION AND PHYSICAL ACTIVITY: THE IMPACT OF AEROBIC‧TR EXERCISE IN SENIORS WITH MILD COGNITIVE IMPAIRMENT AND/OR IMPAIRED GLUCOSE METABOLISM. Alzheimer's and Dementia, 2018, 14, P1030. | ENGTH 0.8 | 1 |
| 70 | The role of physical activity in the management of patients with Parkinson's disease. Ceska A Slovenska Neurologie A Neurochirurgie, 2019, 82/115, 496-504. | 0.1 | 1 |
| 71 | Clusterin is upregulated in serum and muscle tissue in idiopathic inflammatory myopathies and associates with clinical disease activity and cytokine profile. Clinical and Experimental Rheumatology, 2021, 39, 1021-1032. | 0.8 | 1 |
| 72 | Contrasting Adipose Tissue Expressions Of Proinflammatory And Proapoptotic Cytokines In Obese Versus Cachectic Patients With COPD. , 2011, , . | | 0 |

| # | Article | IF | CITATIONS |
|----|--|-----------|-----------|
| 73 | P2â€154: Effects of Aerobicâ€Strength Training on Selected Molecular Targets in Cerebrospinal Fluid of Seniors with Mild Cognitive Impairment. Alzheimer's and Dementia, 2016, 12, P673. | 0.8 | 0 |
| 74 | [P2–021]: EFFECTS OF ENDURANCEâ€STRENGTH TRAINING ON MOTOR FUNCTIONS, COGNITION AND GLUCO METABOLISM IN PATIENTS WITH PARKINSON'S DISEASE. Alzheimer's and Dementia, 2017, 13, P612. | SE 0.8 | 0 |
| 75 | Cytokine profile in cerebrospinal fluid of elderly individuals is modulated by threeâ€month exercise intervention, in parallel with improvements of physical fitness and cognitive functions. Alzheimer's and Dementia, 2020, 16, e042159. | 0.8 | 0 |
| 76 | Repeated and Novel Stress-triggered Changes in Adipocyte Catecholamine System. , 2014, , 226. | | 0 |
| 77 | Carnosine Supplementation Reduces Plasma Soluble Transferrin Receptor in Healthy Overweight or Obese Individuals—A Pilot Randomised Trial. Diabetes, 2018, 67, . | 0.6 | 0 |
| 78 | Carnosine Supplementation Improves Serum Resistin Concentrations in Overweight or Obese but Otherwise Healthy Sedentary Adults—Results From Randomised Controlled Trial. Diabetes, 2018, 67, 777-P. | 0.6 | 0 |
| 79 | OP0136â€THE INFLUENCE OF LONG-TERM EXERCISE AND IN VITRO EXERCISE-MIMICKING STIMULATION ON TH PRODUCTION OF MYOKINES AND CYTOKINES IN MYOTUBES OF PATIENTS WITH CHRONIC IDIOPATHIC INFLAMMATORY MYOPATHIES. Annals of the Rheumatic Diseases, 2020, 79, 88.2-88. | IE 0.9 | 0 |
| 80 | OP0138â€CLUSTERIN ASSOCIATES WITH DISEASE MECHANISMS AND INFLAMMATION IN MYOSITIS PATIENTS. Annals of the Rheumatic Diseases, 2020, 79, 89.2-89. | 0.9 | 0 |
| 81 | MyomiRs in cultured muscle cells from patients with idiopathic inflammatory myopathy are modulated by disease but not by 6-month exercise training Clinical and Experimental Rheumatology, 2022, 40, 346-357. | 0.8 | 0 |