

Yu-Ping Zeng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3985333/publications.pdf>

Version: 2024-02-01

97
papers

2,190
citations

218677

26
h-index

289244

40
g-index

99
all docs

99
docs citations

99
times ranked

1605
citing authors

#	ARTICLE	IF	CITATIONS
1	The synthesis of single-phase β -SiAlON porous ceramics using self-propagating high-temperature processing. <i>Ceramics International</i> , 2022, 48, 4371-4375.	4.8	5
2	The microstructure and thermal conductivity of porous β -SiAlON ceramics fabricated by pressureless sintering with Y- β -SiAlON as the sintering additive. <i>Ceramics International</i> , 2022, 48, 6177-6184.	4.8	4
3	Highly Connective Spongy Polyimide Separators Blended with Inorganic Whiskers for High-Performance Lithium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2022, 5, 2011-2023.	5.1	13
4	The effects of β -Si ₃ N ₄ whiskers and Fe-Cr-C alloy on the tribological properties of bronze matrix composites. <i>Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology</i> , 2021, 235, 952-962.	1.8	1
5	Microstructure evolution and high-temperature mechanical properties of porous Si ₃ N ₄ ceramics prepared by SHS with a small amount of Y ₂ O ₃ addition. <i>Ceramics International</i> , 2021, 47, 5656-5662.	4.8	6
6	Enhanced thermal conductivity in Si ₃ N ₄ ceramics prepared by using ZrH ₂ as an oxygen getter. <i>Journal of Alloys and Compounds</i> , 2021, 855, 157451.	5.5	15
7	Novel silicothermic reduction method to obtain Si ₃ N ₄ ceramics with enhanced thermal conductivity and fracture toughness. <i>Journal of the European Ceramic Society</i> , 2021, 41, 1735-1738.	5.7	15
8	Improved thermal conductivity of β -Si ₃ N ₄ ceramics through the modification of the liquid phase by using GdH ₂ as a sintering additive. <i>Ceramics International</i> , 2021, 47, 5631-5638.	4.8	15
9	A two step approach for making super capacitors from waste wood. <i>Journal of Cleaner Production</i> , 2021, 279, 123786.	9.3	30
10	Air activation of charcoal monoliths for capacitive energy storage. <i>RSC Advances</i> , 2021, 11, 15118-15130.	3.6	5
11	The effects of vacuum pyrolysis conditions on wood biochar monoliths for electrochemical capacitor electrodes. <i>Journal of Materials Science</i> , 2021, 56, 8588-8599.	3.7	16
12	Effects of surfactant and particle size on the microstructure and strength of Si ₃ N ₄ foams with high porosity. <i>International Journal of Applied Ceramic Technology</i> , 2021, 18, 830-837.	2.1	3
13	Highly dispersible silicon nitride whiskers in asymmetric porous separators for high-performance lithium-ion battery. <i>Journal of Membrane Science</i> , 2021, 621, 119001.	8.2	17
14	Effects of pore structures on the capillary and thermal performance of porous silicon nitride as novel loop heat pipe wicks. <i>International Journal of Heat and Mass Transfer</i> , 2021, 169, 120985.	4.8	17
15	Self-propagating high temperature synthesis (SHS) of porous Si ₃ N ₄ -based ceramics with considerable dimensions and study on mechanical properties and oxidation behavior. <i>Journal of the European Ceramic Society</i> , 2021, 41, 4452-4461.	5.7	8
16	Effects of different types of sintering additives and post-heat treatment (PHT) on the mechanical properties of SHS-fabricated Si ₃ N ₄ ceramics. <i>Ceramics International</i> , 2021, 47, 22461-22467.	4.8	7
17	The effect of annealing temperature on flexural strength, dielectric loss and thermal conductivity of Si ₃ N ₄ ceramics. <i>Journal of Alloys and Compounds</i> , 2020, 813, 152203.	5.5	13
18	ZrSi ₂ •MgO as novel additives for high thermal conductivity of β -Si ₃ N ₄ ceramics. <i>Journal of the American Ceramic Society</i> , 2020, 103, 2090-2100.	3.8	31

#	ARTICLE	IF	CITATIONS
19	YB2C2: A new additive for fabricating Si ₃ N ₄ ceramics with superior mechanical properties and medium thermal conductivity. <i>Ceramics International</i> , 2020, 46, 5239-5243.	4.8	14
20	A novel route for the fabrication of porous Si ₃ N ₄ ceramics with unidirectionally aligned channels. <i>Materials Letters</i> , 2020, 276, 128264.	2.6	6
21	Microstructure and gas permeation performance of porous silicon nitride ceramics with unidirectionally aligned channels. <i>Journal of the American Ceramic Society</i> , 2020, 103, 6565-6574.	3.8	18
22	Microstructure and Mechanical Properties of Cu Matrix Composites Reinforced by TiB ₂ /TiN Ceramic Reinforcements. <i>Acta Metallurgica Sinica (English Letters)</i> , 2020, 33, 1609-1617.	2.9	13
23	Improved thermal conductivity of Si ₃ N ₄ ceramics by lowering SiO ₂ /Y ₂ O ₃ ratio using YH ₂ as sintering additive. <i>Journal of the American Ceramic Society</i> , 2020, 103, 5567-5572.	3.8	18
24	The sound absorption performance of the highly porous silica ceramics prepared using freeze casting method. <i>Journal of the American Ceramic Society</i> , 2020, 103, 5990-5998.	3.8	8
25	Effect of the binary nonoxide additives on the densification behavior and thermal conductivity of Si ₃ N ₄ ceramics. <i>Journal of the American Ceramic Society</i> , 2020, 103, 5891-5899.	3.8	19
26	Effect of in-situ formed Y ₂ O ₃ by metal hydride reduction reaction on thermal conductivity of Si ₃ N ₄ ceramics. <i>Journal of the European Ceramic Society</i> , 2020, 40, 5316-5323.	5.7	29
27	Highly porous silica foams prepared via direct foaming with mixed surfactants and their sound absorption characteristics. <i>Ceramics International</i> , 2020, 46, 12942-12947.	4.8	27
28	Ultra-thick wood biochar monoliths with hierarchically porous structure from cotton rose for electrochemical capacitor electrodes. <i>Electrochimica Acta</i> , 2020, 352, 136452.	5.2	39
29	Impacts of interface modification by Ni coating on the property of Cu matrix composites reinforced by Si ₃ N ₄ whiskers. <i>Journal of Alloys and Compounds</i> , 2020, 823, 153734.	5.5	6
30	Corrosion behavior of alumina-based ceramic core materials in caustic alkali solutions. <i>International Journal of Applied Ceramic Technology</i> , 2019, 16, 335-345.	2.1	5
31	Gas permeation performance of porous silicon nitride ceramics with controllable pore structures. <i>Ceramics International</i> , 2019, 45, 22351-22356.	4.8	14
32	Tailoring the microstructure of high porosity Si ₃ N ₄ foams by direct foaming with mixed surfactants. <i>Journal of the American Ceramic Society</i> , 2019, 102, 6827-6836.	3.8	19
33	Fabrication and mechanical properties of porous Si ₃ N ₄ ceramics prepared via SHS. <i>Ceramics International</i> , 2019, 45, 14867-14872.	4.8	21
34	Fabrication, microstructural characterization and gas permeability behavior of porous silicon nitride ceramics with controllable pore structures. <i>Journal of the European Ceramic Society</i> , 2019, 39, 2855-2861.	5.7	45
35	Thermal shock behavior of porous Si ₃ N ₄ ceramics with Nd ₂ O ₃ as sintering additive. <i>International Journal of Applied Ceramic Technology</i> , 2019, 16, 1390-1398.	2.1	5
36	High porosity Ca-SiAlON ceramics with rod-like grains fabricated by freeze casting and pressureless sintering. <i>Journal of the European Ceramic Society</i> , 2019, 39, 2036-2041.	5.7	18

#	ARTICLE	IF	CITATIONS
37	The application of Lu-Al-Si-O-N oxynitride glass in transparent AlON ceramics joining. <i>Ceramics International</i> , 2019, 45, 2591-2595.	4.8	10
38	The high porosity silicon nitride foams prepared by the direct foaming method. <i>Ceramics International</i> , 2019, 45, 2124-2130.	4.8	29
39	High temperature mechanical properties of porous Si ₃ N ₄ prepared via SRBSN. <i>Ceramics International</i> , 2018, 44, 11966-11971.	4.8	21
40	The effect of BaTiO ₃ addition on the dielectric constant of Si ₃ N ₄ ceramics. <i>International Journal of Applied Ceramic Technology</i> , 2018, 15, 653-659.	2.1	5
41	Microstructure and mechanical properties of aluminum matrix composites reinforced with pre-oxidized β -Si ₃ N ₄ whiskers. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 723, 109-117.	5.6	15
42	Joining of dense Si ₃ N ₄ ceramics with tape cast Lu-Al-Si-O-N interlayer. <i>Ceramics International</i> , 2018, 44, 4824-4828.	4.8	13
43	The effect of oxidation on the mechanical properties and dielectric properties of porous Si ₃ N ₄ ceramics. <i>Ceramics International</i> , 2017, 43, 5517-5523.	4.8	20
44	A novel method for preparing Si ₃ N ₄ ceramics with unidirectional oriented pores from silicon aqueous slurries. <i>Journal of the European Ceramic Society</i> , 2017, 37, 3285-3291.	5.7	14
45	Porous SiC ceramics fabricated by quick freeze casting and solid state sintering. <i>Progress in Natural Science: Materials International</i> , 2017, 27, 380-384.	4.4	15
46	Porous Si ₃ N ₄ fabrication via volume-controlled foaming and their sound absorption properties. <i>Journal of Alloys and Compounds</i> , 2017, 727, 163-167.	5.5	19
47	Effects of h-BN addition on microstructures and mechanical properties of β -CaSiO ₃ bioceramics. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2016, 62, 275-281.	3.1	3
48	The relationship between microstructure and flexural strength of pressureless liquid phase sintered SiC ceramics oxidized at elevated temperatures. <i>Ceramics International</i> , 2016, 42, 13256-13261.	4.8	18
49	Effects of silica sol on the microstructure and mechanical properties of CaSiO ₃ bioceramics. <i>Materials Science and Engineering C</i> , 2016, 64, 336-340.	7.3	8
50	Mechanical properties and thermal conductivity of Si ₃ N ₄ ceramics with YF ₃ and MgO as sintering additives. <i>Ceramics International</i> , 2016, 42, 15679-15686.	4.8	62
51	Fabrication of porous SiC ceramics through a modified gelcasting and solid state sintering. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 654, 292-297.	5.6	51
52	The sintering behavior and mechanical properties of CaSiO ₃ bioceramics with B ₂ O ₃ addition. <i>Ceramics International</i> , 2016, 42, 9222-9226.	4.8	12
53	The improved mechanical properties of β -CaSiO ₃ bioceramics with Si ₃ N ₄ addition. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2016, 55, 120-126.	3.1	14
54	The Microstructure and Mechanical Properties of Porous Silicon Nitride Ceramics Prepared via Novel Aqueous Gelcasting. <i>International Journal of Applied Ceramic Technology</i> , 2015, 12, 932-938.	2.1	28

#	ARTICLE	IF	CITATIONS
73	Doped ions (Co ²⁺ , Fe ³⁺) tuning morphologies and magnetic properties of indium oxide nanoparticles. <i>Journal of Nanoparticle Research</i> , 2012, 14, 1.	1.9	6
74	Fabrication and Properties of Porous Alumina-based Ceramic Core. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2012, 27, 239-244.	1.3	7
75	The Effects of BN Addition on the Mechanical Properties of Porous Si ₃ N ₄ /BN Ceramics Prepared Via Nitridation of Silicon Powder. <i>Journal of the American Ceramic Society</i> , 2011, 94, 666-670.	3.8	22
76	High magnetic field inducing magnetic transitions of and doped nanocubes. <i>Solid State Communications</i> , 2011, 151, 1220-1223.	1.9	3
77	Porous Si ₃ N ₄ ceramics prepared via slip casting of Si and reaction bonded silicon nitride. <i>Ceramics International</i> , 2011, 37, 3071-3076.	4.8	32
78	Mechanical and dielectric properties of porous Si ₃ N ₄ ceramics using PMMA as pore former. <i>Ceramics International</i> , 2011, 37, 3775-3779.	4.8	54
79	Pore-forming agent induced microstructure evolution of freeze casted hydroxyapatite. <i>Ceramics International</i> , 2011, 37, 407-410.	4.8	19
80	High Flexural Strength Porous Silicon Nitride Prepared &via& Nitridation of Silicon Powder nitridation; porous silicon nitride; flexural strength; porosity. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2011, 26, 422-426.	1.3	9
81	The improved photocatalytic properties of P-type NiO loaded porous TiO ₂ sheets prepared via freeze tape-casting. <i>Solid State Sciences</i> , 2010, 12, 138-143.	3.2	37
82	Effect of cooling rate and polyvinyl alcohol on the morphology of porous hydroxyapatite ceramics. <i>Materials & Design</i> , 2010, 31, 3090-3094.	5.1	24
83	Effect of polyvinyl alcohol additive on the pore structure and morphology of the freeze-cast hydroxyapatite ceramics. <i>Materials Science and Engineering C</i> , 2010, 30, 283-287.	7.3	76
84	A simple solution route to control synthesis of Fe ₃ O ₄ nanomaterials at low temperature and their magnetic properties. <i>Science in China Series B: Chemistry</i> , 2009, 52, 916-923.	0.8	4
85	In ₂ O ₃ â€“SnO ₂ nano-toasts and nanorods: Precipitation preparation, formation mechanism, and gas sensitive properties. <i>Sensors and Actuators B: Chemical</i> , 2009, 137, 630-636.	7.8	48
86	Fabrication and characterization of cordierite-bonded porous SiC ceramics. <i>Ceramics International</i> , 2009, 35, 597-602.	4.8	91
87	Dielectric and mechanical properties of porous Si ₃ N ₄ ceramics prepared via low temperature sintering. <i>Ceramics International</i> , 2009, 35, 1699-1703.	4.8	78
88	Effect of organic additives on the zeta potential of PLZST and rheological properties of PLZST slurries. <i>Journal of the European Ceramic Society</i> , 2008, 28, 2597-2604.	5.7	20
89	Structural, optical, and magnetic properties of Fe-doped In ₂ O ₃ nanocubes. <i>Journal of Materials Research</i> , 2008, 23, 2597-2601.	2.6	9
90	Synthesis and growth mechanism of Cr-doped ZnO single-crystalline nanowires. <i>Solid State Communications</i> , 2007, 143, 308-312.	1.9	64

#	ARTICLE	IF	CITATIONS
91	Solution-Based, High-Yield Synthesis of Cobalt-Doped Zinc Oxide Nanorods. Journal of the American Ceramic Society, 2007, 90, 2269-2272.	3.8	9
92	Fabrication of Mullite Ceramics With Ultrahigh Porosity by Gel Freeze Drying. Journal of the American Ceramic Society, 2007, 90, 2276-2279.	3.8	89
93	Fabrication of Gradient Pore TiO ₂ Sheets by a Novel Freeze-â€Tapeâ€Casting Process. Journal of the American Ceramic Society, 2007, 90, 3001-3004.	3.8	52
94	Controlled growth and properties of Pb ²⁺ doped ZnO nanodisks. Materials Research Bulletin, 2007, 42, 814-819.	5.2	18
95	Thermal shock resistance of in situ reaction bonded porous silicon carbide ceramics. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 425, 326-329.	5.6	86
96	Hydrothermal synthesis and optical properties of Pb ²⁺ doped ZnO nanorods. Materials Letters, 2006, 60, 2783-2785.	2.6	36
97	Effects of Y ₂ O ₃ /MgO ratio on mechanical properties and thermal conductivity of silicon nitride ceramics. International Journal of Applied Ceramic Technology, 0, , .	2.1	3