

Andrew Evans

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3985349/publications.pdf>

Version: 2024-02-01

39
papers

2,363
citations

430874

18
h-index

377865

34
g-index

40
all docs

40
docs citations

40
times ranked

2912
citing authors

#	ARTICLE	IF	CITATIONS
1	The value of prognostic ultrasound features of breast cancer in different molecular subtypes with a focus on triple negative disease. <i>Breast Cancer</i> , 2022, 29, 296-301.	2.9	2
2	The prognostic impact of mode of detection of axillary metastases for women with invasive breast cancer: A retrospective observational study. <i>European Journal of Surgical Oncology</i> , 2021, 47, 813-817.	1.0	1
3	Development and validation of a novel measure of adverse patient positioning in mammography. <i>European Journal of Radiology</i> , 2021, 140, 109747.	2.6	4
4	Are baseline mammographic and ultrasound features associated with metastasis free survival in women receiving neoadjuvant chemotherapy for invasive breast cancer?. <i>European Journal of Radiology</i> , 2021, 141, 109790.	2.6	3
5	A retrospective review of MRI features associated with metastasis-free survival in women with breast cancer: focusing on skin thickening and skin enhancement. <i>British Journal of Radiology</i> , 2021, 94, 20210472.	2.2	2
6	Application of the Rasch measurement framework to mammography positioning data. <i>Data in Brief</i> , 2021, 38, 107387.	1.0	0
7	A pre-operative prognostic model predicting all cause and cause specific mortality for women presenting with invasive breast cancer. <i>Breast</i> , 2021, 61, 11-21.	2.2	0
8	Effect of mammographic screening from age 40 years on breast cancer mortality (UK Age trial): final results of a randomised, controlled trial. <i>Lancet Oncology</i> , The, 2020, 21, 1165-1172.	10.7	110
9	Why is renal impairment associated with poorer cancer specific survival in breast cancer patients?: a comparison with patients with other comorbidities. <i>International Journal of Clinical Oncology</i> , 2020, 25, 1786-1792.	2.2	3
10	Mode of presentation and skin thickening on ultrasound may predict nodal burden in breast cancer patients with a positive axillary core biopsy. <i>British Journal of Radiology</i> , 2020, 93, 20190711.	2.2	5
11	Annual mammographic screening to reduce breast cancer mortality in women from age 40 years: long-term follow-up of the UK Age RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-24.	2.8	23
12	Are baseline ultrasound and mammographic features associated with rates of pathological complete response in patients receiving neoadjuvant chemotherapy for breast cancer?. <i>Cancer Imaging</i> , 2019, 19, 67.	2.8	19
13	Breast Shear Wave Elastography in Clinical Practice. , 2019, , .		0
14	Risk factors for the development of invasive cancer in unresected ductal carcinoma in situ. <i>European Journal of Surgical Oncology</i> , 2018, 44, 429-435.	1.0	62
15	Prediction of Pathological Complete Response to Neoadjuvant Chemotherapy for Primary Breast Cancer Comparing Interim Ultrasound, Shear Wave Elastography and MRI. <i>Ultraschall in Der Medizin</i> , 2018, 39, 422-431.	1.5	30
16	Pre-operative stromal stiffness measured by shear wave elastography is independently associated with breast cancer-specific survival. <i>Breast Cancer Research and Treatment</i> , 2018, 171, 383-389.	2.5	27
17	A comparison of the imaging features of pleomorphic and classical invasive lobular carcinoma. <i>Breast Cancer Research and Treatment</i> , 2018, 172, 381-389.	2.5	4
18	Non-histopathological parameters associated with upgrade of breast tumours yielding a core biopsy report of histological grade 2 ductal no special type to grade 3 on excision. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1720-1724.	1.0	4

#	ARTICLE	IF	CITATIONS
19	First step to facilitate long-term and multi-centre studies of shear wave elastography in solid breast lesions using a computer-assisted algorithm. International Journal of Computer Assisted Radiology and Surgery, 2017, 12, 1533-1542.	2.8	4
20	Interim heterogeneity changes measured using entropy texture features on T2-weighted MRI at 3.0Â are associated with pathological response to neoadjuvant chemotherapy in primary breast cancer. European Radiology, 2017, 27, 4602-4611.	4.5	55
21	Correlation of X-ray diffraction signatures of breast tissue and their histopathological classification. Scientific Reports, 2017, 7, 12998.	3.3	14
22	Overdiagnosis in breast imaging. Breast, 2017, 31, 270-273.	2.2	24
23	Position paper on screening for breast cancer by the European Society of Breast Imaging (EUSOBI) and 30 national breast radiology bodies from Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Israel, Lithuania, Moldova, The Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Spain, Sweden, Switzerland and Turkey. European Radiology, 2017, 27, 2737-2743.	4.5	136
24	Shear-wave elastography and greyscale assessment of palpable probably benign masses: is biopsy always required?. British Journal of Radiology, 2016, 89, 20150865.	2.2	14
25	First step for computer assisted evaluation of qualitative supersonic shear wave elastography characteristics in breast tissue. , 2016, , .		2
26	Detection of DCIS and reduced invasive interval cancers. Lancet Oncology, The, 2016, 17, 14-15.	10.7	0
27	Anisotropy of Solid Breast Lesions in 2D Shear Wave Elastography is an Indicator of Malignancy. Academic Radiology, 2016, 23, 53-61.	2.5	31
28	Shear wave elastography of breast cancer: Sensitivity according to histological type in a large cohort. Breast, 2016, 26, 115-118.	2.2	23
29	Effect of mammographic screening from age 40 years on breast cancer mortality in the UK Age trial at 17 years' follow-up: a randomised controlled trial. Lancet Oncology, The, 2015, 16, 1123-1132.	10.7	159
30	Addressing overtreatment of screen detected DCIS; the LORIS trial. European Journal of Cancer, 2015, 51, 2296-2303.	2.8	266
31	3D ultrasound simulation based on a biomechanical model of prone MRI in breast cancer imaging. , 2015, , .		3
32	Automatic estimation of elasticity parameters in breast tissue. Proceedings of SPIE, 2014, , .	0.8	2
33	Does shear wave ultrasound independently predict axillary lymph node metastasis in women with invasive breast cancer?. Breast Cancer Research and Treatment, 2014, 143, 153-157.	2.5	92
34	Adverse surgical outcomes in screen-detected ductal carcinoma in situ of the breast. European Journal of Cancer, 2014, 50, 1880-1890.	2.8	17
35	The effect of mammography pain on repeat participation in breast cancer screening: A systematic review. Breast, 2013, 22, 389-394.	2.2	127
36	Invasive Breast Cancer: Relationship between Shear-wave Elastographic Findings and Histologic Prognostic Factors. Radiology, 2012, 263, 673-677.	7.3	232

#	ARTICLE	IF	CITATIONS
37	Diagnostic accuracy of transrectal elastosonography (TRES) imaging for the diagnosis of prostate cancer: a systematic review and meta-analysis. <i>BJU International</i> , 2012, 110, 1414-1423.	2.5	36
38	Quantitative shear wave ultrasound elastography: initial experience in solid breast masses. <i>Breast Cancer Research</i> , 2010, 12, R104.	5.0	389
39	Effect of mammographic screening from age 40 years on breast cancer mortality at 10 years' follow-up: a randomised controlled trial. <i>Lancet</i> , The, 2006, 368, 2053-2060.	13.7	434