

Lise Bankir

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3985840/publications.pdf>

Version: 2024-02-01

152
papers

7,326
citations

44042

48
h-index

66879

78
g-index

161
all docs

161
docs citations

161
times ranked

5145
citing authors

#	ARTICLE	IF	CITATIONS
1	Vaptans or voluntary increased hydration to protect the kidney: how do they compare?. Nephrology Dialysis Transplantation, 2023, 38, 562-574.	0.4	3
2	Water intake and progression of chronic kidney disease: the CKD-REIN cohort study. Nephrology Dialysis Transplantation, 2022, 37, 730-739.	0.4	21
3	Could an intrarenal Cori cycle participate in the urinary concentrating mechanism?. American Journal of Physiology - Renal Physiology, 2021, 321, F352-F353.	1.3	2
4	Medullary and cortical thick ascending limb: similarities and differences. American Journal of Physiology - Renal Physiology, 2020, 318, F422-F442.	1.3	23
5	Low hydration status may be associated with insulin resistance and fat distribution: analysis of the Korea National Health and Nutrition Examination Survey (KNHANES) 2008-2010. British Journal of Nutrition, 2020, 124, 199-208.	1.2	1
6	What can copeptin tell us in patients with autosomal dominant polycystic disease?. Kidney International, 2019, 96, 19-22.	2.6	6
7	Effects of hydration on plasma copeptin, glycemia and gluco-regulatory hormones: a water intervention in humans. European Journal of Nutrition, 2019, 58, 315-324.	1.8	43
8	Renal potassium handling in carriers of the Gly40Ser mutation of the glucagon receptor suggests a role for glucagon in potassium homeostasis. Physiological Reports, 2018, 6, e13661.	0.7	3
9	Association of a Low-Protein Diet With Slower Progression of CKD. Kidney International Reports, 2018, 3, 105-114.	0.4	41
10	Glucagon revisited: Coordinated actions on the liver and kidney. Diabetes Research and Clinical Practice, 2018, 146, 119-129.	1.1	16
11	Improved protocols for the study of urinary electrolyte excretion and blood pressure in rodents: use of gel food and stepwise changes in diet composition. American Journal of Physiology - Renal Physiology, 2018, 314, F1129-F1137.	1.3	8
12	Plasma copeptin and chronic kidney disease risk in 3 European cohorts from the general population. JCI Insight, 2018, 3, .	2.3	32
13	Acute and chronic hyperglycemic effects of vasopressin in normal rats: involvement of V _{1A} receptors. American Journal of Physiology - Endocrinology and Metabolism, 2017, 312, E127-E135.	1.8	32
14	Vasopressin and diabetic nephropathy. Current Opinion in Nephrology and Hypertension, 2017, 26, 311-318.	1.0	18
15	Antagonism of vasopressin V ₂ receptor improves albuminuria at the early stage of diabetic nephropathy in a mouse model of type 2 diabetes. Journal of Diabetes and Its Complications, 2017, 31, 929-932.	1.2	16
16	Validation of Surrogates of Urine Osmolality in Population Studies. American Journal of Nephrology, 2017, 46, 26-36.	1.4	18
17	Relationship between Sodium Intake and Water Intake: The False and the True. Annals of Nutrition and Metabolism, 2017, 70, 51-61.	1.0	32
18	Vasopressin: physiology, assessment and osmosensation. Journal of Internal Medicine, 2017, 282, 284-297.	2.7	171

#	ARTICLE	IF	CITATIONS
19	Urinary Sodium Concentration Is an Independent Predictor of All-Cause and Cardiovascular Mortality in a Type 2 Diabetes Cohort Population. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-10.	1.0	12
20	Rehydration with soft drink-like beverages exacerbates dehydration and worsens dehydration-associated renal injury. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 311, R57-R65.	0.9	68
21	Glucagon actions on the kidney revisited: possible role in potassium homeostasis. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F469-F486.	1.3	32
22	Plasma Copeptin, <i>AVP</i> Gene Variants, and Incidence of Type 2 Diabetes in a Cohort From the Community. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 2432-2439.	1.8	58
23	Plasma Copeptin, Kidney Outcomes, Ischemic Heart Disease, and All-Cause Mortality in People With Long-standing Type 1 Diabetes. <i>Diabetes Care</i> , 2016, 39, 2288-2295.	4.3	51
24	Hydration and Chronic Kidney Disease Progression: A Critical Review of the Evidence. <i>American Journal of Nephrology</i> , 2016, 43, 281-292.	1.4	104
25	Metabolic and Kidney Diseases in the Setting of Climate Change, Water Shortage, and Survival Factors. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2247-2256.	3.0	64
26	Ricerca di Soggetti Affetti da "iperazotemia Familiare non Accompagnata da Un'insufficienza Renale". <i>Giornale De Tecniche Nefrologiche & Dialitiche</i> , 2016, 28, 300-301.	0.1	0
27	Plasma Copeptin and Decline in Renal Function in a Cohort from the Community: The Prospective D.E.S.I.R. Study. <i>American Journal of Nephrology</i> , 2015, 42, 107-114.	1.4	43
28	Urine Osmolarity and Risk of Dialysis Initiation in a CKD Cohort. <i>Annals of Nutrition and Metabolism</i> , 2015, 66, 14-17.	1.0	4
29	Vasopressin and hydration play a major role in the development of glucose intolerance and hepatic steatosis in obese rats. <i>Diabetologia</i> , 2015, 58, 1081-1090.	2.9	70
30	Protein- and diabetes-induced glomerular hyperfiltration: role of glucagon, vasopressin, and urea. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, F2-F23.	1.3	88
31	Comparison Between Copeptin and Vasopressin in a Population From the Community and in People With Chronic Kidney Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 4656-4663.	1.8	110
32	Differential circadian pattern of water and Na excretion rates in the metabolic syndrome. <i>Chronobiology International</i> , 2014, 31, 861-867.	0.9	10
33	Hyperosmolarity drives hypertension and CKD"water and salt revisited. <i>Nature Reviews Nephrology</i> , 2014, 10, 415-420.	4.1	57
34	Active Urea Transport in Lower Vertebrates and Mammals. <i>Sub-Cellular Biochemistry</i> , 2014, 73, 193-226.	1.0	10
35	Urine Osmolarity and Risk of Dialysis Initiation in a Chronic Kidney Disease Cohort "a Possible Titration Target?. <i>PLoS ONE</i> , 2014, 9, e93226.	1.1	31
36	Vasopressin: a novel target for the prevention and retardation of kidney disease?. <i>Nature Reviews Nephrology</i> , 2013, 9, 223-239.	4.1	179

#	ARTICLE	IF	CITATIONS
37	Water and Kidney Physiology. Nutrition Today, 2013, 48, S13-S17.	0.6	2
38	Impacts of active urea secretion into pars recta on urine concentration and urea excretion rate. Physiological Reports, 2013, 1, .	0.7	10
39	Copeptin, a marker of vasopressin, in abdominal obesity, diabetes and microalbuminuria: the prospective Malmö Diet and Cancer Study cardiovascular cohort. International Journal of Obesity, 2013, 37, 598-603.	1.6	157
40	Plasma Copeptin and Renal Outcomes in Patients With Type 2 Diabetes and Albuminuria. Diabetes Care, 2013, 36, 3639-3645.	4.3	73
41	Metabolic Changes in Summer Active and Anuric Hibernating Free-Ranging Brown Bears (Ursus Tj ETQq1 1 0.784314 rgBT /Qverlock 10 1.1 50		
42	Urea Transporter UT-B Deletion Induces DNA Damage and Apoptosis in Mouse Bladder Urothelium. PLoS ONE, 2013, 8, e76952.	1.1	27
43	Hydratation et fonction rénale. Medecine Et Nutrition, 2013, 49, 21-26.	0.1	0
44	An early urea-selective urine-concentrating defect in ADPKD. Nature Reviews Nephrology, 2012, 8, 437-439.	4.1	20
45	Treatment of the Syndrome of Inappropriate Secretion of Antidiuretic Hormone with Urea in Critically Ill Patients. American Journal of Nephrology, 2012, 35, 265-270.	1.4	44
46	New insights into urea and glucose handling by the kidney, and the urine concentrating mechanism. Kidney International, 2012, 81, 1179-1198.	2.6	66
47	Low Water Intake and Risk for New-Onset Hyperglycemia. Diabetes Care, 2011, 34, 2551-2554.	4.3	127
48	Erythrocyte permeability to urea and water: comparative study in rodents, ruminants, carnivores, humans, and birds. Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology, 2011, 181, 65-72.	0.7	23
49	Reduced Insulin Secretion and Nocturnal Dipping of Blood Pressure Are Associated with a Disturbed Circadian Pattern of Urine Excretion in Metabolic Syndrome. Journal of Clinical Endocrinology and Metabolism, 2011, 96, E929-E933.	1.8	10
50	Antinatriuretic Effect of Vasopressin in Humans Is Amiloride Sensitive, Thus ENaC Dependent. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 753-759.	2.2	26
51	Role of thin descending limb urea transport in renal urea handling and the urine concentrating mechanism. American Journal of Physiology - Renal Physiology, 2011, 301, F1251-F1259.	1.3	44
52	Race, sex, and the regulation of urine osmolality: observations made during water deprivation. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2010, 299, R977-R980.	0.9	17
53	Mutation of the Na ⁺ -K ⁺ -2Cl ⁻ cotransporter NKCC2 in mice is associated with severe polyuria and a urea-selective concentrating defect without hyperreninemia. American Journal of Physiology - Renal Physiology, 2010, 298, F1405-F1415.	1.3	35
54	Vasopressin V2 receptors, ENaC, and sodium reabsorption: a risk factor for hypertension?. American Journal of Physiology - Renal Physiology, 2010, 299, F917-F928.	1.3	100

#	ARTICLE	IF	CITATIONS
55	A Case for Water in the Treatment of Polycystic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 1140-1150.	2.2	128
56	Nighttime Blood Pressure and Nocturnal Dipping Are Associated With Daytime Urinary Sodium Excretion in African Subjects. <i>Hypertension</i> , 2008, 51, 891-898.	1.3	153
57	Response to Nocturnal Blood Pressure Fall Changes in Correlation With Urinary Sodium Excretion. <i>Hypertension</i> , 2008, 52, .	1.3	0
58	Sodium Excretion in Response to Vasopressin and Selective Vasopressin Receptor Antagonists. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 1721-1731.	3.0	87
59	Ethnic Differences in Renal Responses to Furosemide. <i>Hypertension</i> , 2008, 52, 241-248.	1.3	41
60	Sex difference in urine concentration across differing ages, sodium intake, and level of kidney disease. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007, 292, R700-R705.	0.9	149
61	Ethnic Differences in Urine Concentration: Possible Relationship to Blood Pressure. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2007, 2, 304-312.	2.2	73
62	Does Tamm-Horsfall protein-uric acid binding play a significant role in urate homeostasis?. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 2938-2942.	0.4	7
63	Long-term effects of vasopressin on the subcellular localization of ENaC in the renal collecting system. <i>Kidney International</i> , 2006, 69, 1024-1032.	2.6	41
64	Urea and urine concentrating ability in mice lacking AQP1 and AQP3. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 291, F429-F438.	1.3	22
65	Cyclic AMP-phosphodiesterases inhibitor improves sodium excretion in rats with cirrhosis and ascites. <i>Liver International</i> , 2005, 25, 403-409.	1.9	6
66	Urea and urine concentrating ability: new insights from studies in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 288, F881-F896.	1.3	179
67	Vasopressin-V2 Receptor Stimulation Reduces Sodium Excretion in Healthy Humans. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 1920-1928.	3.0	117
68	Molecular basis for the dialysis disequilibrium syndrome: altered aquaporin and urea transporter expression in the brain. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 1984-1988.	0.4	94
69	Lack of UT-B in vasa recta and red blood cells prevents urea-induced improvement of urinary concentrating ability. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, F144-F151.	1.3	79
70	ARE RACIAL DIFFERENCES IN SODIUM AND WATER HANDLING AT NIGHT RELATED TO DIFFERENCES IN THE SUSCEPTIBILITY TO HYPERTENSION?. <i>Journal of Hypertension</i> , 2004, 22, S216-S217.	0.3	0
71	Effect of salt and water intake on epithelial sodium channel mRNA abundance in the kidney of salt-sensitive Sabra rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2003, 30, 963-965.	0.9	11
72	Influence of plasma amino acid level on vasopressin secretion. <i>Diabetes and Metabolism</i> , 2003, 29, 352-361.	1.4	8

#	ARTICLE	IF	CITATIONS
73	Diabetes-induced albuminuria: role of antidiuretic hormone as revealed by chronic V2 receptor antagonism in rats. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 1755-1763.	0.4	69
74	Vasopressin increases urinary albumin excretion in rats and humans: involvement of V2 receptors and the renin-angiotensin system. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 497-506.	0.4	120
75	Urea-selective Concentrating Defect in Transgenic Mice Lacking Urea Transporter UT-B. <i>Journal of Biological Chemistry</i> , 2002, 277, 10633-10637.	1.6	194
76	Extracellular cAMP inhibits proximal reabsorption: are plasma membrane cAMP receptors involved?. <i>American Journal of Physiology - Renal Physiology</i> , 2002, 282, F376-F392.	1.3	55
77	Aquaporin-2 and urea transporter-A1 are up-regulated in rats with Type I diabetes mellitus. <i>Diabetologia</i> , 2001, 44, 637-645.	2.9	44
78	Selective blockade of vasopressin V2 receptors reveals significant V2-mediated water reabsorption in Brattleboro rats with diabetes insipidus. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 725-734.	0.4	28
79	Chronic Exposure to Vasopressin Upregulates ENaC and Sodium Transport in the Rat Renal Collecting Duct and Lung. <i>Hypertension</i> , 2001, 38, 1143-1149.	1.3	107
80	Vasopressin and Diabetes mellitus. <i>Nephron</i> , 2001, 87, 8-18.	0.9	94
81	Antidiuretic action of vasopressin: quantitative aspects and interaction between V1a and V2 receptor-mediated effects. <i>Cardiovascular Research</i> , 2001, 51, 372-390.	1.8	258
82	Regulation by sodium intake of type 1 angiotensin II receptor mRNAs in the kidney of Sabra rats. <i>Journal of Hypertension</i> , 2000, 18, 1097-1105.	0.3	1
83	Massive reduction of urea transporters in remnant kidney and brain of uremic rats. <i>Kidney International</i> , 2000, 58, 1202-1210.	2.6	50
84	Renal urea transporters. Direct and indirect regulation by vasopressin. <i>Experimental Physiology</i> , 2000, 85, 243s-252s.	0.9	45
85	mRNA Expression of Renal Urea Transporters in Normal and Brattleboro Rats: Effect of Dietary Protein Intake. <i>Nephron Experimental Nephrology</i> , 1999, 7, 44-51.	2.4	22
86	Vasopressin contributes to hyperfiltration, albuminuria, and renal hypertrophy in diabetes mellitus: Study in vasopressin-deficient Brattleboro rats. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 10397-10402.	3.3	128
87	Low-dose vasopressin restores diuresis both in patients with hepatorenal syndrome and in anuric patients with end-stage heart failure. <i>Journal of Internal Medicine</i> , 1999, 246, 183-190.	2.7	34
88	Contribution of vasopressin to progression of chronic renal failure: Study in Brattleboro rats. <i>Life Sciences</i> , 1999, 65, 991-1004.	2.0	69
89	Glucagon Receptor Gene Mutation (Gly40Ser) in Human Essential Hypertension. <i>Hypertension</i> , 1999, 34, 15-17.	1.3	32
90	Vasopressin and urinary concentrating activity in diabetes mellitus. <i>Diabetes and Metabolism</i> , 1999, 25, 213-22.	1.4	21

#	ARTICLE	IF	CITATIONS
91	Vascular contributions to pathogenesis of acute renal failure. <i>Renal Failure</i> , 1998, 20, 663-677.	0.8	11
92	Integrated Function of Urea Transporters in the Mammalian Kidney. <i>Nephron Experimental Nephrology</i> , 1998, 6, 471-479.	2.4	35
93	Renal tubular and vascular urea transporters: influence of antidiuretic hormone on messenger RNA expression in Brattleboro rats.. <i>Journal of the American Society of Nephrology: JASN</i> , 1998, 9, 1359-1366.	3.0	44
94	Vasopressin and water conservation: The good and the evil. <i>American Journal of Kidney Diseases</i> , 1997, 30, xliv-xlvi.	2.1	2
95	Low urine flow reduces the capacity to excrete a sodium load in humans. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1997, 273, R1726-R1733.	0.9	27
96	Expression of type 1 angiotensin II receptor subtypes and angiotensin II-induced calcium mobilization along the rat nephron.. <i>Journal of the American Society of Nephrology: JASN</i> , 1997, 8, 1658-1667.	3.0	106
97	Direct and indirect cost of urea excretion. <i>Kidney International</i> , 1996, 49, 1598-1607.	2.6	67
98	Type 1 Angiotensin II Receptor Subtypes in Kidney of Normal and Salt-Sensitive Hypertensive Rats. <i>Hypertension</i> , 1996, 27, 392-398.	1.3	7
99	Cyclic AMP is a hepatorenal link influencing natriuresis and contributing to glucagon-induced hyperfiltration in rats.. <i>Journal of Clinical Investigation</i> , 1996, 98, 2251-2258.	3.9	39
100	Characterization of SR 121463A, a highly potent and selective, orally active vasopressin V2 receptor antagonist.. <i>Journal of Clinical Investigation</i> , 1996, 98, 2729-2738.	3.9	233
101	Vasopressin increases glomerular filtration rate in conscious rats through its antidiuretic action.. <i>Journal of the American Society of Nephrology: JASN</i> , 1996, 7, 842-851.	3.0	91
102	Evidence for distinct vascular and tubular urea transporters in the rat kidney.. <i>Journal of the American Society of Nephrology: JASN</i> , 1996, 7, 852-860.	3.0	83
103	Adaptation of the kidney to protein intake and to urine concentrating activity: Similar consequences in health and CRF. <i>Kidney International</i> , 1995, 47, 7-24.	2.6	64
104	Influence of glucagon on GFR and on urea and electrolyte excretion: direct and indirect effects. <i>American Journal of Physiology - Renal Physiology</i> , 1995, 269, F225-F235.	1.3	28
105	Renal synthesis of arginine in chronic renal failure: In vivo and in vitro studies in rats with 5/6 nephrectomy. <i>Kidney International</i> , 1993, 44, 676-683.	2.6	46
106	Role of Urine Concentration in the Progression of Renal Failure1. , 1993, , 216-225.		0
107	Is the process of urinary urea concentration responsible for a high glomerular filtration rate?. <i>Journal of the American Society of Nephrology: JASN</i> , 1993, 4, 1091-1103.	3.0	45
108	Localization of urea and ornithine production along mouse and rabbit nephrons: functional significance. <i>American Journal of Physiology - Renal Physiology</i> , 1992, 263, F878-F885.	1.3	16

#	ARTICLE	IF	CITATIONS
109	Morphometric analysis of kidney hypertrophy in rats after chronic potassium depletion. American Journal of Physiology - Renal Physiology, 1992, 262, F656-F667.	1.3	30
110	Effects of glucagon on glomerular filtration rate and urea and water excretion. American Journal of Physiology - Renal Physiology, 1992, 263, F24-F36.	1.3	26
111	Influence of the level of hydration on the renal response to a protein meal. Kidney International, 1992, 42, 1207-1216.	2.6	50
112	Vasopressin-Dependent Kidney Hypertrophy: Role of Urinary Concentration in Protein-Induced Hypertrophy and in the Progression of Chronic Renal Failure. American Journal of Kidney Diseases, 1991, 17, 661-665.	2.1	34
113	Vasopressin is involved in renal effects of high-protein diet: study in homozygous Brattleboro rats. American Journal of Physiology - Renal Physiology, 1991, 260, F96-F100.	1.3	12
114	Tamm-Horsfall Protein Excretion during Chronic Alterations in Urinary Concentration and Protein Intake in the Rat. Kidney and Blood Pressure Research, 1991, 14, 236-245.	0.9	21
115	Differences in Rat Kidney Morphology between Males, Females and Testosterone-Treated Females. Kidney and Blood Pressure Research, 1991, 14, 92-102.	0.9	40
116	Vasopressin and urinary concentration: additional risk factors in the progression of chronic renal failure. American Journal of Kidney Diseases, 1991, 17, 20-6.	2.1	9
117	Localization of arginine synthesis along rat nephron. American Journal of Physiology - Renal Physiology, 1990, 259, F916-F923.	1.3	37
118	Effect of water intake on the progression of chronic renal failure in the 5/6 nephrectomized rat. American Journal of Physiology - Renal Physiology, 1990, 258, F973-F979.	1.3	95
119	Arginine vasopressin gene regulation in the homozygous Brattleboro rat.. Journal of Clinical Investigation, 1990, 86, 14-16.	3.9	16
120	Production of Urea from Arginine in Pars recta and Collecting Duct of the Rat Kidney. Kidney and Blood Pressure Research, 1989, 12, 302-312.	0.9	17
121	2 The role of the kidney in the maintenance of water balance. Bailliere's Clinical Endocrinology and Metabolism, 1989, 3, 249-311.	1.0	35
122	Contribution of leucine to oxidative metabolism of the rat medullary thick ascending limb. Pflugers Archiv European Journal of Physiology, 1988, 411, 676-680.	1.3	10
123	Adaptation of the rat kidney to altered water intake and urine concentration. Pflugers Archiv European Journal of Physiology, 1988, 412, 42-53.	1.3	65
124	A standard nomenclature for structures of the kidney. Kidney International, 1988, 33, 1-7.	2.6	180
125	Role of the urinary concentrating process in the renal effects of high protein intake. Kidney International, 1988, 34, 4-12.	2.6	50
126	A standard nomenclature for structures of the kidney. Pflugers Archiv European Journal of Physiology, 1988, 411, 113-120.	1.3	28

#	ARTICLE	IF	CITATIONS
127	Effect of high protein intake on sodium, potassium-dependent adenosine triphosphatase activity in the thick ascending limb of Henle's loop in the rat. <i>Clinical Science</i> , 1988, 74, 319-329.	1.8	35
128	Functional adaptation of thick ascending limb and internephron heterogeneity to urine concentration. <i>Kidney International</i> , 1987, 31, 549-555.	2.6	34
129	Thick ascending limb--anatomy and function: role in urine concentrating mechanisms. <i>Advances in Nephrology From the Necker Hospital</i> , 1987, 16, 69-102.	0.2	9
130	Possible role of the thick ascending limb and of the urine concentrating mechanism in the protein-induced increase in GFR and kidney mass. <i>Kidney International, Supplement</i> , 1987, 22, S57-61.	0.1	2
131	Quick isolation of rat medullary thick ascending limbs. <i>Pflugers Archiv European Journal of Physiology</i> , 1986, 407, 228-234.	1.3	46
132	Influence of chronic ADH treatment on adenylate cyclase and ATPase activity in distal nephron segments of diabetes insipidus Brattleboro rats. <i>Pflugers Archiv European Journal of Physiology</i> , 1985, 405, 216-222.	1.3	25
133	Selective ADH-induced hypertrophy of the medullary thick ascending limb in Brattleboro rats. <i>Kidney International</i> , 1985, 28, 456-466.	2.6	69
134	Urinary concentrating ability: insights from comparative anatomy. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1985, 249, R643-R666.	0.9	95
135	Effect of long- and short-term antidiuretic hormone availability on internephron heterogeneity in the adult rat. <i>American Journal of Physiology - Renal Physiology</i> , 1984, 246, F879-F888.	1.3	12
136	Effects of osmolality and antidiuretic hormone on prostaglandin synthesis by renal papilla. <i>Pflugers Archiv European Journal of Physiology</i> , 1984, 400, 96-99.	1.3	10
137	Stimulation of tubular reabsorption of magnesium and calcium by antidiuretic hormone in conscious rats. <i>Pflugers Archiv European Journal of Physiology</i> , 1984, 402, 458-464.	1.3	24
138	Organization of the Medullary Circulation: Functional Implications. , 1984, , 84-106.		4
139	Papillary plasma flow in rats. <i>Pflugers Archiv European Journal of Physiology</i> , 1983, 398, 253-258.	1.3	22
140	ADH-INDUCED CHANGES IN THE EPITHELIUM OF THE THICK ASCENDING LIMB IN BRATTLEBORO RATS WITH HEREDITARY HYPOTHALAMIC DIABETES INSIPIDUS. <i>Annals of the New York Academy of Sciences</i> , 1982, 394, 424-434.	1.8	24
141	HOMOZYGOUS BRATTLEBORO RATS LACK NORMAL NEPHRON HETEROGENEITY AS A CONSEQUENCE OF THEIR URINE CONCENTRATING DEFECT. <i>Annals of the New York Academy of Sciences</i> , 1982, 394, 524-528.	1.8	10
142	Papillary plasma flow in rats. <i>Pflugers Archiv European Journal of Physiology</i> , 1982, 394, 211-216.	1.3	33
143	ADH-dependent nephron heterogeneity in rats with hereditary hypothalamic diabetes insipidus. <i>American Journal of Physiology - Renal Physiology</i> , 1981, 240, F372-F380.	1.3	14
144	Renal function and concentrating ability in a desert rodent: The gundi(<i>Ctenodactylus vali</i>). <i>Pflugers Archiv European Journal of Physiology</i> , 1981, 390, 138-144.	1.3	40

#	ARTICLE	IF	CITATIONS
145	Altered PGE2 production by glomeruli and papilla of rats with hereditary diabetes insipidus. Prostaglandins, 1980, 20, 349-365.	1.2	23
146	The vascular organization of the kidney of Psammomys obesus. Anatomy and Embryology, 1979, 155, 149-160.	1.5	43
147	Measurement of glomerular blood flow in rabbits and rats: Erroneous findings with 15- μ m microspheres. Kidney International, 1979, 15, 126-133.	2.6	46
148	THE MEASUREMENT OF GLOMERULAR BLOOD FLOW IN THE RAT KIDNEY: INFLUENCE OF MICROSPHERE SIZE. Clinical and Experimental Pharmacology and Physiology, 1978, 5, 559-565.	0.9	19
149	Anatomical and functional heterogeneity of nephrons in the rabbit: Microdissection studies and SNGFR measurements. Pflugers Archiv European Journal of Physiology, 1976, 366, 89-93.	1.3	14
150	Methods for measurement of renal blood flow in man. Seminars in Nuclear Medicine, 1974, 4, 39-50.	2.5	12
151	Radioactive microsphere distribution and single glomerular blood flow in the normal rabbit kidney. Pflugers Archiv European Journal of Physiology, 1973, 342, 111-123.	1.3	29
152	Collection of Lymph from Kidneys Homotransplanted in Man: Cell Transformation in vivo. Nature, 1971, 232, 633-634.	13.7	31