
Andrew J Mannes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/399414/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	A painful peripheral neuropathy in the rat produced by the chemotherapeutic drug, paclitaxel. Pain, 2001, 94, 293-304.	4.2	390
2	Deletion of vanilloid receptor 1_expressing primary afferent neurons for pain control. Journal of Clinical Investigation, 2004, 113, 1344-1352.	8.2	297
3	Physiologic and Antinociceptive Effects of Intrathecal Resiniferatoxin in a Canine Bone Cancer Model. Anesthesiology, 2005, 103, 1052-1059.	2.5	160
4	Radiofrequency Sacroiliac Joint Denervation for Sacroiliac Syndrome. Regional Anesthesia and Pain Medicine, 2001, 26, 137-142.	2.3	125
5	A Paracrine Paradigm for in Vivo Gene Therapy in the Central Nervous System: Treatment of Chronic Pain. Human Gene Therapy, 1999, 10, 1251-1257.	2.7	112
6	Molecular Signatures of Mouse TRPV1-Lineage Neurons Revealed by RNA-Seq Transcriptome Analysis. Journal of Pain, 2014, 15, 1338-1359.	1.4	104
7	The Vanilloid Agonist Resiniferatoxin for Interventional-Based Pain Control. Current Topics in Medicinal Chemistry, 2011, 11, 2171-2179.	2.1	83
8	RNA-Seq investigations of human post-mortem trigeminal ganglia. Cephalalgia, 2018, 38, 912-932.	3.9	75
9	Transcriptomic analyses of genes and tissues in inherited sensory neuropathies. Experimental Neurology, 2016, 283, 375-395.	4.1	72
10	Prolonged analgesic response of cornea to topical resiniferatoxin, a potent TRPV1 agonist. Pain, 2010, 149, 522-528.	4.2	65
11	Pain control through selective chemo-axotomy of centrally projecting TRPV1+ sensory neurons. Journal of Clinical Investigation, 2018, 128, 1657-1670.	8.2	61
12	Dynorphin: friend or foe?. Pain, 2000, 87, 235-239.	4.2	58
13	Nociception and inflammatory hyperalgesia evaluated in rodents using infrared laser stimulation after Trpv1 gene knockout or resiniferatoxin lesion. Pain, 2014, 155, 733-745.	4.2	58
14	A systems approach for discovering linoleic acid derivatives that potentially mediate pain and itch. Science Signaling, 2017, 10, .	3.6	58
15	ltch-Associated Peptides: RNA-Seq and Bioinformatic Analysis of Natriuretic Precursor Peptide B and Gastrin Releasing Peptide in Dorsal Root and Trigeminal Ganglia, and the Spinal Cord. Molecular Pain, 2014, 10, 1744-8069-10-44.	2.1	54
16	Peripheral targeting of the trigeminal ganglion via the infraorbital foramen as a therapeutic strategy. Brain Research Protocols, 2005, 15, 119-126.	1.6	53
17	Long-term pain relief in canine osteoarthritis by a single intra-articular injection of resiniferatoxin, a potent TRPV1 agonist. Pain, 2018, 159, 2105-2114.	4.2	52
18	Lipidomic profiling of targeted oxylipins with ultra-performance liquid chromatography-tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2018, 410, 6009-6029.	3.7	52

ANDREW J MANNES

#	Article	IF	CITATIONS
19	Cystatin C as a cerebrospinal fluid biomarker for pain in humans. Pain, 2003, 102, 251-256.	4.2	50
20	Perineural Resiniferatoxin Selectively Inhibits Inflammatory Hyperalgesia. Molecular Pain, 2008, 4, 1744-8069-4-3.	2.1	50
21	Actions of intrathecal diphtheria toxin-substance P fusion protein on models of persistent pain. Pain, 1999, 79, 243-253.	4.2	48
22	Dietary alteration of n-3 and n-6 fatty acids for headache reduction in adults with migraine: randomized controlled trial. BMJ, The, 2021, 374, n1448.	6.0	43
23	Disruption of the Transient Receptor Potential Vanilloid 1 Can Affect Survival, Bacterial Clearance, and Cytokine Gene Expression during Murine Sepsis. Anesthesiology, 2011, 114, 1190-1199.	2.5	42
24	A Randomized Trial of the N-Methyl-d-Aspartate Receptor Glycine Site Antagonist Prodrug 4-Chlorokynurenine in Treatment-Resistant Depression. International Journal of Neuropsychopharmacology, 2020, 23, 417-425.	2.1	42
25	Resiniferatoxin-Induced Loss of Plasma Membrane in Vanilloid Receptor Expressing Cells. NeuroToxicology, 2003, 24, 895-908.	3.0	40
26	Transcriptional Changes in Dorsal Spinal Cord Persist after Surgical Incision Despite Preemptive Analgesia with Peripheral Resiniferatoxin. Anesthesiology, 2018, 128, 620-635.	2.5	36
27	Dynorphin and Enkephalin Opioid Peptides and Transcripts in Spinal Cord and Dorsal Root Ganglion During Peripheral Inflammatory Hyperalgesia and Allodynia. Journal of Pain, 2020, 21, 988-1004.	1.4	35
28	Image-guided Nerve Cryoablation for Post-thoracotomy Pain Syndrome. CardioVascular and Interventional Radiology, 2014, 37, 843-846.	2.0	32
29	Music Listening Among Postoperative Patients in the Intensive Care Unit: A Randomized Controlled Trial with Mixed-Methods Analysis. Integrative Medicine Insights, 2017, 12, 117863371771645.	4.2	30
30	Transcriptomic analysis of human sensory neurons in painful diabetic neuropathy reveals inflammation and neuronal loss. Scientific Reports, 2022, 12, 4729.	3.3	30
31	Spinal k1 and k2 opioid binding sites in rats, guinea pigs, monkeys and humans. NeuroReport, 1998, 9, 2523-2525.	1.2	27
32	Anti-cytokine autoantibodies in postherpetic neuralgia. Journal of Translational Medicine, 2015, 13, 333.	4.4	26
33	Phosphorylation of the Transient Receptor Potential Ankyrin 1 by Cyclin-dependent Kinase 5 affects Chemo-nociception. Scientific Reports, 2018, 8, 1177.	3.3	22
34	Haploinsufficiency of the brain-derived neurotrophic factor gene is associated with reduced pain sensitivity. Pain, 2019, 160, 1070-1081.	4.2	22
35	Comparative Analysis of Dorsal Root, Nodose and Sympathetic Ganglia for the Development of New Analgesics. Frontiers in Neuroscience, 2020, 14, 615362.	2.8	21
36	PET ligands [¹⁸ F]LSN3316612 and [¹¹ C]LSN3316612 quantify <i>O</i> -linked-β-< <i>N</i> -acetyl-glucosamine hydrolase in the brain. Science Translational Medicine, 2020, 12, .	12.4	21

ANDREW J MANNES

#	Article	IF	CITATIONS
37	Intrathecally administered cholera toxin blocks allodynia and hyperalgesia in persistent pain models. Journal of Pain, 2001, 2, 118-127.	1.4	18
38	Bite force and pattern measurements for dental pain assessment in the rat. Neuroscience Letters, 2008, 447, 175-178.	2.1	12
39	Pain Treatment in the Companion Canine Model to Validate Rodent Results and Incentivize the Transition to Human Clinical Trials. Frontiers in Pharmacology, 2021, 12, 705743.	3.5	11
40	Molecular Pathways Linking Oxylipins to Nociception in Rats. Journal of Pain, 2021, 22, 275-299.	1.4	10
41	Identifying oxidized lipid mediators as prognostic biomarkers of chronic posttraumatic headache. Pain, 2020, 161, 2775-2785.	4.2	10
42	Analgesia by deletion of spinal neurokinin 1 receptor expressing neurons using a bioengineered substance P- <i>Pseudomonas</i> exotoxin conjugate. Molecular Pain, 2017, 13, 174480691772765.	2.1	9
43	Thermal A-δ Nociceptors, Identified by Transcriptomics, Express Higher Levels of Anesthesia-Sensitive Receptors Than Thermal C-Fibers and Are More Suppressible by Low-Dose Isoflurane. Anesthesia and Analgesia, 2018, 127, 263-266.	2.2	9
44	Sensitization of spinal cord nociceptive neurons with a conjugate of substance P and cholera toxin. BMC Neuroscience, 2007, 8, 30.	1.9	8
45	Potential downsides of perfect pain relief. Nature, 2007, 446, 24-24.	27.8	7
46	Postoperative elevation in creatine kinase and its impact on renal function in patients undergoing complex partial nephrectomy. International Urology and Nephrology, 2016, 48, 1047-1053.	1.4	7
47	Longitudinal peripheral tissue RNAâ€Seq transcriptomic profiling, hyperalgesia, and wound healing in the rat plantar surgical incision model. FASEB Journal, 2021, 35, e21852.	0.5	6
48	Complete pain relief: potential problems and diagnostic solutions. Nature Clinical Practice Neurology, 2007, 3, 648-649.	2.5	5
49	The Persistent Pain Transcriptome: Identification of Cells and Molecules Activated by Hyperalgesia. Journal of Pain, 2021, 22, 1146-1179.	1.4	5
50	Anatomical Analysis of Transient Potential Vanilloid Receptor 1 (Trpv1+) and Mu-Opioid Receptor (Oprm1+) Co-expression in Rat Dorsal Root Ganglion Neurons. Frontiers in Molecular Neuroscience, 0, 15, .	2.9	5
51	Measurement of resiniferatoxin in cerebrospinal fluid by high-performance liquid chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2002, 780, 475-479.	2.3	4
52	Longitudinal Transcriptomic Profiling in Carrageenan-Induced Rat Hind Paw Peripheral Inflammation and Hyperalgesia Reveals Progressive Recruitment of Innate Immune System Components. Journal of Pain, 2021, 22, 322-343.	1.4	4
53	Be in it for the Long Haul: A Commentary on Human Tissue Recovery Initiatives. Journal of Pain, 2022, 23, 1646-1650.	1.4	4
54	Measurement of resiniferatoxin in serum samples by high-performance liquid chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 823, 184-188.	2.3	3

ANDREW J MANNES

#	Article	IF	CITATIONS
55	Resolution of diplopia with late treatment of post-dural puncture headache and intracranial hypotension. Canadian Journal of Anaesthesia, 2008, 55, 256-257.	1.6	2
56	Transcriptional Activation, Deactivation and Rebound Patterns in Cortex, Hippocampus and Amygdala in Response to Ketamine Infusion in Rats. Frontiers in Molecular Neuroscience, 2022, 15, .	2.9	2
57	β-ENDORPHIN EXPRESSION BY A REPLICATION-DEFECTIVE ADENOVIRUS. Regional Anesthesia and Pain Medicine, 1999, 24, 24.	2.3	1
58	The Assessment of Analgesia Associated With Intravenous Propofol. Regional Anesthesia and Pain Medicine, 1998, 23, 107.	2.3	0
59	The Author's Reply: inappropriate adrenoreceptor blockade prior to pheochromocytoma removal – â€~A timely reappraisal'. Clinical Endocrinology, 2016, 85, 990-991.	2.4	Ο
60	Intrathecal Drug Delivery for Cancer Pain. , 2019, , 501-520.		0
61	Activation of Spinal kappa2Opioid Receptors. Expert Opinion on Therapeutic Targets, 1997, 1, 109-112.	1.0	0