

# Jerome Etienne

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3998956/publications.pdf>

Version: 2024-02-01

201  
papers

25,530  
citations

11651

70  
h-index

6654

156  
g-index

209  
all docs

209  
docs citations

209  
times ranked

13222  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Prognostic factors of severe community-acquired staphylococcal pneumonia in France. <i>European Respiratory Journal</i> , 2021, 58, 2004445.   | 6.7 | 25        |
| 2  | New host shift from human to cows within <i>Staphylococcus aureus</i> involved in bovine mastitis and nasal carriage of animal's caretakers. <i>Veterinary Microbiology</i> , 2018, 223, 173-180.  | 1.9 | 26        |
| 3  | High levels of <i>Staphylococcus aureus</i> and MRSA carriage in healthy population of Algiers revealed by additional enrichment and multisite screening. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2018, 37, 1521-1529.                | 2.9 | 10        |
| 4  | Ribosomal Mutations Conferring Macrolide Resistance in <i>Legionella pneumophila</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .  | 3.2 | 29        |
| 5  | Hidden Selection of Bacterial Resistance to Fluoroquinolones In Vivo: The Case of <i>Legionella pneumophila</i> and Humans. <i>EBioMedicine</i> , 2015, 2, 1179-1185.  | 6.1 | 43        |
| 6  | <i>Staphylococcus aureus</i> infective endocarditis versus bacteremia strains: Subtle genetic differences at stake. <i>Infection, Genetics and Evolution</i> , 2015, 36, 524-530.  | 2.3 | 49        |
| 7  | Evaluation of the BD GeneOhm Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) Assay as a Method for Detection of MRSA Isolates, Using a Large Collection of European and North African Isolates. <i>Journal of Clinical Microbiology</i> , 2014, 52, 4372-4374. | 3.9 | 0         |
| 8  | Comparative analyses of <i>Legionella</i> species identifies genetic features of strains causing Legionnairesâ€™ disease. <i>Genome Biology</i> , 2014, 15, 505.   | 8.8 | 82        |
| 9  | Antibiotic susceptibility and molecular epidemiology of Pantonâ€™Valentine leukocidin-positive methicillin-resistant <i>Staphylococcus aureus</i> : An international survey. <i>Journal of Global Antimicrobial Resistance</i> , 2014, 2, 43-47.                         | 2.2 | 6         |
| 10 | Î±-Hemolysin, Not Panton-Valentine Leukocidin, Impacts Rabbit Mortality from Severe Sepsis With Methicillin-Resistant <i>Staphylococcus aureus</i> Osteomyelitis. <i>Journal of Infectious Diseases</i> , 2014, 209, 1773-1780.  | 4.0 | 28        |
| 11 | Comparative analyses of <i>Legionella</i> species identifies genetic features of strains causing Legionnairesâ€™ disease. <i>Genome Biology</i> , 2014, 15, 505.   | 9.6 | 62        |
| 12 | Outbreak of Skin Infections Due to Panton-Valentine Leukocidin-Positive Methicillin-Susceptible <i>Staphylococcus aureus</i> in a French Prison in 2010-2011. <i>PLOS Currents</i> , 2014, 6, .  | 1.4 | 16        |
| 13 | Prediction of the origin of French <i>Legionella pneumophila</i> strains using a mixed-genome microarray. <i>BMC Genomics</i> , 2013, 14, 435.   | 2.8 | 4         |
| 14 | Effects of subinhibitory concentrations of antibiotics on virulence factor expression by community-acquired methicillin-resistant <i>Staphylococcus aureus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2013, 68, 1524-1532.                                     | 3.0 | 75        |
| 15 | Major West Indies MRSA Clones in Human Beings: Do They Travel With Their Hosts?. <i>Journal of Travel Medicine</i> , 2013, 20, 283-288.  | 3.0 | 18        |
| 16 | Severe leukopenia in <i>Staphylococcus aureus</i> -necrotizing, community-acquired pneumonia: risk factors and impact on survival. <i>BMC Infectious Diseases</i> , 2013, 13, 359.   | 2.9 | 24        |
| 17 | Panton-Valentine leucocidin and pneumonia. <i>Lancet Infectious Diseases</i> , The, 2013, 13, 566.   | 9.1 | 15        |
| 18 | Inflammasome activation restricts <i>Legionella pneumophila</i> replication in primary microglial cells through flagellin detection. <i>Glia</i> , 2013, 61, 539-549.  | 4.9 | 39        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Skin Findings of Staphylococcus aureus Toxin-mediated Infection in Relation to Toxin Encoding Genes. Pediatric Infectious Disease Journal, 2013, 32, 727-730.  | 2.0 | 16        |
| 20 | The High Diversity of MRSA Clones Detected in a University Hospital in Istanbul. International Journal of Medical Sciences, 2013, 10, 1740-1745.   | 2.5 | 18        |
| 21 | PSMs of Hypervirulent Staphylococcus aureus Act as Intracellular Toxins That Kill Infected Osteoblasts. PLoS ONE, 2013, 8, e63176.   | 2.5 | 103       |
| 22 | Clonal Complex 398 Methicillin Susceptible Staphylococcus aureus: A Frequent Unspecialized Human Pathogen with Specific Phenotypic and Genotypic Characteristics. PLoS ONE, 2013, 8, e68462.   | 2.5 | 38        |
| 23 | Basic Rules of Hygiene Protect Health Care and Lab Workers from Nasal Colonization by Staphylococcus aureus: An International Cross-Sectional Study. PLoS ONE, 2013, 8, e82851.  | 2.5 | 16        |
| 24 | Staphylococcus epidermidis in Orthopedic Device Infections: The Role of Bacterial Internalization in Human Osteoblasts and Biofilm Formation. PLoS ONE, 2013, 8, e67240.   | 2.5 | 65        |
| 25 | Identification of Legionella in Clinical Samples. Methods in Molecular Biology, 2013, 954, 27-56.  | 0.9 | 45        |
| 26 | Legionella pneumophila Sequence Type 1/Paris Pulsotype Subtyping by Spoligotyping. Journal of Clinical Microbiology, 2012, 50, 696-701.  | 3.9 | 57        |
| 27 | Long-term Use of Tetracycline and Staphylococcus aureus Tetracycline Resistance: Not Only a Problem of Acne. Archives of Dermatology, 2012, 148, 402.  | 1.4 | 6         |
| 28 | Ceftobiprole Efficacy In Vitro against Panton-Valentine Leukocidin Production and In Vivo against Community-Associated Methicillin-Resistant Staphylococcus aureus Osteomyelitis in Rabbits. Antimicrobial Agents and Chemotherapy, 2012, 56, 6291-6297. | 3.2 | 15        |
| 29 | Evaluation of propidium monoazide (PMA) treatment directly on membrane filter for the enumeration of viable but non cultivable Legionella by qPCR. Journal of Microbiological Methods, 2012, 88, 319-321.  | 1.6 | 51        |
| 30 | Clonal complexes and virulence factors of Staphylococcus aureus from several cities in India. BMC Microbiology, 2012, 12, 64.  | 3.3 | 78        |
| 31 | Methicillin-Resistant Staphylococcus capitis with Reduced Vancomycin Susceptibility Causes Late-Onset Sepsis in Intensive Care Neonates. PLoS ONE, 2012, 7, e31548.  | 2.5 | 105       |
| 32 | Rise of CC398 Lineage of Staphylococcus aureus among Infective Endocarditis Isolates Revealed by Two Consecutive Population-Based Studies in France. PLoS ONE, 2012, 7, e51172.  | 2.5 | 35        |
| 33 | Macrolide-Resistant Bordetella pertussis Infection in Newborn Girl, France. Emerging Infectious Diseases, 2012, 18, 966-8.   | 4.3 | 74        |
| 34 | Assessment of cellular immune parameters in paediatric toxic shock syndrome: a report of five cases. FEMS Immunology and Medical Microbiology, 2012, 66, 116-119.  | 2.7 | 6         |
| 35 | Detection of Staphylococcus aureus Delta-Toxin Production by Whole-Cell MALDI-TOF Mass Spectrometry. PLoS ONE, 2012, 7, e40660.  | 2.5 | 68        |
| 36 | Rifampicin-macrolide synergy against Legionella pneumophila serogroup 1 in human macrophages using a quantitative real-time PCR assay. International Journal of Antimicrobial Agents, 2011, 38, 188-189.   | 2.5 | 5         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | A novel flow cytometry-based assay for the quantification of <i>Staphylococcus aureus</i> adhesion to and invasion of eukaryotic cells. <i>Journal of Microbiological Methods</i> , 2011, 86, 145-149.  | 1.6 | 30        |
| 38 | A history of Panton-Valentine leukocidin (PVL)-associated infection protects against death in PVL-associated pneumonia. <i>Vaccine</i> , 2011, 29, 4185-4186.   | 3.8 | 26        |
| 39 | Progress in the surveillance and control of <i>Legionella</i> infection in France, 1998–2008. <i>International Journal of Infectious Diseases</i> , 2011, 15, e30-e37.  | 3.3 | 58        |
| 40 | T-cell response to superantigen restimulation during menstrual toxic shock syndrome. <i>FEMS Immunology and Medical Microbiology</i> , 2011, 62, 368-371.   | 2.7 | 9         |
| 41 | Extensive recombination events and horizontal gene transfer shaped the <i>Legionella pneumophila</i> genomes. <i>BMC Genomics</i> , 2011, 12, 536.  | 2.8 | 130       |
| 42 | Impact of sub-inhibitory antibiotics on fibronectin-mediated host cell adhesion and invasion by <i>Staphylococcus aureus</i> . <i>BMC Microbiology</i> , 2011, 11, 263.   | 3.3 | 39        |
| 43 | Extended-Spectrum $\beta$ -Lactamase-producing <i>Escherichia coli</i> in Neonatal Care Unit. <i>Emerging Infectious Diseases</i> , 2011, 17, 1153-1153.  | 4.3 | 4         |
| 44 | $\beta$ -Lactams Interfering with PBP1 Induce Panton-Valentine Leukocidin Expression by Triggering <i>icaA</i> and <i>icaR</i> Global Regulators of <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 3261-3271.  | 3.2 | 61        |
| 45 | Panton-Valentine Leukocidin-Positive and Toxic Shock Syndrome Toxin 1-Positive Methicillin-Resistant <i>Staphylococcus aureus</i> : a French Multicenter Prospective Study in 2008. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 1734-1739. | 3.2 | 45        |
| 46 | Molecular Epidemiology of Panton-Valentine Leukocidin-Positive <i>Staphylococcus aureus</i> in Spain: Emergence of the USA300 Clone in an Autochthonous Population. <i>Journal of Clinical Microbiology</i> , 2011, 49, 433-436.                        | 3.9 | 52        |
| 47 | Panton-Valentine Leukocidin-Positive <i>Staphylococcus aureus</i> Strains Are Associated with Follicular Skin Infections. <i>Dermatology</i> , 2011, 222, 167-170.  | 2.1 | 28        |
| 48 | Adhesin and Superantigen Genes and the Capacity of <i>Staphylococcus aureus</i> to Colonize the Infantile Gut. <i>Journal of Infectious Diseases</i> , 2011, 204, 714-721.  | 4.0 | 35        |
| 49 | Panton-Valentine Leukocidin Does Play a Role in the Early Stage of <i>Staphylococcus aureus</i> Skin Infections: A Rabbit Model. <i>PLoS ONE</i> , 2011, 6, e22864.   | 2.5 | 82        |
| 50 | Bacterial Contamination Rate of the Anterior Chamber during Cataract Surgery using Conventional Culture and Eubacterial PCR. <i>European Journal of Ophthalmology</i> , 2010, 20, 365-369.  | 1.3 | 10        |
| 51 | The Panton-Valentine Leukocidin Is a Virulence Factor in a Murine Model of Necrotizing Pneumonia. <i>Journal of Infectious Diseases</i> , 2010, 201, 967-969.   | 4.0 | 14        |
| 52 | Rapid Detection of <i>Staphylococcus aureus</i> Panton-Valentine Leukocidin in Clinical Specimens by Enzyme-Linked Immunosorbent Assay and Immunochromatographic Tests. <i>Journal of Clinical Microbiology</i> , 2010, 48, 1384-1390.                  | 3.9 | 60        |
| 53 | Prompt and Successful Toxin-Targeting Treatment of Three Patients with Necrotizing Pneumonia Due to <i>Staphylococcus aureus</i> Strains Carrying the Panton-Valentine Leukocidin Genes. <i>Journal of Clinical Microbiology</i> , 2010, 48, 1952-1955. | 3.9 | 62        |
| 54 | Global Distribution and Evolution of Panton-Valentine Leukocidin-Positive Methicillin-Susceptible <i>Staphylococcus aureus</i> , 1981–2007. <i>Journal of Infectious Diseases</i> , 2010, 201, 1589-1597.   | 4.0 | 125       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Toxin Profiling of <i>Staphylococcus aureus</i> Strains Involved in Varicella Superinfection. Journal of Clinical Microbiology, 2010, 48, 1696-1700.   | 3.9 | 21        |
| 56 | Rapid identification of Legionella species by mass spectrometry. Journal of Medical Microbiology, 2010, 59, 273-284.   | 1.8 | 61        |
| 57 | Polymorphonuclear leukocytes mediate <i>Staphylococcus aureus</i> Panton-Valentine leukocidin-induced lung inflammation and injury. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 5587-5592. | 7.1 | 306       |
| 58 | Immunogenicity of Toxins during <i>Staphylococcus aureus</i> Infection. Clinical Infectious Diseases, 2010, 50, 61-68.   | 5.8 | 60        |
| 59 | A Histidine-to-Arginine Substitution in Panton-Valentine Leukocidin from USA300 Community-Acquired Methicillin-Resistant <i>Staphylococcus aureus</i> Does Not Impair Its Leukotoxicity. Infection and Immunity, 2010, 78, 260-264.        | 2.2 | 12        |
| 60 | Analysis of the Legionella longbeachae Genome and Transcriptome Uncovers Unique Strategies to Cause Legionnaires' Disease. PLoS Genetics, 2010, 6, e1000851.   | 3.5 | 143       |
| 61 | Lethal Necrotizing Pneumonia Caused by an ST398 <i>Staphylococcus aureus</i> Strain. Emerging Infectious Diseases, 2010, 16, 1330-1330.  | 4.3 | 72        |
| 62 | Panton-Valentine Leukocidin Enhances the Severity of Community-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> Rabbit Osteomyelitis. PLoS ONE, 2009, 4, e7204.   | 2.5 | 105       |
| 63 | Primary Skin Abscesses Are Mainly Caused by Panton-Valentine Leukocidin-Positive <i>Staphylococcus aureus</i> Strains. Dermatology, 2009, 219, 299-302.  | 2.1 | 53        |
| 64 | Host-Related Risk Factors and Clinical Features of Community-Acquired Legionnaires Disease Due to the Paris and Lorraine Endemic Strains, 1998-2007, France. Clinical Infectious Diseases, 2009, 49, 184-191.                              | 5.8 | 37        |
| 65 | <i>Staphylococcus aureus</i> Superantigens Elicit Redundant and Extensive Human $V\beta$ Patterns. Infection and Immunity, 2009, 77, 2043-2050.  | 2.2 | 70        |
| 66 | Evaluation of a Nested-PCR-Derived Sequence-Based Typing Method Applied Directly to Respiratory Samples from Patients with Legionnaires' Disease. Journal of Clinical Microbiology, 2009, 47, 981-987.                                     | 3.9 | 47        |
| 67 | Early kinetics of the transcriptional response of human leukocytes to staphylococcal superantigenic enterotoxins A and G. Microbial Pathogenesis, 2009, 47, 171-176.   | 2.9 | 9         |
| 68 | Sudden death caused by <i>Staphylococcus aureus</i> carrying Panton-Valentine leukocidin gene in a young girl. BMJ Case Reports, 2009, 2009, bcr0220091542-bcr0220091542.  | 0.5 | 3         |
| 69 | Panton-Valentine leukocidin associated <i>Staphylococcus aureus</i> infections. BMJ: British Medical Journal, 2009, 339, b4083-b4083.  | 2.3 | 10        |
| 70 | The Signal Peptide of <i>Staphylococcus aureus</i> Panton Valentine Leukocidin LukS Component Mediates Increased Adhesion to Heparan Sulfates. PLoS ONE, 2009, 4, e5042.   | 2.5 | 23        |
| 71 | In vivo effect of adhesion inhibitor heparin on Legionella pneumophila pathogenesis in a murine pneumonia model. Intensive Care Medicine, 2008, 34, 1511-1519.   | 8.2 | 12        |
| 72 | Les infections communautaires <i>Staphylococcus aureus</i> en pédiatrie : Émergence des staphylocoques dorés résistants à la méthicilline d'origine communautaire. Revue Francophone Des Laboratoires, 2008, 0.0 2008, 71-80.              | 0.0 | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Fatal Nosocomial <i>Legionella pneumophila</i> Infection Due to Exposure to Contaminated Water From a Washbasin in a Hematology Unit. <i>Infection Control and Hospital Epidemiology</i> , 2008, 29, 1091-1093.   | 1.8 | 18        |
| 74 | Emergence of a new clone carrying Panton-Valentine leukocidin genes and staphylococcal cassette chromosome mec type V among methicillin-resistant <i>Staphylococcus aureus</i> in Greece. <i>Scandinavian Journal of Infectious Diseases</i> , 2008, 40, 368-372. | 1.5 | 24        |
| 75 | Virulence Potential of <i>Staphylococcus aureus</i> Strains Isolated From Diabetic Foot Ulcers. <i>Diabetes Care</i> , 2008, 31, 2318-2324.   | 8.6 | 82        |
| 76 | Panton-Valentine Leukocidin, Exfoliative Toxins, and Skin Infections. <i>Archives of Dermatology</i> , 2008, 144, 1069.   | 1.4 | 0         |
| 77 | A PCR-Based Method for Monitoring <i>Legionella pneumophila</i> in Water Samples Detects Viable but Noncultivable Legionellae That Can Recover Their Cultivability. <i>Applied and Environmental Microbiology</i> , 2008, 74, 4817-4824.                          | 3.1 | 94        |
| 78 | Polymorphism of the <i>Staphylococcus aureus</i> Panton-Valentine Leukocidin Genes and Its Possible Link with the Fitness of Community-Associated Methicillin-Resistant <i>S. aureus</i> . <i>Journal of Infectious Diseases</i> , 2008, 198, 792-794.            | 4.0 | 21        |
| 79 | Comparison of Adhesion and Virulence of Two Predominant Hospital-Acquired Methicillin-Resistant <i>Staphylococcus aureus</i> Clones and Clonal Methicillin-Susceptible <i>S. aureus</i> Isolates. <i>Infection and Immunity</i> , 2008, 76, 5133-5138.            | 2.2 | 25        |
| 80 | Association of Necrotizing Pneumonia with Panton-Valentine Leukocidin-Producing <i>Staphylococcus aureus</i> , Regardless of Methicillin Resistance. <i>Clinical Infectious Diseases</i> , 2008, 47, 985-986.   | 5.8 | 35        |
| 81 | Multigenome analysis identifies a worldwide distributed epidemic <i>Legionella pneumophila</i> clone that emerged within a highly diverse species. <i>Genome Research</i> , 2008, 18, 431-441.  | 5.5 | 155       |
| 82 | Epidemiology of Invasive Methicillin-Resistant <i>Staphylococcus aureus</i> Clones Collected in France in 2006 and 2007. <i>Journal of Clinical Microbiology</i> , 2008, 46, 3454-3458.   | 3.9 | 113       |
| 83 | Differences in Potential for Selection of Clindamycin-Resistant Mutants Between Inducible <i>erm</i> (A) and <i>erm</i> (C) <i>Staphylococcus aureus</i> Genes. <i>Journal of Clinical Microbiology</i> , 2008, 46, 546-550.                                      | 3.9 | 36        |
| 84 | First case of intrafamily transmission of a new MRSA clone with toxic shock syndrome toxin-1. <i>Scandinavian Journal of Infectious Diseases</i> , 2008, 40, 675-676.   | 1.5 | 3         |
| 85 | EARLY DIAGNOSIS OF STAPHYLOCOCCAL TOXIC SHOCK SYNDROME BY DETECTION OF THE TSST-1 VBETA SIGNATURE IN PERIPHERAL BLOOD OF A 12-YEAR-OLD BOY. <i>Pediatric Infectious Disease Journal</i> , 2008, 27, 274-277.  | 2.0 | 14        |
| 86 | Lorraine Strain of <i>Legionella pneumophila</i> Serogroup 1, France. <i>Emerging Infectious Diseases</i> , 2008, 14, 673-675.  | 4.3 | 34        |
| 87 | Effect of Antibiotics on <i>Staphylococcus aureus</i> Producing Panton-Valentine Leukocidin. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 1515-1519.  | 3.2 | 180       |
| 88 | Community acquired MRSA in Europe. <i>BMJ: British Medical Journal</i> , 2007, 335, 947-948.  | 2.3 | 24        |
| 89 | Factors Predicting Mortality in Necrotizing Community-Acquired Pneumonia Caused by <i>Staphylococcus aureus</i> Containing Panton-Valentine Leukocidin. <i>Clinical Infectious Diseases</i> , 2007, 45, 315-321.  | 5.8 | 297       |
| 90 | Identification of the Capsular Polysaccharides in <i>Staphylococcus aureus</i> Clinical Isolates by PCR and Agglutination Tests. <i>Journal of Clinical Microbiology</i> , 2007, 45, 725-729.   | 3.9 | 72        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Integrated Real-Time PCR for Detection and Monitoring of <i>Legionella pneumophila</i> in Water Systems. <i>Applied and Environmental Microbiology</i> , 2007, 73, 1452-1456.   | 3.1  | 67        |
| 92  | Combination of Multiplex PCRs for Staphylococcal Cassette Chromosome mec Type Assignment: Rapid Identification System for mec , ccr , and Major Differences in Junkyard Regions. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 264-274.                    | 3.2  | 886       |
| 93  | Molecular Characterization of Methicillin-Resistant <i>Staphylococcus aureus</i> Isolates Collected in Asunción, Paraguay. <i>Journal of Clinical Microbiology</i> , 2007, 45, 2298-2300.   | 3.9  | 26        |
| 94  | Global Distribution of Panton-Valentine Leukocidin-Positive Methicillin-resistant <i>Staphylococcus aureus</i> , 2006. <i>Emerging Infectious Diseases</i> , 2007, 13, 594-600.   | 4.3  | 380       |
| 95  | Pediatric Bone and Joint Infections Caused by Panton-Valentine Leukocidin-Positive <i>Staphylococcus aureus</i> . <i>Pediatric Infectious Disease Journal</i> , 2007, 26, 1042-1048.  | 2.0  | 182       |
| 96  | Polymerase chain reaction identification in aqueous humor of patients with postoperative endophthalmitis. <i>Journal of Cataract and Refractive Surgery</i> , 2007, 33, 635-641.  | 1.5  | 53        |
| 97  | Zinc-dependent cytoadherence of <i>Legionella pneumophila</i> to human alveolar epithelial cells in vitro. <i>Microbial Pathogenesis</i> , 2007, 43, 234-242.   | 2.9  | 10        |
| 98  | <i>Staphylococcus aureus</i> Panton-Valentine Leukocidin Causes Necrotizing Pneumonia. <i>Science</i> , 2007, 315, 1130-1133.   | 12.6 | 657       |
| 99  | Methicillin-susceptible, Doxycycline-resistant <i>Staphylococcus aureus</i> , Côte d'Ivoire. <i>Emerging Infectious Diseases</i> , 2007, 13, 488-490.   | 4.3  | 32        |
| 100 | Childhood Pustular Psoriasis Associated with Panton-Valentine Leukocidin-Producing <i>Staphylococcus aureus</i> . <i>Pediatric Dermatology</i> , 2007, 24, 401-404.   | 0.9  | 20        |
| 101 | Virulence determinants in community and hospital methicillin-resistant <i>Staphylococcus aureus</i> . <i>Journal of Hospital Infection</i> , 2007, 65, 105-109.   | 2.9  | 100       |
| 102 | Staphylococcal Superantigens of the Enterotoxin Gene Cluster (egc) for Treatment of Stage IIIb Non-Small Cell Lung Cancer with Pleural Effusion. <i>Clinics in Chest Medicine</i> , 2006, 27, 321-334.  | 2.1  | 12        |
| 103 | Community-Acquired Infection With Healthcare-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> : The Role of Home Nursing Care. <i>Infection Control and Hospital Epidemiology</i> , 2006, 27, 1213-1218.   | 1.8  | 39        |
| 104 | Pneumonia and New Methicillin-resistant <i>Staphylococcus aureus</i> Clone. <i>Emerging Infectious Diseases</i> , 2006, 12, 498-500.  | 4.3  | 53        |
| 105 | Distribution of the synergistic haemolysin genes hld and slush with respect to agr in human staphylococci. <i>FEMS Microbiology Letters</i> , 2006, 151, 139-144.   | 1.8  | 34        |
| 106 | Characterization of the <i>Legionella anisa</i> population structure by pulsed-field gel electrophoresis. <i>FEMS Microbiology Letters</i> , 2006, 258, 204-207.  | 1.8  | 7         |
| 107 | Analysis of the genetic diversity of <i>Legionella</i> by sequencing the 23S-5S ribosomal intergenic spacer region: from phylogeny to direct identification of isolates at the species level from clinical specimens. <i>Microbes and Infection</i> , 2006, 8, 73-83. | 1.9  | 25        |
| 108 | Panton-Valentine leukocidin-producing <i>Staphylococcus aureus</i> infections: Report of 4 French cases. <i>Scandinavian Journal of Infectious Diseases</i> , 2006, 38, 192-195.  | 1.5  | 22        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Toxin Gene Content of the Lyon Methicillin-Resistant <i>Staphylococcus aureus</i> Clone Compared with That of Other Pandemic Clones. <i>Journal of Clinical Microbiology</i> , 2006, 44, 2642-2644.   | 3.9 | 33        |
| 110 | Detection of Methicillin-Resistant <i>Staphylococcus aureus</i> Strains Resistant to Multiple Antibiotics and Carrying the Panton-Valentine Leukocidin Genes in an Algiers Hospital. <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 1083-1085.        | 3.2 | 89        |
| 111 | Staphylococcal Enterotoxin-Like Toxins U2 and V, Two New Staphylococcal Superantigens Arising from Recombination within the Enterotoxin Gene Cluster. <i>Infection and Immunity</i> , 2006, 74, 4724-4734.  | 2.2 | 158       |
| 112 | Clonal Distribution and Differential Occurrence of the Enterotoxin Gene Cluster, egc, in Carriage-versus Bacteremia-Associated Isolates of <i>Staphylococcus aureus</i> . <i>Journal of Clinical Microbiology</i> , 2006, 44, 1555-1557.                        | 3.9 | 74        |
| 113 | Detection of New Methicillin-Resistant <i>Staphylococcus aureus</i> Clones Containing the Toxic Shock Syndrome Toxin 1 Gene Responsible for Hospital- and Community-Acquired Infections in France. <i>Journal of Clinical Microbiology</i> , 2006, 44, 847-853. | 3.9 | 128       |
| 114 | Toxic Shock Syndrome Toxin-1 Challenges the Neuroprotective Functions of the Choroidal Epithelium and Induces Neurotoxicity. <i>Journal of Infectious Diseases</i> , 2006, 194, 341-349.  | 4.0 | 12        |
| 115 | Comparative inflammatory properties of staphylococcal superantigenic enterotoxins SEA and SEG: implications for septic shock. <i>Journal of Leukocyte Biology</i> , 2006, 80, 753-758.  | 3.3 | 46        |
| 116 | Growth-phase-dependent mobility of the <i>lvh</i> -encoding region in <i>Legionella pneumophila</i> strain Paris. <i>Microbiology (United Kingdom)</i> , 2006, 152, 3561-3568.  | 1.8 | 38        |
| 117 | Rapid <i>Staphylococcus aureus agr</i> Type Determination by a Novel Multiplex Real-Time Quantitative PCR Assay. <i>Journal of Clinical Microbiology</i> , 2006, 44, 1892-1895.   | 3.9 | 36        |
| 118 | Quantitative Real-Time <i>Legionella</i> PCR for Environmental Water Samples: Data Interpretation. <i>Applied and Environmental Microbiology</i> , 2006, 72, 2801-2808.   | 3.1 | 112       |
| 119 | A Community-Wide Outbreak of Legionnaires Disease Linked to Industrial Cooling Towers—How Far Can Contaminated Aerosols Spread?. <i>Journal of Infectious Diseases</i> , 2006, 193, 102-111.  | 4.0 | 256       |
| 120 | <i>Staphylococcus aureus</i> RNAIII and the endoribonuclease III coordinately regulate <i>spa</i> gene expression. <i>EMBO Journal</i> , 2005, 24, 824-835.   | 7.8 | 308       |
| 121 | Virulence determinants in <i>Staphylococcus aureus</i> and their involvement in clinical syndromes. <i>Current Infectious Disease Reports</i> , 2005, 7, 420-428.   | 3.0 | 73        |
| 122 | Methicillin-resistant <i>Staphylococcus aureus</i> in Neonatal Intensive Care Unit. <i>Emerging Infectious Diseases</i> , 2005, 11, 453-456.  | 4.3 | 110       |
| 123 | Community-associated Methicillin-resistant <i>Staphylococcus aureus</i> , Singapore. <i>Emerging Infectious Diseases</i> , 2005, 11, 341-342.   | 4.3 | 33        |
| 124 | Comparative Prevalence of Superantigen Genes in <i>Staphylococcus aureus</i> Isolates Causing Sepsis With and Without Septic Shock. <i>Clinical Infectious Diseases</i> , 2005, 41, 771-777.  | 5.8 | 128       |
| 125 | Panton-Valentine Leukocidin: A Marker of Severity for <i>Staphylococcus aureus</i> Infection?. <i>Clinical Infectious Diseases</i> , 2005, 41, 591-593.   | 5.8 | 53        |
| 126 | Clinical and Environmental Isolates of <i>Legionella pneumophila</i> Serogroup 1 Cannot Be Distinguished by Sequence Analysis of Two Surface Protein Genes and Three Housekeeping Genes. <i>Applied and Environmental Microbiology</i> , 2005, 71, 282-289.     | 3.1 | 26        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 127 | Consensus Sequence-Based Scheme for Epidemiological Typing of Clinical and Environmental Isolates of <i>Legionella pneumophila</i> . <i>Journal of Clinical Microbiology</i> , 2005, 43, 2047-2052.                             | 3.9  | 313       |
| 128 | Frequent Carriage of Panton-Valentine Leucocidin Genes by <i>Staphylococcus aureus</i> Isolates from Surgically Drained Abscesses. <i>Journal of Clinical Microbiology</i> , 2005, 43, 3203-3207.                               | 3.9  | 56        |
| 129 | Clinical Manifestations of Staphylococcal Scalded-Skin Syndrome Depend on Serotypes of Exfoliative Toxins. <i>Journal of Clinical Microbiology</i> , 2005, 43, 1890-1893.   | 3.9  | 109       |
| 130 | Thermonuclease gene as a target for specific identification of <i>Staphylococcus intermedius</i> isolates: Use of a PCR-DNA enzyme immunoassay. <i>Diagnostic Microbiology and Infectious Disease</i> , 2005, 51, 237-244.      | 1.8  | 25        |
| 131 | <i>Staphylococcus aureus</i> Panton-Valentine leukocidin directly targets mitochondria and induces Bax-independent apoptosis of human neutrophils. <i>Journal of Clinical Investigation</i> , 2005, 115, 3117-3127.             | 8.2  | 327       |
| 132 | Community-Acquired Methicillin-Resistant <i>Staphylococcus aureus</i> Isolated in Switzerland Contains the Panton-Valentine Leukocidin or Exfoliative Toxin Genes. <i>Journal of Clinical Microbiology</i> , 2004, 42, 825-828. | 3.9  | 119       |
| 133 | Clinical and Environmental Distributions of <i>Legionella</i> Strains in France Are Different. <i>Journal of Clinical Microbiology</i> , 2004, 42, 458-460.   | 3.9  | 179       |
| 134 | <i>Staphylococcus aureus</i> Isolates Associated with Necrotizing Pneumonia Bind to Basement Membrane Type I and IV Collagens and Laminin. <i>Journal of Infectious Diseases</i> , 2004, 190, 1506-1515.                        | 4.0  | 91        |
| 135 | Neutralization of <i>Staphylococcus aureus</i> Panton Valentine Leukocidin by Intravenous Immunoglobulin In Vitro. <i>Journal of Infectious Diseases</i> , 2004, 189, 346-353.  | 4.0  | 181       |
| 136 | Two Cases of Fatal Shock after Transfusion of Platelets Contaminated by <i>Staphylococcus aureus</i> : Role of Superantigenic Toxins. <i>Clinical Infectious Diseases</i> , 2004, 39, e106-e109.                                | 5.8  | 14        |
| 137 | <i>Staphylococcus aureus</i> Isolates with Reduced Susceptibility to Glycopeptides Belong to Accessory Gene Regulator Group I or II. <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 1024-1027.                        | 3.2  | 36        |
| 138 | Specific Identification of <i>Staphylococcus aureus</i> by Staphychrom II, a Rapid Chromogenic Staphylocoagulase Test. <i>Journal of Clinical Microbiology</i> , 2004, 42, 1962-1964.   | 3.9  | 4         |
| 139 | Evidence in the <i>Legionella pneumophila</i> genome for exploitation of host cell functions and high genome plasticity. <i>Nature Genetics</i> , 2004, 36, 1165-1173.  | 21.4 | 573       |
| 140 | Rapid detection of Panton-Valentine leukocidin from clinical isolates of <i>Staphylococcus aureus</i> strains by real-time PCR. <i>FEMS Microbiology Letters</i> , 2004, 240, 225-228.  | 1.8  | 38        |
| 141 | Life-threatening hemoptysis in adults with community-acquired pneumonia due to Panton-Valentine leukocidin-secreting <i>Staphylococcus aureus</i> . <i>Intensive Care Medicine</i> , 2003, 29, 1840-1843.                       | 8.2  | 97        |
| 142 | A Nosocomial Outbreak of <i>Legionella pneumophila</i> Caused by Contaminated Transesophageal Echocardiography Probes. <i>Infection Control and Hospital Epidemiology</i> , 2003, 24, 619-622.                                  | 1.8  | 43        |
| 143 | Bacterial Competition for Human Nasal Cavity Colonization: Role of Staphylococcal agr Alleles. <i>Applied and Environmental Microbiology</i> , 2003, 69, 18-23.   | 3.1  | 329       |
| 144 | Inactivation of mprF affects vancomycin susceptibility in <i>Staphylococcus aureus</i> . <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2003, 1621, 117-121.   | 2.4  | 56        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 145 | Comparison of Community- and Health Care-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> Type="ITAL">Staphylococcus aureus Infection. JAMA - Journal of the American Medical Association, 2003, 290, 2976.                                | 7.4  | 1,474     |
| 146 | Staphylococcal Exanthematous Disease in a Newborn Due to a Virulent Methicillin-Resistant <i>Staphylococcus aureus</i> Strain Containing the TSST-1 Gene in Europe: an Alert for Neonatologists. Journal of Clinical Microbiology, 2003, 41, 4883-4884. | 3.9  | 42        |
| 147 | Molecular Diagnosis of Infective Endocarditis by PCR Amplification and Direct Sequencing of DNA from Valve Tissue. Journal of Clinical Microbiology, 2003, 41, 763-766.   | 3.9  | 173       |
| 148 | Use of Multiplex PCR To Identify <i>Staphylococcus aureus</i> Adhesins Involved in Human Hematogenous Infections. Journal of Clinical Microbiology, 2003, 41, 4465-4467.  | 3.9  | 229       |
| 149 | <i>Legionella pneumophila</i> Serogroup 1 Strain Paris: Endemic Distribution throughout France. Journal of Clinical Microbiology, 2003, 41, 3320-3322.  | 3.9  | 48        |
| 150 | Community-Acquired Methicillin-Resistant <i>Staphylococcus aureus</i> Carrying Panton-Valentine Leukocidin Genes: Worldwide Emergence. Emerging Infectious Diseases, 2003, 9, 978-984.  | 4.3  | 1,563     |
| 151 | High Genetic Variability of the agr Locus in <i>Staphylococcus</i> Species. Journal of Bacteriology, 2002, 184, 1180-1186.  | 2.2  | 202       |
| 152 | Community-Acquired Methicillin-Resistant <i>Staphylococcus aureus</i> Infections in France: Emergence of a Single Clone That Produces Panton-Valentine Leukocidin. Clinical Infectious Diseases, 2002, 35, 819-824.                                     | 5.8  | 497       |
| 153 | Population Diversity of <i>Staphylococcus intermedius</i> Isolates from Various Host Species: Typing by 16S-23S Intergenic Ribosomal DNA Spacer Polymorphism Analysis. Journal of Clinical Microbiology, 2002, 40, 2275-2277.                           | 3.9  | 32        |
| 154 | <i>Staphylococcus aureus</i> Contains Two Low-Molecular-Mass Phosphotyrosine Protein Phosphatases. Journal of Bacteriology, 2002, 184, 5194-5199.   | 2.2  | 42        |
| 155 | Changing Profile of Infective Endocarditis; Results of a 1-Year Survey in France. JAMA - Journal of the American Medical Association, 2002, 288, 75.  | 7.4  | 840       |
| 156 | Relationships between <i>Staphylococcus aureus</i> Genetic Background, Virulence Factors, agr Groups (Alleles), and Human Disease. Infection and Immunity, 2002, 70, 631-641.   | 2.2  | 1,003     |
| 157 | Association between <i>Staphylococcus aureus</i> strains carrying gene for Panton-Valentine leukocidin and highly lethal necrotising pneumonia in young immunocompetent patients. Lancet, The, 2002, 359, 753-759.                                      | 13.7 | 1,881     |
| 158 | Identification of <i>Legionella</i> species by ribotyping and other molecular methods. Research in Microbiology, 2002, 153, 679-686.  | 2.1  | 14        |
| 159 | Phage conversion of Panton-Valentine leukocidin in <i>Staphylococcus aureus</i> : molecular analysis of a PVL-converting phage, $\phi$ SLT. Gene, 2001, 268, 195-206.   | 2.2  | 177       |
| 160 | International Multicenter Evaluation of Latex Agglutination Tests for Identification of <i>Staphylococcus aureus</i> . Journal of Clinical Microbiology, 2001, 39, 86-89.   | 3.9  | 55        |
| 161 | Enterotoxigenic Potential of <i>Staphylococcus intermedius</i> . Applied and Environmental Microbiology, 2001, 67, 5551-5557.   | 3.1  | 81        |
| 162 | Clinical Isolate of Vancomycin-Heterointermediate <i>Staphylococcus aureus</i> Susceptible to Methicillin and In Vitro Selection of a Vancomycin-Resistant Derivative. Antimicrobial Agents and Chemotherapy, 2001, 45, 349-352.                        | 3.2  | 57        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 163 | <i>egc</i> , A Highly Prevalent Operon of Enterotoxin Gene, Forms a Putative Nursery of Superantigens in <i>Staphylococcus aureus</i> . Journal of Immunology, 2001, 166, 669-677.  | 0.8  | 457       |
| 164 | Fitness and competitive growth advantage of new gentamicin-susceptible MRSA clones spreading in French hospitals. Journal of Antimicrobial Chemotherapy, 2001, 47, 277-283.   | 3.0  | 83        |
| 165 | Rapid Identification of Clinically Relevant Legionella spp. by Analysis of Transfer DNA Intergenic Spacer Length Polymorphism. Journal of Clinical Microbiology, 2001, 39, 162-169.   | 3.9  | 15        |
| 166 | Probing the structure of RNAIII, the <i>Staphylococcus aureus</i> agr regulatory RNA, and identification of the RNA domain involved in repression of protein A expression. Rna, 2000, 6, 668-679.   | 3.5  | 152       |
| 167 | European resorts at risk of Legionella. Lancet, The, 2000, 356, 2100-2101.  | 13.7 | 7         |
| 168 | Multicenter Evaluation of Epidemiological Typing of Methicillin-Resistant <i>Staphylococcus aureus</i> Strains by Repetitive-Element PCR Analysis. Journal of Clinical Microbiology, 2000, 38, 3527-3533.                                     | 3.9  | 80        |
| 169 | Isolation of Legionella oakridgensis from Two Patients with Pleural Effusion Living in the Same Geographical Area. Journal of Clinical Microbiology, 2000, 38, 3128-3130.   | 3.9  | 17        |
| 170 | Distribution of Genes Encoding Resistance to Macrolides, Lincosamides, and Streptogramins among Staphylococci. Antimicrobial Agents and Chemotherapy, 1999, 43, 1062-1066.  | 3.2  | 449       |
| 171 | Legionella taurinensis sp. nov., a new species antigenically similar to Legionella spiritensis. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 397-403.   | 1.7  | 41        |
| 172 | A multicenter evaluation of genotypic methods for the epidemiologic typing of Legionella pneumophila serogroup 1: results of a pan-European study. Clinical Microbiology and Infection, 1999, 5, 462-477.                                     | 6.0  | 80        |
| 173 | Involvement of Panton-Valentine Leukocidin-Producing <i>Staphylococcus aureus</i> in Primary Skin Infections and Pneumonia. Clinical Infectious Diseases, 1999, 29, 1128-1132.  | 5.8  | 2,206     |
| 174 | Distribution of <i>Staphylococcus sciuri</i> subspecies among human clinical specimens, and profile of antibiotic resistance. Research in Microbiology, 1999, 150, 531-541.   | 2.1  | 48        |
| 175 | Emergence and Spread in French Hospitals of Methicillin-Resistant <i>Staphylococcus aureus</i> with Increasing Susceptibility to Gentamicin and Other Antibiotics. Journal of Clinical Microbiology, 1999, 37, 3452-3457.                     | 3.9  | 112       |
| 176 | Involvement of Enterotoxins G and I in Staphylococcal Toxic Shock Syndrome and Staphylococcal Scarlet Fever. Journal of Clinical Microbiology, 1999, 37, 2446-2449.   | 3.9  | 182       |
| 177 | Single Clonal Origin of a High Proportion of <i>Legionella pneumophila</i> Serogroup 1 Isolates from Patients and the Environment in the Area of Paris, France, over a 10-Year Period. Journal of Clinical Microbiology, 1999, 37, 2652-2655. | 3.9  | 78        |
| 178 | Transmembrane topology and histidine protein kinase activity of AgrC, the agr signal receptor in <i>Staphylococcus aureus</i> . Molecular Microbiology, 1998, 28, 655-662.  | 2.5  | 262       |
| 179 | Role of the Preaxillary Flora in Pacemaker Infections. Circulation, 1998, 97, 1791-1795.  | 1.6  | 186       |
| 180 | <i>trans</i> -Complementation of a <i>Staphylococcus aureus agr</i> Mutant by <i>Staphylococcus lugdunensis agr</i> RNAIII. Journal of Bacteriology, 1998, 180, 5780-5783.  | 2.2  | 23        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 181 | Comparative Analysis of Infrequent-Restriction-Site PCR and Pulsed-Field Gel Electrophoresis for Epidemiological Typing of <i>Legionella pneumophila</i> Serogroup 1 Strains. <i>Journal of Clinical Microbiology</i> , 1998, 36, 161-167.   | 3.9  | 54        |
| 182 | Identification of <i>Legionella</i> Species by Random Amplified Polymorphic DNA Profiles. <i>Journal of Clinical Microbiology</i> , 1998, 36, 3193-3197.   | 3.9  | 36        |
| 183 | Detection of Staphylococcal Superantigenic Toxins by a CD69-Specific Cytofluorimetric Assay Measuring T-Cell Activation. <i>Journal of Clinical Microbiology</i> , 1998, 36, 1042-1045.  | 3.9  | 26        |
| 184 | Assessment of Resolution and Intercenter Reproducibility of Results of Genotyping <i>Staphylococcus aureus</i> by Pulsed-Field Gel Electrophoresis of <i>Sma</i> I Macrorestriction Fragments: a Multicenter Study. <i>Journal of Clinical Microbiology</i> , 1998, 36, 1653-1659.   | 3.9  | 186       |
| 185 | Outbreak of <i>Staphylococcus schleiferi</i> Wound Infections: Strain Characterization by Randomly Amplified Polymorphic DNA Analysis, PCR Ribotyping, Conventional Ribotyping, and Pulsed-Field Gel Electrophoresis. <i>Journal of Clinical Microbiology</i> , 1998, 36, 2214-2219. | 3.9  | 52        |
| 186 | Haemophilus Endocarditis: Report of 42 Cases in Adults and Review. <i>Clinical Infectious Diseases</i> , 1997, 24, 1087-1094.  | 5.8  | 87        |
| 187 | Toxin Involvement in Staphylococcal Scalded Skin Syndrome. <i>Clinical Infectious Diseases</i> , 1997, 25, 1369-1373.  | 5.8  | 105       |
| 188 | Distribution of the synergistic haemolysin genes <i>hld</i> and <i>slush</i> with respect to <i>agr</i> in human staphylococci. <i>FEMS Microbiology Letters</i> , 1997, 151, 139-144.   | 1.8  | 1         |
| 189 | Fulminant Myocardial Failure in a Previously Healthy Young Man. <i>Circulation</i> , 1997, 95, 1654-1657.  | 1.6  | 21        |
| 190 | Nucleic Acid Sequence and Affiliation of pLUG10, a Novel Cadmium Resistance Plasmid from <i>Staphylococcus lugdunensis</i> . <i>Plasmid</i> , 1996, 36, 1-8.   | 1.4  | 24        |
| 191 | Comparison off infective endocarditis in patients with and without previously recognized heart disease. <i>American Journal of Cardiology</i> , 1996, 77, 1134-1137.   | 1.6  | 16        |
| 192 | Infections caused by newly-described species of coagulase-negative staphylococci. <i>Reviews in Medical Microbiology</i> , 1995, 6, 94-100.  | 0.9  | 18        |
| 193 | <i>Bartonella (Rochalimaea) quintana</i> Endocarditis in Three Homeless Men. <i>New England Journal of Medicine</i> , 1995, 332, 419-423.  | 27.0 | 355       |
| 194 | Role of bacteriophages in genomic variability of related coagulase-negative staphylococci. <i>FEMS Microbiology Letters</i> , 1993, 109, 273-277.  | 1.8  | 21        |
| 195 | <i>Agr</i> -related sequences in <i>Staphylococcus lugdunensis</i> . <i>FEMS Microbiology Letters</i> , 1993, 111, 115-122.  | 1.8  | 96        |
| 196 | Infective Endocarditis Due to <i>Staphylococcus capitis</i> . <i>Clinical Infectious Diseases</i> , 1992, 15, 173-174.   | 5.8  | 26        |
| 197 | Cadmium-resistance plasmid in <i>Staphylococcus lugdunensis</i> . <i>FEMS Microbiology Letters</i> , 1992, 99, 59-63.  | 1.8  | 9         |
| 198 | Characterization of staphylococcal plasmids hybridizing with the fosfomycin resistance gene <i>fosB</i> . <i>FEMS Microbiology Letters</i> , 1991, 84, 119-122.  | 1.8  | 27        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Plasmid profiles and genomic DNA restriction endonuclease patterns of 30 independent <i>Staphylococcus lugdunensis</i> strains. <i>FEMS Microbiology Letters</i> , 1990, 67, 93-98. | 1.8 | 20        |
| 200 | <i>Corynebacterium</i> group JK endocarditis after dental extraction under antibiotic cover. <i>Journal of Infection</i> , 1988, 17, 188-189.                                       | 3.3 | 8         |
| 201 | Biology and Pathogenicity of Staphylococci Other than <i>Staphylococcus aureus</i> and <i>Staphylococcus epidermidis</i> . , 0, , 572-586.  |     | 8         |