

# Maria T Scupoli

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4001122/publications.pdf>

Version: 2024-02-01

79  
papers

3,272  
citations

147801

31  
h-index

155660

55  
g-index

82  
all docs

82  
docs citations

82  
times ranked

6123  
citing authors

#	ARTICLE	IF	CITATIONS
1	Interleukin-12 primes human CD4 and CD8 T cell clones for high production of both interferon-gamma and interleukin-10.. <i>Journal of Experimental Medicine</i> , 1996, 183, 2559-2569.	8.5	293
2	Mature CD10+ and immature CD10 <sup>hi</sup> neutrophils present in G-CSF <sup>hi</sup> treated donors display opposite effects on T cells. <i>Blood</i> , 2017, 129, 1343-1356.	1.4	248
3	HB-EGF/HER-1 signaling in bone marrow mesenchymal stem cells: inducing cell expansion and reversibly preventing multilineage differentiation. <i>Blood</i> , 2005, 106, 59-66.	1.4	210
4	Gemcitabine/cannabinoid combination triggers autophagy in pancreatic cancer cells through a ROS-mediated mechanism. <i>Cell Death and Disease</i> , 2011, 2, e152-e152.	6.3	191
5	Synergistic inhibition of pancreatic adenocarcinoma cell growth by trichostatin A and gemcitabine. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2007, 1773, 1095-1106.	4.1	133
6	Notch-3 and Notch-4 signaling rescue from apoptosis human B-ALL cells in contact with human bone marrow <sup>hi</sup> derived mesenchymal stromal cells. <i>Blood</i> , 2011, 118, 380-389.	1.4	116
7	Regulation of succinate dehydrogenase and role of succinate in cancer. <i>Seminars in Cell and Developmental Biology</i> , 2020, 98, 4-14.	5.0	111
8	CELL lineage-specific and developmental stage-specific controls of MHC class-II-antigen expression. <i>International Journal of Cancer</i> , 1991, 47, 20-25.	5.1	100
9	Trichostatin A, an inhibitor of histone deacetylases, strongly suppresses growth of pancreatic adenocarcinoma cells. <i>Molecular Carcinogenesis</i> , 2003, 38, 59-69.	2.7	89
10	Identification of granulocytic myeloid-derived suppressor cells (G-MDSCs) in the peripheral blood of Hodgkin and non-Hodgkin lymphoma patients. <i>Oncotarget</i> , 2016, 7, 27676-27688.	1.8	78
11	The Prostate Specific Membrane Antigen Regulates the Expression of IL-6 and CCL5 in Prostate Tumour Cells by Activating the MAPK Pathways1. <i>PLoS ONE</i> , 2009, 4, e4608.	2.5	76
12	Browsing the oldest antioxidant enzyme: catalase and its multiple regulation in cancer. <i>Free Radical Biology and Medicine</i> , 2021, 172, 264-272.	2.9	72
13	NLRP3 Inflammasome Activation in Dialyzed Chronic Kidney Disease Patients. <i>PLoS ONE</i> , 2015, 10, e0122272.	2.5	70
14	Effects of wheat germ agglutinin on human gastrointestinal epithelium: Insights from an experimental model of immune/epithelial cell interaction. <i>Toxicology and Applied Pharmacology</i> , 2009, 237, 146-153.	2.8	68
15	Targeting gemcitabine containing liposomes to CD44 expressing pancreatic adenocarcinoma cells causes an increase in the antitumoral activity. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2013, 1828, 1396-1404.	2.6	65
16	Regulation of Autophagy by Nuclear GAPDH and Its Aggregates in Cancer and Neurodegenerative Disorders. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2062.	4.1	63
17	APC gene mutations and allelic losses in sporadic ampullary tumours: Evidence of genetic difference from tumours associated with familial adenomatous polyposis. , 1996, 68, 305-312.		55
18	Interleukin 7 requirement for survival of T-cell acute lymphoblastic leukemia and human thymocytes on bone marrow stroma. <i>Haematologica</i> , 2007, 92, 264-266.	3.5	51

#	ARTICLE	IF	CITATIONS
19	Bone marrow stromal cells and the upregulation of interleukin-8 production in human T-cell acute lymphoblastic leukemia through the CXCL12/CXCR4 axis and the NF- $\kappa$ B and JNK/AP-1 pathways. <i>Haematologica</i> , 2008, 93, 524-532.	3.5	51
20	Expression of MHC class I and class II antigens in pancreatic adenocarcinomas. <i>Tissue Antigens</i> , 1996, 48, 301-311.	1.0	49
21	Pancreatic ductal adenocarcinoma cell lines display a plastic ability to bi-directionally convert into cancer stem cells. <i>International Journal of Oncology</i> , 2015, 46, 1099-1108.	3.3	44
22	Modulators of Sphingolipid Metabolism Reduce Lung Inflammation. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2011, 45, 825-833.	2.9	43
23	Constitutive expression of CD69 in interspecies T-cell hybrids and locus assignment to human chromosome 12. <i>Immunogenetics</i> , 1992, 36, 117-120.	2.4	42
24	Intracellular zinc increase inhibits p53 <sup>+/+</sup> /p53 <sup>-/-</sup> pancreatic adenocarcinoma cell growth by ROS/AIF-mediated apoptosis. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2009, 1793, 273-280.	4.1	40
25	Mutant p53 blocks SESN1/AMPK/PGC-1 $\beta$ /UCP2 axis increasing mitochondrial O <sub>2</sub> <sup>•-</sup> production in cancer cells. <i>British Journal of Cancer</i> , 2018, 119, 994-1008.	6.4	40
26	Synergistic effect of trichostatin A and 5-azacytidine on growth inhibition of pancreatic endocrine tumour cell lines: A proteomic study. <i>Proteomics</i> , 2009, 9, 1952-1966.	2.2	37
27	Mesenchymal stromal cells (MSCs) induce ex vivo proliferation and erythroid commitment of cord blood haematopoietic stem cells (CB-CD34+ cells). <i>PLoS ONE</i> , 2017, 12, e0172430.	2.5	35
28	Proteomic analysis of pancreatic endocrine tumor cell lines treated with the histone deacetylase inhibitor trichostatin A. <i>Proteomics</i> , 2007, 7, 1644-1653.	2.2	34
29	Zinc depletion efficiently inhibits pancreatic cancer cell growth by increasing the ratio of antiproliferative/proliferative genes. <i>Journal of Cellular Biochemistry</i> , 2008, 104, 202-212.	2.6	34
30	The TNF-Family Cytokine TL1A Inhibits Proliferation of Human Activated B Cells. <i>PLoS ONE</i> , 2013, 8, e60136.	2.5	34
31	Hyaluronated mesoporous silica nanoparticles for active targeting: influence of conjugation method and hyaluronic acid molecular weight on the nanovector properties. <i>Journal of Colloid and Interface Science</i> , 2018, 516, 484-497.	9.4	33
32	Hyaluronic Acid-Decorated Liposomes as Innovative Targeted Delivery System for Lung Fibrotic Cells. <i>Molecules</i> , 2019, 24, 3291.	3.8	33
33	Neurodegeneration-Associated Proteins in Human Olfactory Neurons Collected by Nasal Brushing. <i>Frontiers in Neuroscience</i> , 2020, 14, 145.	2.8	33
34	Association between B-cell receptor responsiveness and disease progression in B-cell chronic lymphocytic leukemia: results from single cell network profiling studies. <i>Haematologica</i> , 2013, 98, 626-634.	3.5	32
35	Clinical significance of LAIR1 (CD305) as assessed by flow cytometry in a prospective series of patients with chronic lymphocytic leukemia. <i>Haematologica</i> , 2014, 99, 881-887.	3.5	32
36	Ascorbic acid induces either differentiation or apoptosis in MG-63 osteosarcoma lineage. <i>Anticancer Research</i> , 2014, 34, 1617-27.	1.1	30

#	ARTICLE	IF	CITATIONS
37	Increased stability of P21/WAF1/CIP1 mRNA is required for ROS/ERK-dependent pancreatic adenocarcinoma cell growth inhibition by pyrrolidine dithiocarbamate. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2006, 1763, 917-926.	4.1	29
38	Thymocyte Contact or Monoclonal Antibody-Mediated Clustering of $\alpha\text{E}3\beta 1$ or $\alpha\text{E}6\beta 24$ Integrins Activate Interleukin-6 (IL-6) Transcription Factors (NF- $\kappa\text{B}$ and NF-IL6) and IL-6 Production in Human Thymic Epithelial Cells. <i>Blood</i> , 1998, 92, 3745-3755.	1.4	27
39	Methodological approach to minimal residual disease detection by flow cytometry in adult B-lineage acute lymphoblastic leukemia. <i>Haematologica</i> , 2006, 91, 1109-12.	3.5	26
40	CD30 triggering by agonistic antibodies regulates CXCR4 expression and CXCL12 chemotactic activity in the cell line L540. <i>Blood</i> , 2002, 99, 52-60.	1.4	25
41	Feasibility of Telomerase-Specific Adoptive T-cell Therapy for B-cell Chronic Lymphocytic Leukemia and Solid Malignancies. <i>Cancer Research</i> , 2016, 76, 2540-2551.	0.9	25
42	Thymic epithelial cells promote survival of human T-cell acute lymphoblastic leukemia blasts: the role of interleukin-7. <i>Haematologica</i> , 2003, 88, 1229-37.	3.5	25
43	Signaling pathways activated by the B-cell receptor in chronic lymphocytic leukemia. <i>Expert Review of Hematology</i> , 2012, 5, 341-348.	2.2	24
44	Adhesion of Immature and Mature T Cells Induces in Human Thymic Epithelial Cells (TEC) Activation of IL-6 Gene Transcription Factors (NF- $\kappa\text{B}$ And NF-IL6) and IL-6 Gene Expression: Role of $\alpha\text{E}3\beta 1$ and $\alpha\text{E}6\beta 24$ Integrins. <i>Autoimmunity</i> , 2000, 7, 195-208.	0.6	22
45	Endothelin-1 receptor blockade as new possible therapeutic approach in multiple myeloma. <i>British Journal of Haematology</i> , 2017, 178, 781-793.	2.5	21
46	Epstein-Barr virus DNA load in chronic lymphocytic leukemia is an independent predictor of clinical course and survival. <i>Oncotarget</i> , 2015, 6, 18653-18663.	1.8	21
47	HIV-1 Env associates with HLA-C free-chains at the cell membrane modulating viral infectivity. <i>Scientific Reports</i> , 2017, 7, 40037.	3.3	20
48	Effective control of acute myeloid leukaemia and acute lymphoblastic leukaemia progression by telomerase specific adoptive T-cell therapy. <i>Oncotarget</i> , 2017, 8, 86987-87001.	1.8	18
49	Double productive immunoglobulin sequence rearrangements in patients with chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2013, 88, 277-282.	4.1	17
50	Progressively De-Differentiated Pancreatic Cancer Cells Shift from Glycolysis to Oxidative Metabolism and Gain a Quiescent Stem State. <i>Cells</i> , 2020, 9, 1572.	4.1	17
51	Regenerative potential of the Bichat fat pad determined by the quantification of multilineage differentiating stress enduring cells. <i>European Journal of Histochemistry</i> , 2018, 62, .	1.5	16
52	Low catalase expression confers redox hypersensitivity and identifies an indolent clinical behavior in CLL. <i>Blood</i> , 2018, 131, 1942-1954.	1.4	15
53	Hyaluronated and PEGylated Liposomes as a Potential Drug-Delivery Strategy to Specifically Target Liver Cancer and Inflammatory Cells. <i>Molecules</i> , 2022, 27, 1062.	3.8	14
54	MYC-related microRNAs signatures in non-Hodgkin B-cell lymphomas and their relationships with core cellular pathways. <i>Oncotarget</i> , 2018, 9, 29753-29771.	1.8	13

#	ARTICLE	IF	CITATIONS
55	Stability and Expression Levels of HLA-C on the Cell Membrane Modulate HIV-1 Infectivity. <i>Journal of Virology</i> , 2018, 92, .	3.4	12
56	Runx2 downregulation, migration and proliferation inhibition in melanoma cells treated with BEL Î²-trefoil. <i>Oncology Reports</i> , 2017, 37, 2209-2214.	2.6	11
57	Identification of microRNAs implicated in the late differentiation stages of normal B cells suggests a central role for miRNA targets ZEB1 and TP53. <i>Oncotarget</i> , 2017, 8, 11809-11826.	1.8	11
58	MicroRNA signatures and Foxp3+ cell count correlate with relapse occurrence in follicular lymphoma. <i>Oncotarget</i> , 2018, 9, 19961-19979.	1.8	11
59	Expression and function of the TL1A/DR3 axis in chronic lymphocytic leukemia. <i>Oncotarget</i> , 2015, 6, 32061-32074.	1.8	11
60	In reply to SchÃfer <i>et al</i> : new evidence on the role of endothelinâ€1 axis as a potential therapeutic target in multiple myeloma. <i>British Journal of Haematology</i> , 2019, 184, 1052-1055.	2.5	9
61	The Mutant p53-Driven Secretome Has Oncogenic Functions in Pancreatic Ductal Adenocarcinoma Cells. <i>Biomolecules</i> , 2020, 10, 884.	4.0	8
62	The ISCCA flow protocol for the monitoring of antiâ€CD20 therapies in autoimmune disorders. <i>Cytometry Part B - Clinical Cytometry</i> , 2021, 100, 194-205.	1.5	8
63	A quantitative study of growth variability of tumour cell clones <i>in vitro</i> . <i>Cell Proliferation</i> , 2008, 41, 177-191.	5.3	7
64	HTLV Type IIIB Infection of Human Thymic Epithelial Cells: Viral Expression Correlates with the Induction of NF-ÎºB-Binding Activity in Cells Activated by Cell Adhesion. <i>AIDS Research and Human Retroviruses</i> , 1996, 12, 1217-1225.	1.1	6
65	Early decrease of interferon-Î³+ and interleukin-2+ T cells during combination treatment with interferon-Î± and ribavirin in patients with chronic hepatitis C. <i>American Journal of Gastroenterology</i> , 2000, 95, 3670-3673.	0.4	5
66	Up-regulation of CXCL8/interleukin-8 production in response to CXCL12 in chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2015, 56, 1897-1900.	1.3	5
67	Effects of CD20 antibodies and kinase inhibitors on Bâ€cell receptor signalling and survival of chronic lymphocytic leukaemia cells. <i>British Journal of Haematology</i> , 2021, 192, 333-342.	2.5	5
68	Integration of B-cell receptor-induced ERK1/2 phosphorylation and mutations of <i>SF3B1</i> gene refines prognosis in treatment-naïve chronic lymphocytic leukemia. <i>Haematologica</i> , 2017, 102, e144-e147.	3.5	4
69	Tumor Suppressor Role of Wild-Type P53-Dependent Secretome and Its Proteomic Identification in PDAC. <i>Biomolecules</i> , 2022, 12, 305.	4.0	4
70	Phospho-Specific Flow Cytometry Reveals Signaling Heterogeneity in T-Cell Acute Lymphoblastic Leukemia Cell Lines. <i>Cells</i> , 2022, 11, 2072.	4.1	4
71	Effect of Interleukin-12 on the Cytokine Profile of Human CD4 and CD8 T-Cell Clones. <i>Annals of the New York Academy of Sciences</i> , 1996, 795, 382-383.	3.8	3
72	Adult T-cell acute lymphoblastic leukemia: prognostic impact of myeloid-associated antigens. <i>Expert Review of Hematology</i> , 2009, 2, 27-29.	2.2	3

#	ARTICLE	IF	CITATIONS
73	Thymocyte Contact or Monoclonal Antibody-Mediated Clustering of $\alpha 3 \beta 1$ or $\alpha 6 \beta 4$ Integrins Activate Interleukin-6 (IL-6) Transcription Factors (NF- $\kappa$ B and NF-IL6) and IL-6 Production in Human Thymic Epithelial Cells. <i>Blood</i> , 1998, 92, 3745-3755.	1.4	2
74	Interspecies somatic T cell hybrids as biological tools for studying gene expression during T cell development. <i>International Journal of Clinical and Laboratory Research</i> , 1994, 24, 203-207.	1.0	1
75	Evidence for a trans-acting activator function regulating the expression of the human CD5 antigen. <i>Immunogenetics</i> , 1994, 40, 217-221.	2.4	1
76	Single Cell Network Profiling (SCNP) Assay Reveals B Cell Receptor Signaling Heterogeneity In the Context of ZAP-70 Expression In Patients with Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2010, 116, 3586-3586.	1.4	0
77	BCR Responsiveness is Associated with Time to First Treatment (TTFT) in B-Cell Chronic Lymphocytic Leukemia (B-CLL): Results From a Single Cell Network Profiling (SCNP) Verification Study. <i>Blood</i> , 2011, 118, 2834-2834.	1.4	0
78	In Vitro Study Of The Mechanisms Involved In The Bone Marrow Mesenchymal Stromal Cell Modulatory Effect On B Cell Function. <i>Blood</i> , 2013, 122, 1053-1053.	1.4	0
79	The TNF-Family Cytokine TL1A/Death Receptor 3 System Reduces Metabolic Activity in Chronic Lymphocytic Leukemia B Cells. <i>Blood</i> , 2014, 124, 3313-3313.	1.4	0