

Aleksandra M Å»urowska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4001957/publications.pdf>

Version: 2024-02-01

87
papers

5,007
citations

81900

39
h-index

91884

69
g-index

95
all docs

95
docs citations

95
times ranked

4227
citing authors

#	ARTICLE	IF	CITATIONS
1	Mild X-linked Alport syndrome due to the COL4A5 G624D variant originating in the Middle Ages is predominant in Central/East Europe and causes kidney failure in midlife. <i>Kidney International</i> , 2021, 99, 1451-1458.	5.2	21
2	Relationship between Gd-IgA1 and TNFR1 in IgA nephropathy and IgA vasculitis nephritis in children – multicenter study. <i>Central-European Journal of Immunology</i> , 2021, 46, 199-209.	1.2	2
3	Influenza and pneumococcus vaccination rates in pediatric dialysis patients in Europe: recommendations vs reality A European Pediatric Dialysis Working Group and European Society for Pediatric Nephrology Dialysis Working Group study. <i>Turkish Journal of Medical Sciences</i> , 2021, 51, 2881-2886.	0.9	1
4	Countermeasures against COVID-19: how to navigate medical practice through a nascent, evolving evidence base – a European multicentre mixed methods study. <i>BMJ Open</i> , 2021, 11, e043015.	1.9	8
5	The European Rare Kidney Disease Registry (ERKReg): objectives, design and initial results. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 251.	2.7	26
6	Low-Dose Antibiotic Prophylaxis Induces Rapid Modifications of the Gut Microbiota in Infants With Vesicoureteral Reflux. <i>Frontiers in Pediatrics</i> , 2021, 9, 674716.	1.9	11
7	Comprehensive Metabolic Signature of Renal Dysplasia in Children. A Multiplatform Metabolomics Concept. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 665661.	3.5	5
8	The Role of Complement Component C3 Activation in the Clinical Presentation and Prognosis of IgA Nephropathy – A National Study in Children. <i>Journal of Clinical Medicine</i> , 2021, 10, 4405.	2.4	5
9	IgA vasculitis nephritis clinical course and kidney biopsy – national study in children. <i>Pediatric Rheumatology</i> , 2021, 19, 150.	2.1	6
10	The European Society for Paediatric Nephrology study of pediatric renal care in Europe: comparative analysis 1998–2017. <i>Pediatric Nephrology</i> , 2020, 35, 103-111.	1.7	10
11	Rapid response in the COVID-19 pandemic: a Delphi study from the European Pediatric Dialysis Working Group. <i>Pediatric Nephrology</i> , 2020, 35, 1669-1678.	1.7	17
12	Indoxyl sulfate associates with cardiovascular phenotype in children with chronic kidney disease. <i>Pediatric Nephrology</i> , 2019, 34, 2571-2582.	1.7	27
13	Determinants of Statural Growth in European Children With Chronic Kidney Disease: Findings From the Cardiovascular Comorbidity in Children With Chronic Kidney Disease (4C) Study. <i>Frontiers in Pediatrics</i> , 2019, 7, 278.	1.9	19
14	Clinical practice recommendations for growth hormone treatment in children with chronic kidney disease. <i>Nature Reviews Nephrology</i> , 2019, 15, 577-589.	9.6	103
15	Vascular access in children requiring maintenance haemodialysis: a consensus document by the European Society for Paediatric Nephrology Dialysis Working Group. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1746-1765.	0.7	39
16	Low levels of urinary epidermal growth factor – predict chronic kidney disease progression – in children. <i>Kidney International</i> , 2019, 96, 214-221.	5.2	43
17	Twenty years of growth hormone treatment in dialyzed children in Poland – Results of national multicenter study. <i>Advances in Medical Sciences</i> , 2019, 64, 90-99.	2.1	0
18	Multicenter analysis of the efficacy and safety of a non-standard immunosuppressive therapy with rituximab in children with steroid-resistant nephrotic syndrome. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2019, 46, 313-321.	1.9	11

#	ARTICLE	IF	CITATIONS
19	Effects of nutritional vitamin D supplementation on markers of bone and mineral metabolism in children with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 2208-2217.	0.7	23
20	Estimating Time to ESRD in Children With CKD. <i>American Journal of Kidney Diseases</i> , 2018, 71, 783-792.	1.9	67
21	A randomized clinical trial indicates that levamisole increases the time to relapse in children with steroid-sensitive idiopathic nephrotic syndrome. <i>Kidney International</i> , 2018, 93, 510-518.	5.2	59
22	Vaccination Practices in Pediatric Dialysis Patients Across Europe. A European Pediatric Dialysis Working Group and European Society for Pediatric Nephrology Dialysis Working Group Study. <i>Nephron</i> , 2018, 138, 280-286.	1.8	9
23	Early Proteinuria Lowering by Angiotensin-Converting Enzyme Inhibition Predicts Renal Survival in Children with CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 2225-2233.	6.1	69
24	Exploring the Clinical and Genetic Spectrum of Steroid Resistant Nephrotic Syndrome: The PodoNet Registry. <i>Frontiers in Pediatrics</i> , 2018, 6, 200.	1.9	77
25	Pioneer women in Pediatric Nephrology in Poland. <i>Giornale Italiano Di Nefrologia: Organo Ufficiale Della Societa&#x0300; Italiana Di Nefrologia</i> , 2018, 35, 117-119.	0.3	0
26	Clinical practice recommendations for treatment with active vitamin D analogues in children with chronic kidney disease Stages 2–5 and on dialysis. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 1114-1127.	0.7	51
27	Long-Term Outcome of Steroid-Resistant Nephrotic Syndrome in Children. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 3055-3065.	6.1	142
28	Clinical practice recommendations for native vitamin D therapy in children with chronic kidney disease Stages 2–5 and on dialysis. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 1098-1113.	0.7	84
29	Variability of diagnostic criteria and treatment of idiopathic nephrotic syndrome across European countries. <i>European Journal of Pediatrics</i> , 2017, 176, 647-654.	2.7	18
30	Infants Requiring Maintenance Dialysis: Outcomes of Hemodialysis and Peritoneal Dialysis. <i>American Journal of Kidney Diseases</i> , 2017, 69, 617-625.	1.9	53
31	Association of Serum Soluble Urokinase Receptor Levels With Progression of Kidney Disease in Children. <i>JAMA Pediatrics</i> , 2017, 171, e172914.	6.2	46
32	Evaluation of bladder capacity in children with lower urinary tract symptoms: Comparison of 48-hour frequency/volume charts and uroflowmetry measurements. <i>Journal of Pediatric Urology</i> , 2016, 12, 214.e1-214.e5.	1.1	15
33	Kidney Versus Combined Kidney and Liver Transplantation in Young People With Autosomal Recessive Polycystic Kidney Disease: Data From the European Society for Pediatric Nephrology/European Renal Association–European Dialysis and Transplant (ESPN/ERA–EDTA) Registry. <i>American Journal of Kidney Diseases</i> , 2016, 68, 782-788.	1.9	25
34	Gender Disparities in Access to Pediatric Renal Transplantation in Europe: Data From the ESPN/ERA–EDTA Registry. <i>American Journal of Transplantation</i> , 2016, 16, 2097-2105.	4.7	62
35	Hemodialysis in children with ventriculoperitoneal shunts: prevalence, management and outcomes. <i>Pediatric Nephrology</i> , 2016, 31, 137-143.	1.7	1
36	Normal 25-Hydroxyvitamin D Levels Are Associated with Less Proteinuria and Attenuate Renal Failure Progression in Children with CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 314-322.	6.1	59

#	ARTICLE	IF	CITATIONS
37	ADCK4-Associated Glomerulopathy Causes Adolescence-Onset FSGS. Journal of the American Society of Nephrology: JASN, 2016, 27, 63-68.	6.1	79
38	SP890VENTRICULO-PERITONEAL SHUNTS IN CHILDREN ON HEMODIALYSIS: A SURVEY OF THE EUROPEAN PAEDIATRIC DIALYSIS WORKING GROUP (EPDWG). Nephrology Dialysis Transplantation, 2015, 30, iii670-iii671.	0.7	0
39	FP282NORMAL 25-HYDROXYVITAMIN D LEVELS ARE ASSOCIATED WITH LESS PROTEINURIA AND ATTENUATE RENAL FAILURE PROGRESSION IN CHILDREN WITH CHRONIC KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2015, 30, iii161-iii162.	0.7	0
40	Urinary Tract Effects of HPSE2 Mutations. Journal of the American Society of Nephrology: JASN, 2015, 26, 797-804.	6.1	31
41	Pleuro-peritoneal or pericardio-peritoneal leak in children on chronic peritoneal dialysisâ€”A survey from the European Paediatric Dialysis Working Group. Pediatric Nephrology, 2015, 30, 2021-2027.	1.7	21
42	Do children with end-stage renal disease live shorter? Analysis of mortality on the basis of data from the Polish Registry of Renal Replacement Therapy in Children. Advances in Medical Sciences, 2015, 60, 13-17.	2.1	5
43	Effect of hypertension and antihypertensive medications on residual renal function in children treated with chronic peritoneal dialysis. Advances in Medical Sciences, 2015, 60, 18-24.	2.1	3
44	Indications, technique, and outcome of therapeutic apheresis in European pediatric nephrology units. Pediatric Nephrology, 2015, 30, 103-111.	1.7	41
45	The management of childhood urinary incontinence. Pediatric Nephrology, 2015, 30, 41-50.	1.7	49
46	2015 guidelines for the management of hypertension. Recommendations of the Polish Society of Hypertension â€” short version. Kardiologia Polska, 2015, 73, 676-700.	0.6	24
47	2015 Guidelines for the Management of Hypertension. Part 8. Arterial Hypertension, 2015, 19, 153-173.	0.3	0
48	Genotypeâ€”phenotype associations in WT1 glomerulopathy. Kidney International, 2014, 85, 1169-1178.	5.2	113
49	Survival and clinical outcomes of children starting renal replacement therapy in the neonatal period. Kidney International, 2014, 86, 168-174.	5.2	158
50	Treatment Strategies to Prevent Renal Damage in Hypertensive Children. Current Hypertension Reports, 2014, 16, 423.	3.5	3
51	PAEDIATRIC NEPHROLOGY. Nephrology Dialysis Transplantation, 2014, 29, iii7-iii8.	0.7	2
52	Adherence to transition guidelines in European paediatric nephrology units. Pediatric Nephrology, 2014, 29, 1617-1624.	1.7	26
53	Mutational analysis in podocin-associated hereditary nephrotic syndrome in Polish patients: founder effect in the Kashubian population. Journal of Applied Genetics, 2013, 54, 327-333.	1.9	17
54	Factors influencing choice of renal replacement therapy in European Paediatric Nephrology Units. Pediatric Nephrology, 2013, 28, 2361-2368.	1.7	33

#	ARTICLE	IF	CITATIONS
55	Clinical practice recommendations for the care of infants with stage 5 chronic kidney disease (CKD5). <i>Pediatric Nephrology</i> , 2013, 28, 1739-1748.	1.7	93
56	Difficulties in diagnosing severe <i>Pneumocystis jiroveci</i> pneumonia after rituximab therapy for steroid-dependent nephrotic syndrome. <i>Pediatric Nephrology</i> , 2013, 28, 987-988.	1.7	13
57	Encapsulating peritoneal sclerosis in children on chronic PD: a survey from the European Paediatric Dialysis Working Group. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 1908-1914.	0.7	41
58	Change in Cardiac Geometry and Function in CKD Children During Strict BP Control. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 203-210.	4.5	87
59	PEDIATRIC UROLOGY High efficacy of biofeedback therapy for treatment of dysfunctional voiding in children. <i>Central European Journal of Urology</i> , 2012, 65, 212-215.	0.3	10
60	Efficacy and safety of valsartan compared to enalapril in hypertensive children. <i>Journal of Hypertension</i> , 2011, 29, 2484-2490.	0.5	49
61	Growth in Very Young Children Undergoing Chronic Peritoneal Dialysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 2303-2312.	6.1	115
62	Efficacy, safety and pharmacokinetics of candesartan cilexetil in hypertensive children from 1 to less than 6 years of age. <i>Journal of Hypertension</i> , 2010, 28, 1083-1090.	0.5	67
63	Mutations in the human laminin β 2 (LAMB2) gene and the associated phenotypic spectrums. <i>Human Mutation</i> , 2010, 31, 992-1002.	2.5	184
64	The Cardiovascular Comorbidity in Children with Chronic Kidney Disease (4C) Study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 1642-1648.	4.5	120
65	Dialytic Phosphate Removal: A Modifiable Measure of Dialysis Efficacy in Automated Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2009, 29, 465-471.	2.3	29
66	Strict Blood-Pressure Control and Progression of Renal Failure in Children. <i>New England Journal of Medicine</i> , 2009, 361, 1639-1650.	27.0	798
67	Functional analysis of BMP4 mutations identified in pediatric CAKUT patients. <i>Pediatric Nephrology</i> , 2009, 24, 2361-2368.	1.7	42
68	Dialytic phosphate removal: a modifiable measure of dialysis efficacy in automated peritoneal dialysis. <i>Peritoneal Dialysis International</i> , 2009, 29, 465-71.	2.3	16
69	Gram-Negative Peritonitis in Children Undergoing Long-term Peritoneal Dialysis. <i>American Journal of Kidney Diseases</i> , 2008, 51, 455-462.	1.9	50
70	Ophthalmological Aspects of Pierson Syndrome. <i>American Journal of Ophthalmology</i> , 2008, 146, 602-611.e1.	3.3	66
71	Efficacy and Safety of the Angiotensin Receptor Blocker Valsartan in Children With Hypertension Aged 1 to 5 Years. <i>Hypertension</i> , 2008, 52, 222-228.	2.7	82
72	SIX2 and BMP4 Mutations Associate With Anomalous Kidney Development. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 891-903.	6.1	177

#	ARTICLE	IF	CITATIONS
73	Peritonitis in Children Who Receive Long-Term Peritoneal Dialysis: A Prospective Evaluation of Therapeutic Guidelines. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 2172-2179.	6.1	84
74	Neurodevelopmental deficits in Pierson (microcoria-congenital nephrosis) syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2007, 143A, 311-319.	1.2	52
75	Pharmakologische Renoprotektion bei Kindern mit chronischer Niereninsuffizienz*. <i>Nieren- Und Hochdruckkrankheiten</i> , 2007, 36, 6-10.	0.0	0
76	Prevention and treatment of renal osteodystrophy in children on chronic renal failure: European guidelines. <i>Pediatric Nephrology</i> , 2006, 21, 151-159.	1.7	168
77	Hypertension in dialysed children: the prevalence and therapeutic approach in Polandâ€”a nationwide survey. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 736-742.	0.7	54
78	Prevalence of Mutations in Renal Developmental Genes in Children with Renal Hypodysplasia: Results of the ESCAPE Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 2864-2870.	6.1	318
79	Hemodialysis in children: general practical guidelines. <i>Pediatric Nephrology</i> , 2005, 20, 1054-1066.	1.7	136
80	Growth in children with chronic renal failure on intermittent versus daily calcitriol. <i>Pediatric Nephrology</i> , 2003, 18, 440-444.	1.7	69
81	The management of anemia in pediatric peritoneal dialysis patients. <i>Pediatric Nephrology</i> , 2003, 18, 805-809.	1.7	53
82	The Choice of Dialysis Solutions in Pediatric Chronic Peritoneal Dialysis: Guidelines by An AD HOC European Committee. <i>Peritoneal Dialysis International</i> , 2001, 21, 568-574.	2.3	23
83	No difference in intestinal strontium absorption after oral or IV calcitriol in children with secondary hyperparathyroidism. <i>Kidney International</i> , 2000, 58, 981-988.	5.2	23
84	HLAâ€”DRB and â€”DQB1 alleles in Polish patients with hepatitis B associated membranous nephropathy. <i>Tissue Antigens</i> , 1998, 52, 130-134.	1.0	12
85	Hemolytic-uremic syndrome. <i>Current Problems in Pediatrics</i> , 1993, 23, 16-33.	1.1	50
86	Hepatitis B Virus-Associated Glomerulonephritis: Electron Microscopic Studies in 98 Children. <i>American Journal of Kidney Diseases</i> , 1991, 18, 306-312.	1.9	14
87	FAMILIAL GLOMERULONEPHRITIS. <i>Lancet, The</i> , 1950, 255, 881.	13.7	0