

# Eun-Kyung Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4008587/publications.pdf>

Version: 2024-02-01

496  
papers

17,041  
citations

28736

57  
h-index

31191

106  
g-index

503  
all docs

503  
docs citations

503  
times ranked

10621  
citing authors

#	ARTICLE	IF	CITATIONS
1	Deep Learning for the Detection of Breast Cancers on Chest Computed Tomography. <i>Clinical Breast Cancer</i> , 2022, 22, 26-31.	1.1	13
2	Sonographic predictors of aggressive behavior in medullary thyroid carcinomas. <i>Asian Journal of Surgery</i> , 2022, 45, 291-298.	0.2	3
3	Radiomic machine learning for predicting prognostic biomarkers and molecular subtypes of breast cancer using tumor heterogeneity and angiogenesis properties on MRI. <i>European Radiology</i> , 2022, 32, 650-660.	2.3	56
4	Mammographic Surveillance After Breast-Conserving Therapy: Impact of Digital Breast Tomosynthesis and Artificial Intelligence-Based Computer-Aided Detection. <i>American Journal of Roentgenology</i> , 2022, 218, 42-51.	1.0	6
5	Retrospective analysis of the effects of non-communicable diseases on periodontitis treatment outcomes. <i>Journal of Periodontal and Implant Science</i> , 2022, 52, 183.	0.9	1
6	Research Highlight: Artificial Intelligence for Ruling Out Negative Examinations in Screening Breast MRI. <i>Korean Journal of Radiology</i> , 2022, 23, 153.	1.5	2
7	Mammographic Density Assessment by Artificial Intelligence-Based Computer-Assisted Diagnosis: A Comparison with Automated Volumetric Assessment. <i>Journal of Digital Imaging</i> , 2022, 35, 173.	1.6	3
8	US, Mammography, and Histopathologic Evaluation to Identify Low Nuclear Grade Ductal Carcinoma in Situ. <i>Radiology</i> , 2022, 303, 276-284.	3.6	2
9	Depiction of breast cancers on digital mammograms by artificial intelligence-based computer-assisted diagnosis according to cancer characteristics. <i>European Radiology</i> , 2022, 32, 7400-7408.	2.3	10
10	Multi-omics analysis revealed TEK and AXIN2 are potential biomarkers in multifocal papillary thyroid cancer. <i>Cancer Cell International</i> , 2022, 22, 185.	1.8	2
11	AI-CAD for differentiating lesions presenting as calcifications only on mammography: outcome analysis incorporating the ACR BI-RADS descriptors for calcifications. <i>European Radiology</i> , 2022, 32, 6565-6574.	2.3	1
12	Successful Implementation of an Artificial Intelligence-Based Computer-Aided Detection System for Chest Radiography in Daily Clinical Practice. <i>Korean Journal of Radiology</i> , 2022, 23, 847.	1.5	16
13	Calcifications with suspicious morphology at mammography: should they all be considered with the same clinical significance?. <i>European Radiology</i> , 2021, 31, 2529-2538.	2.3	4
14	Deep Learning-Based Artificial Intelligence for Mammography. <i>Korean Journal of Radiology</i> , 2021, 22, 1225.	1.5	37
15	Survival Rates of Breast Cancer Patients Aged 40 to 49 Years according to Detection Modality in Korea: Screening Ultrasound versus Mammography. <i>Korean Journal of Radiology</i> , 2021, 22, 159.	1.5	6
16	Predictive performance of ultrasonography-based radiomics for axillary lymph node metastasis in the preoperative evaluation of breast cancer. <i>Ultrasonography</i> , 2021, 40, 93-102.	1.0	14
17	Application of artificial intelligence-based computer-assisted diagnosis on synthetic mammograms from breast tomosynthesis: comparison with digital mammograms. <i>European Radiology</i> , 2021, 31, 6929-6937.	2.3	9
18	Added Value of MRI for Invasive Breast Cancer including the Entire Axilla for Evaluation of High-Level or Advanced Axillary Lymph Node Metastasis in the Post-ACOSOG Z0011 Trial Era. <i>Radiology</i> , 2021, 300, 46-54.	3.6	12

#	ARTICLE	IF	CITATIONS
19	Effectiveness of virtual reality immersion on procedure-related pain and anxiety in outpatient pain clinic: an exploratory randomized controlled trial. <i>Korean Journal of Pain</i> , 2021, 34, 304-314.	0.8	12
20	Chronological Trends of Breast Ductal Carcinoma In Situ: Clinical, Radiologic, and Pathologic Perspectives. <i>Annals of Surgical Oncology</i> , 2021, 28, 8699-8709.	0.7	2
21	ASO Visual Abstract: Chronological Trends of Breast Ductal Carcinoma In Situ Clinical, Radiological, and Pathological Perspectives. <i>Annals of Surgical Oncology</i> , 2021, 28, 592-593.	0.7	0
22	Fabrication and evaluation of bilateral Helmholtz radiofrequency coil for thermo-stable breast image with reduced artifacts. <i>Journal of Applied Clinical Medical Physics</i> , 2021, 23, e13483.	0.8	3
23	Guideline Implementation on Fine-Needle Aspiration for Thyroid Nodules: Focusing on Micronodules. <i>Endocrine Practice</i> , 2020, 26, 1017-1025.	1.1	1
24	Cytopathologic criteria and size should be considered in comparison of fine-needle aspiration vs. core-needle biopsy for thyroid nodules: results based on large surgical series. <i>Endocrine</i> , 2020, 70, 558-565.	1.1	8
25	Atypical Ductal Hyperplasia on Ultrasonography-Guided Vacuum-Assisted Biopsy of the Breast. <i>Ultrasound Quarterly</i> , 2020, 36, 192-198.	0.3	3
26	Strap muscle invasion in differentiated thyroid cancer does not impact disease-specific survival: a population-based study. <i>Scientific Reports</i> , 2020, 10, 18248.	1.6	5
27	Diagnosis of thyroid nodules on ultrasonography by a deep convolutional neural network. <i>Scientific Reports</i> , 2020, 10, 15245.	1.6	30
28	Prediction of breast cancer molecular subtypes using radiomics signatures of synthetic mammography from digital breast tomosynthesis. <i>Scientific Reports</i> , 2020, 10, 21566.	1.6	30
29	Comparing recall rates following implementation of digital breast tomosynthesis to synthetic 2D images and digital mammography on women with breast-conserving surgery. <i>European Radiology</i> , 2020, 30, 6072-6079.	2.3	10
30	Diagnostic performances and unnecessary US-FNA rates of various TIRADS after application of equal size thresholds. <i>Scientific Reports</i> , 2020, 10, 10632.	1.6	19
31	Changes in cancer detection and false-positive recall in mammography using artificial intelligence: a retrospective, multireader study. <i>The Lancet Digital Health</i> , 2020, 2, e138-e148.	5.9	240
32	Pattern-based vs. score-based guidelines using ultrasound features have different strengths in risk stratification of thyroid nodules. <i>European Radiology</i> , 2020, 30, 3793-3802.	2.3	23
33	MRI Radiomic Features: Association with Disease-Free Survival in Patients with Triple-Negative Breast Cancer. <i>Scientific Reports</i> , 2020, 10, 3750.	1.6	19
34	Semi-quantitative versus quantitative assessments of late gadolinium enhancement extent for predicting spontaneous ventricular tachyarrhythmia events in patients with hypertrophic cardiomyopathy. <i>Scientific Reports</i> , 2020, 10, 2920.	1.6	9
35	A Radiomics Approach for the Classification of Fibroepithelial Lesions on Breast Ultrasonography. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 1133-1141.	0.7	10
36	Radiomics in predicting mutation status for thyroid cancer: A preliminary study using radiomics features for predicting BRAFV600E mutations in papillary thyroid carcinoma. <i>PLoS ONE</i> , 2020, 15, e0228968.	1.1	23

#	ARTICLE	IF	CITATIONS
37	Radiomics signature for prediction of lateral lymph node metastasis in conventional papillary thyroid carcinoma. PLoS ONE, 2020, 15, e0227315.	1.1	37
38	BI-RADS category 3, 4, and 5 lesions identified at preoperative breast MRI in patients with breast cancer: implications for management. European Radiology, 2020, 30, 2773-2781.	2.3	14
39	Factors Predicting Breast Cancer Development in Women During Surveillance After Surgery for Atypical Ductal Hyperplasia of the Breast: Analysis of Clinical, Radiologic, and Histopathologic Features. Annals of Surgical Oncology, 2020, 27, 3614-3622.	0.7	1
40	Ultrasonography surveillance in papillary thyroid carcinoma patients after total thyroidectomy according to dynamic risk stratification. Endocrine, 2020, 69, 347-357.	1.1	2
41	Intranodular Vascularity May Be Useful in Predicting Malignancy in Thyroid Nodules with the Intermediate Suspicion Pattern of the 2015 American Thyroid Association Guidelines. Ultrasound in Medicine and Biology, 2020, 46, 1373-1379.	0.7	3
42	Preoperative Magnetic Resonance Imaging Features Associated with Positive Resection Margins in Patients with Invasive Lobular Carcinoma. Korean Journal of Radiology, 2020, 21, 946.	1.5	5
43	Annual Trends in Ultrasonography-Guided 14-Gauge Core Needle Biopsy for Breast Lesions. Korean Journal of Radiology, 2020, 21, 259.	1.5	8
44	Core-Needle Biopsy Does Not Show Superior Diagnostic Performance to Fine-Needle Aspiration for Diagnosing Thyroid Nodules. Yonsei Medical Journal, 2020, 61, 161.	0.9	8
45	Application of Point Shearwave Elastography to Breast Ultrasonography: Initial Experience Using $\alpha$ -S-Shearwave in Differential Diagnosis. Journal of the Korean Society of Radiology, 2020, 81, 157.	0.1	1
46	Correlation between MR Image-Based Radiomics Features and Risk Scores Associated with Gene Expression Profiles in Breast Cancer. Journal of the Korean Society of Radiology, 2020, 81, 632.	0.1	0
47	Diagnostic Value of CYFRA 21-1 Measurement in Fine-Needle Aspiration Washouts for Detection of Axillary Recurrence in Postoperative Breast Cancer Patients. Journal of the Korean Society of Radiology, 2020, 81, 147.	0.1	0
48	Follow-Up Intervals for Breast Imaging Reporting and Data System Category 3 Lesions on Screening Ultrasound in Screening and Tertiary Referral Centers. Korean Journal of Radiology, 2020, 21, 1027.	1.5	0
49	Role of elastography for downgrading BI-RADS category 4a breast lesions according to risk factors. Acta Radiologica, 2019, 60, 278-285.	0.5	9
50	Comparison Between Ultrasonography and Galactography in Detecting Lesions in Patients With Pathologic Nipple Discharge. Ultrasound Quarterly, 2019, 35, 93-98.	0.3	6
51	Follow-Up Strategies for Thyroid Nodules with Benign Cytology on Ultrasound-Guided Fine Needle Aspiration: Malignancy Rates of Management Guidelines Using Ultrasound Before and After the Era of the Bethesda System. Thyroid, 2019, 29, 1227-1236.	2.4	5
52	Clinical Utility of [18F]FDG-PET /CT in Pericardial Disease. Current Cardiology Reports, 2019, 21, 107.	1.3	18
53	Diffusional kurtosis imaging for differentiation of additional suspicious lesions on preoperative breast MRI of patients with known breast cancer. Magnetic Resonance Imaging, 2019, 62, 199-208.	1.0	17
54	Deep convolutional neural network for the diagnosis of thyroid nodules on ultrasound. Head and Neck, 2019, 41, 885-891.	0.9	75

#	ARTICLE	IF	CITATIONS
55	Association Between Radiomics Signature and Disease-Free Survival in Conventional Papillary Thyroid Carcinoma. <i>Scientific Reports</i> , 2019, 9, 4501.	1.6	30
56	Ultrasonography-Guided Core Needle Biopsy Did Not Reduce Diagnostic Lobectomy for Thyroid Nodules Diagnosed as Atypia of Undetermined Significance/Follicular Lesion of Undetermined Significance. <i>Ultrasound Quarterly</i> , 2019, 35, 253-258.	0.3	6
57	Diagnosis of Thyroid Nodules: Performance of a Deep Learning Convolutional Neural Network Model vs. Radiologists. <i>Scientific Reports</i> , 2019, 9, 17843.	1.6	57
58	Comparison of Clinical and Pathologic Characteristics of Ductal Carcinoma in Situ Detected on Mammography versus Ultrasound Only in Asymptomatic Patients. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 68-77.	0.7	14
59	Clinical and sonographic characteristics of Warthin-like variant papillary thyroid carcinomas. <i>Medical Ultrasonography</i> , 2019, 21, 152.	0.4	6
60	Comparison of breast tissue markers for tumor localization in breast cancer patients undergoing neoadjuvant chemotherapy. <i>Ultrasonography</i> , 2019, 38, 336-344.	1.0	11
61	Medical Audit of Screening Mammography at a Tertiary Referral Hospital Using the 5th Edition of Breast Imaging Reporting and Data System. <i>Journal of the Korean Society of Radiology</i> , 2019, 80, 513.	0.1	0
62	Does Post-Biopsy Mammography at Short-Term Interval Contribute to Early Detection of Cancer in Patients Diagnosed with Benign-Concordant Microcalcifications on Stereotactic Biopsy?. <i>Iranian Journal of Radiology</i> , 2019, 16, .	0.1	1
63	Value of ultrasound-guided fine needle aspiration in diagnosing axillary lymph node recurrence after breast cancer surgery. <i>American Journal of Surgery</i> , 2018, 216, 969-973.	0.9	3
64	Frequencies and malignancy rates of 6-tiered Bethesda categories of thyroid nodules according to ultrasound assessment and nodule size. <i>Head and Neck</i> , 2018, 40, 1947-1954.	0.9	5
65	Can Biannual Ultrasound Surveillance Detect Smaller Second Cancers or Detect Cancers Earlier in Patients with Breast Cancer History?. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 1355-1363.	0.7	2
66	Applying Data-driven Imaging Biomarker in Mammography for Breast Cancer Screening: Preliminary Study. <i>Scientific Reports</i> , 2018, 8, 2762.	1.6	65
67	High suspicion US pattern on the ATA guidelines, not cytologic diagnosis, may be a predicting marker of lymph node metastasis in patients with classical papillary thyroid carcinoma. <i>American Journal of Surgery</i> , 2018, 216, 562-566.	0.9	7
68	Validation of the 2015 American Thyroid Association Management Guidelines for Thyroid Nodules With Benign Cytologic Findings in the Era of the Bethesda System. <i>American Journal of Roentgenology</i> , 2018, 210, 629-634.	1.0	6
69	Correlation between electrical conductivity and apparent diffusion coefficient in breast cancer: effect of necrosis on magnetic resonance imaging. <i>European Radiology</i> , 2018, 28, 3204-3214.	2.3	22
70	Category 4A-microcalcifications: how should this subcategory be applied to microcalcifications seen on mammography?. <i>Acta Radiologica</i> , 2018, 59, 147-153.	0.5	8
71	Non-diagnostic thyroid nodules after application of the Bethesda system: a study evaluating the interval for repeat aspiration for non-diagnostic results. <i>Acta Radiologica</i> , 2018, 59, 305-312.	0.5	8
72	Thyroid Nodules With Nondiagnostic Cytologic Results: Follow-Up Management Using Ultrasound Patterns Based on the 2015 American Thyroid Association Guidelines. <i>American Journal of Roentgenology</i> , 2018, 210, 412-417.	1.0	10

#	ARTICLE	IF	CITATIONS
73	Necessity of Axillary Scanning After Negative Finding on Both Mammography and Subsequent Breast Ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 71-77.	0.7	3
74	Qualitative and Semiquantitative Elastography for the Diagnosis of Intermediate Suspicious Thyroid Nodules Based on the 2015 American Thyroid Association Guidelines. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 1007-1014.	0.8	14
75	Diagnostic performances and interobserver agreement according to observer experience: a comparison study using three guidelines for management of thyroid nodules. <i>Acta Radiologica</i> , 2018, 59, 917-923.	0.5	24
76	Follow-up interval for probably benign breast lesions on screening ultrasound in women at average risk for breast cancer with dense breasts. <i>Acta Radiologica</i> , 2018, 59, 1045-1050.	0.5	8
77	Intrinsic Subtypes of Breast Cancers Initially Assessed as Probably Benign or of Low Suspicion on Ultrasonography Differ According to Tumor Size. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 1503-1509.	0.8	1
78	Application of Computer-Aided Diagnosis on Breast Ultrasonography: Evaluation of Diagnostic Performances and Agreement of Radiologists According to Different Levels of Experience. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 209-216.	0.8	50
79	Preoperative High Neutrophil-Lymphocyte Ratio May Be Associated with Lateral Lymph Node Metastasis in Patients with Papillary Thyroid Cancers. <i>International Journal of Thyroidology</i> , 2018, 11, 41.	0.1	1
80	Evaluating imaging-pathology concordance and discordance after ultrasound-guided breast biopsy. <i>Ultrasonography</i> , 2018, 37, 107-120.	1.0	21
81	Ultrasonography-guided 14-gauge core biopsy of the breast: results of 7 years of experience. <i>Ultrasonography</i> , 2018, 37, 55-62.	1.0	21
82	Radiomics of US texture features in differential diagnosis between triple-negative breast cancer and fibroadenoma. <i>Scientific Reports</i> , 2018, 8, 13546.	1.6	78
83	Association among T2 signal intensity, necrosis, ADC and Ki-67 in estrogen receptor-positive and HER2-negative invasive ductal carcinoma. <i>Magnetic Resonance Imaging</i> , 2018, 54, 176-182.	1.0	18
84	Application of Various Additional Imaging Techniques for Thyroid Ultrasound: Direct Comparison of Combined Various Elastography and Doppler Parameters to Gray-Scale Ultrasound in Differential Diagnosis of Thyroid Nodules. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 1679-1686.	0.7	18
85	Feasibility of Charcoal Tattooing of Cytology-Proven Metastatic Axillary Lymph Node at Diagnosis and Sentinel Lymph Node Biopsy after Neoadjuvant Chemotherapy in Breast Cancer Patients. <i>Cancer Research and Treatment</i> , 2018, 50, 801-812.	1.3	58
86	Role of dynamic contrast-enhanced MRI in evaluating the association between contralateral parenchymal enhancement and survival outcome in ER-positive, HER2-negative, node-negative invasive breast cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1678-1689.	1.9	16
87	Breast magnetic resonance imaging for surveillance of women with a personal history of breast cancer: outcomes stratified by interval between definitive surgery and surveillance MR imaging. <i>BMC Cancer</i> , 2018, 18, 91.	1.1	16
88	Application of metabolomics in prediction of lymph node metastasis in papillary thyroid carcinoma. <i>PLoS ONE</i> , 2018, 13, e0193883.	1.1	18
89	Associations between Bethesda categories and tumor characteristics of conventional papillary thyroid carcinoma. <i>Ultrasonography</i> , 2018, 37, 323-329.	1.0	3
90	Fine-needle aspiration versus core needle biopsy for diagnosis of thyroid malignancy and neoplasm: a matched cohort study. <i>European Radiology</i> , 2017, 27, 801-811.	2.3	26

#	ARTICLE	IF	CITATIONS
91	Comparison of the clinical characteristics and the results of treatment of leiomyoma in the ciliochoroid and choroid. <i>Acta Ophthalmologica</i> , 2017, 95, 217-219.	0.6	3
92	Non-mass breast lesions on ultrasound: final outcomes and predictors of malignancy. <i>Acta Radiologica</i> , 2017, 58, 1054-1060.	0.5	36
93	1.5–2 cm tumor size was not associated with distant metastasis and mortality in small thyroid cancer: A population-based study. <i>Scientific Reports</i> , 2017, 7, 46298.	1.6	9
94	Additional Magnetic Resonance Imaging Detected Suspicious Lesions in Known Patients With Breast Cancer. <i>Ultrasound Quarterly</i> , 2017, 33, 167-173.	0.3	3
95	Ultrasound-guided fine needle aspiration versus core needle biopsy: comparison of post-biopsy hematoma rates and risk factors. <i>Endocrine</i> , 2017, 57, 108-114.	1.1	13
96	Semi-Quantitative Strain Ratio Determined Using Different Measurement Methods: Comparison of Strain Ratio Values and Diagnostic Performance Using One- versus Two-Region-of-Interest Measurement. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 911-917.	0.7	3
97	Breast Cancer Detected at Screening US: Survival Rates and Clinical-Pathologic and Imaging Factors Associated with Recurrence. <i>Radiology</i> , 2017, 284, 354-364.	3.6	28
98	Perfusion Parameters on Breast Dynamic Contrast-Enhanced MRI Are Associated With Disease-Specific Survival in Patients With Triple-Negative Breast Cancer. <i>American Journal of Roentgenology</i> , 2017, 208, 687-694.	1.0	12
99	Clinical Parameter for Deciding the BRAFV600E Mutation Test in Atypia of Undetermined Significance/Follicular Lesion of Undetermined Significance Thyroid Nodules. <i>Ultrasound Quarterly</i> , 2017, 33, 284-288.	0.3	10
100	Risk Stratification of Thyroid Nodules With Atypia of Undetermined Significance/Follicular Lesion of Undetermined Significance (AUS/FLUS) Cytology Using Ultrasonography Patterns Defined by the 2015 ATA Guidelines. <i>Annals of Otolaryngology and Laryngology</i> , 2017, 126, 625-633.	0.6	30
101	Factors predictive of occult nipple areolar complex involvement in patients with carcinoma in situ of the breast. <i>Journal of Surgical Oncology</i> , 2017, 116, 1046-1055.	0.8	9
102	Clinical Significance of Histogram Parameters on Elastography in Patients With Papillary Thyroid Microcarcinomas. <i>Ultrasound Quarterly</i> , 2017, 33, 219-224.	0.3	3
103	Validation of the modified 4-tiered categorization system through comparison with the 5-tiered categorization system of the 2015 American Thyroid Association guidelines for classifying small thyroid nodules on ultrasound. <i>Head and Neck</i> , 2017, 39, 2208-2215.	0.9	5
104	Breast Cancer Screening With Mammography Plus Ultrasonography or Magnetic Resonance Imaging in Women 50 Years or Younger at Diagnosis and Treated With Breast Conservation Therapy. <i>JAMA Oncology</i> , 2017, 3, 1495.	3.4	112
105	Diagnosis and Management of Small Thyroid Nodules: A Comparative Study with Six Guidelines for Thyroid Nodules. <i>Radiology</i> , 2017, 283, 560-569.	3.6	62
106	Predicting lymph node metastasis in patients with papillary thyroid carcinoma by vascular index on power Doppler ultrasound. <i>Head and Neck</i> , 2017, 39, 334-340.	0.9	11
107	Clinical application of S-Detect to breast masses on ultrasonography: a study evaluating the diagnostic performance and agreement with a dedicated breast radiologist. <i>Ultrasonography</i> , 2017, 36, 3-9.	1.0	74
108	Large (>3cm) thyroid nodules with benign cytology: Can Thyroid Imaging Reporting and Data System (TIRADS) help predict false-negative cytology?. <i>PLoS ONE</i> , 2017, 12, e0186242.	1.1	19

#	ARTICLE	IF	CITATIONS
109	Ultrasound texture analysis: Association with lymph node metastasis of papillary thyroid microcarcinoma. PLoS ONE, 2017, 12, e0176103.	1.1	19
110	Ultrasonographic Evaluation of Diffuse Thyroid Disease: a Study Comparing Grayscale US and Texture Analysis of Real-Time Elastography (RTE) and Grayscale US. International Journal of Thyroidology, 2017, 10, 14.	0.1	0
111	Anti-inflammatory and anti-apoptotic effects of rosuvastatin by regulation of oxidative stress in a dextran sulfate sodium-induced colitis model. World Journal of Gastroenterology, 2017, 23, 4559.	1.4	35
112	Magnetic resonance imaging and pathological characteristics of pure mucinous carcinoma in the breast according to echogenicity on ultrasonography. Ultrasonography, 2017, 36, 131-138.	1.0	4
113	Which supplementary imaging modality should be used for breast ultrasonography? Comparison of the diagnostic performance of elastography and computer-aided diagnosis. Ultrasonography, 2017, 36, 153-159.	1.0	11
114	Metastatic renal cell carcinoma in the thyroid gland: ultrasonographic features and the diagnostic role of core needle biopsy. Ultrasonography, 2017, 36, 252-259.	1.0	24
115	Ultrasonographic evaluation of women with pathologic nipple discharge. Ultrasonography, 2017, 36, 310-320.	1.0	22
116	Magnetic resonance metabolic profiling of estrogen receptor-positive breast cancer: correlation with currently used molecular markers. Oncotarget, 2017, 8, 63405-63416.	0.8	8
117	Benefits and Harms of Breast Screening: Focused on Updated Korean Guideline for Breast Cancer Screening. Journal of the Korean Society of Radiology, 2016, 74, 147.	0.1	3
118	Metastatic Osteosarcoma to the Breast Presenting as a Densely Calcified Mass on Mammography. Journal of Breast Cancer, 2016, 19, 87.	0.8	3
119	Risk of Thyroid Cancer in Euthyroid Asymptomatic Patients with Thyroid Nodules with an Emphasis on Family History of Thyroid Cancer. Korean Journal of Radiology, 2016, 17, 255.	1.5	8
120	Hyalinizing trabecular tumor of the thyroid: diagnosis of a rare tumor using ultrasonography, cytology, and intraoperative frozen sections. Ultrasonography, 2016, 35, 131-139.	1.0	19
121	Reliability of Breast Ultrasound BI-RADS Final Assessment in Mammographically Negative Patients with Nipple Discharge and Radiologic Predictors of Malignancy. Journal of Breast Cancer, 2016, 19, 308.	0.8	16
122	Ultrasonography Diagnosis and Imaging-Based Management of Thyroid Nodules: Revised Korean Society of Thyroid Radiology Consensus Statement and Recommendations. Korean Journal of Radiology, 2016, 17, 370.	1.5	708
123	RE: Papillary Thyroid Carcinoma Treated with Radiofrequency Ablation in a Patient with Hypertrophic Cardiomyopathy: A Case Report. Korean Journal of Radiology, 2016, 17, 965.	1.5	4
124	Short-term Follow-up US Leads to Higher False-positive Results Without Detection of Structural Recurrences in PTMC. Medicine (United States), 2016, 95, e2435.	0.4	14
125	Risks of Being Malignant or High Risk and Their Characteristics in Breast Lesions 20 mm or Larger After Benign Results on Ultrasonography-Guided 14-Gauge Core Needle Biopsy. Ultrasound Quarterly, 2016, 32, 157-163.	0.3	2
126	Intratumoral Agreement of High-Resolution Magic Angle Spinning Magnetic Resonance Spectroscopic Profiles in the Metabolic Characterization of Breast Cancer. Medicine (United States), 2016, 95, e3398.	0.4	17



#	ARTICLE	IF	CITATIONS
127	Application of Thyroid Imaging Reporting and Data System in the Ultrasound Assessment of Thyroid Nodules According to Physician Experience. <i>Ultrasound Quarterly</i> , 2016, 32, 126-131.	0.3	10
128	Diagnostic Yield of Fine-Needle Aspiration for Axillary Lymph Nodes During Screening Breast Ultrasound. <i>Ultrasound Quarterly</i> , 2016, 32, 144-150.	0.3	3
129	Critical incidents, including cardiac arrest, associated with pediatric anesthesia at a tertiary teaching children's hospital. <i>Paediatric Anaesthesia</i> , 2016, 26, 409-417.	0.6	42
130	Semi-Quantitative Strain Ratio in the Differential Diagnosis of Breast Masses: Measurements Using One Region-of-Interest. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 1800-1806.	0.7	8
131	Asymptomatic Benign Papilloma Without Atypia Diagnosed at Ultrasonography-Guided 14-Gauge Core Needle Biopsy: Which Subgroup can be Managed by Observation?. <i>Annals of Surgical Oncology</i> , 2016, 23, 1860-1866.	0.7	25
132	Quantitative Evaluation for Differentiating Malignant and Benign Thyroid Nodules Using Histogram Analysis of Grayscale Sonograms. <i>Journal of Ultrasound in Medicine</i> , 2016, 35, 775-782.	0.8	30
133	Is Pre-Operative Axillary Staging with Ultrasound and Ultrasound-Guided Fine-Needle Aspiration Reliable in Invasive Lobular Carcinoma of the Breast?. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 1263-1272.	0.7	13
134	Comparison of Ultrasound, Pathologic and Prognostic Characteristics of the Follicular Variant of Papillary Thyroid Cancer According to Fine-Needle Aspiration Cytology. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 2864-2872.	0.7	2
135	Effect of Background Parenchymal Enhancement on Pre-Operative Breast Magnetic Resonance Imaging: How It Affects Interpretation and the Role of Second-Look Ultrasound in Patient Management. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 2766-2774.	0.7	10
136	Mammographically Occult Asymptomatic Radial Scars/Complex Sclerosing Lesions at Ultrasonography-Guided Core Needle Biopsy: Follow-Up Can Be Recommended. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 2367-2371.	0.7	11
137	The thyroid imaging reporting and data system on US, but not the BRAFV600E mutation in fine-needle aspirates, is associated with lateral lymph node metastasis in PTC. <i>Medicine (United States)</i> , 2016, 95, e4292.	0.4	16
138	Application of the downgrade criteria to supplemental screening ultrasound for women with negative mammography but dense breasts. <i>Medicine (United States)</i> , 2016, 95, e5279.	0.4	13
139	Recurrence Rates of Benign Phyllodes Tumors After Surgical Excision and Ultrasonography-Guided Vacuum-Assisted Excision. <i>Ultrasound Quarterly</i> , 2016, 32, 151-156.	0.3	4
140	US-localized diffuse optical tomography in breast cancer: comparison with pharmacokinetic parameters of DCE-MRI and with pathologic biomarkers. <i>BMC Cancer</i> , 2016, 16, 50.	1.1	9
141	Correlation between conductivity and prognostic factors in invasive breast cancer using magnetic resonance electric properties tomography (MREPT). <i>European Radiology</i> , 2016, 26, 2317-2326.	2.3	47
142	Histogram and gray level co-occurrence matrix on gray-scale ultrasound images for diagnosing lymphocytic thyroiditis. <i>Computers in Biology and Medicine</i> , 2016, 75, 257-266.	3.9	16
143	Subcategorization of atypia of undetermined significance/follicular lesion of undetermined significance (<sc>AUS</sc>/<sc>FLUS</sc>): a study applying Thyroid Imaging Reporting and Data System (<sc>TIRADS</sc>). <i>Clinical Endocrinology</i> , 2016, 85, 275-282.	1.2	51
144	Combined use of conventional smear and liquid-based preparation versus conventional smear for thyroid fine-needle aspiration. <i>Endocrine</i> , 2016, 53, 157-165.	1.1	19

#	ARTICLE	IF	CITATIONS
145	Short-term follow-up in 6 months is unnecessary for asymptomatic breast lesions with benign concordant results obtained at ultrasonography-guided 14-gauge core needle biopsy. <i>American Journal of Surgery</i> , 2016, 211, 152-158.	0.9	7
146	Breast ultrasonography for detection of metachronous ipsilateral breast tumor recurrence. <i>Acta Radiologica</i> , 2016, 57, 1171-1177.	0.5	6
147	Follow-up ultrasound may be enough for thyroid nodules from 5 mm to 1 cm in size. <i>Endocrine</i> , 2016, 52, 130-138.	1.1	4
148	Association between Bethesda Categories and Ultrasound Features of Conventional Papillary Thyroid Carcinoma. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 1066-1074.	0.7	0
149	Preoperative axillary lymph node evaluation in breast cancer patients by breast magnetic resonance imaging (MRI): Can breast MRI exclude advanced nodal disease?. <i>European Radiology</i> , 2016, 26, 3865-3873.	2.3	55
150	Evaluation of Underlying Lymphocytic Thyroiditis With Histogram Analysis Using Grayscale Ultrasound Images. <i>Journal of Ultrasound in Medicine</i> , 2016, 35, 519-526.	0.8	14
151	Value of additional von Kossa staining in thyroid nodules with echogenic spots on ultrasound. <i>Pathology Research and Practice</i> , 2016, 212, 415-420.	1.0	2
152	The 5-tiered categorization system for reporting cytology is sufficient for management of patients with thyroid nodules compared to the 6-tiered Bethesda system. <i>Endocrine</i> , 2016, 53, 489-496.	1.1	7
153	Repeat Ultrasound-Guided Fine-Needle Aspiration for Thyroid Nodules 10 mm or Larger Can Be Performed 10.7 Months After Initial Nondiagnostic Results. <i>American Journal of Roentgenology</i> , 2016, 206, 823-828.	1.0	1
154	Repeat fine-needle aspiration can be performed at 6 months or more after initial atypia of undetermined significance or follicular lesion of undetermined significance results for thyroid nodules 10 mm or larger. <i>European Radiology</i> , 2016, 26, 4442-4448.	2.3	9
155	Thyroid Imaging Reporting and Data System and Ultrasound Elastography: Diagnostic Accuracy as a Tool in Recommending Repeat Fine-Needle Aspiration for Solid Thyroid Nodules with Non-Diagnostic Fine-Needle Aspiration Cytology. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 399-406.	0.7	16
156	Breast parenchymal signal enhancement ratio at preoperative magnetic resonance imaging: association with early recurrence in triple-negative breast cancer patients. <i>Acta Radiologica</i> , 2016, 57, 802-808.	0.5	15
157	Variability in Interpretation of Ultrasound Elastography and Gray-Scale Ultrasound in Assessing Thyroid Nodules. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 51-59.	0.7	13
158	Malignancy Risk Stratification of Thyroid Nodules: Comparison between the Thyroid Imaging Reporting and Data System and the 2014 American Thyroid Association Management Guidelines. <i>Radiology</i> , 2016, 278, 917-924.	3.6	190
159	Non-mass lesions on screening breast ultrasound. <i>Medical Ultrasonography</i> , 2016, 18, 446.	0.4	21
160	Magnetic Resonance Imaging after Completion of Neoadjuvant Chemotherapy Can Accurately Discriminate between No Residual Carcinoma and Residual Ductal Carcinoma In Situ in Patients with Triple-Negative Breast Cancer. <i>PLoS ONE</i> , 2016, 11, e0149347.	1.1	16
161	Metabolomics of Breast Cancer Using High-Resolution Magic Angle Spinning Magnetic Resonance Spectroscopy: Correlations with 18F-FDG Positron Emission Tomography-Computed Tomography, Dynamic Contrast-Enhanced and Diffusion-Weighted Imaging MRI. <i>PLoS ONE</i> , 2016, 11, e0159949.	1.1	21
162	The follicular variant of papillary thyroid carcinoma: characteristics of preoperative ultrasonography and cytology. <i>Ultrasonography</i> , 2016, 35, 47-54.	1.0	30

#	ARTICLE	IF	CITATIONS
163	Diabetic mastopathy: imaging features and the role of image-guided biopsy in its diagnosis. <i>Ultrasonography</i> , 2016, 35, 140-147.	1.0	19
164	Prognostic Impact of Ultrasonography Features and $^{18}$ F-Fluorodeoxyglucose Uptake in Patients With Papillary Thyroid Microcarcinoma. <i>Clinical and Experimental Otorhinolaryngology</i> , 2016, 9, 62-69.	1.1	3
165	Ductal Carcinoma In Situ within a Fibroadenoma: Microcalcifications Identified on Mammography Play a Crucial Role in Diagnosis. <i>Journal of the Korean Society of Radiology</i> , 2016, 74, 361.	0.1	1
166	Photoacoustic imaging of breast microcalcifications: A validation study with 3-dimensional <i>ex vivo</i> data and spectrophotometric measurement. <i>Journal of Biophotonics</i> , 2015, 8, 71-80.	1.1	42
167	Fine-Needle Aspirate CYFRA 21-1, an Innovative New Marker for Diagnosis of Axillary Lymph Node Metastasis in Breast Cancer Patients. <i>Medicine (United States)</i> , 2015, 94, e811.	0.4	7
168	Evaluation of serum thyroid-stimulating hormone as indicator for fine-needle aspiration in patients with thyroid nodules. <i>Head and Neck</i> , 2015, 37, 498-504.	0.9	11
169	Breast Cancer Arising Adjacent to an Involuting Fibroadenoma: Serial Changes in Radiologic Features. <i>Journal of Breast Cancer</i> , 2015, 18, 291.	0.8	3
170	Value of Additional von Kossa Staining in Thyroid Nodules with "Suspicious for Malignancy" on Cytology. <i>Journal of Korean Thyroid Association</i> , 2015, 8, 81.	0.2	1
171	Breast Microcalcifications: Diagnostic Outcomes According to Image-Guided Biopsy Method. <i>Korean Journal of Radiology</i> , 2015, 16, 996.	1.5	31
172	Imaging Surveillance of Patients with Breast Cancer after Primary Treatment: Current Recommendations. <i>Korean Journal of Radiology</i> , 2015, 16, 219.	1.5	30
173	Significance of Incidentally Detected Subcentimeter Enhancing Lesions on Preoperative Breast MRI: Role of Second-Look Ultrasound in Lesion Detection and Management. <i>American Journal of Roentgenology</i> , 2015, 204, W357-W362.	1.0	11
174	Association of Preoperative US Features and Recurrence in Patients with Classic Papillary Thyroid Carcinoma. <i>Radiology</i> , 2015, 277, 574-583.	3.6	47
175	Real-Time PCR Cycle Threshold Values for the BRAFV600E Mutation in Papillary Thyroid Microcarcinoma May Be Associated With Central Lymph Node Metastasis. <i>Medicine (United States)</i> , 2015, 94, e1149.	0.4	9
176	RAS Mutations in AUS/FLUS Cytology. <i>Medicine (United States)</i> , 2015, 94, e1084.	0.4	13
177	Malignancy Risk Stratification in Thyroid Nodules with Nondiagnostic Results at Cytologic Examination: Combination of Thyroid Imaging Reporting and Data System and the Bethesda System. <i>Radiology</i> , 2015, 274, 287-295.	3.6	59
178	Phyllodes Tumor Diagnosed after Ultrasound-Guided Vacuum-Assisted Excision: Should It Be Followed by Surgical Excision?. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 741-747.	0.7	17
179	What to do with thyroid nodules showing benign cytology and BRAFV600E mutation? A study based on clinical and radiologic features using a highly sensitive analytic method. <i>Surgery</i> , 2015, 157, 354-361.	1.0	20
180	Evaluation with 3.0-T MR imaging: predicting the pathological response of triple-negative breast cancer treated with anthracycline and taxane neoadjuvant chemotherapy. <i>Acta Radiologica</i> , 2015, 56, 1069-1077.	0.5	12

#	ARTICLE	IF	CITATIONS
181	BRAF mutation in fine-needle aspiration specimens as a potential predictor for persistence/recurrence in patients with classical papillary thyroid carcinoma larger than 10 mm at a BRAF mutation prevalent area. <i>Head and Neck</i> , 2015, 37, 1432-1438.	0.9	9
182	Evaluation of Malignancy Risk Stratification of Microcalcifications Detected on Mammography: A Study Based on the 5th Edition of BI-RADS. <i>Annals of Surgical Oncology</i> , 2015, 22, 2895-2901.	0.7	47
183	Mammographic and Sonographic Features of Triple-Negative Invasive Carcinoma of No Special Type. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 375-383.	0.7	10
184	Thyroid nodules $\geq 5$ mm on ultrasonography: are they "leave me alone" lesions?. <i>Endocrine</i> , 2015, 49, 735-744.	1.1	8
185	Malignancy risk and characteristics of thyroid nodules with two consecutive results of atypia of undetermined significance or follicular lesion of undetermined significance on cytology. <i>European Radiology</i> , 2015, 25, 2601-2607.	2.3	37
186	Adding Ultrasound to the Evaluation of Patients with Pathologic Nipple Discharge to Diagnose Additional Breast Cancers: Preliminary Data. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 2099-2107.	0.7	9
187	Cytomorphologic features in thyroid nodules read as "suspicious for malignancy" on cytology may predict thyroid cancers with the BRAF mutation. <i>Pathology Research and Practice</i> , 2015, 211, 671-676.	1.0	8
188	Adding MRI to ultrasound and ultrasound-guided fine-needle aspiration reduces the false-negative rate of axillary lymph node metastasis diagnosis in breast cancer patients. <i>Clinical Radiology</i> , 2015, 70, 716-722.	0.5	31
189	Thyroid incidentalomas detected on $^{18}$ F-fluorodeoxyglucose-positron emission tomography/computed tomography: Thyroid Imaging Reporting and Data System (TIRADS) in the diagnosis and management of patients. <i>Surgery</i> , 2015, 158, 1314-1322.	1.0	23
190	Assessment of Perioperative Cardiac Risk of Patients Undergoing Noncardiac Surgery Using Coronary Computed Tomographic Angiography. <i>Circulation: Cardiovascular Imaging</i> , 2015, 8, .	1.3	33
191	Mid-term clinical outcomes and morphological changes after endovascular aneurysm repair of inflammatory abdominal aortic aneurysms: a single-center experience. <i>Acta Radiologica</i> , 2015, 56, 304-311.	0.5	7
192	Clinical Implication of Highly Sensitive Detection of the BRAFV600E Mutation in Fine-Needle Aspirations According to the Thyroid Bethesda System in Patients With Conventional Papillary Thyroid Carcinoma. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2015, 124, 392-399.	0.6	12
193	Thyroid Nodules: Nondiagnostic Cytologic Results according to Thyroid Imaging Reporting and Data System before and after Application of the Bethesda System. <i>Radiology</i> , 2015, 276, 579-587.	3.6	31
194	Comparison of Cancer Yields and Diagnostic Performance of Screening Mammography vs. Supplemental Screening Ultrasound in 4394 Women with Average Risk for Breast Cancer. <i>Ultraschall in Der Medizin</i> , 2015, 36, 255-263.	0.8	34
195	Quantitative Evaluation of Vascularity Using 2-D Power Doppler Ultrasonography May Not Identify Malignancy of the Thyroid. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 2873-2883.	0.7	6
196	Application of Texture Analysis in the Differential Diagnosis of Benign and Malignant Thyroid Nodules: Comparison With Gray-Scale Ultrasound and Elastography. <i>American Journal of Roentgenology</i> , 2015, 205, W343-W351.	1.0	31
197	Applying Ultrasound-Guided Core Needle Biopsy for Diagnosis of Thyroid Masses. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 1801-1808.	0.8	10
198	The influence of body mass index on the diagnostic performance of preoperative staging ultrasound in papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2015, 83, 550-555.	1.2	14

#	ARTICLE	IF	CITATIONS
199	Higher body mass index may be a predictor of extrathyroidal extension in patients with papillary thyroid microcarcinoma. <i>Endocrine</i> , 2015, 48, 264-271.	1.1	38
200	A Study on Serum Antithyroglobulin Antibodies Interference in Thyroglobulin Measurement in Fine-Needle Aspiration for Diagnosing Lymph Node Metastasis in Postoperative Patients. <i>PLoS ONE</i> , 2015, 10, e0131096.	1.1	15
201	A pure mucocele-like lesion of the breast diagnosed on ultrasonography-guided core-needle biopsy: is imaging follow-up sufficient?. <i>Ultrasonography</i> , 2015, 34, 133-138.	1.0	17
202	Characteristics of breast cancer detected by supplementary screening ultrasonography. <i>Ultrasonography</i> , 2015, 34, 153-156.	1.0	8
203	Effectiveness and Limitations of Core Needle Biopsy in the Diagnosis of Thyroid Nodules: Review of Current Literature. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 230-235.	0.4	51
204	Effect of the Menstrual Cycle on Background Parenchymal Enhancement Observed on Breast MRIs in Korean Women. <i>Journal of the Korean Society of Radiology</i> , 2015, 73, 158.	0.1	0
205	Natural Course of Cytologically Diagnosed Benign Thyroid Nodules. <i>Journal of Korean Thyroid Association</i> , 2014, 7, 136.	0.2	0
206	Percutaneous Ultrasound-Guided Vacuum-Assisted Removal versus Surgery for Breast Lesions Showing Imaging-Histology Discordance after Ultrasound-Guided Core-Needle Biopsy. <i>Korean Journal of Radiology</i> , 2014, 15, 697.	1.5	15
207	HER2 Expression in Fine Needle Aspirates of Lymph Nodes Detected by Preoperative Axillary Ultrasound in Breast Cancer Patients. <i>PLoS ONE</i> , 2014, 9, e113065.	1.1	1
208	Ex Vivo Estimation of Photoacoustic Imaging for Detecting Thyroid Microcalcifications. <i>PLoS ONE</i> , 2014, 9, e113358.	1.1	13
209	Can Ultrasound Be as a Surrogate Marker for Diagnosing a Papillary Thyroid Cancer? Comparison with BRAF Mutation Analysis. <i>Yonsei Medical Journal</i> , 2014, 55, 871.	0.9	22
210	Thyroid Ultrasonography: Pitfalls and Techniques. <i>Korean Journal of Radiology</i> , 2014, 15, 267.	1.5	35
211	Diagnostic Role of Conventional Ultrasonography and Shearwave Elastography in Asymptomatic Patients with Diffuse Thyroid Disease: Initial Experience with 57 Patients. <i>Yonsei Medical Journal</i> , 2014, 55, 247.	0.9	42
212	Mammographic Density Estimation with Automated Volumetric Breast Density Measurement. <i>Korean Journal of Radiology</i> , 2014, 15, 313.	1.5	30
213	Thyroid Nodules with Macrocalcification: Sonographic Findings Predictive of Malignancy. <i>Yonsei Medical Journal</i> , 2014, 55, 339.	0.9	51
214	Vacuum-assisted breast biopsy under sonographic guidance: analysis of 10 years of experience. <i>Ultrasonography</i> , 2014, 33, 259-266.	1.0	44
215	Pathologic Spectrum of Lymphocytic Infiltration and Recurrence of Papillary Thyroid Carcinoma. <i>Yonsei Medical Journal</i> , 2014, 55, 879.	0.9	9
216	Ultrasound elastography for thyroid nodules: recent advances. <i>Ultrasonography</i> , 2014, 33, 75-82.	1.0	94

#	ARTICLE	IF	CITATIONS
217	Incidentally diagnosed Takayasu arteritis on thyroid ultrasonography showing prominent collateral vessels of thyroidal arteries and common carotid artery occlusion. <i>Ultrasonography</i> , 2014, 33, 222-225.	1.0	1
218	Application of the Thyroid Imaging Reporting and Data System in thyroid ultrasonography interpretation by less experienced physicians. <i>Ultrasonography</i> , 2014, 33, 49-57.	1.0	31
219	Benign Aspirates on Follow-Up FNA May Be Enough in Patients with Initial Atypia of Undetermined Significance/Follicular Lesion of Undetermined Significance. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-8.	0.6	10
220	Better Understanding in the Differentiation of Thyroid Follicular Adenoma, Follicular Carcinoma, and Follicular Variant of Papillary Carcinoma: A Retrospective Study. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-9.	0.6	30
221	Imaging-Cytology Correlation of Thyroid Nodules with Initially Benign Cytology. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-8.	0.6	10
222	A Risk-Adapted Approach Using US Features and FNA Results in the Management of Thyroid Incidentalomas Identified by 18F-FDG PET. <i>Ultraschall in Der Medizin</i> , 2014, 35, 51-58.	0.8	16
223	Additional Malignant Breast Lesions Detected on Second-Look US After Breast MRI vs. Additional Malignant Lesions Detected on Initial US in Breast Cancer Patients: Comparison of US Characteristics. <i>Ultraschall in Der Medizin</i> , 2014, 35, 432-439.	0.8	2
224	Role of Fractalkine in the Pathogenesis of Primary Sjögren Syndrome: Increased Serum Levels of Fractalkine, Its Expression in Labial Salivary Glands, and the Association with Clinical Manifestations. <i>Journal of Rheumatology</i> , 2014, 41, 2425-2438.	1.0	16
225	Thyroid Nodules with Benign Findings at Cytologic Examination: Results of Long-term Follow-up with US. <i>Radiology</i> , 2014, 271, 272-281.	3.6	51
226	Thyroid Cancers with Benign-Looking Sonographic Features Have Different Lymph Node Metastatic Risk and Histologic Subtypes According to Nodule Size. <i>Endocrine Pathology</i> , 2014, 25, 378-384.	5.2	2
227	Absence of Residual Microcalcifications in Atypical Ductal Hyperplasia Diagnosed via Stereotactic Vacuum-Assisted Breast Biopsy: Is Surgical Excision Obviated?. <i>Journal of Breast Cancer</i> , 2014, 17, 265.	0.8	15
228	Serum Thyroglobulin Adds No Additional Value to Ultrasonographic Features in a Thyroid Malignancy. <i>Ultrasound Quarterly</i> , 2014, 30, 287-290.	0.3	2
229	Intra-observer Reproducibility and Diagnostic Performance of Breast Shear-Wave Elastography in Asian Women. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 1058-1064.	0.7	26
230	A nomogram for predicting malignancy in thyroid nodules diagnosed as atypia of undetermined significance/follicular lesions of undetermined significance on fine needle aspiration. <i>Surgery</i> , 2014, 155, 1006-1013.	1.0	32
231	Breast US in patients with breast cancer presenting as only microcalcifications on mammography: can US differentiate ductal carcinoma in situ from invasive cancer?. <i>Journal of Medical Ultrasonics (2001)</i> , 2014, 41, 39-44.	0.6	1
232	Malignancy Risk Stratification in Thyroid Nodules with Benign Results on Cytology: Combination of Thyroid Imaging Reporting and Data System and Bethesda System. <i>Annals of Surgical Oncology</i> , 2014, 21, 1898-1903.	0.7	44
233	Heterogeneous Echogenicity of the Thyroid Parenchyma Does Not Influence the Detection of Multi-focality in Papillary Thyroid Carcinoma on Preoperative Ultrasound Staging. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 884-889.	0.7	5
234	Diagnostic Performance of Ultrasound and Ultrasound Elastography with Respect to Physician Experience. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 854-863.	0.7	26

#	ARTICLE	IF	CITATIONS
235	Role of diffusion-weighted MRI: predicting axillary lymph node metastases in breast cancer. <i>Acta Radiologica</i> , 2014, 55, 909-916.	0.5	43
236	Breast Papilloma without Atypia and Risk of Breast Carcinoma. <i>Breast Journal</i> , 2014, 20, 525-533.	0.4	14
237	Optimal indication of thyroglobulin measurement in fine-needle aspiration for detecting lateral metastatic lymph nodes in patients with papillary thyroid carcinoma. <i>Head and Neck</i> , 2014, 36, 795-801.	0.9	35
238	Real-Time Elastography in the Evaluation of Diffuse Thyroid Disease: A Study Based on Elastography Histogram Parameters. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 2012-2019.	0.7	22
239	Can increased tumoral vascularity be a quantitative predicting factor of lymph node metastasis in papillary thyroid microcarcinoma?. <i>Endocrine</i> , 2014, 47, 273-282.	1.1	21
240	Additional BRAF mutation analysis may have additional diagnostic value in thyroid nodules with â€œsuspicious for malignantâ€ cytology alone even when the nodules do not show suspicious US features. <i>Endocrine</i> , 2014, 47, 283-289.	1.1	21
241	Photoacoustic Imaging of Breast Microcalcifications: A Preliminary Study with 8-Gauge Core-Biopsied Breast Specimens. <i>PLoS ONE</i> , 2014, 9, e105878.	1.1	20
242	Sonographic features and ultrasonography-guided fine-needle aspiration of metastases to the thyroid gland. <i>Ultrasonography</i> , 2014, 33, 40-48.	1.0	19
243	Ductal carcinoma in situ diagnosed using an ultrasound-guided 14-gauge core needle biopsy of breast masses: can underestimation be predicted preoperatively?. <i>Ultrasonography</i> , 2014, 33, 128-135.	1.0	11
244	Positive predictive value of additional synchronous breast lesions in whole-breast ultrasonography at the diagnosis of breast cancer: clinical and imaging factors. <i>Ultrasonography</i> , 2014, 33, 170-177.	1.0	3
245	Benign core biopsy of probably benign breast lesions 2 cm or larger: correlation with excisional biopsy and long-term follow-up. <i>Ultrasonography</i> , 2014, 33, 200-205.	1.0	11
246	Conventional papillary thyroid carcinoma: effects of cystic changes visible on ultrasonography on disease prognosis. <i>Ultrasonography</i> , 2014, 33, 291-297.	1.0	13
247	Bilateral Metachronous Breast Cancer with Bilateral Recurrences: A Case Report and Literature Review. <i>Journal of the Korean Society of Radiology</i> , 2014, 70, 369.	0.1	1
248	Preoperative Prediction of Central Lymph Node Metastasis in Thyroid Papillary Microcarcinoma Using Clinicopathologic and Sonographic Features. <i>World Journal of Surgery</i> , 2013, 37, 385-391.	0.8	95
249	Three-dimensional shear-wave elastography for differentiating benign and malignant breast lesions: comparison with two-dimensional shear-wave elastography. <i>European Radiology</i> , 2013, 23, 1519-1527.	2.3	50
250	Study of peripheral BRAFV600Emutation as a possible novel marker for papillary thyroid carcinomas. <i>Head and Neck</i> , 2013, 35, 1630-1633.	0.9	26
251	US screening for detection of nonpalpable locoregional recurrence after mastectomy. <i>European Journal of Radiology</i> , 2013, 82, 485-489.	1.2	26
252	S-1 combined with docetaxel following doxorubicin plus cyclophosphamide as neoadjuvant therapy in breast cancer: phase II trial. <i>BMC Cancer</i> , 2013, 13, 583.	1.1	6

#	ARTICLE	IF	CITATIONS
253	Can additional immunohistochemistry staining replace the surgical excision for the diagnosis of papillary breast lesions classified as benign on 14-gage core needle biopsy?. Breast Cancer Research and Treatment, 2013, 137, 797-806.	1.1	14
254	US-Guided Optical Tomography: Correlation with Clinicopathologic Variables in Breast Cancer. Ultrasound in Medicine and Biology, 2013, 39, 233-240.	0.7	15
255	Sonographic Characteristics Suggesting Papillary Thyroid Carcinoma According to Nodule Size. Annals of Surgical Oncology, 2013, 20, 906-913.	0.7	40
256	Phyllodes Tumors of the Breast: Ultrasonographic Findings and Diagnostic Performance of Ultrasound-Guided Core Needle Biopsy. Ultrasound in Medicine and Biology, 2013, 39, 987-992.	0.7	21
257	A nomogram for predicting underestimation of invasiveness in ductal carcinoma in situ diagnosed by preoperative needle biopsy. Breast, 2013, 22, 869-873.	0.9	42
258	Neck ultrasonography as preoperative localization of primary hyperparathyroidism with an additional role of detecting thyroid malignancy. European Journal of Radiology, 2013, 82, e17-e21.	1.2	33
259	Sonographic Findings of Axillary Masses. Journal of Ultrasound in Medicine, 2013, 32, 1261-1270.	0.8	13
260	Sonographic Findings Predictive of Central Lymph Node Metastasis in Patients With Papillary Thyroid Carcinoma. Journal of Ultrasound in Medicine, 2013, 32, 2145-2151.	0.8	22
261	Value of Ultrasound for Postoperative Surveillance of Asian Patients with History of Breast Cancer Surgery: A Single-Center Study. Annals of Surgical Oncology, 2013, 20, 3461-3468.	0.7	16
262	Agenesis of a submandibular gland with compensatory pseudotumoral hypertrophy of the contralateral gland: Sonographic findings. Journal of Clinical Ultrasound, 2013, 41, 15-17.	0.4	4
263	Imaging findings for malignancy-mimicking nodular fasciitis of the breast and a review of previous imaging studies. Acta Radiologica Short Reports, 2013, 2, 204798161351283.	0.7	12
264	Second-Look US: How to Find Breast Lesions with a Suspicious MR Imaging Appearance. Radiographics, 2013, 33, 1361-1375.	1.4	57
265	False Negative Results in Axillary Lymph Nodes by Ultrasonography and Ultrasonography-Guided Fine-Needle Aspiration in Patients with Invasive Ductal Carcinoma. Ultraschall in Der Medizin, 2013, 34, 559-567.	0.8	14
266	Impact of Preoperative Bilateral Whole Breast Sonography in Patients with Invasive Lobular Carcinoma: Results from Two Medical Centers. Ultraschall in Der Medizin, 2013, 34, 359-367.	0.8	1
267	Discordant Elastography Images of Breast Lesions: How Various Factors Lead to Discordant Findings. Ultraschall in Der Medizin, 2013, 34, 266-271.	0.8	25
268	Indeterminate thyroid nodules—added testing, added value?. Nature Reviews Endocrinology, 2013, 9, 321-323.	4.3	3
269	Is Mammography for Breast Cancer Screening Cost-Effective in Both Western and Asian Countries?: Results of a Systematic Review. Asian Pacific Journal of Cancer Prevention, 2013, 14, 4141-4149.	0.5	33
270	Application of <i>BRAF</i> , <i>NRAS</i> , <i>KRAS</i> mutations as markers for the detection of papillary thyroid cancer from FNAB specimens by pyrosequencing analysis. Clinical Chemistry and Laboratory Medicine, 2013, 51, 1673-1680.	1.4	30



#	ARTICLE	IF	CITATIONS
271	Diagnostic Accuracy of the Ultrasonographic Features for Subcentimeter Thyroid Nodules Suggested by the Revised American Thyroid Association Guidelines. <i>Thyroid</i> , 2013, 23, 1583-1589.	2.4	32
272	Utility of Thyroglobulin Measurements in Fine-Needle Aspirates of Space Occupying Lesions in the Thyroid Bed After Thyroid Cancer Operations. <i>Thyroid</i> , 2013, 23, 280-288.	2.4	25
273	Diffuse Sclerosing Variant of Papillary Thyroid Carcinoma. <i>Journal of Ultrasound in Medicine</i> , 2013, 32, 347-354.	0.8	13
274	Heterogeneous echogenicity of the underlying thyroid parenchyma: how does this affect the analysis of a thyroid nodule?. <i>BMC Cancer</i> , 2013, 13, 550.	1.1	16
275	Extensive Tuberculous Lymphadenitis Mimicking Distant Lymph Node Metastasis on F-18FDG PET/CT in a Patient with a History of Malignant Melanoma. <i>Yonsei Medical Journal</i> , 2013, 54, 1554.	0.9	2
276	Anaplastic Thyroid Cancer: Ultrasonographic Findings and the Role of Ultrasonography-Guided Fine Needle Aspiration Biopsy. <i>Yonsei Medical Journal</i> , 2013, 54, 1400.	0.9	29
277	Fine-Needle Aspirates CYFRA 21-1 is a Useful Tumor Marker for Detecting Axillary Lymph Node Metastasis in Breast Cancer Patients. <i>PLoS ONE</i> , 2013, 8, e57248.	1.1	13
278	Is Follow-up BRAFV600E Mutation Analysis Helpful in the Differential Diagnosis of Thyroid Nodules with Negative Results on Initial Analysis?. <i>PLoS ONE</i> , 2013, 8, e58592.	1.1	11
279	Magnetic Resonance Metabolic Profiling of Breast Cancer Tissue Obtained with Core Needle Biopsy for Predicting Pathologic Response to Neoadjuvant Chemotherapy. <i>PLoS ONE</i> , 2013, 8, e83866.	1.1	40
280	Image Reporting and Characterization System for Ultrasound Features of Thyroid Nodules: Multicentric Korean Retrospective Study. <i>Korean Journal of Radiology</i> , 2013, 14, 110.	1.5	130
281	Preoperative Prediction of Ductal Carcinomain situ Underestimation of the Breast using Dynamic Contrast Enhanced and Diffusion-weighted Imaging. <i>Journal of the Korean Society of Magnetic Resonance in Medicine</i> , 2013, 17, 101.	0.1	1
282	Proper Indication of BRAFV600E Mutation Testing in Fine-Needle Aspirates of Thyroid Nodules. <i>PLoS ONE</i> , 2013, 8, e64505.	1.1	23
283	First Step for Clinical Trial in the Korean Society of Radiology: A Panel Discussion. <i>Journal of the Korean Society of Radiology</i> , 2013, 68, 157.	0.1	1
284	Complications Encountered in the Treatment of Benign Thyroid Nodules with US-guided Radiofrequency Ablation: A Multicenter Study. <i>Radiology</i> , 2012, 262, 335-342.	3.6	277
285	Diagnostic Performance of Gray-Scale US and Elastography in Solid Thyroid Nodules. <i>Radiology</i> , 2012, 262, 1002-1013.	3.6	228
286	Comparison of the underestimation rate in cases with ductal carcinoma <i>in situ</i> at ultrasound-guided core biopsy: 14-gauge automated core-needle biopsy vs 8- or 11-gauge vacuum-assisted biopsy. <i>British Journal of Radiology</i> , 2012, 85, e349-e356.	1.0	42
287	Photoacoustic imaging of breast microcalcifications: A validation study with 3-dimensional ex vivo data. , 2012, , .		2
288	Comparison of Immunohistochemical Staining in Breast Papillary Neoplasms of Cytokeratin 5/6 and p63 in Core Needle Biopsies and Surgical Excisions. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2012, 20, 108-115.	0.6	6

#	ARTICLE	IF	CITATIONS
289	Differences in the Diagnostic Performances of Staging US for Thyroid Malignancy According to Experience. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 568-573.	0.7	34
290	False Negative Results of Preoperative Axillary Ultrasound in Patients with Invasive Breast Cancer: Correlations with Clinicopathologic Findings. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 1881-1886.	0.7	34
291	Man to man training: Can it help improve the diagnostic performances and interobserver variabilities of thyroid ultrasonography in residents?. <i>European Journal of Radiology</i> , 2012, 81, e352-e356.	1.2	42
292	Initially non-diagnostic ultrasound-guided fine needle aspiration cytology of thyroid nodules: value and management. <i>Acta Radiologica</i> , 2012, 53, 168-173.	0.5	17
293	Radiofrequency Ablation of Benign Thyroid Nodules and Recurrent Thyroid Cancers: Consensus Statement and Recommendations. <i>Korean Journal of Radiology</i> , 2012, 13, 117.	1.5	270
294	Mixed Echoic Thyroid Nodules on Ultrasound: Approach to Management. <i>Yonsei Medical Journal</i> , 2012, 53, 812.	0.9	8
295	Diagnostic Performance of Thyroglobulin Value in Indeterminate Range in Fine Needle Aspiration Washout Fluid from Lymph Nodes of Thyroid Cancer. <i>Yonsei Medical Journal</i> , 2012, 53, 126.	0.9	45
296	The Diagnostic Values of Ultrasound and Ultrasound-Guided Fine Needle Aspiration in Subcentimeter-Sized Thyroid Nodules. <i>Annals of Surgical Oncology</i> , 2012, 19, 52-59.	0.7	62
297	US-Guided Vacuum-Assisted Percutaneous Excision for Management of Benign Papilloma Without Atypia Diagnosed at US-Guided 14-Gauge Core Needle Biopsy. <i>Annals of Surgical Oncology</i> , 2012, 19, 922-928.	0.7	39
298	Triple-negative invasive breast cancer on dynamic contrast-enhanced and diffusion-weighted MR imaging: comparison with other breast cancer subtypes. <i>European Radiology</i> , 2012, 22, 1724-1734.	2.3	190
299	US follow-up protocol in concordant benign result after US-guided 14-gauge core needle breast biopsy. <i>Breast Cancer Research and Treatment</i> , 2012, 132, 1089-1097.	1.1	19
300	Scoring System Based on BI-RADS Lexicon to Predict Probability of Malignancy in Suspicious Microcalcifications. <i>Annals of Surgical Oncology</i> , 2012, 19, 1491-1498.	0.7	13
301	Clinical Implication of Elastography as a Prognostic Factor of Papillary Thyroid Microcarcinoma. <i>Annals of Surgical Oncology</i> , 2012, 19, 2279-2287.	0.7	46
302	Clinical and Ultrasonographic Findings Affecting Nondiagnostic Results upon the Second Fine Needle Aspiration for Thyroid Nodules. <i>Annals of Surgical Oncology</i> , 2012, 19, 2304-2309.	0.7	55
303	How to Manage Thyroid Nodules With Two Consecutive Non-diagnostic Results on Ultrasonography-guided Fine-needle Aspiration. <i>World Journal of Surgery</i> , 2012, 36, 586-592.	0.8	21
304	HR-MAS MR Spectroscopy of Breast Cancer Tissue Obtained with Core Needle Biopsy: Correlation with Prognostic Factors. <i>PLoS ONE</i> , 2012, 7, e51712.	1.1	50
305	BRAFV600E mutation testing in fine needle aspirates of thyroid nodules: potential value of real-time PCR. <i>Annals of Clinical and Laboratory Science</i> , 2012, 42, 258-65.	0.2	16
306	Thyroid Imaging Reporting and Data System for US Features of Nodules: A Step in Establishing Better Stratification of Cancer Risk. <i>Radiology</i> , 2011, 260, 892-899.	3.6	874

#	ARTICLE	IF	CITATIONS
307	The Diagnostic Accuracy of Ultrasound-Guided Fine-Needle Aspiration Biopsy and the Sonographic Differences Between Benign and Malignant Thyroid Nodules 3cm or Larger. <i>Thyroid</i> , 2011, 21, 993-1000.	2.4	94
308	The diagnosis of non-malignant papillary lesions of the breast: comparison of ultrasound-guided automated gun biopsy and vacuum-assisted removal. <i>Clinical Radiology</i> , 2011, 66, 530-535.	0.5	52
309	Imaging-Histologic Discordance After Sonographically Guided Percutaneous Breast Biopsy: A Prospective Observational Study. <i>Ultrasound in Medicine and Biology</i> , 2011, 37, 1771-1778.	0.7	17
310	Can We Predict Phyllodes Tumor among Fibroepithelial Lesions with Cellular Stroma Diagnosed at Breast Core Needle Biopsy?. <i>Journal of the Korean Society of Radiology</i> , 2011, 64, 603.	0.1	1
311	Feasibility of Stereotactic Biopsy for Breast Lesions with the Patient in the Decubitus Position: Our Early Experience. <i>Journal of the Korean Society of Radiology</i> , 2011, 64, 75.	0.1	0
312	Concordant or Discordant? Imaging-Pathology Correlation in a Sonography-Guided Core Needle Biopsy of a Breast Lesion. <i>Korean Journal of Radiology</i> , 2011, 12, 232.	1.5	28
313	Cytological Results of Ultrasound-Guided Fine-Needle Aspiration Cytology for Thyroid Nodules: Emphasis on Correlation with Sonographic Findings. <i>Yonsei Medical Journal</i> , 2011, 52, 838.	0.9	43
314	Factors affecting inadequate sampling of ultrasound-guided fine-needle aspiration biopsy of thyroid nodules. <i>Clinical Endocrinology</i> , 2011, 74, 776-782.	1.2	76
315	Dermatofibrosarcoma Protuberans Arising on the Skin of the Breast. <i>Breast Journal</i> , 2011, 17, 93-95.	0.4	3
316	Subcategorization of Ultrasonographic BI-RADS Category 4: Positive Predictive Value and Clinical Factors Affecting It. <i>Ultrasound in Medicine and Biology</i> , 2011, 37, 693-699.	0.7	47
317	Giant phyllodes tumors of the breast: imaging findings with clinicopathological correlation in 14 cases. <i>Clinical Imaging</i> , 2011, 35, 102-107.	0.8	12
318	Suspiciously malignant findings on ultrasound after fine needle aspiration biopsy in a thyroid nodule with initially benign ultrasound and cytologic result: to repeat or to follow-up. <i>Clinical Imaging</i> , 2011, 35, 470-475.	0.8	14
319	Performance of hand-held whole-breast ultrasound based on BI-RADS in women with mammographically negative dense breast. <i>European Radiology</i> , 2011, 21, 667-675.	2.3	30
320	Interval growth of probably benign breast lesions on follow-up ultrasound: how can these be managed?. <i>European Radiology</i> , 2011, 21, 908-918.	2.3	15
321	US-guided diffuse optical tomography for breast lesions: the reliability of clinical experience. <i>European Radiology</i> , 2011, 21, 1353-1363.	2.3	12
322	Impact of Preoperative Ultrasonography and Fine-Needle Aspiration of Axillary Lymph Nodes on Surgical Management of Primary Breast Cancer. <i>Annals of Surgical Oncology</i> , 2011, 18, 738-744.	0.7	84
323	Diagnostic Value of BRAFV600E Mutation Analysis of Thyroid Nodules According to Ultrasonographic Features and the Time of Aspiration. <i>Annals of Surgical Oncology</i> , 2011, 18, 792-799.	0.7	22
324	Contribution of Computed Tomography to Ultrasound in Predicting Lateral Lymph Node Metastasis in Patients with Papillary Thyroid Carcinoma. <i>Annals of Surgical Oncology</i> , 2011, 18, 1734-1741.	0.7	46

#	ARTICLE	IF	CITATIONS
325	Minimal Extrathyroidal Extension in Patients with Papillary Thyroid Microcarcinoma: Is It a Real Prognostic Factor?. <i>Annals of Surgical Oncology</i> , 2011, 18, 1916-1923.	0.7	122
326	Inadequate Cytology in Thyroid Nodules: Should We Repeat Aspiration or Follow-Up?. <i>Annals of Surgical Oncology</i> , 2011, 18, 1282-1289.	0.7	60
327	Diffuse Microcalcifications Only of the Thyroid Gland Seen on Ultrasound: Clinical Implication and Diagnostic Approach. <i>Annals of Surgical Oncology</i> , 2011, 18, 2899-2906.	0.7	8
328	Staging of Papillary Thyroid Carcinoma with Ultrasonography: Performance in a Large Series. <i>Annals of Surgical Oncology</i> , 2011, 18, 3572-3578.	0.7	45
329	Sonographic appearance of a schwannoma mimicking an axillary lymphadenopathy. <i>Journal of Clinical Ultrasound</i> , 2011, 39, 477-479.	0.4	13
330	Ultrasonographic Characteristics Predictive of Nondiagnostic Results for Fine-Needle Aspiration Biopsies of Thyroid Nodules. <i>Ultrasound in Medicine and Biology</i> , 2011, 37, 549-555.	0.7	43
331	Positive Predictive Value and Interobserver Variability of Preoperative Staging Sonography for Thyroid Carcinoma. <i>American Journal of Roentgenology</i> , 2011, 197, W324-W330.	1.0	17
332	MRI Findings of Pure Ductal Carcinoma in Situ: Kinetic Characteristics Compared According to Lesion Type and Histopathologic Factors. <i>American Journal of Roentgenology</i> , 2011, 196, 1450-1456.	1.0	30
333	Benign Papilloma without Atypia Diagnosed at US-guided 14-gauge Core-Needle Biopsy: Clinical and US Features Predictive of Upgrade to Malignancy. <i>Radiology</i> , 2011, 258, 81-88.	3.6	88
334	Tumor Markers in Fine-Needle Aspiration Washout for Cervical Lymphadenopathy in Patients With Known Malignancy: Preliminary Study. <i>American Journal of Roentgenology</i> , 2011, 197, W730-W736.	1.0	7
335	Why Do We Have So Many Controversies in Thyroid Nodule Doppler US?. <i>Radiology</i> , 2011, 259, 304-304.	3.6	8
336	Optimal laser wavelength for photoacoustic imaging of breast microcalcifications. <i>Applied Physics Letters</i> , 2011, 99, 153702.	1.5	33
337	Unsuspected Bowel Structures on Neck Ultrasonography. <i>Thyroid</i> , 2011, 21, 455-455.	2.4	0
338	Breast ultrasonography in young Asian women: analyses of BI-RADS final assessment category according to symptoms. <i>Acta Radiologica</i> , 2011, 52, 35-40.	0.5	11
339	Ultrasonography and the Ultrasound-Based Management of Thyroid Nodules: Consensus Statement and Recommendations. <i>Korean Journal of Radiology</i> , 2011, 12, 1.	1.5	394
340	How to Find an Isoechoic Lesion with Breast US. <i>Radiographics</i> , 2011, 31, 663-676.	1.4	16
341	Interobserver Variability of Ultrasound Elastography: How It Affects the Diagnosis of Breast Lesions. <i>American Journal of Roentgenology</i> , 2011, 196, 730-736.	1.0	150
342	A Taller-Than-Wide Shape in Thyroid Nodules in Transverse and Longitudinal Ultrasonographic Planes and the Prediction of Malignancy. <i>Thyroid</i> , 2011, 21, 1249-1253.	2.4	61

#	ARTICLE	IF	CITATIONS
343	Dual priming oligonucleotide-based multiplex PCR analysis for detection of BRAF <sup>V600E</sup> mutation in FNAB samples of thyroid nodules in BRAF <sup>V600E</sup> mutation-prevalent area. <i>Head and Neck</i> , 2010, 32, 490-498.	0.9	53
344	Role of Ultrasonography in Outcome Prediction in Subclinical Hypothyroid Patients Treated with Levothyroxine. <i>Endocrine Journal</i> , 2010, 57, 15-22.	0.7	27
345	Sonographic Findings of High-Grade and Non-High-Grade Ductal Carcinoma In Situ of the Breast. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 1687-1697.	0.8	48
346	How to Approach Thyroid Nodules with Indeterminate Cytology. <i>Annals of Surgical Oncology</i> , 2010, 17, 2147-2155.	0.7	77
347	Analysis of false-negative results after US-guided 14-gauge core needle breast biopsy. <i>European Radiology</i> , 2010, 20, 782-789.	2.3	52
348	Infiltrating syringomatous adenoma presenting as microcalcification in the nipple on screening mammogram: case report and review of the literature of radiologic features. <i>Clinical Imaging</i> , 2010, 34, 462-465.	0.8	10
349	Positive predictive values of sonographic features of solid thyroid nodule. <i>Clinical Imaging</i> , 2010, 34, 127-133.	0.8	60
350	Value of specimen radiographs in diagnosing multifocality of thyroid cancer. <i>British Journal of Surgery</i> , 2010, 97, 517-524.	0.1	8
351	Giant cell tumor of a tendon sheath mimicking an axillary lymph node. <i>Journal of Clinical Ultrasound</i> , 2010, 38, 271-273.	0.4	0
352	Malignant Lesions Initially Categorized as Probably Benign Breast Lesions: Retrospective Review of Ultrasonographic, Clinical and Pathologic Characteristics. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 551-559.	0.7	22
353	Metastatic Breast Cancer From Rhabdomyosarcoma Mimicking Normal Breast Parenchyma on Sonography. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 489-492.	0.8	7
354	Breast Fibromatosis Showing Unusual Sonographic Features. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 1671-1674.	0.8	10
355	Intravascular Metastasis at the Internal Jugular Vein From Follicular Thyroid Carcinoma. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 659-662.	0.8	5
356	Metastasis of Breast Carcinoma to Intercostal Muscle Detected by Breast MRI: A Case Report. <i>Journal of the Korean Society of Radiology</i> , 2010, 63, 391.	0.1	1
357	Clear Cell Hidradenoma of the Axilla: a Case Report with Literature Review. <i>Korean Journal of Radiology</i> , 2010, 11, 490.	1.5	20
358	Solitary Drain-Site Recurrence after Lumpectomy for Breast Cancer. <i>Yonsei Medical Journal</i> , 2010, 51, 469.	0.9	1
359	Supplementary Screening Sonography in Mammographically Dense Breast: Pros and Cons. <i>Korean Journal of Radiology</i> , 2010, 11, 589.	1.5	20
360	Can Vascularity at Power Doppler US Help Predict Thyroid Malignancy?. <i>Radiology</i> , 2010, 255, 260-269.	3.6	254

#	ARTICLE	IF	CITATIONS
361	Diagnostic Approach for Evaluation of Lymph Node Metastasis From Thyroid Cancer Using Ultrasound and Fine-Needle Aspiration Biopsy. <i>American Journal of Roentgenology</i> , 2010, 194, 38-43.	1.0	123
362	Extrathyroidal Implantation of Thyroid Tumor Cells After Needle Biopsy and Other Invasive Procedures. <i>Thyroid</i> , 2010, 20, 459-464.	2.4	6
363	Interobserver and Intraobserver Variations in Ultrasound Assessment of Thyroid Nodules. <i>Thyroid</i> , 2010, 20, 167-172.	2.4	194
364	The role of ultrasonography and FDG-PET in axillary lymph node staging of breast cancer. <i>Acta Radiologica</i> , 2010, 51, 859-865.	0.5	43
365	Zooming method ( $\bar{A}$ — 2.0) of digital mammography vs digital magnification view ( $\bar{A}$ — 1.8) in full-field digital mammography for the diagnosis of microcalcifications. <i>British Journal of Radiology</i> , 2010, 83, 486-492.	1.0	15
366	Probably benign breast lesions on ultrasonography: A retrospective review of ultrasonographic features and clinical factors affecting the BI-RADS categorization. <i>Acta Radiologica</i> , 2010, 51, 375-382.	0.5	27
367	Value of US Correlation of a Thyroid Nodule with Initially Benign Cytologic Results. <i>Radiology</i> , 2010, 254, 292-300.	3.6	129
368	Biopsy of Thyroid Nodules: Comparison of Three Sets of Guidelines. <i>American Journal of Roentgenology</i> , 2010, 194, 31-37.	1.0	92
369	Axillary Lymph Node Metastasis: CA-15-3 and Carcinoembryonic Antigen Concentrations in Fine-Needle Aspirates for Preoperative Diagnosis in Patients with Breast Cancer. <i>Radiology</i> , 2010, 254, 691-697.	3.6	24
370	Atypical Papilloma Diagnosed by Sonographically Guided 14-Gauge Core Needle Biopsy of Breast Mass. <i>American Journal of Roentgenology</i> , 2010, 194, 1397-1402.	1.0	23
371	Mastitis showing bizarre calcifications in a systemic lupus erythematosus patient. <i>European Journal of Radiology Extra</i> , 2010, 76, e47-e50.	0.1	1
372	Long-term follow-up results for ultrasound-guided vacuum-assisted removal of benign palpable breast mass. <i>American Journal of Surgery</i> , 2010, 199, 1-7.	0.9	32
373	Bilateral Killian-Jamieson Diverticula Incidentally Found on Thyroid Ultrasonography. <i>Thyroid</i> , 2010, 20, 1041-1042.	2.4	10
374	Metastatic Colon Carcinoma in a Preexisting Thyroid Nodule. <i>Thyroid</i> , 2010, 20, 1319-1319.	2.4	2
375	Factors in the Breast Core Needle Biopsies of Atypical Ductal Hyperplasia that Can Predict Carcinoma in the Subsequent Surgical Excision Specimens. <i>Journal of Breast Cancer</i> , 2010, 13, 132.	0.8	2
376	Epidermal Inclusion Cyst after Breast Reconstruction with TRAM Flaps. <i>Journal of the Korean Society of Radiology</i> , 2010, 63, 79.	0.1	1
377	Pseudoaneurysm of the Breast During Vacuum-Assisted Removal. <i>Journal of Ultrasound in Medicine</i> , 2009, 28, 967-971.	0.8	10
378	Diagnostic Value of 3D Fast Low-Angle Shot Dynamic MRI of Breast Papillomas. <i>Yonsei Medical Journal</i> , 2009, 50, 838.	0.9	16

#	ARTICLE	IF	CITATIONS
379	Asymmetric Mammographic Findings Based on the Fourth Edition of BI-RADS: Types, Evaluation, and Management. <i>Radiographics</i> , 2009, 29, e33-e33.	1.4	27
380	Complete Eradication of Metastatic Lymph Node After Percutaneous Ethanol Injection Therapy: Pathologic Correlation. <i>Thyroid</i> , 2009, 19, 317-319.	2.4	20
381	Preoperative Staging of Papillary Thyroid Carcinoma: Comparison of Ultrasound Imaging and CT. <i>American Journal of Roentgenology</i> , 2009, 193, 871-878.	1.0	279
382	Lymphocytic Thyroiditis on Fine-Needle Aspiration Biopsy of Focal Thyroid Nodules: Approach to Management. <i>American Journal of Roentgenology</i> , 2009, 193, W345-W349.	1.0	19
383	US Surveillance of Regional Lymph Node Recurrence after Breast Cancer Surgery. <i>Radiology</i> , 2009, 252, 673-681.	3.6	47
384	Interobserver Agreement in Assessing the Sonographic and Elastographic Features of Malignant Thyroid Nodules. <i>American Journal of Roentgenology</i> , 2009, 193, W416-W423.	1.0	171
385	Sonographic Surveillance for the Detection of Contralateral Metachronous Breast Cancer in an Asian Population. <i>American Journal of Roentgenology</i> , 2009, 192, 221-228.	1.0	15
386	Diffuse Sclerosing Variant of Papillary Carcinoma of the Thyroid Gland: Specimen Radiographic Features with Histopathological Correlation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 1491-1492.	1.8	16
387	Atypical Ductal Hyperplasia Diagnosed at Sonographically Guided 14-Gauge Core Needle Biopsy of Breast Mass. <i>American Journal of Roentgenology</i> , 2009, 192, 1135-1141.	1.0	37
388	Significance of sonographic characterization for managing subcentimeter thyroid nodules. <i>Acta Radiologica</i> , 2009, 50, 917-923.	0.5	21
389	Association of BRAF <sup>V600E</sup> Mutation with Poor Clinical Prognostic Factors and US Features in Korean Patients with Papillary Thyroid Microcarcinoma. <i>Radiology</i> , 2009, 253, 854-860.	3.6	117
390	Sonographic features of traumatic neuromas after neck dissection. <i>Journal of Clinical Ultrasound</i> , 2009, 37, 189-193.	0.4	19
391	The Combined Role of Ultrasound and Frozen Section in Surgical Management of Thyroid Nodules Read as Suspicious for Papillary Thyroid Carcinoma on Fine Needle Aspiration Biopsy: A Retrospective Study. <i>World Journal of Surgery</i> , 2009, 33, 950-957.	0.8	32
392	Thyroglobulin measurement in fine-needle aspirate washouts: the criteria for neck node dissection for patients with thyroid cancer. <i>Clinical Endocrinology</i> , 2009, 70, 145-151.	1.2	145
393	Characterization of microcalcification: can digital monitor zooming replace magnification mammography in full-field digital mammography?. <i>European Radiology</i> , 2009, 19, 310-317.	2.3	16
394	How to combine ultrasound and cytological information in decision making about thyroid nodules. <i>European Radiology</i> , 2009, 19, 1923-1931.	2.3	83
395	Papillary Microcarcinoma of the Thyroid: Predicting Factors of Lateral Neck Node Metastasis. <i>Annals of Surgical Oncology</i> , 2009, 16, 1348-1355.	0.7	117
396	The Role of BRAFV600E Mutation and Ultrasonography for the Surgical Management of a Thyroid Nodule Suspicious for Papillary Thyroid Carcinoma on Cytology. <i>Annals of Surgical Oncology</i> , 2009, 16, 3125-3131.	0.7	46

#	ARTICLE	IF	CITATIONS
397	Partially Cystic Thyroid Nodules on Ultrasound: Probability of Malignancy and Sonographic Differentiation. <i>Thyroid</i> , 2009, 19, 341-346.	2.4	106
398	Diagnosis of breast cancer at dynamic MRI in patients with breast augmentation by paraffin or silicone injection. <i>Clinical Radiology</i> , 2009, 64, 1175-1180.	0.5	22
399	Postexcisional Breast Magnetic Resonance Imaging in Patients With Breast Cancer. <i>Journal of Computer Assisted Tomography</i> , 2009, 33, 940-945.	0.5	7
400	Sonographic Elastography Combined With Conventional Sonography. <i>Journal of Ultrasound in Medicine</i> , 2009, 28, 413-420.	0.8	64
401	Effect of Clinical Information on Diagnostic Performance in Breast Sonography. <i>Journal of Ultrasound in Medicine</i> , 2009, 28, 1349-1356.	0.8	16
402	Cavernous Lymphangiomas of the Breast Mimicking Breast Cancer. <i>Journal of Ultrasound in Medicine</i> , 2009, 28, 973-976.	0.8	11
403	Controlling recurrent papillary thyroid carcinoma in the neck by ultrasonography-guided percutaneous ethanol injection. <i>European Radiology</i> , 2008, 18, 835-842.	2.3	67
404	Nonmalignant papillary lesions of the breast at US-guided directional vacuum-assisted removal: a preliminary report. <i>European Radiology</i> , 2008, 18, 1774-1783.	2.3	43
405	Metaplastic breast carcinoma with extensive osseous differentiation: A case report. <i>Breast</i> , 2008, 17, 314-316.	0.9	15
406	Power Doppler sonography: evaluation of solid breast lesions and correlation with lymph node metastasis. <i>Clinical Imaging</i> , 2008, 32, 167-171.	0.8	26
407	Treatment-planning CT scan for breast and chest-wall irradiation: how many unexpected abnormalities could we detect?. <i>Clinical Imaging</i> , 2008, 32, 443-446.	0.8	7
408	Imaging-histologic discordance at sonographically guided percutaneous biopsy of breast lesions. <i>European Journal of Radiology</i> , 2008, 65, 163-169.	1.2	10
409	Observer variability of Breast Imaging Reporting and Data System (BI-RADS) for breast ultrasound. <i>European Journal of Radiology</i> , 2008, 65, 293-298.	1.2	144
410	US-guided Fine-Needle Aspiration of Thyroid Nodules: Indications, Techniques, Results. <i>Radiographics</i> , 2008, 28, 1869-1886.	1.4	133
411	Extrathyroid Extension of Well-Differentiated Papillary Thyroid Microcarcinoma on US. <i>Thyroid</i> , 2008, 18, 609-614.	2.4	122
412	Palpable breast masses with probably benign morphology at sonography: can biopsy be deferred?. <i>Acta Radiologica</i> , 2008, 49, 1104-1111.	0.5	63
413	Anaplastic Thyroid Carcinoma Arising From a Calcified Thyroid Mass. <i>Journal of Clinical Oncology</i> , 2008, 26, 3800-3802.	0.8	3
414	Thyroid Incidentalomas Identified by <sup>18</sup> F-FDG PET: Sonographic Correlation. <i>American Journal of Roentgenology</i> , 2008, 191, 598-603.	1.0	50



#	ARTICLE	IF	CITATIONS
415	The Role of Ultrasound in Thyroid Nodules with a Cytology Reading of "Suspicious for Papillary Thyroid Carcinoma". <i>Thyroid</i> , 2008, 18, 517-522.	2.4	43
416	Sonographically Guided 14-Gauge Core Needle Biopsy of Breast Masses: A Review of 2,420 Cases with Long-Term Follow-Up. <i>American Journal of Roentgenology</i> , 2008, 190, 202-207.	1.0	115
417	Bilateral Synchronous Breast Cancer in an Asian Population: Mammographic and Sonographic Characteristics, Detection Methods, and Staging. <i>American Journal of Roentgenology</i> , 2008, 190, 208-213.	1.0	32
418	Role of Sonography in the Detection of Contralateral Metachronous Breast Cancer in an Asian Population. <i>American Journal of Roentgenology</i> , 2008, 190, 476-480.	1.0	21
419	Clinical Application of the BI-RADS Final Assessment to Breast Sonography in Conjunction with Mammography. <i>American Journal of Roentgenology</i> , 2008, 190, 1209-1215.	1.0	130
420	Sonographic Differentiation of Thyroid Nodules With Eggshell Calcifications. <i>Journal of Ultrasound in Medicine</i> , 2008, 27, 1425-1430.	0.8	79
421	Sonographic Features of the Follicular Variant of Papillary Thyroid Carcinoma. <i>Journal of Ultrasound in Medicine</i> , 2008, 27, 1431-1437.	0.8	61
422	Imaging Findings of Chest Wall Lesions on Breast Sonography. <i>Journal of Ultrasound in Medicine</i> , 2008, 27, 125-138.	0.8	24
423	Differentiation of Thyroid Nodules With Macrocalcifications. <i>Journal of Ultrasound in Medicine</i> , 2008, 27, 1179-1184.	0.8	35
424	Sonographic Features of Axillary Lymphadenopathy Caused by Kikuchi Disease. <i>Journal of Ultrasound in Medicine</i> , 2008, 27, 847-853.	0.8	29
425	Interpectoral Venous Angioma Presenting as a Breast Mass. <i>Journal of Ultrasound in Medicine</i> , 2008, 27, 477-481.	0.8	4
426	US-Guided Vacuum-Assisted Biopsy of Microcalcifications in Breast Lesions and Long-Term Follow-Up Results. <i>Korean Journal of Radiology</i> , 2008, 9, 503.	1.5	27
427	Carcinoma Mixed within Milk of Calcium in a Breast: a Case Report. <i>Korean Journal of Radiology</i> , 2008, 9, S7.	1.5	2
428	The Safety and Efficiency of the Ultrasound-guided Large Needle Core Biopsy of Axilla Lymph Nodes. <i>Yonsei Medical Journal</i> , 2008, 49, 249.	0.9	11
429	Unusual Sonographic Finding of Metastatic Invasive Lobular Carcinoma to the Contralateral Breast. <i>Journal of Ultrasound in Medicine</i> , 2008, 27, 1771-1775.	0.8	0
430	Benign Intracystic Papilloma of the Male Breast. <i>Journal of Ultrasound in Medicine</i> , 2008, 27, 1397-1400.	0.8	9
431	Lithium Toxicity Precipitated by Profound Hypothyroidism. <i>Thyroid</i> , 2008, 18, 651-654.	2.4	50
432	Sonographic Evaluation of Thyroid Nodules. <i>The Korean Journal of Endocrine Surgery</i> , 2008, 8, 84.	0.1	0

#	ARTICLE	IF	CITATIONS
433	Retropharyngeal Growth of a Diffuse Goiter. <i>The Korean Journal of Endocrine Surgery</i> , 2008, 8, 269.	0.1	0
434	Spontaneous Pneumothorax in Metastatic Thyroid Papillary Carcinoma. <i>Journal of Clinical Oncology</i> , 2007, 25, 2616-2618.	0.8	20
435	Papillary Thyroid Carcinoma Manifested Solely as Microcalcifications on Sonography. <i>American Journal of Roentgenology</i> , 2007, 189, 227-231.	1.0	33
436	Missed Breast Cancers at US-guided Core Needle Biopsy: How to Reduce Them. <i>Radiographics</i> , 2007, 27, 79-94.	1.4	160
437	Sonographically Guided Core Needle Biopsy of Cervical Lymphadenopathy in Patients Without Known Malignancy. <i>Journal of Ultrasound in Medicine</i> , 2007, 26, 585-591.	0.8	55
438	Findings of Extrathyroid Lesions Encountered With Thyroid Sonography. <i>Journal of Ultrasound in Medicine</i> , 2007, 26, 1747-1759.	0.8	7
439	Primary Thyroid Lymphoma. <i>Journal of Ultrasound in Medicine</i> , 2007, 26, 1761-1765.	0.8	43
440	Diffuse sclerosing variant of papillary carcinoma of the thyroid: ultrasound features with histopathological correlation. <i>Clinical Radiology</i> , 2007, 62, 382-386.	0.5	42
441	Sonographic Detection of Thyroid Cancer in Breast Cancer Patients. <i>Yonsei Medical Journal</i> , 2007, 48, 63.	0.9	12
442	Breast Cancer from the Excisional Scar of a Benign Mass. <i>Korean Journal of Radiology</i> , 2007, 8, 254.	1.5	3
443	Breast lesions with imaging-histologic discordance during US-guided 14G automated core biopsy: can the directional vacuum-assisted removal replace the surgical excision? Initial findings. <i>European Radiology</i> , 2007, 17, 2376-2383.	2.3	40
444	Bilateral Xanthogranuloma of the Breast. <i>Journal of Ultrasound in Medicine</i> , 2007, 26, 535-537.	0.8	14
445	Breast Sarcoidosis Appearing as a Primary Manifestation of Sarcoidosis: A Case Report. <i>Journal of the Korean Radiological Society</i> , 2007, 56, 609.	0.0	0
446	Extensive Hemorrhage after Ultrasound-guided Fine Needle Aspiration Biopsy of Thyroid Nodules in a Patient with Long-term Aspirin Therapy. <i>The Korean Journal of Endocrine Surgery</i> , 2007, 7, 39.	0.1	0
447	Columnar cell lesions of the breast: Mammographic and US features. <i>European Journal of Radiology</i> , 2006, 60, 264-269.	1.2	24
448	Suture Granuloma Mimicking Recurrent Thyroid Carcinoma on Ultrasonography. <i>Yonsei Medical Journal</i> , 2006, 47, 748.	0.9	40
449	Pregnancy-Associated Breast Disease: Radiologic Features and Diagnostic Dilemmas. <i>Yonsei Medical Journal</i> , 2006, 47, 34.	0.9	58
450	Radiologic and Clinical Features of Idiopathic Granulomatous Lobular Mastitis Mimicking Advanced Breast Cancer. <i>Yonsei Medical Journal</i> , 2006, 47, 78.	0.9	67

#	ARTICLE	IF	CITATIONS
451	Peculiar Mammographic and Ultrasonographic Findings of a Retained Silastic Drain in the Breast. <i>Yonsei Medical Journal</i> , 2006, 47, 752.	0.9	4
452	Sonographic Detection of Intrathyroidal Branchial Cleft Cyst: A Case Report. <i>Korean Journal of Radiology</i> , 2006, 7, 149.	1.5	9
453	Invasive Papillary Carcinoma of the Breast Presenting as Post-Traumatic Recurrent Hemorrhagic Cysts. <i>Yonsei Medical Journal</i> , 2006, 47, 575.	0.9	15
454	Metastatic Breast Lesion From Thymic Carcinoma. <i>Journal of Ultrasound in Medicine</i> , 2006, 25, 1339-1342.	0.8	6
455	Ultrasonographic Characteristics of Subacute Granulomatous Thyroiditis. <i>Korean Journal of Radiology</i> , 2006, 7, 229.	1.5	76
456	Galactoceles Mimicking Suspicious Solid Masses on Sonography. <i>Journal of Ultrasound in Medicine</i> , 2006, 25, 145-151.	0.8	23
457	Sonographic Findings of Zenker Diverticula. <i>Journal of Ultrasound in Medicine</i> , 2006, 25, 639-642.	0.8	35
458	Recurrence of Adenoid Cystic Carcinoma in the Breast After Lumpectomy and Adjuvant Therapy. <i>Journal of Ultrasound in Medicine</i> , 2006, 25, 921-924.	0.8	17
459	Application of Power Doppler Vocal Fremitus Sonography in Breast Lesions. <i>Journal of Ultrasound in Medicine</i> , 2006, 25, 897-906.	0.8	8
460	Application of the Breast Imaging Reporting and Data System Final Assessment System in Sonography of Palpable Breast Lesions and Reconsideration of the Modified Triple Test. <i>Journal of Ultrasound in Medicine</i> , 2006, 25, 1255-1261.	0.8	14
461	Bilateral breasts involvement in Burkitt's lymphoma detected only by FDG-PET. <i>Clinical Imaging</i> , 2006, 30, 57-59.	0.8	21
462	Unusually asymmetric venous engorgement of the breast after long-term hemodialysis. <i>Journal of Clinical Ultrasound</i> , 2006, 34, 27-29.	0.4	5
463	Lymphoepithelial cyst of the thyroid mimicking malignancy on sonography. <i>Journal of Clinical Ultrasound</i> , 2006, 34, 298-300.	0.4	7
464	Sonographic Screening for Thyroid Cancer in Females Undergoing Breast Sonography. <i>American Journal of Roentgenology</i> , 2006, 186, 1025-1028.	1.0	20
465	Differentiating Benign from Malignant Solid Breast Masses: Comparison of Two-dimensional and Three-dimensional US. <i>Radiology</i> , 2006, 240, 26-32.	3.6	56
466	Focal Fibrosis of the Breast Diagnosed by a Sonographically Guided Core Biopsy of Nonpalpable Lesions. <i>Journal of Ultrasound in Medicine</i> , 2005, 24, 1377-1384.	0.8	14
467	Ductographic Findings of Breast Cancer. <i>Korean Journal of Radiology</i> , 2005, 6, 31.	1.5	16
468	Comparison of Unmonochromatized Synchrotron Radiation and Conventional X-rays in the Imaging of Mammographic Phantom and Human Breast Specimens: A Preliminary Result. <i>Yonsei Medical Journal</i> , 2005, 46, 95.	0.9	4

#	ARTICLE	IF	CITATIONS
469	Unilateral Breast Edema: Spectrum of Etiologies and Imaging Appearances. <i>Yonsei Medical Journal</i> , 2005, 46, 1.	0.9	47
470	Acute Respiratory Failure with Cervically Located Benign Cystic Thyroid Mass. <i>Thyroid</i> , 2005, 15, 1197-1198.	2.4	0
471	Multiple nodular adenosis concurrent with primary breast lymphoma: pitfall in PET. <i>Clinical Radiology</i> , 2005, 60, 126-129.	0.5	7
472	Percutaneous Sclerotherapy of Renal Cysts with a Beta-Emitting Radionuclide, Holmium-166-chitosan Complex. <i>Korean Journal of Radiology</i> , 2004, 5, 128.	1.5	25
473	Characteristic sonographic findings of Warthin's tumor in the parotid gland. <i>Journal of Clinical Ultrasound</i> , 2004, 32, 78-81.	0.4	61
474	Imaging findings in a case of epidermal inclusion cyst arising within the breast parenchyma. <i>Journal of Clinical Ultrasound</i> , 2004, 32, 141-143.	0.4	23
475	Sonographic findings in complications of cosmetic breast augmentation with autologous fat obtained by liposuction. <i>Journal of Clinical Ultrasound</i> , 2004, 32, 299-301.	0.4	56
476	Electrochemically Induced and Controlled One-Step Covalent Coupling Reaction on Self-Assembled Monolayers. <i>Langmuir</i> , 2004, 20, 3821-3823.	1.6	26
477	Migrated foreign body granulomas on mammography after injection in the cervicofacial area. <i>Clinical Radiology</i> , 2004, 59, 835-840.	0.5	7
478	Variable Breast Conditions. <i>Journal of Ultrasound in Medicine</i> , 2004, 23, 85-96.	0.8	15
479	Dosimetric Evaluation of the Mean Glandular Dose for Mammography in Korean Women: A Preliminary Report. <i>Yonsei Medical Journal</i> , 2003, 44, 863.	0.9	7
480	Sonographic Findings of Breast Hamartoma: Emphasis on Compressibility. <i>Yonsei Medical Journal</i> , 2003, 44, 847.	0.9	25
481	Paratracheal Air Cysts: Sonographic Findings in Two Cases. <i>Korean Journal of Radiology</i> , 2003, 4, 136.	1.5	8
482	Ultrasound-Guided Fine-Needle Aspiration Biopsy in Nonpalpable Thyroid Nodules: Is It Useful in Infracentimetric Nodules?. <i>Yonsei Medical Journal</i> , 2003, 44, 635.	0.9	45
483	The Effect of Supraclavicular Lymph Node Irradiation upon the Thyroid Gland in the Post-operative Breast Carcinoma Patients. <i>Yonsei Medical Journal</i> , 2003, 44, 828.	0.9	5
484	New Sonographic Criteria for Recommending Fine-Needle Aspiration Biopsy of Nonpalpable Solid Nodules of the Thyroid. <i>American Journal of Roentgenology</i> , 2002, 178, 687-691.	1.0	915
485	Clinical evaluation of JPEG2000 compression for digital mammography. <i>IEEE Transactions on Nuclear Science</i> , 2002, 49, 827-832.	1.2	30
486	The Role of Sonography in Patients with Breast Cancer Presenting as an Axillary Mass. <i>Korean Journal of Radiology</i> , 2002, 3, 189.	1.5	3

#	ARTICLE	IF	CITATIONS
487	Metastasis of primitive neuroectodermal tumor to the breast. Journal of Clinical Ultrasound, 2002, 30, 374-377.	0.4	8
488	Impact of patient age on the outcome of primary breast carcinoma. Journal of Surgical Oncology, 2002, 80, 12-18.	0.8	9
489	Micrometer resolution imaging using unmonochromatized synchrotron x rays: phantom, human breast tissue, and live animal imaging studies. , 2001, , .		2
490	Ultrasonographic Mass Screening for Thyroid Carcinoma: A Study in Women Scheduled to Undergo a Breast Examination. Surgery Today, 2001, 31, 763-767.	0.7	38
491	Phantom and animal imaging studies using PLS synchrotron X-rays. IEEE Transactions on Nuclear Science, 2001, 48, 837-842.	1.2	5
492	Granular cell tumor of the breast. Yonsei Medical Journal, 2000, 41, 673.	0.9	11
493	Radiologic findings of metastatic signet ring cell carcinoma to the breast from stomach. Yonsei Medical Journal, 2000, 41, 669.	0.9	24
494	Clinical breast examination for screening of asymptomatic women: the importance of clinical breast examination for breast cancer detection. Yonsei Medical Journal, 2000, 41, 312.	0.9	15
495	Leiomyoma of the breast in a 50-year-old woman receiving tamoxifen.. American Journal of Roentgenology, 1998, 171, 1684-1686.	1.0	20
496	Clinical evaluation of JPEG2000 compression algorithm for digital mammography. , 0, , .		1