

Spyridon Perlepes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4013393/publications.pdf>

Version: 2024-02-01

141
papers

4,174
citations

109321

35
h-index

138484

58
g-index

144
all docs

144
docs citations

144
times ranked

2729
citing authors

#	ARTICLE	IF	CITATIONS
1	Tuning the Spin-Crossover Behaviour in Fe(II) Polymeric Composites for Food Packaging Applications. <i>Magnetochemistry</i> , 2022, 8, 16.	2.4	5
2	Confirming the Molecular Basis of the Solvent Extraction of Cadmium(II) Using 2-Pyridyl Oximes through a Synthetic Inorganic Chemistry Approach and a Proposal for More Efficient Extractants. <i>Molecules</i> , 2022, 27, 1619.	3.8	5
3	Adventures in the coordination chemistry of 2-pyridyl oximes: On the way to 3d/4f-metal coordination clusters. <i>Inorganica Chimica Acta</i> , 2022, 539, 120954.	2.4	7
4	Further synthetic investigation of the general lanthanoid($\text{Ln}(\text{III})$)/copper(II)/pyridine-2,6-dimethanol/carboxylate reaction system: $\{\text{CuLn}_5\}$ coordination clusters (Ln = Dy, Tb, Ho) and their yttrium analogue. <i>Dalton Transactions</i> , 2021, 50, 240-251.	3.3	4
5	Dinuclear Lanthanide(III) Complexes from the Use of Methyl 2-Pyridyl Ketoxime: Synthetic, Structural, and Physical Studies. <i>Molecules</i> , 2021, 26, 1622.	3.8	3
6	Indium(III) in the "Periodic Table" of Di(2-pyridyl) Ketone: An Unprecedented Transformation of the Ligand and Solid-State ^{115}In NMR Spectroscopy as a Valuable Structural Tool. <i>Inorganic Chemistry</i> , 2021, 60, 4829-4840.	4.0	4
7	A SARS-CoV-2 "human metalloproteome interaction map. <i>Journal of Inorganic Biochemistry</i> , 2021, 219, 111423.	3.5	23
8	Combining benzotriazoles and azides in copper(II) chemistry: synthesis, structural and spectroscopic characterization of a 1-D corrugated tape $[\text{Cu}(\text{N}_3)_2(1\text{-Mebta})]_n$ coordination polymer (1-Mebta =) $\text{Tj ETQq0 0 0 rg12/Overlock 10 Tf 50}$	4.1	1
9	Pentanuclear Thorium(IV) Coordination Cluster from the Use of Di(2-pyridyl) Ketone. <i>Inorganic Chemistry</i> , 2021, 60, 11888-11892.	4.0	3
10	Di-2-pyridyl ketone-based ligands as evergreen "trees" in the "forest" of manganese chemistry: Mononuclear Mn(III) complexes from the use of MnF_3 . <i>Polyhedron</i> , 2021, 207, 115350.	2.2	1
11	High nuclearity structurally "related" Mn supertetrahedral T_4 aggregates. <i>Chemical Communications</i> , 2021, 57, 12484-12487.	4.1	5
12	Wet-Chemistry Assembly of One-Dimensional Nanowires: Switching Characteristics of a Known Spin-Crossover Iron(II) Complex Through Raman Spectroscopy. <i>Chemical Communications</i> , 2021, , .	4.1	4
13	Asymmetric Dinuclear Lanthanide(III) Complexes from the Use of a Ligand Derived from 2-Acetylpyridine and Picolinoylhydrazide: Synthetic, Structural and Magnetic Studies. <i>Molecules</i> , 2020, 25, 3153.	3.8	8
14	Reactivity of Coordinated 2-Pyridyl Oximes: Synthesis, Structure, Spectroscopic Characterization and Theoretical Studies of Dichloro-di(2-Pyridyl)Furoxan-Zinc(II) Obtained from the Reaction between Zinc(II) Nitrate and Pyridine-2-Chloroxime. <i>Inorganics</i> , 2020, 8, 47.	2.7	6
15	Smart Ligands for Efficient 3d-, 4d- and 5d-Metal Single-Molecule Magnets and Single-Ion Magnets. <i>Inorganics</i> , 2020, 8, 39.	2.7	26
16	Oligonuclear Actinoid Complexes with Schiff Bases as Ligands "Older Achievements and Recent Progress. <i>International Journal of Molecular Sciences</i> , 2020, 21, 555.	4.1	31
17	Synthetic strategies to $\{\text{CoLn}_2\}$ complexes based on 2-pyridyl oximes ($\text{Ln} = \text{lanthanide}$). <i>Inorganic Chemistry Communication</i> , 2019, 108, 107478.	3.9	5
18	Multifunctionality in Two Families of Dinuclear Lanthanide(III) Complexes with a Tridentate Schiff-Base Ligand. <i>Inorganic Chemistry</i> , 2019, 58, 9581-9585.	4.0	12

#	ARTICLE	IF	CITATIONS
19	Diversity of Coordination Modes in a Flexible Ditopic Ligand Containing 2-Pyridyl, Carbonyl and Hydrazone Functionalities: Mononuclear and Dinuclear Cobalt(III) Complexes, and Tetranuclear Copper(II) and Nickel(II) Clusters. <i>Magnetochemistry</i> , 2019, 5, 39.	2.4	10
20	Tetranuclear oxido-bridged thorium(IV) clusters obtained using tridentate Schiff bases. <i>Dalton Transactions</i> , 2019, 48, 15668-15678.	3.3	9
21	A Novel Family of Triangular $\text{CoII}_2\text{LnIII}$ and CoII_2YIII Clusters by the Employment of Di-2-Pyridyl Ketone. <i>Magnetochemistry</i> , 2019, 5, 35.	2.4	8
22	Modeling the Solvent Extraction of Cadmium(II) from Aqueous Chloride Solutions by 2-pyridyl Ketoximes: A Coordination Chemistry Approach. <i>Molecules</i> , 2019, 24, 2219.	3.8	9
23	A Known Iron(II) Complex in Different Nanosized Particles: Variable-Temperature Raman Study of Its Spin-Crossover Behavior. <i>Inorganic Chemistry</i> , 2019, 58, 5183-5195.	4.0	9
24	Investigating the isolation and interconversion of two diastereoisomers in an octahedral system. <i>New Journal of Chemistry</i> , 2019, 43, 17141-17145.	2.8	0
25	Mononuclear Lanthanide(III)-Salicylideneaniline Complexes: Synthetic, Structural, Spectroscopic, and Magnetic Studies. <i>Magnetochemistry</i> , 2018, 4, 45.	2.4	12
26	Coordination Clusters of 3d-Metals That Behave as Single-Molecule Magnets (SMMs): Synthetic Routes and Strategies. <i>Frontiers in Chemistry</i> , 2018, 6, 461.	3.6	61
27	Slow magnetic relaxation and luminescence properties in lanthanide(III)/anil complexes. <i>Dalton Transactions</i> , 2018, 47, 11859-11872.	3.3	15
28	Dioxidouranium(IV) complexes with Schiff bases possessing an ONO donor set: Synthetic, structural and spectroscopic studies. <i>Polyhedron</i> , 2018, 152, 172-178.	2.2	7
29	Nickel(II) Coordination Clusters Based on N-salicylidene-4-chloro-oaminophenol: Synthetic and Structural Studies. <i>Current Inorganic Chemistry</i> , 2018, 7, 48-65.	0.2	2
30	Binding of ligands containing carbonyl and phenol groups to iron(III): new Fe_6 , Fe_{10} and Fe_{12} coordination clusters. <i>Dalton Transactions</i> , 2017, 46, 3240-3251.	3.3	17
31	Heterometallic $\text{Mn}^{\text{III}}_4\text{Ln}_2$ ($\text{Ln} = \text{Dy}, \text{Gd}, \text{Tb}$) Cross-Shaped Clusters and Their Homometallic $\text{Mn}^{\text{III}}_4\text{Mn}^{\text{II}}_2$ Analogues. <i>Inorganic Chemistry</i> , 2017, 56, 5657-5668.	4.0	25
32	A unique copper(II)-assisted transformation of acetylacetone dioxime in acetone that leads to one-dimensional, quinoxaline-bridged coordination polymers. <i>Dalton Transactions</i> , 2017, 46, 260-274.	3.3	14
33	Switching on the single-molecule magnet properties within a series of dinuclear cobalt(III)–dysprosium(III) 2-pyridyloximate complexes. <i>Dalton Transactions</i> , 2017, 46, 14812-14825.	3.3	28
34	2-hydroxybenzophenone-controlled self-assembly of enneanuclear lanthanide(III) hydroxo coordination clusters with an hourglass-like topology. <i>Inorganic Chemistry Communication</i> , 2017, 83, 118-122.	3.9	8
35	Using the Singly Deprotonated Triethanolamine to Prepare Dinuclear Lanthanide(III) Complexes: Synthesis, Structural Characterization and Magnetic Studies. <i>Magnetochemistry</i> , 2017, 3, 5.	2.4	16
36	A Ni $_{11}$ Coordination Cluster from the Use of the Di-2-Pyridyl Ketone/Acetate Ligand Combination: Synthetic, Structural and Magnetic Studies. <i>Magnetochemistry</i> , 2016, 2, 30.	2.4	6

#	ARTICLE	IF	CITATIONS
37	Solvent-dependent access to mono- and dinuclear copper(ii) assemblies based on a flexible imidazole ligand. <i>CrystEngComm</i> , 2016, 18, 4733-4743.	2.6	3
38	Binding of oxime group to uranyl ion. <i>Dalton Transactions</i> , 2016, 45, 9307-9319.	3.3	29
39	In search of molecules displaying ferromagnetic exchange: multiple-decker Ni ₁₂ and Ni ₁₆ complexes from the use of pyridine-2-amidoxime. <i>Dalton Transactions</i> , 2016, 45, 17409-17419.	3.3	20
40	Bis(di-2-pyridyl ketoximate- O , N , N $\hat{=}$)bis(di-2-pyridyl ketoxime- N , N $\hat{=}$)dicopper(II) diperchlorate: A plausible, weakly ferromagnetically-coupled intermediate in the formation of the neutral, strongly antiferromagnetically-coupled neutral dimer bearing only deprotonated ligands. <i>Inorganic Chemistry Communication</i> , 2016, 70, 95-98.	3.9	4
41	Interesting copper(ⁱⁱ)-assisted transformations of 2-acetylpyridine and 2-benzoylpyridine. <i>Dalton Transactions</i> , 2016, 45, 1063-1077.	3.3	23
42	A square planar nickel(II) complex derived from a unique metal ion-promoted transformation of 2-benzoylpyridine. <i>Inorganic Chemistry Communication</i> , 2016, 64, 53-55.	3.9	9
43	Ni ^{II} ₂₀ $\hat{=}$ Bows $\hat{=}$ from the Use of Tridentate Schiff Bases. <i>Inorganic Chemistry</i> , 2015, 54, 5615-5617.	4.0	25
44	Squashed {Fe ₂ ^{III} M ₄ ^{III} } octahedra (M = Y, Gd, Dy) from the first use of the cyanoacetate ligand in 3d/4f coordination chemistry. <i>RSC Advances</i> , 2015, 5, 10763-10767.	3.6	17
45	Nonemployed Simple Carboxylate Ions in Well-Investigated Areas of Heterometallic Carboxylate Cluster Chemistry: A New Family of {Cu ^{II} ₄ Ln ^{III} ₈ } Complexes Bearing <i>tert</i> -Butylacetate Bridging Ligands. <i>Inorganic Chemistry</i> , 2015, 54, 7555-7561.	4.0	24
46	A family of dinuclear lanthanide(ⁱⁱⁱ) complexes from the use of a tridentate Schiff base. <i>Dalton Transactions</i> , 2015, 44, 10200-10209.	3.3	60
47	Dinuclear lanthanide(ⁱⁱⁱ)/zinc(ⁱⁱ) complexes with methyl 2-pyridyl ketone oxime. <i>Dalton Transactions</i> , 2015, 44, 19791-19795.	3.3	19
48	The $\hat{=}$ periodic table $\hat{=}$ of benzotriazoles: Uranium(VI) complexes. <i>Inorganic Chemistry Communication</i> , 2015, 59, 57-60.	3.9	11
49	Supramolecular features in the engineering of 3d metal complexes with phenyl-substituted imidazoles as ligands: the case of copper(ⁱⁱ). <i>CrystEngComm</i> , 2015, 17, 7510-7521.	2.6	11
50	The N-(2-carboxyphenyl)salicylideneimine ligand in 4f-metal chemistry: A unique neodymium(III) chain containing the singly deprotonated, zwitterionic form of the ligand. <i>Inorganic Chemistry Communication</i> , 2015, 51, 118-121.	3.9	4
51	Mononuclear anionic octahedral cobalt(III) complexes based on N-salicylidene-o-aminophenol and its derivatives: Synthetic, structural and spectroscopic studies. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 136, 122-130.	3.9	17
52	Tris{2,4-bis(2-pyridyl)-1,3,5-triazapentanedienato}manganese(III), a complex derived from a unique metal ion-assisted transformation of pyridine-2-amidoxime. <i>Inorganic Chemistry Communication</i> , 2014, 50, 117-121.	3.9	19
53	Structural and magnetic variations in tetranuclear Ni ^{II} clusters: the effect of the reaction solvent and ligand substitution on product identity. <i>Dalton Transactions</i> , 2014, 43, 16605-16609.	3.3	32
54	The fac diastereoisomer of tris(2-pyridinealdoximato)cobalt(III) and a cationic cobalt(III) complex containing both the neutral and anionic forms of the ligand: Synthetic, structural and spectroscopic studies. <i>Polyhedron</i> , 2014, 79, 29-36.	2.2	13

#	ARTICLE	IF	CITATIONS
55	Unique Dinuclear, Tetrakis(nitrato- $\langle l \rangle O \langle /l \rangle, \langle l \rangle O \langle /l \rangle \hat{=}$)-Bridged Lanthanide(III) Complexes from the Use of Pyridine-2-Amidoxime: Synthesis, Structural Studies and Spectroscopic Characterization. <i>Journal of Surfaces and Interfaces of Materials</i> , 2014, 2, 311-318.	0.5	9
56	Molecular Nanoscale Magnetic Refrigerants: A Ferrimagnetic $\{Cu \langle \sup \rangle II \langle /sup \rangle \langle \sub \rangle 15 \langle /sub \rangle Gd \langle \sup \rangle III \langle /sup \rangle \langle \sub \rangle 7 \langle /sub \rangle\}$ Cage-like Cluster from the Use of Pyridine-2,6-dimethanol. <i>Inorganic Chemistry</i> , 2013, 52, 10235-10237.	4.0	58
57	A Database of Topological Representations of Polynuclear Nickel Compounds. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 520-526.	2.0	20
58	In search of 3d/4f-metal single-molecule magnets: Nickel(II)/lanthanide(III) coordination clusters. <i>Pure and Applied Chemistry</i> , 2013, 85, 315-327.	1.9	37
59	Dinuclear Lanthanide(III) Complexes by Metal-Ion-Assisted Hydration of Di-2-pyridyl Ketone Oxime. <i>Inorganic Chemistry</i> , 2013, 52, 4145-4147.	4.0	21
60	The "periodic table" of di-2-pyridyl ketone: vanadium complexes. <i>Dalton Transactions</i> , 2012, 41, 11984.	3.3	13
61	Investigation of the zinc(ii) "benzoate" 2-pyridinealdoxime reaction system. <i>Dalton Transactions</i> , 2012, 41, 3797.	3.3	24
62	Metal ion-assisted transformations of 2-pyridinealdoxime and hexafluorophosphate. <i>Dalton Transactions</i> , 2012, 41, 2862-2865.	3.3	33
63	Employment of methyl 2-pyridyl ketone oxime in 3d/4f-metal chemistry: dinuclear nickel(ii)/lanthanide(iii) species and complexes containing the metals in separate ions. <i>Dalton Transactions</i> , 2012, 41, 13755.	3.3	34
64	Single-Strand Molecular Wheels and Coordination Polymers in Copper(II) Benzoate Chemistry by the Employment of \pm -Benzoin Oxime and Azides: Synthesis, Structures, and Magnetic Characterization. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 3121-3131.	2.0	27
65	The first member of a second generation family of ligands derived from metal-ion assisted reactivity of di-2,6-(2-pyridylcarbonyl)pyridine: Synthesis and characterization of a MnII/III ₄ rhombus. <i>Inorganic Chemistry Communication</i> , 2012, 15, 73-77.	3.9	15
66	Unexpected formation, X-ray structure, and characterization of the triangular $[Ti \langle \sub \rangle 3 \langle /sub \rangle \ddot{Y}(OMe) \langle \sub \rangle 6 \langle /sub \rangle (i \langle \sup \rangle 5 \langle /sup \rangle -C \langle \sub \rangle 5 \langle /sub \rangle H \langle \sub \rangle 5 \langle /sub \rangle) \langle \sub \rangle 3 \langle /sub \rangle](l \langle \sub \rangle 3 \langle /sub \rangle)$ complex from hydrolysis and methanolysis of $[Ti(i \langle \sup \rangle 5 \langle /sup \rangle -C \langle \sub \rangle 5 \langle /sub \rangle H \langle \sub \rangle 5 \langle /sub \rangle) \langle \sub \rangle 2 \langle /sub \rangle l \langle \sub \rangle 2 \langle /sub \rangle]$. <i>Journal of Coordination Chemistry</i> , 2011, 64, 2377-2387.	2.2	8
67	Trinuclear, Tetranuclear, and Polymeric $Cu \langle \sup \rangle II \langle /sup \rangle$ Complexes from the First Use of 2-Pyridylcyanoxime in Transition Metal Chemistry: Synthetic, Structural, and Magnetic Studies. <i>Inorganic Chemistry</i> , 2011, 50, 2468-2478.	4.0	57
68	Triangular NiII ₂ NiIII and NiII ₂ YIII complexes derived from di-2-pyridyl ketone: Synthesis, structures and magnetic properties. <i>Polyhedron</i> , 2011, 30, 2978-2986.	2.2	25
69	The search for cobalt single-molecule magnets: A disk-like CoII ₆ cluster with a ligand derived from a novel transformation of 2-acetylpyridine. <i>Polyhedron</i> , 2011, 30, 2987-2996.	2.2	38
70	A NiII cubane with a ligand derived from a unique metal ion-promoted, crossed-aldol reaction of acetone with di-2-pyridyl ketone. <i>Polyhedron</i> , 2011, 30, 3022-3025.	2.2	27
71	Synthesis and Structural Characterization of a New Tetranuclear Nickel(II) Sulfato Complex Containing the Anionic Form of Di-2-Pyridyl Ketone Oxime. <i>International Journal of Inorganic Chemistry</i> , 2011, 2011, 1-9.	0.6	3
72	Strong antiferromagnetic coupling in doubly N,O oximate-bridged dinuclear copper(II) complexes. <i>Polyhedron</i> , 2010, 29, 204-211.	2.2	31

#	ARTICLE	IF	CITATIONS
73	Nickel/Lanthanide Single-Molecule Magnets: $\{Ni_3Ln\}$ "Stars" with a Ligand Derived from the Metal-Promoted Reduction of Di-2-pyridyl Ketone under Solvothermal Conditions. <i>Inorganic Chemistry</i> , 2010, 49, 9737-9739.	4.0	97
74	Wheel-like Mn_{16} and Ni_{16} complexes from the use of 2-pyridinealdoxime and carboxylates. <i>Dalton Transactions</i> , 2010, 39, 3563.	3.3	42
75	A High-Nuclearity 3d/4f Metal Oxime Cluster: An Unusual Ni_8Dy_8 "Core-Shell" Complex from the Use of 2-Pyridinealdoxime. <i>Inorganic Chemistry</i> , 2010, 49, 9743-9745.	4.0	89
76	"Depolymerization" Approach in Mn Cluster Chemistry: Controlled Cleavage of a 1D Coordination Polymer Consisting of Mn_8 Units in Its Constituent, Discrete Mn_8 Complex. <i>Inorganic Chemistry</i> , 2010, 49, 359-361.	4.0	20
77	Combining Azide, Carboxylate, and 2-Pyridyloximate Ligands in Transition-Metal Chemistry: Ferromagnetic Ni_5 Clusters with a Bowtie Skeleton. <i>Inorganic Chemistry</i> , 2010, 49, 10486-10496.	4.0	76
78	Initial employment of di-2-pyridyl ketone as a route to nickel(ii)/lanthanide(iii) clusters: triangular Ni_2Ln complexes. <i>Dalton Transactions</i> , 2010, 39, 8603.	3.3	42
79	Adventures in the Coordination Chemistry of Di-2-pyridyl Ketone and Related Ligands: From High-Spin Molecules and Single-Molecule Magnets to Coordination Polymers, and from Structural Aesthetics to an Exciting New Reactivity Chemistry of Coordinated Ligands. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 3361-3391.	2.0	112
80	Maleamate(-1) and Maleate(-2) Copper(II)-2,2'-Bipyridine Complexes: Synthesis, Reactivity and Structural and Physical Studies. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 4554-4563.	2.0	11
81	In search for mixed transition metal/lanthanide single-molecule magnets: Synthetic routes to Ni_{II}/Tb_{III} and Ni_{II}/Dy_{III} clusters featuring a 2-pyridyl oximate ligand. <i>Polyhedron</i> , 2009, 28, 1652-1655.	2.2	44
82	A family of mononuclear Co_{III} /2-pyridyloximate complexes and their conversion to trinuclear, mixed-valence linear clusters. <i>Polyhedron</i> , 2009, 28, 1638-1645.	2.2	25
83	Initial use of 1,1'-oxalyldiimidazole for inorganic synthesis: Decomposition of the ligand as a means to the preparation of an imidazole- and oxalate(-2)-containing, 1D copper(II) complex. <i>Inorganic Chemistry Communication</i> , 2009, 12, 402-405.	3.9	10
84	Alcoholysis/hydrolysis of 1,1'-carbonyldiimidazole as a means of preparing unprecedented, imidazole-containing one-dimensional coordination polymers of copper(II). <i>Dalton Transactions</i> , 2009, , 3354.	3.3	21
85	Diol-type ligands as central "players" in the chemistry of high-spin molecules and single-molecule magnets. <i>Dalton Transactions</i> , 2008, , 5537.	3.3	182
86	Unusual Structural Types in Nickel Cluster Chemistry from the Use of Pyridyl Oximes: Ni_5 , $Ni_{12}Na_2$, and Ni_{14} Clusters. <i>Inorganic Chemistry</i> , 2008, 47, 11825-11838.	4.0	76
87	Di-2-pyridyl Ketone/Benzoate/Azide Combination as a Source of Copper(II) Clusters and Coordination Polymers: Dependence of the Product Identity on the Solvent. <i>Inorganic Chemistry</i> , 2008, 47, 7969-7971.	4.0	45
88	High Nuclearity Single-Molecule Magnets: a Mixed-Valence Mn_{26} Cluster Containing the Di-2-pyridylketone Diolate Dianion. <i>Inorganic Chemistry</i> , 2008, 47, 10081-10089.	4.0	63
89	Reactions of Nickel (II) Sulfate Hexahydrate with Methyl(2-pyridyl)ketone Oxime: Two Mononuclear Sulfato Complexes Containing the Neutral Ligand. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2007, 62, 1123-1132.	0.7	18
90	Proton NMR study in hexanuclear manganese single-molecule magnets. <i>Physical Review B</i> , 2007, 75, .	3.2	7

#	ARTICLE	IF	CITATIONS
91	Switching On the Properties of Single-Molecule Magnetism in Triangular Manganese(III) Complexes. <i>Journal of the American Chemical Society</i> , 2007, 129, 9484-9499.	13.7	212
92	Use of the Sulfato Ligand in 3d-Metal Cluster Chemistry: A Family of Hexanuclear Nickel(II) Complexes with 2-Pyridyl-Substituted Oxime Ligands. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 2761-2774.	2.0	54
93	Mixed-Valence Cobalt(II/III) Carboxylate Clusters: Coll4Coll2 and CollColl2 Complexes from the Use of 2-(Hydroxymethyl)pyridine. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 5098-5104.	2.0	46
94	Dinuclear lanthanide(III) complexes from the use of di-2-pyridyl ketone: Preparation, structural characterization and spectroscopic studies. <i>Polyhedron</i> , 2006, 25, 2869-2879.	2.2	24
95	A Systematic Exploration of Nickel(II)/Acetate/Di-2-pyridyl Ketone Chemistry: Neutral and Cationic Tetranuclear Clusters, and a Novel Mononuclear Complex. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 2236-2252.	2.0	66
96	Investigation of the Zinc Chloride / Methyl(2-pyridyl)ketone Oxime Reaction System: A Mononuclear Complex and an Inverse 12-Metallacrown-4 Cluster. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2006, 61, 37-46.	0.7	21
97	Dinuclear versus tetranuclear cluster formation in zinc(II) nitrate/di-2-pyridyl ketone chemistry: synthetic, structural and spectroscopic studies. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2005, 61, 1627-1638.	3.9	44
98	Use of the Di-2-pyridyl Ketone/Acetate/Dicyanamide Blend in Manganese(II), Cobalt(II) and Nickel(II) Chemistry: Neutral Cubane Complexes. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 879-893.	2.0	82
99	Di-2-pyridyl Ketone Oxime in Zinc Chemistry: Inverse 12-Metallacrown-4 Complexes and Cationic Pentanuclear Clusters. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 1964-1978.	2.0	51
100	Hydrogen-Bonded Networks Featuring Yttrium(III) Complexes of N,N-Dimethylurea (DMU): Preparation and Characterization of [Y(DMU)6][YCl6] and [Y(NO3)3(DMU)3]. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2005, 60, 363-372.	0.7	4
101	Title is missing!. <i>Transition Metal Chemistry</i> , 2003, 28, 548-557.	1.4	17
102	Use of the di-2-pyridyl ketone/3,5-di-tert-butylcatechol blend in iron(III) chemistry: a cationic tetranuclear cluster and an anionic trinuclear complex. <i>Dalton Transactions</i> , 2003, , 3411-3418.	3.3	56
103	Octanuclearity and tetradecanuclearity in manganese chemistry: an octanuclear manganese(ii)/(iii) complex featuring the novel [Mn8(μ4-O)2(μ3-OH)2]14+ core and [Mn10IIIMn4IIIO4(O2CMe)20{(2-py)2C(OH)O}4] (2-py = 2-pyridyl). <i>Chemical Communications</i> , 2003, , 819-821.	4.1	97
104	Cadmium Carboxylate Chemistry: Preparation, Crystal Structure, and Thermal and Spectroscopic Characterization of the One-dimensional Polymer [Cd(O2CMe)(O2CPh)(H2O)2]n. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2003, 58, 1045-1054.	0.7	32
105	The Hexakis(N,N'-Dimethylurea)Cobalt(II) Cation: A Flexible Building Block for the Construction of Hydrogen Bonded Networks. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2003, 58, 74-84.	0.7	5
106	Families of Polynuclear Manganese, Cobalt, Nickel and Copper Complexes Stabilized by Various Forms of Di-2-pyridyl Ketone. <i>Comments on Inorganic Chemistry</i> , 2002, 23, 249-274.	5.2	164
107	Studies of Monothiomalonamide and its Palladium(II) and Platinum(II) Complexes. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2002, 57, 1224-1236.	0.7	0
108	Synthesis and physical studies of lanthanide(III) complexes of N,N-bis(2-hydroxyethyl)glycinate (bicinate, bicH2 ²⁻): molecular and crystal structure of [Gd(O2CMe)(bicH2)(phen)(H2O)](ClO4).phen.3H2O (phen=1,10-phenanthroline). <i>Inorganica Chimica Acta</i> , 2002, 336, 8-18.	2.4	22

#	ARTICLE	IF	CITATIONS
109	Title is missing!. Transition Metal Chemistry, 2002, 27, 377-383.	1.4	16
110	Title is missing!. Transition Metal Chemistry, 2002, 27, 864-873.	1.4	9
111	Reactivity in polynuclear transition metal chemistry as a means to obtain high-spin molecules: substitution of $[M_4(OH)_4]^{7+}$ by $[M_4(N_3)_4]^{7+}$ increases nine times the ground-state S value of a nonanuclear nickel(II) cage. Chemical Communications, 2001, , 2414-2415.	4.1	157
112	Tetranuclear iron(III) carboxylate clusters with 1,10-phenanthroline and 2,2'-bipyridine: a new $[Fe_4(\mu_4-OH)(\mu_4-OH)_2]^{7+}$ core. Dalton Transactions RSC, 2001, , 955-957.	2.3	24
113	New Dinuclear Transition Metal Complexes with the $[M_2(\mu_2-dhbc)]^{n+}$ Core and 2-(2'-Pyridyl)quinoxaline (L) as a Terminal Ligand: Preparation and Characterization (dhbc = the Dianion of 2,5-Dihydroxy -1,4- benzoquinone; M = Ag ^I ,) Tj ETQq1 1 0.784314 rgBT /Oylock 10 0.7 27	0.7	27
114	High Nuclearity ZnII/MeCO ₂ ⁿ /(C ₅ NH ₄) ₂ CO ₂ ⁿ Clusters by α -Depolymerization \rightarrow Conversion of a Three-Dimensional Coordination Polymer Containing Hexameric Units into Its Constituent Hexanuclear Complex. Angewandte Chemie - International Edition, 2001, 40, 3211-3214.	13.8	61
115	Title is missing!. Transition Metal Chemistry, 2001, 26, 276-281.	1.4	69
116	Reaction between Yttrium Nitrate and 2,2':6',2''-Terpyridine (terpy) in MeCN: Preparation, Crystal Structures and Spectroscopic Characterization of $[Y(NO_3)_3(terpy)(H_2O)]$ and $[Y(NO_3)_3(terpy)(H_2O)] \cdot 3 MeCN$. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2001, 56, 122-128.	0.7	15
117	Alcoholysis of 2,2'-Pyridil, (2-C ₅ H ₄ N)C(O)C(O)(2-C ₅ H ₄ N), in the Presence of Copper(II): A Family of Planar Pentanuclear Copper(II) Complexes Stabilized by [(2-C ₅ H ₄ N)C(O)(OR)C(O)(OR)(2-C ₅ H ₄ N)] ₂ -and Carboxylate Ligands. Inorganic Chemistry, 2000, 39, 4658-4662.	4.0	41
118	Title is missing!. Transition Metal Chemistry, 1999, 24, 541-545.	1.4	17
119	The gem-Diol Form of (py) ₂ CO as a Ligand in Cobalt(II) Carboxylate Clusters: A Cubane Complex and a Novel Nonanuclear Species with a Vertex-Sharing Double Square Pyramidal Structure. Angewandte Chemie - International Edition, 1999, 38, 983-985.	13.8	106
120	The Case of Symmetry-Dependent Ground-State Spin Value in Ni(II) Clusters of High-Nuclearity. Crystal Structure and Magnetic Properties of a Pentanuclear and a Nonanuclear Ni(II) Clusters. Molecular Crystals and Liquid Crystals, 1999, 335, 463-472.	0.3	25
121	Title is missing!. Transition Metal Chemistry, 1998, 23, 599-604.	1.4	18
122	Octanuclearity in Copper(II) Chemistry: Preparation, Characterization, and Magnetochemistry of $[Cu_8(dpk-OH)_8(O_2CCH_3)_4](ClO_4)_4 \cdot 9H_2O$ (dpk-H ₂ O = the Hydrated, gem-Diol Form of Di-2-pyridyl Ketone). Inorganic Chemistry, 1997, 36, 3996-4006.	4.0	89
123	The Case of a Cu ₄ Rhombus in Molecular Magnetism: Preparation, Crystal Structure, and Magnetic Properties of $[Cu_4(dpk-CH_3O)_4(CH_3O)_2](ClO_4)_2$ (dpk-CH ₃ OH = Monomethylated Diol of Di-2-pyridyl) Tj ETQq1 1 0.784314 rgBT /Oylock 10 4.0 72	4.0	72
124	Copper(II) complexes of tetrapeptides containing cysteinyl and histidinyl residues. Transition Metal Chemistry, 1997, 23, 105-107.	1.4	7
125	The $[Cu_2(O_2CMe)_4(H_2O)_2]/(py)_2CO$ System as the Source of an Unusual Heptanuclear Complex and a Novel Dodecanuclear Flywheel-Cluster. Angewandte Chemie International Edition in English, 1997, 36, 1083-1085.	4.4	73
126	Binding of Cations to 4f Metal Ions : Preparation and Properties of Lanthanide(III) Complexes Containing the Phenelzinium(1+) Cation as a Ligand. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 1996, 51, 112-118.	0.7	1

#	ARTICLE	IF	CITATIONS
127	Preparation, structural characterization and vibrational spectroscopic studies of transition metal complexes of singly- and doubly-deprotonated N-methyl-2-thiooxamic acid. <i>Transition Metal Chemistry</i> , 1996, 21, 273-282.	1.4	5
128	Infrared and Raman spectra of crystallization water in potassium N, N-dimethyloxathioamidate monohydrate. <i>Journal of Raman Spectroscopy</i> , 1995, 26, 77-82.	2.5	5
129	The synthesis, spectroscopic and thermal study of oxamic acid compounds of some metal(II) ions. <i>Transition Metal Chemistry</i> , 1995, 20, 454-459.	1.4	27
130	Synthesis, crystal and molecular structure and vibrational characterization of N,N-dimethyl-oxathioamidate monohydrate. <i>Journal of Chemical Crystallography</i> , 1994, 24, 615-620.	1.1	5
131	The Vibrational Spectra of Complexes with Planar Monothiooxamides. III. The Palladium(II) Complexes of Neutral Monothiooxamides. <i>Spectroscopy Letters</i> , 1994, 27, 97-118.	1.0	4
132	The Vibrational Spectra of Complexes with Planar Monothiooxamides. IV. The Copper(II) and Copper(I) Complexes of Neutral Monothiooxamides. <i>Spectroscopy Letters</i> , 1994, 27, 119-138.	1.0	8
133	Synthesis, Properties and Spectroscopic Studies of Cobalt (II) and Cobalt (III) Complexes with Planar Dithioamides. <i>Spectroscopy Letters</i> , 1993, 26, 751-776.	1.0	7
134	Synthesis and Spectroscopic Characterization of the Heterobimetallic Chain Compounds $[MPdL_2]_n$ and $[CuPtL_2]_n$ (M = Co, Ni, Cu, Zn, Pt; L = 2,2,2-trifluoroethylacetate). <i>Journal of Coordination Chemistry</i> , 1992, 25, 101-110.	1.0	2
135	Complexes of Oxamic Acid with La(III), Gd(III), Tb(III), Er(III), Tm(III) and Lu(III). <i>Journal of the Chinese Chemical Society</i> , 1983, 30, 201-206.	1.4	0
136	Deprotonated Complexes of Bis(o-aminobenzenesulfonyl)ethylenediamine with Mn(II), Co(II), Ni(II) and Cu(II). <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 1983, 38, 350-356.	0.7	8
137	Non Deprotonated Metal Complexes of the Bis-amide Tetradentate Ligand N,N'-bis(2,2,2-trifluoroethylacetate)-1,8-naphthylenediamine. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 1981, 36, 87-93.	0.7	16
138	Lanthanide(III) Complexes of Oxamic Acid. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 1981, 36, 697-703.	0.7	19
139	Compounds of Complex Halo and Pseudohalo Acids of the Group II B Metals, Part HI [1]Spectral Studies of the Hg ²⁺ Ion. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 1980, 35, 1244-1246.	0.7	2
140	Compounds of Complex Halo and Pseudohalo Acids of the Group II B Metals, Part II [1]Etherate and Aniline Compounds of Cd(II). <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 1980, 35, 1241-1243.	0.7	3
141	Compounds of Complex Halo and Pseudohalo Acids of the Group II B Metals, Part I Etherate, Pyridine and Aniline Compounds of Zn(II). <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 1979, 34, 1101-1106.	0.7	10