
Mei-Lin Wu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4017815/publications.pdf Version: 2024-02-01



Μει-Γινι λλ/ιι

#	Article	IF	CITATIONS
1	Physiological and Biochemical Responses of Kandelia obovata to Upwelling Stress. Water (Switzerland), 2022, 14, 899.	2.7	2
2	Assessing ecological health of mangrove ecosystems along South China Coast by the pressure–state–response (PSR) model. Ecotoxicology, 2021, 30, 622-631.	2.4	18
3	Bacterial community variations in the South China Sea driven by different chemical conditions. Ecotoxicology, 2021, 30, 1808-1815.	2.4	5
4	Dynamics of radial oxygen loss in mangroves subjected to waterlogging. Ecotoxicology, 2020, 29, 684-690.	2.4	8
5	Mixture of Pb, Zn and Cu on root permeability and radial oxygen loss in the mangrove Bruguiera gymnorrhiza. Ecotoxicology, 2020, 29, 691-697.	2.4	4
6	Phytoplankton community, structure and succession delineated by partial least square regression in Daya Bay, South China Sea. Ecotoxicology, 2020, 29, 751-761.	2.4	8
7	Distribution patterns and source identification for heavy metals in Mirs Bay of Hong Kong in China. Ecotoxicology, 2020, 29, 762-770.	2.4	7
8	Spatial assessment of water quality using chemometrics in the Pearl River Estuary, China. Frontiers of Earth Science, 2017, 11, 114-126.	2.1	6
9	Scenarios of nutrient alterations and responses of phytoplankton in a changing Daya Bay, South China Sea. Journal of Marine Systems, 2017, 165, 1-12.	2.1	49
10	Cyanobacterial community diversity in the sediments of the Pearl River Estuary in China. Scientia Marina, 2017, 81, 477.	0.6	3
11	Evolution of the sink and source of dissolved inorganic nitrogen with salinity as a tracer during summer in the Pearl River Estuary. Scientific Reports, 2016, 6, 36638.	3.3	20
12	A rapid and high-throughput microplate spectrophotometric method for field measurement of nitrate in seawater and freshwater. Scientific Reports, 2016, 6, 20165.	3.3	47
13	Seasonal and spatial variations of water quality and trophic status in Daya Bay, South China Sea. Marine Pollution Bulletin, 2016, 112, 341-348.	5.0	46
14	Fungal Community Successions in Rhizosphere Sediment of Seagrasses Enhalus acoroides under PAHs Stress. International Journal of Molecular Sciences, 2015, 16, 14039-14055.	4.1	20
15	Variation of phytoplankton community structure from the Pearl River estuary to South China Sea. Ecotoxicology, 2015, 24, 1442-1449.	2.4	11
16	Distribution and sources of the polycyclic aromatic hydrocarbons in the sediments of the Pearl River estuary, China. Ecotoxicology, 2015, 24, 1643-1649.	2.4	34
17	Spatial and vertical distribution of bacterial community in the northern South China Sea. Ecotoxicology, 2015, 24, 1478-1485.	2.4	15
18	Developing a salinity-based approach for the evaluation of DIN removal rate in estuarine ecosystems. Ecotoxicology, 2015, 24, 1611-1620.	2.4	8

Mei-Lin Wu

#	Article	IF	CITATIONS
19	Assessment for water quality by artificial neural network in Daya Bay, South China Sea. Ecotoxicology, 2015, 24, 1632-1642.	2.4	15
20	The diversity of coral associated bacteria and the environmental factors affect their community variation. Ecotoxicology, 2015, 24, 1467-1477.	2.4	47
21	Identification of Surface Water Quality along the Coast of Sanya, South China Sea. PLoS ONE, 2015, 10, e0123515.	2.5	7
22	Genetic Diversity of Bacterial Communities and Gene Transfer Agents in Northern South China Sea. PLoS ONE, 2014, 9, e111892.	2.5	9
23	Influence of human activity and monsoon dynamics on spatial and temporal hydrochemistry in tropical coastal waters (Sanya Bay, South China Sea). Chemistry and Ecology, 2012, 28, 375-390.	1.6	13
24	Monsoon-driven Dynamics of water quality by multivariate statistical methods in Daya Bay, South China Sea. Oceanological and Hydrobiological Studies, 2012, 41, 66-76.	0.7	10
25	Spatial variation of bacterial community structure of the Northern South China Sea in relation to water chemistry. Ecotoxicology, 2012, 21, 1669-1679.	2.4	15
26	Identification of water quality and zooplankton characteristics in Daya Bay, China, from 2001 to 2004. Environmental Earth Sciences, 2012, 66, 655-671.	2.7	15
27	Investigation of Spatial and Temporal Trends in Water Quality in Daya Bay, South China Sea. International Journal of Environmental Research and Public Health, 2011, 8, 2352-2365.	2.6	16
28	Spatial heterogeneity of bacterial community structure in the sediments of the Pearl River estuary. Biologia (Poland), 2011, 66, 574-584.	1.5	23
29	Effects of polycyclic aromatic hydrocarbons exposure on antioxidant system activities and proline content in Kandelia candel. Oceanological and Hydrobiological Studies, 2011, 40, 9-18.	0.7	30
30	Identification of coastal water quality by self-organizing map in Sanya Bay, South China Sea. Aquatic Ecosystem Health and Management, 2011, 14, 291-297.	0.6	6
31	Identification of coastal water quality by statistical analysis methods in Daya Bay, South China Sea. Marine Pollution Bulletin, 2010, 60, 852-860.	5.0	117
32	Identification of anthropogenic effects and seasonality on water quality in Daya Bay, South China Sea. Journal of Environmental Management, 2009, 90, 3082-3090.	7.8	72
33	Using chemometrics to identify water quality in Daya Bay, China. Oceanologia, 2009, 51, 217-232.	2.2	25
34	Using chemometrics to evaluate anthropogenic effects in Daya Bay, China. Estuarine, Coastal and Shelf Science, 2007, 72, 732-742.	2.1	96