

# C P Gyawali

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4017929/publications.pdf>

Version: 2024-02-01

263  
papers

13,251  
citations

26610

56  
h-index

29127

104  
g-index

274  
all docs

274  
docs citations

274  
times ranked

4645  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | A Short History of High-Resolution Esophageal Manometry. <i>Dysphagia</i> , 2023, 38, 586-595.   | 1.0  | 7         |
| 2  | Rapid Drink Challenge During High-resolution Manometry for Evaluation of Esophageal Emptying in Treated Achalasia. <i>Clinical Gastroenterology and Hepatology</i> , 2023, 21, 55-63.  | 2.4  | 9         |
| 3  | High-Resolution Manometry Thresholds and Motor Patterns Among Asymptomatic Individuals. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, e398-e406.   | 2.4  | 23        |
| 4  | Analysis of contractile segment impedance during straight leg raise maneuver using high-resolution impedance manometry increases diagnostic yield in reflux disease. <i>Neurogastroenterology and Motility</i> , 2022, 34, e14135. | 1.6  | 6         |
| 5  | Episode-level reflux characteristics: How experienced reviewers differentiate true reflux from artifact on pH-impedance studies. <i>Neurogastroenterology and Motility</i> , 2022, 34, e14153.                                     | 1.6  | 10        |
| 6  | Validation of secondary peristalsis classification using FLIP panometry in 741 subjects undergoing manometry. <i>Neurogastroenterology and Motility</i> , 2022, 34, e14192.  | 1.6  | 33        |
| 7  | Imperfect high-resolution manometry studies: Prevalence and predictive factors. <i>Neurogastroenterology and Motility</i> , 2022, 34, e14273.  | 1.6  | 6         |
| 8  | AGA Clinical Practice Update on Management of Medically Refractory Gastroparesis: Expert Review. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 491-500.  | 2.4  | 28        |
| 9  | The clinical value of psychogastroenterological interventions for functional esophageal symptoms. <i>Neurogastroenterology and Motility</i> , 2022, 34, e14315.  | 1.6  | 3         |
| 10 | AGA Clinical Practice Update on the Personalized Approach to the Evaluation and Management of GERD: Expert Review. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 984-994.e1.   | 2.4  | 99        |
| 11 | Role of functional luminal imaging probe in the management of postmyotomy clinical failure. <i>Gastrointestinal Endoscopy</i> , 2022, 96, 9-17.e3.   | 0.5  | 5         |
| 12 | Solid bolus swallows during high-resolution manometry complement multiple rapid swallows in predicting symptoms following antireflux surgery. <i>Neurogastroenterology and Motility</i> , 2022, 34, e14336.                        | 1.6  | 4         |
| 13 | Model for multi-disciplinary, multi-institutional virtual learning: The Stanford Esophageal Virtual Collaborative Conference on benign esophageal diseases. <i>Neurogastroenterology and Motility</i> , 2022, 34, e14369.          | 1.6  | 1         |
| 14 | Editorial: Lyon consensus metrics towards personalised diagnosis of non-erosive reflux disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 1214-1215.   | 1.9  | 1         |
| 15 | Achalasia. <i>Nature Reviews Disease Primers</i> , 2022, 8, 28.  | 18.1 | 36        |
| 16 | Effect of hiatus hernia on reflux patterns and mucosal integrity in patients with non-erosive reflux disease. <i>Neurogastroenterology and Motility</i> , 2022, 34, e14412.  | 1.6  | 4         |
| 17 | Chicago classification v4.0 protocol improves specificity and accuracy of diagnosis of oesophagogastric junction outflow obstruction. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 56, 606-613.                         | 1.9  | 16        |
| 18 | Inter-reviewer Variability in Interpretation of pH-Impedance Studies: The Wingate Consensus. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 1976-1978.e1.   | 2.4  | 45        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Patient Engagement with Interactive Text Message System Improves Successful Colonoscopy Rates in an Outpatient Endoscopy Center. <i>Digestive Diseases</i> , 2021, 39, 399-406.  | 0.8 | 5         |
| 20 | Normal values and regional differences in oesophageal impedance-pH metrics: a consensus analysis of impedance-pH studies from around the world. <i>Gut</i> , 2021, 70, 1441-1449.  | 6.1 | 49        |
| 21 | Achalasia and Obstructive Motor Disorders Are Not Uncommon in Patients With Eosinophilic Esophagitis. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 1554-1563.   | 2.4 | 34        |
| 22 | Identification of Different Phenotypes of Esophageal Reflux Hypersensitivity and Implications for Treatment. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 690-698.e2.   | 2.4 | 38        |
| 23 | Number of reflux episodes on pH-impedance monitoring associates with improved symptom outcome and treatment satisfaction in gastro-oesophageal reflux disease (GERD) patients with regurgitation. <i>Gut</i> , 2021, 70, 450-455.          | 6.1 | 29        |
| 24 | Non-acid Reflux: What to Do When You Don't Feel the Burn. <i>Digestive Diseases and Sciences</i> , 2021, 66, 929-931.  | 1.1 | 0         |
| 25 | Artificial intelligence automates and augments baseline impedance measurements from pH-impedance studies in gastroesophageal reflux disease. <i>Journal of Gastroenterology</i> , 2021, 56, 34-41.   | 2.3 | 24        |
| 26 | Duration of symptoms and manometric parameters offer clues to diagnosis of pseudoachalasia. <i>Neurogastroenterology and Motility</i> , 2021, 33, e13965.  | 1.6 | 9         |
| 27 | Application of a novel straight leg raise test during high-resolution manometry can predict esophageal contractile reserve in patients with gastroesophageal reflux disease. <i>Neurogastroenterology and Motility</i> , 2021, 33, e13996. | 1.6 | 2         |
| 28 | Esophagogastric junction morphology and contractile integral on high-resolution manometry in asymptomatic healthy volunteers: An international multicenter study. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14009.            | 1.6 | 10        |
| 29 | Impact of ineffective esophageal motility on secondary peristalsis: Studies with high-resolution manometry. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14024.  | 1.6 | 6         |
| 30 | European Society for Neurogastroenterology and Motility (ESNM) recommendations for the use of high-resolution manometry of the esophagus. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14043.                                    | 1.6 | 15        |
| 31 | Overlap of functional heartburn and reflux hypersensitivity with proven gastroesophageal reflux disease. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14056.   | 1.6 | 16        |
| 32 | Diagnostic yield of adding solid food swallows during high-resolution manometry in esophageal motility disorders. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14060.  | 1.6 | 9         |
| 33 | Ambulatory Reflux Monitoring Guides Proton Pump Inhibitor Discontinuation in Patients With Gastroesophageal Reflux Symptoms: A Clinical Trial. <i>Gastroenterology</i> , 2021, 160, 174-182.e1.  | 0.6 | 42        |
| 34 | Postreflux swallow-induced peristaltic wave index from pH-impedance monitoring associates with esophageal body motility and esophageal acid burden. <i>Neurogastroenterology and Motility</i> , 2021, 33, e13973.                          | 1.6 | 14        |
| 35 | Development of quality indicators for the diagnosis and management of achalasia. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14118.   | 1.6 | 9         |
| 36 | Chicago Classification update (V4.0): Technical review on diagnostic criteria for ineffective esophageal motility and absent contractility. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14134.                                  | 1.6 | 30        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Chicago Classification Update (v4.0): Technical review on diagnostic criteria for distal esophageal spasm. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14119.  | 1.6 | 15        |
| 38 | Validation of the French version of the esophageal hypervigilance and anxiety scale. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021, 45, 101672.   | 0.7 | 2         |
| 39 | Diagnostic yield and reliability of postprandial high-resolution manometry and impedance-pH for detecting rumination and supragastric belching in PPI nonresponders. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14106.      | 1.6 | 3         |
| 40 | A case of acute pancreatitis after intrapyloric botulinum toxin injection to treat gastroparesis. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021, 45, 101628.  | 0.7 | 1         |
| 41 | Breaks in peristaltic integrity predict abnormal esophageal bolus clearance better than contraction vigor or residual pressure at the esophagogastric junction. <i>Neurogastroenterology and Motility</i> , 2021, , e14141.             | 1.6 | 2         |
| 42 | Validation in French of the Brief Esophageal Dysphagia Questionnaire in Patients Referred For Esophageal Manometry. <i>Dysphagia</i> , 2021, , 1.   | 1.0 | 2         |
| 43 | Clinical usefulness of esophageal high resolution manometry and adjunctive tests: An update. <i>Digestive and Liver Disease</i> , 2021, 53, 1373-1380.  | 0.4 | 4         |
| 44 | Patients With Definite and Inconclusive Evidence of Reflux According to Lyon Consensus Display Similar Motility and Esophagogastric Junction Characteristics. <i>Journal of Neurogastroenterology and Motility</i> , 2021, 27, 565-573. | 0.8 | 7         |
| 45 | Low FODMAPs diet or usual dietary advice for the treatment of refractory gastroesophageal reflux disease: An open-label randomized trial. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14181.                                 | 1.6 | 11        |
| 46 | The Value of Reflux Monitoring: The Old and the New for the Diagnosis and Assessment of GERD. <i>Foregut</i> , 2021, 1, 124-131.  | 0.3 | 2         |
| 47 | Editorial: postreflux swallow-induced peristaltic wave in eosinophilic oesophagitis" more questions than answers?. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 188-189.   | 1.9 | 2         |
| 48 | Esophageal Physiologic Testing of Obese Subjects as a Part of Bariatric Surgery Planning. <i>Foregut</i> , 2021, 1, 304-311.  | 0.3 | 2         |
| 49 | Value of pH Impedance Monitoring While on Twice-Daily Proton Pump Inhibitor Therapy to Identify Need for Escalation of Reflux Management. <i>Gastroenterology</i> , 2021, 161, 1412-1422.   | 0.6 | 27        |
| 50 | Oesophageal hypervigilance and visceral anxiety relate to reflux symptom severity and psychological distress but not to acid reflux parameters. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 923-930.                    | 1.9 | 22        |
| 51 | Esophageal motility disorders on high-resolution manometry: Chicago classification version 4.0. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14058.   | 1.6 | 468       |
| 52 | ESNM/ANMS consensus paper: Diagnosis and management of refractory gastroesophageal reflux disease. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14075.  | 1.6 | 68        |
| 53 | Hypercontractile Esophagus From Pathophysiology to Management: Proceedings of the Pisa Symposium. <i>American Journal of Gastroenterology</i> , 2021, 116, 263-273.   | 0.2 | 24        |
| 54 | The tapestry of reflux syndromes: translating new insight into clinical practice. <i>British Journal of General Practice</i> , 2021, 71, 470-473.   | 0.7 | 6         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Making Sense of Nonachalasia Esophageal Motor Disorders. <i>Gastroenterology Clinics of North America</i> , 2021, 50, 885-903.  | 1.0 | 1         |
| 56 | Evaluation of the Esophagogastric Junction on High Resolution Manometry. <i>Journal of Clinical Gastroenterology</i> , 2021, 55, e8-e18.  | 1.1 | 3         |
| 57 | Classifying Esophageal Motility by FLIP Panometry: A Study of 722 Subjects With Manometry. <i>American Journal of Gastroenterology</i> , 2021, 116, 2357-2366.  | 0.2 | 53        |
| 58 | Biopsy forceps disruption paired with bougie dilation of esophageal strictures lengthens time to repeat intervention. <i>Ecological Management and Restoration</i> , 2021, 34, .  | 0.2 | 0         |
| 59 | Development of Entrustable Professional Activities and Standards in Training in Pediatric Neurogastroenterology and Motility. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021, 72, 168-180.                     | 0.9 | 4         |
| 60 | Response to Richter and Vaezi. <i>American Journal of Gastroenterology</i> , 2021, 116, 214-215.  | 0.2 | 0         |
| 61 | Mean Nocturnal Baseline Impedance Correlates With Symptom Outcome When Acid Exposure Time Is Inconclusive on Esophageal Reflux Monitoring. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 589-595.                   | 2.4 | 66        |
| 62 | Higher Esophageal Symptom Burden in Obese Subjects Results From Increased Esophageal Acid Exposure and Not From Dysmotility. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 1719-1726.                               | 2.4 | 17        |
| 63 | Correlation between reflux burden, peristaltic function, and mucosal integrity in GERD patients. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13752.  | 1.6 | 27        |
| 64 | Fragmented and failed swallows on esophageal high-resolution manometry associate with abnormal reflux burden better than weak swallows. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13736.                             | 1.6 | 32        |
| 65 | Reply. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 1646-1647.   | 2.4 | 0         |
| 66 | High-resolution Manometry can Characterize Esophagogastric Junction Morphology and Predict Esophageal Reflux Burden. <i>Journal of Clinical Gastroenterology</i> , 2020, 54, 22-27.   | 1.1 | 34        |
| 67 | Gastro-esophageal reflux disorders. , 2020, , 225-236.  |     | 0         |
| 68 | American Neurogastroenterology and Motility Society Task Force Recommendations for Resumption of Motility Laboratory Operations During the COVID-19 Pandemic. <i>American Journal of Gastroenterology</i> , 2020, 115, 1575-1583. | 0.2 | 16        |
| 69 | AGA Clinical Practice Update on Reducing Rates of Post-Endoscopy Esophageal Adenocarcinoma: Commentary. <i>Gastroenterology</i> , 2020, 159, 1533-1537.   | 0.6 | 15        |
| 70 | Functional Dyspepsia: Diagnostic and Therapeutic Approaches. <i>Drugs</i> , 2020, 80, 1319-1336.  | 4.9 | 38        |
| 71 | 7RECENT Advances in Endoscopic Treatments for Gastroesophageal Reflux Disease. <i>Current Treatment Options in Gastroenterology</i> , 2020, 18, 504-517.  | 0.3 | 1         |
| 72 | Prolonged Wireless pH Monitoring or 24-Hour Catheter-Based pH Impedance Monitoring: Who, When, and Why?. <i>American Journal of Gastroenterology</i> , 2020, 115, 1150-1152.  | 0.2 | 6         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | High-resolution manometry features of paraesophageal hernia. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13947.  | 1.6 | 4         |
| 74 | Enhancing High-Resolution Esophageal Manometry. <i>Gastroenterology Clinics of North America</i> , 2020, 49, 411-426.   | 1.0 | 4         |
| 75 | The use of impedance planimetry (Endoscopic Functional Lumen Imaging Probe, EndoFLIP <sup>®</sup> ) in the gastrointestinal tract: A systematic review. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13980.                                       | 1.6 | 39        |
| 76 | Esophageal Manometry Competency Program Improves Gastroenterology Fellow Performance in Motility Interpretation. <i>American Journal of Gastroenterology</i> , 2020, 115, 1453-1459.  | 0.2 | 5         |
| 77 | ACG Clinical Guidelines: Clinical Use of Esophageal Physiologic Testing. <i>American Journal of Gastroenterology</i> , 2020, 115, 1412-1428.  | 0.2 | 111       |
| 78 | Updates on diagnostic modalities for esophageal dysphagia. <i>Annals of the New York Academy of Sciences</i> , 2020, 1481, 108-116.   | 1.8 | 1         |
| 79 | Response to the Letter: How do we reopen our motility laboratory safely and efficiently?. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13969.   | 1.6 | 1         |
| 80 | Use of the Functional Lumen Imaging Probe in Clinical Esophagology. <i>American Journal of Gastroenterology</i> , 2020, 115, 1786-1796.   | 0.2 | 84        |
| 81 | The esophageal mucosal barrier in health and disease: mucosal pathophysiology and protective mechanisms. <i>Annals of the New York Academy of Sciences</i> , 2020, 1482, 49-60.   | 1.8 | 6         |
| 82 | Esophageal Motility Disorders Associated With Death or Allograft Dysfunction After Lung Transplantation? Results of a Retrospective Monocentric Study. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00137.                               | 1.3 | 11        |
| 83 | Recommendations for Essential Esophageal Physiologic Testing During the COVID-19 Pandemic. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 1906-1908.   | 2.4 | 12        |
| 84 | Esophageal Baseline Impedance From High-resolution Impedance Manometry Correlates With Mean Nocturnal Baseline Impedance From pH-impedance Monitoring. <i>Journal of Neurogastroenterology and Motility</i> , 2020, 26, 455-462.                            | 0.8 | 5         |
| 85 | Jackhammer esophagus: Clinical presentation, manometric diagnosis, and therapeutic results—Results from a multicenter French cohort. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13918.  | 1.6 | 21        |
| 86 | Trans-esophagogastric junction pressure gradients during straight leg raise maneuver on high-resolution manometry associate with large hiatus hernias. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13836.  | 1.6 | 10        |
| 87 | High-resolution Manometry Determinants of Refractoriness of Reflux Symptoms to Proton Pump Inhibitor Therapy. <i>Journal of Neurogastroenterology and Motility</i> , 2020, 26, 447-454.   | 0.8 | 19        |
| 88 | Esophageal Hypervigilance and Visceral Anxiety Are Contributors to Symptom Severity Among Patients Evaluated With High-Resolution Esophageal Manometry. <i>American Journal of Gastroenterology</i> , 2020, 115, 367-375.                                   | 0.2 | 51        |
| 89 | Esophageal contractile segment impedance from high-resolution impedance manometry correlates with mean nocturnal baseline impedance and acid exposure time from 24-hour pH-impedance monitoring. <i>Ecological Management and Restoration</i> , 2020, 33, . | 0.2 | 8         |
| 90 | Straight leg raise metrics on high-resolution manometry associate with esophageal reflux burden. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13929.  | 1.6 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Bile reflux in patients with nerd is associated with more severe heartburn and lower values of mean nocturnal baseline impedance and chemical clearance. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13919.                                      | 1.6 | 23        |
| 92  | Mucosal impedance for esophageal disease: evaluating the evidence. <i>Annals of the New York Academy of Sciences</i> , 2020, 1481, 247-257.   | 1.8 | 8         |
| 93  | Role of Rapid Drink Challenge During Esophageal High-resolution Manometry in Predicting Outcome of Peroral Endoscopic Myotomy in Patients With Achalasia. <i>Journal of Neurogastroenterology and Motility</i> , 2020, 26, 204-214.                         | 0.8 | 11        |
| 94  | Endoscope presence during endoluminal functional lumen imaging probe (FLIP) influences FLIP metrics in the evaluation of esophageal dysmotility. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13823.  | 1.6 | 12        |
| 95  | Prolonged Wireless pH Monitoring in Patients With Persistent Reflux Symptoms Despite Proton Pump Inhibitor Therapy. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 2912-2919.  | 2.4 | 29        |
| 96  | AGA Clinical Practice Update on Functional Heartburn: Expert Review. <i>Gastroenterology</i> , 2020, 158, 2286-2293.  | 0.6 | 30        |
| 97  | ESNM/ANMS Review. Diagnosis and management of globus sensation: A clinical challenge. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13850.   | 1.6 | 8         |
| 98  | Post-reflux swallow-induced peristaltic wave (PSPW): physiology, triggering factors and role in reflux clearance in healthy subjects. <i>Journal of Gastroenterology</i> , 2020, 55, 1109-1118.   | 2.3 | 23        |
| 99  | Treatment experience with a novel 30-mm hydrostatic balloon in esophageal dysmotility: a multicenter retrospective analysis. <i>Gastrointestinal Endoscopy</i> , 2020, 92, 1251-1257.   | 0.5 | 16        |
| 100 | Diagnosis of gastroesophageal reflux: an update on current and emerging modalities. <i>Annals of the New York Academy of Sciences</i> , 2020, 1481, 154-169.  | 1.8 | 10        |
| 101 | Contraction Reserve With Ineffective Esophageal Motility on Esophageal High-Resolution Manometry is Associated With Lower Acid Exposure Times Compared With Absent Contraction Reserve. <i>American Journal of Gastroenterology</i> , 2020, 115, 1981-1988. | 0.2 | 19        |
| 102 | Prognostic Value of Metabolic Liver Function Tests: a Study on 711 Cirrhotic Patients. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020, 25, 337-343.   | 0.5 | 2         |
| 103 | How to select patients for antireflux surgery? The ICARUS guidelines (international consensus) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 1</i>  | 6.1 | 80        |
| 104 | Videofluoroscopic swallow study features of lower esophageal sphincter achalasia-like syndrome in dogs. <i>Journal of Veterinary Internal Medicine</i> , 2019, 33, 1954-1963.   | 0.6 | 11        |
| 105 | Jackhammer esophagus with and without esophagogastric junction outflow obstruction demonstrates altered neural control resembling type 3 achalasia. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13678.   | 1.6 | 27        |
| 106 | Esophageal motility classification can be established at the time of endoscopy: a study evaluating real-time functional luminal imaging probe panometry. <i>Gastrointestinal Endoscopy</i> , 2019, 90, 915-923.e1.  | 0.5 | 48        |
| 107 | The treatment of achalasia patients with esophageal varices: an international study. <i>United European Gastroenterology Journal</i> , 2019, 7, 565-572.  | 1.6 | 10        |
| 108 | Screening for Barrett's Esophagus: Balancing Clinical Value and Cost-effectiveness. <i>Journal of Neurogastroenterology and Motility</i> , 2019, 25, 181-188.   | 0.8 | 10        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Upper esophageal sphincter metrics on high-resolution manometry differentiate etiologies of esophagogastric junction outflow obstruction. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13558.                         | 1.6 | 13        |
| 110 | Clinical and psychological characteristics in gastroesophageal reflux disease patients overlapping with laryngopharyngeal reflux symptoms. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1720-1726. | 1.4 | 24        |
| 111 | Achalasia diagnosed despite normal integrated relaxation pressure responds favorably to therapy. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13586.  | 1.6 | 26        |
| 112 | Botulinum toxin for the treatment of hypercontractile esophagus: Results of a double-blind randomized sham-controlled study. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13587.                                      | 1.6 | 22        |
| 113 | Ineffective esophageal motility: Concepts, future directions, and conclusions from the Stanford 2018 symposium. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13584.   | 1.6 | 76        |
| 114 | Development and Validation of a Mucosal Impedance Contour Analysis System to Distinguish Esophageal Disorders. <i>Gastroenterology</i> , 2019, 156, 1617-1626.e1.   | 0.6 | 68        |
| 115 | Why differences between New York and New Delhi matter in approach to gastroesophageal reflux disease. <i>Indian Journal of Gastroenterology</i> , 2019, 38, 371-377.  | 0.7 | 2         |
| 116 | Multicenter Evaluation of Clinical Efficacy and Safety of Peroral Endoscopic Myotomy in Children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2019, 69, 523-527.   | 0.9 | 32        |
| 117 | Evaluation of Esophageal Contraction Reserve Using HRM in Symptomatic Esophageal Disease. <i>Journal of Clinical Gastroenterology</i> , 2019, 53, 322-330.  | 1.1 | 9         |
| 118 | Provocative testing in patients with jackhammer esophagus: evidence for altered neural control. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 316, G397-G403.  | 1.6 | 27        |
| 119 | Clinical Characteristics and Outcomes of Patients With Postfundoplication Dysphagia. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1982-1990.   | 2.4 | 38        |
| 120 | The Role of High-Resolution Manometry in Gastroesophageal Reflux Disease. <i>Gastroenterology and Hepatology</i> , 2019, 15, 442-444.   | 0.2 | 0         |
| 121 | Curriculum for neurogastroenterology and motility training: A report from the joint ANMS-ESNM task force. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13341.   | 1.6 | 15        |
| 122 | Opioid medication use in patients with gastrointestinal diagnoses vs unexplained gastrointestinal symptoms in the US Veterans Health Administration. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 47, 784-791.       | 1.9 | 17        |
| 123 | Modern diagnosis of GERD: the Lyon Consensus. <i>Gut</i> , 2018, 67, 1351-1362.   | 6.1 | 991       |
| 124 | Esophagogastric junction and esophageal body contraction metrics on high-resolution manometry predict esophageal acid burden. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13267.                                     | 1.6 | 69        |
| 125 | Gastroesophageal Reflux Monitoring. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 1271.  | 3.8 | 10        |
| 126 | Anal sphincter function as assessed by 3D high definition anorectal manometry. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2018, 42, 378-381.  | 0.7 | 5         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | An international multicenter study evaluating the clinical efficacy and safety of per-oral endoscopic myotomy in octogenarians. <i>Gastrointestinal Endoscopy</i> , 2018, 87, 956-961.  | 0.5 | 41        |
| 128 | Is High-Resolution Manometry Always Needed for the Diagnosis of Achalasia?. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 480-482.  | 2.4 | 5         |
| 129 | Dysphagia After Neck Surgery. <i>Gastroenterology</i> , 2018, 154, e20-e21.   | 0.6 | 0         |
| 130 | Postprandial High-Resolution Impedance Manometry Identifies Mechanisms of Nonresponse to Proton Pump Inhibitors. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 211-218.e1.  | 2.4 | 67        |
| 131 | Endoscopic submucosal dissection of a squamous cell carcinoma of the esophagus developing in the area of a previous Heller's myotomy for achalasia. <i>Endoscopy</i> , 2018, 50, E38-E41.   | 1.0 | 0         |
| 132 | Genetic risk factors for perception of symptoms in GERD: an observational cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 47, 289-297.  | 1.9 | 10        |
| 133 | Optimal number of multiple rapid swallows needed during high-resolution esophageal manometry for accurate prediction of contraction reserve. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13253.                          | 1.6 | 44        |
| 134 | Management of Gastroesophageal Reflux Disease. <i>Gastroenterology</i> , 2018, 154, 302-318.  | 0.6 | 231       |
| 135 | Model to Select On-Therapy vs Off-Therapy Tests for Patients With Refractory Esophageal or Extraesophageal Symptoms. <i>Gastroenterology</i> , 2018, 155, 1729-1740.e1.   | 0.6 | 24        |
| 136 | Refractory GERD, beyond proton pump inhibitors. <i>Current Opinion in Pharmacology</i> , 2018, 43, 99-103.  | 1.7 | 22        |
| 137 | The 2018 ISDE achalasia guidelines. <i>Ecological Management and Restoration</i> , 2018, 31, .  | 0.2 | 221       |
| 138 | Diagnostic yield in the evaluation of dysphagia: experience at a single tertiary care center. <i>Ecological Management and Restoration</i> , 2018, 31, .  | 0.2 | 10        |
| 139 | Nonerosive reflux disease: clinical concepts. <i>Annals of the New York Academy of Sciences</i> , 2018, 1434, 290-303.  | 1.8 | 11        |
| 140 | The role of esophageal pH-impedance testing in clinical practice. <i>Current Opinion in Gastroenterology</i> , 2018, 34, 249-257.   | 1.0 | 11        |
| 141 | Indications and interpretation of esophageal function testing. <i>Annals of the New York Academy of Sciences</i> , 2018, 1434, 239-253.   | 1.8 | 43        |
| 142 | Chronic Cough Is Associated With Long Breaks in Esophageal Peristaltic Integrity on High-resolution Manometry. <i>Journal of Neurogastroenterology and Motility</i> , 2018, 24, 387-394.  | 0.8 | 21        |
| 143 | High-resolution manometry is superior to endoscopy and radiology in assessing and grading sliding hiatal hernia: A comparison with surgical in vivo evaluation. <i>United European Gastroenterology Journal</i> , 2018, 6, 981-989. | 1.6 | 55        |
| 144 | Esophageal motility disorders. <i>Techniques in Gastrointestinal Endoscopy</i> , 2018, 20, 98-106.  | 0.3 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Esophageal High-Resolution Manometry in Gastroesophageal Reflux Disease. JAMA - Journal of the American Medical Association, 2018, 320, 1279.   | 3.8 | 19        |
| 146 | Esophageal shortening after rapid drink test during esophageal high-resolution manometry: A relevant finding?. United European Gastroenterology Journal, 2018, 6, 1323-1330.  | 1.6 | 12        |
| 147 | Clinical measurement of gastrointestinal motility and function: who, when and which test?. Nature Reviews Gastroenterology and Hepatology, 2018, 15, 568-579.   | 8.2 | 44        |
| 148 | Editorial: measuring hypervigilance and anxiety in oesophageal disorders. Alimentary Pharmacology and Therapeutics, 2018, 47, 1559-1560.  | 1.9 | 0         |
| 149 | A reduced esophageal epithelial integrity in a subgroup of healthy individuals increases with proton pump inhibitor therapy. United European Gastroenterology Journal, 2018, 6, 511-518.                                    | 1.6 | 2         |
| 150 | Assessment of the esophagogastric junction (EGJ) using the EGJ contractile integral (EGJ-CI) following per-oral endoscopic myotomy (POEM) in achalasia. Revista Espanola De Enfermedades Digestivas, 2018, 110, 706-711.    | 0.1 | 5         |
| 151 | Comparison of motor diagnoses by Chicago Classification versions 2.0 and 3.0 on esophageal high-resolution manometry. Neurogastroenterology and Motility, 2017, 29, e13042.   | 1.6 | 11        |
| 152 | Three-Dimensional Anorectal Manometry Enhances Diagnostic Gain by Detecting Sphincter Defects and Puborectalis Pressure. Digestive Diseases and Sciences, 2017, 62, 3536-3541.  | 1.1 | 17        |
| 153 | Coeliac disease screening is suboptimal in a tertiary gastroenterology setting. Postgraduate Medical Journal, 2017, 93, 472-475.  | 0.9 | 1         |
| 154 | Efficacy and Safety of Peroral Endoscopic Myotomy for Treatment of Achalasia After Failed Heller Myotomy. Clinical Gastroenterology and Hepatology, 2017, 15, 1531-1537.e3.   | 2.4 | 138       |
| 155 | Do Consultants Follow Up on Tests They Recommend? Insights from an Academic Inpatient Gastrointestinal Consult Service. Digestive Diseases and Sciences, 2017, 62, 1448-1454.   | 1.1 | 3         |
| 156 | Elevated intrabolus pressure identifies obstructive processes when integrated relaxation pressure is normal on esophageal high-resolution manometry. American Journal of Physiology - Renal Physiology, 2017, 313, G73-G79. | 1.6 | 17        |
| 157 | Comprehensive Analysis of Adverse Events Associated With Per Oral Endoscopic Myotomy in 1826 Patients: An International Multicenter Study. American Journal of Gastroenterology, 2017, 112, 1267-1276.                      | 0.2 | 168       |
| 158 | Classification of esophageal motor findings in gastroesophageal reflux disease: Conclusions from an international consensus group. Neurogastroenterology and Motility, 2017, 29, e13104.                                    | 1.6 | 158       |
| 159 | Ambulatory reflux monitoring for diagnosis of gastroesophageal reflux disease: Update of the Porto consensus and recommendations from an international consensus group. Neurogastroenterology and Motility, 2017, 29, 1-15. | 1.6 | 275       |
| 160 | Impact of symptom burden and health-related quality of life (<sc>HRQOL</sc>) on esophageal motor diagnoses. Neurogastroenterology and Motility, 2017, 29, e12970.   | 1.6 | 35        |
| 161 | Advances in the management of oesophageal motility disorders in the era of high-resolution manometry: a focus on achalasia syndromes. Nature Reviews Gastroenterology and Hepatology, 2017, 14, 677-688.                    | 8.2 | 84        |
| 162 | Upper esophageal sphincter (<sc>UES</sc>) metrics on high-resolution manometry (<sc>HRM</sc>) differentiate achalasia subtypes. Neurogastroenterology and Motility, 2017, 29, e13136.                                       | 1.6 | 20        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Proton Pump Inhibitors in Gastroesophageal Reflux Disease: Friend or Foe. <i>Current Gastroenterology Reports</i> , 2017, 19, 46.   | 1.1 | 33        |
| 164 | Benchmarks for the interpretation of esophageal high-resolution manometry. <i>Neurogastroenterology and Motility</i> , 2017, 29, e12971.  | 1.6 | 12        |
| 165 | A System to Assess the Competency for Interpretation of Esophageal Manometry Identifies Variation in Learning Curves. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 1708-1714.e3.                                       | 2.4 | 18        |
| 166 | The learning curve for interpretation of oesophageal high-resolution manometry: a prospective interventional cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 45, 291-299.                                       | 1.9 | 5         |
| 167 | Advances in the physiological assessment and diagnosis of GERD. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2017, 14, 665-676.  | 8.2 | 157       |
| 168 | Emerging dilemmas in the diagnosis and management of gastroesophageal reflux disease. <i>F1000Research</i> , 2017, 6, 1748.   | 0.8 | 4         |
| 169 | Interrogation of esophagogastric junction barrier function using the esophagogastric junction contractile integral: an observational cohort study. <i>Ecological Management and Restoration</i> , 2016, 29, 820-828.                  | 0.2 | 72        |
| 170 | Ineffective esophageal motility phenotypes following fundoplication in gastroesophageal reflux disease. <i>Neurogastroenterology and Motility</i> , 2016, 28, 292-298.  | 1.6 | 74        |
| 171 | Changes in symptom reflux association using dynamic pH thresholds during ambulatory pH monitoring: an observational cross-sectional study. <i>Ecological Management and Restoration</i> , 2016, 29, 1013-1019.                        | 0.2 | 4         |
| 172 | Esophagogastric junction contractile integral (EGJ- $\text{CI}$ ) quantifies changes in EGJ barrier function with surgical intervention. <i>Neurogastroenterology and Motility</i> , 2016, 28, 639-646.                               | 1.6 | 56        |
| 173 | The Reply. <i>American Journal of Medicine</i> , 2016, 129, e41.  | 0.6 | 0         |
| 174 | Loss of Peristaltic Reserve, Determined by Multiple Rapid Swallows, Is the Most Frequent Esophageal Motility Abnormality in Patients With Systemic Sclerosis. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 1502-1506.  | 2.4 | 78        |
| 175 | Esophageal Disorders. <i>Gastroenterology</i> , 2016, 150, 1368-1379.   | 0.6 | 411       |
| 176 | Temporary dumping syndrome after gastric peroral endoscopic myotomy: should we control the glycemia?. <i>Endoscopy</i> , 2016, 48, E10-E11.   | 1.0 | 6         |
| 177 | Neurophysiology and new techniques to assess esophageal sensory function: an update. <i>Annals of the New York Academy of Sciences</i> , 2016, 1380, 78-90.   | 1.8 | 1         |
| 178 | The sensory system of the esophagus—“what do we know?”. <i>Annals of the New York Academy of Sciences</i> , 2016, 1380, 91-103.   | 1.8 | 7         |
| 179 | Distal mean nocturnal baseline impedance on $\text{pH}$ -impedance monitoring predicts reflux burden and symptomatic outcome in gastroesophageal reflux disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 44, 890-898. | 1.9 | 112       |
| 180 | Between GERD and NERD: the relevance of weakly acidic reflux. <i>Annals of the New York Academy of Sciences</i> , 2016, 1380, 218-229.  | 1.8 | 25        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Achalasia: new perspectives on an old disease. <i>Neurogastroenterology and Motility</i> , 2016, 28, 4-11.  | 1.6 | 49        |
| 182 | Comparison of two high-resolution manometry software systems in evaluating esophageal motor function. <i>Neurogastroenterology and Motility</i> , 2016, 28, 1836-1843.  | 1.6 | 8         |
| 183 | Complications of botulinum toxin injections for treatment of esophageal motility disorders. <i>Ecological Management and Restoration</i> , 2016, 30, 1-5.   | 0.2 | 30        |
| 184 | How to Optimally Apply Impedance in the Evaluation of Esophageal Dysmotility. <i>Current Gastroenterology Reports</i> , 2016, 18, 60.   | 1.1 | 17        |
| 185 | Effects of disturbed sleep on gastrointestinal and somatic pain symptoms in irritable bowel syndrome. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 44, 246-258.                                      | 1.9 | 60        |
| 186 | <sc>GERD</sc> phenotypes from pH-impedance monitoring predict symptomatic outcomes on prospective evaluation. <i>Neurogastroenterology and Motility</i> , 2016, 28, 513-521.                                    | 1.6 | 38        |
| 187 | Prevalence, characteristics, and treatment outcomes of reflux hypersensitivity detected on pH-impedance monitoring. <i>Neurogastroenterology and Motility</i> , 2016, 28, 1382-1390.                            | 1.6 | 45        |
| 188 | The impact of abuse and mood on bowel symptoms and health-related quality of life in irritable bowel syndrome (<sc>IBS</sc>). <i>Neurogastroenterology and Motility</i> , 2016, 28, 1508-1517.                  | 1.6 | 41        |
| 189 | Redeeming Clinical Value of Esophageal pH Impedance Monitoring. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 47-49.  | 2.4 | 18        |
| 190 | High-Resolution Manometry Improves the Diagnosis of Esophageal Motility Disorders in Patients With Dysphagia: A Randomized Multicenter Study. <i>American Journal of Gastroenterology</i> , 2016, 111, 372-380. | 0.2 | 110       |
| 191 | High-resolution Impedance Manometry after Sleeve Gastrectomy: Increased Intra-gastric Pressure and Reflux are Frequent Events. <i>Obesity Surgery</i> , 2016, 26, 2449-2456.                                    | 1.1 | 124       |
| 192 | Achalasia symptom response after Heller myotomy segregated by high-resolution manometry subtypes. <i>Journal of Gastroenterology</i> , 2016, 51, 112-118.   | 2.3 | 17        |
| 193 | Distal esophageal spasm. <i>Current Opinion in Gastroenterology</i> , 2015, 31, 328-333.  | 1.0 | 32        |
| 194 | Mechanisms of Barrett's oesophagus (clinical): LOS dysfunction, hiatal hernia, peristaltic defects. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2015, 29, 17-28.               | 1.0 | 17        |
| 195 | Exaggerated smooth muscle contraction segments on esophageal high-resolution manometry: prevalence and clinical relevance. <i>Neurogastroenterology and Motility</i> , 2015, 27, 229-236.                       | 1.6 | 12        |
| 196 | Cameron lesions in patients with hiatal hernias: prevalence, presentation, and treatment outcome. <i>Ecological Management and Restoration</i> , 2015, 28, 448-452.   | 0.2 | 31        |
| 197 | Irritable Bowel Syndrome: Modern Concepts and Management Options. <i>American Journal of Medicine</i> , 2015, 128, 817-827.   | 0.6 | 41        |
| 198 | Impact of Retroflexion Vs. Second Forward View Examination of the Right Colon on Adenoma Detection: A Comparison Study. <i>American Journal of Gastroenterology</i> , 2015, 110, 415-422.                       | 0.2 | 97        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Diagnosis of Esophageal Motility Disorders: Esophageal Pressure Topography vs. Conventional Line Tracing. American Journal of Gastroenterology, 2015, 110, 967-977.                                      | 0.2 | 90        |
| 200 | Parameters on Esophageal pH-Impedance Monitoring That Predict Outcomes of Patients With Gastroesophageal Reflux Disease. Clinical Gastroenterology and Hepatology, 2015, 13, 884-891.                    | 2.4 | 160       |
| 201 | Mo1277 Clinical Factors Associated With Opioid Prescription Use Among Irritable Bowel Syndrome (IBS) Patients. Gastroenterology, 2015, 148, S-658.   | 0.6 | 2         |
| 202 | Assessment of Upper Esophageal Sphincter Function on High-resolution Manometry. Journal of Clinical Gastroenterology, 2015, 49, 95-100.  | 1.1 | 42        |
| 203 | Esophageal hematoma after peroral endoscopic myotomy for achalasia in a patient on antiplatelet therapy. Endoscopy, 2015, 47, E363-E364.   | 1.0 | 8         |
| 204 | Per oral endoscopic myotomy (POEM) for all spastic esophageal disorders?. Endoscopy International Open, 2015, 3, E202-E204.  | 0.9 | 3         |
| 205 | Optimizing the high-resolution manometry (<sc>HRM</sc>) study protocol. Neurogastroenterology and Motility, 2015, 27, 300-304.   | 1.6 | 25        |
| 206 | Beliefs About GI Medications and Adherence to Pharmacotherapy in Functional GI Disorder Outpatients. American Journal of Gastroenterology, 2015, 110, 1382-1387.   | 0.2 | 26        |
| 207 | The Chicago Classification of esophageal motility disorders, v3.0. Neurogastroenterology and Motility, 2015, 27, 160-174.  | 1.6 | 1,628     |
| 208 | Inter-observer agreement for diagnostic classification of esophageal motility disorders defined in high-resolution manometry. Ecological Management and Restoration, 2015, 28, 711-719.                  | 0.2 | 39        |
| 209 | High-resolution anorectal manometry in newborns: normative values and diagnostic utility in <sc>H</sc>irschsprung disease. Neurogastroenterology and Motility, 2014, 26, 1565-1572.                      | 1.6 | 45        |
| 210 | Reproducibility patterns of multiple rapid swallows during high resolution esophageal manometry provide insights into esophageal pathophysiology. Neurogastroenterology and Motility, 2014, 26, 646-653. | 1.6 | 41        |
| 211 | Tricyclic Antidepressants for Management of Residual Symptoms in Inflammatory Bowel Disease. Journal of Clinical Gastroenterology, 2014, 48, 423-429.  | 1.1 | 69        |
| 212 | Esophageal Manometry in Gastroesophageal Reflux Disease. Gastroenterology Clinics of North America, 2014, 43, 69-87.   | 1.0 | 20        |
| 213 | The impact of psychiatric and extraintestinal comorbidity on quality of life and bowel symptom burden in functional <sc>GI</sc> disorders. Neurogastroenterology and Motility, 2014, 26, 1323-1332.      | 1.6 | 68        |
| 214 | Prognostic factors in patients with refractory ascites treated by transjugular intrahepatic porto-systemic shunt: From the liver to the kidney. Digestive and Liver Disease, 2014, 46, 1001-1007.        | 0.4 | 10        |
| 215 | Acid-Based Parameters on pH-Impedance Testing Predict Symptom Improvement With Medical Management Better Than Impedance Parameters. American Journal of Gastroenterology, 2014, 109, 836-844.            | 0.2 | 61        |
| 216 | The diagnosis and management of hiatus hernia. BMJ, The, 2014, 349, g6154-g6154.   | 3.0 | 130       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | The Chicago Classification of Motility Disorders. <i>Gastrointestinal Endoscopy Clinics of North America</i> , 2014, 24, 545-561.  | 0.6 | 50        |
| 218 | Treatment Implications of High-Resolution Manometry Findings: Options for Patients With Esophageal Dysmotility. <i>Current Treatment Options in Gastroenterology</i> , 2014, 12, 34-48.                                    | 0.3 | 3         |
| 219 | Esophageal Motor Function. <i>Gastrointestinal Endoscopy Clinics of North America</i> , 2014, 24, 527-543.   | 0.6 | 75        |
| 220 | Entrustable professional activities for gastroenterology fellowship training. <i>Gastrointestinal Endoscopy</i> , 2014, 80, 16-27.   | 0.5 | 25        |
| 221 | Lack of Correlation Between HRM Metrics and Symptoms During the Manometric Protocol. <i>American Journal of Gastroenterology</i> , 2014, 109, 521-526.   | 0.2 | 87        |
| 222 | The impact of opiate pain medications and psychoactive drugs on the quality of colon preparation in outpatient colonoscopy. <i>Digestive and Liver Disease</i> , 2014, 46, 56-61.  | 0.4 | 7         |
| 223 | Eosinophilic oesophagitis: From physiopathology to treatment. <i>Digestive and Liver Disease</i> , 2013, 45, 871-878.  | 0.4 | 25        |
| 224 | Preoperative Diagnostic Workup before Antireflux Surgery: An Evidence and Experience-Based Consensus of the Esophageal Diagnostic Advisory Panel. <i>Journal of the American College of Surgeons</i> , 2013, 217, 586-597. | 0.2 | 226       |
| 225 | Management of Spastic Disorders of the Esophagus. <i>Gastroenterology Clinics of North America</i> , 2013, 42, 27-43.  | 1.0 | 103       |
| 226 | Utilization of wireless pH monitoring technologies: a summary of the proceedings from the Esophageal Diagnostic Working Group. <i>Ecological Management and Restoration</i> , 2013, 26, 755-765.                           | 0.2 | 41        |
| 227 | Normal Values of Pharyngeal and Esophageal 24-Hour pH Impedance in Individuals on and off Therapy and Interobserver Reproducibility. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 366-372.                  | 2.4 | 145       |
| 228 | Evaluation of esophageal motor function in clinical practice. <i>Neurogastroenterology and Motility</i> , 2013, 25, 99-133.  | 1.6 | 107       |
| 229 | Pharyngeal pH alone is not reliable for the detection of pharyngeal reflux events: A study with oesophageal and pharyngeal pH-impedance monitoring. <i>United European Gastroenterology Journal</i> , 2013, 1, 438-444.    | 1.6 | 41        |
| 230 | Genetic variation in the beta-2 adrenergic receptor (ADRB2) predicts functional gastrointestinal diagnoses and poorer health-related quality of life. <i>Alimentary Pharmacology and Therapeutics</i> , 2013, 38, 313-323. | 1.9 | 19        |
| 231 | Esophageal motor disease and reflux patterns in patients with advanced pulmonary disease undergoing lung transplant evaluation. <i>Neurogastroenterology and Motility</i> , 2013, 25, 657.                                 | 1.6 | 19        |
| 232 | Multiple Rapid Swallow Responses During Esophageal High-Resolution Manometry Reflect Esophageal Body Peristaltic Reserve. <i>American Journal of Gastroenterology</i> , 2013, 108, 1706-1712.                              | 0.2 | 208       |
| 233 | High-Resolution Manometry Correlates of Ineffective Esophageal Motility. <i>American Journal of Gastroenterology</i> , 2012, 107, 1647-1654.   | 0.2 | 85        |
| 234 | Phenotypes and Clinical Context of Hypercontractility in High-Resolution Esophageal Pressure Topography (EPT). <i>American Journal of Gastroenterology</i> , 2012, 107, 37-45.   | 0.2 | 151       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Learners favour high resolution oesophageal manometry with better diagnostic accuracy over conventional line tracings. <i>Gut</i> , 2012, 61, 798-803.  | 6.1 | 77        |
| 236 | Effects of Large Hiatal Hernias on Esophageal Peristalsis. <i>Archives of Surgery</i> , 2012, 147, 352.   | 2.3 | 26        |
| 237 | Analysis of Intersegmental Trough and Proximal Latency of Smooth Muscle Contraction Using High-resolution Esophageal Manometry. <i>Journal of Clinical Gastroenterology</i> , 2012, 46, 375-381.            | 1.1 | 38        |
| 238 | Assessment of concordance of symptom reflux association tests in ambulatory <sc>pH</sc> monitoring. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 35, 1080-1087.                                  | 1.9 | 42        |
| 239 | The Chicago classification for achalasia in a French multicentric cohort. <i>Digestive and Liver Disease</i> , 2012, 44, 976-980.   | 0.4 | 37        |
| 240 | The value of multiple rapid swallows during preoperative esophageal manometry before laparoscopic antireflux surgery. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012, 26, 3401-3407.  | 1.3 | 94        |
| 241 | High resolution manometry: the Ray Clouse legacy. <i>Neurogastroenterology and Motility</i> , 2012, 24, 2-4.  | 1.6 | 56        |
| 242 | Fragmented esophageal smooth muscle contraction segments on high resolution manometry: a marker of esophageal hypomotility. <i>Neurogastroenterology and Motility</i> , 2012, 24, 763.                      | 1.6 | 32        |
| 243 | Multiple rapid swallow responses segregate achalasia subtypes on high-resolution manometry. <i>Neurogastroenterology and Motility</i> , 2012, 24, 1069.   | 1.6 | 43        |
| 244 | Challenges in the Swallowing Mechanism: Nonobstructive Dysphagia in the Era of High-Resolution Manometry and Impedance. <i>Gastroenterology Clinics of North America</i> , 2011, 40, 823-835.               | 1.0 | 24        |
| 245 | Making the Most of Imperfect High-Resolution Manometry Studies. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 1015-1016.   | 2.4 | 12        |
| 246 | High-Resolution Manometry Studies Are Frequently Imperfect but Usually Still Interpretable. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 1050-1055.   | 2.4 | 59        |
| 247 | Distal Esophageal Spasm in High-Resolution Esophageal Pressure Topography: Defining Clinical Phenotypes. <i>Gastroenterology</i> , 2011, 141, 469-475.  | 0.6 | 140       |
| 248 | Botulinum toxin injection in dysphagia syndromes with preserved esophageal peristalsis and incomplete lower esophageal sphincter relaxation. <i>Neurogastroenterology and Motility</i> , 2011, 23, 139-e28. | 1.6 | 54        |
| 249 | High-resolution manometric characteristics help differentiate types of distal esophageal obstruction in patients with peristalsis. <i>Neurogastroenterology and Motility</i> , 2011, 23, 502-e197.          | 1.6 | 70        |
| 250 | High resolution manometry patterns distinguish acid sensitivity in non-cardiac chest pain. <i>Neurogastroenterology and Motility</i> , 2011, 23, 1066-1072.   | 1.6 | 33        |
| 251 | Testing for gastroesophageal reflux in the 21st century. <i>Annals of the New York Academy of Sciences</i> , 2011, 1232, 358-364.   | 1.8 | 3         |
| 252 | The Effect of Antisecretory Therapy and Study Duration on Ambulatory Esophageal pH Monitoring. <i>Digestive Diseases and Sciences</i> , 2011, 56, 1412-1419.  | 1.1 | 18        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Value of preoperative esophageal function studies before laparoscopic antireflux surgery. Surgical Endoscopy and Other Interventional Techniques, 2011, 25, 2943-2949.        | 1.3 | 124       |
| 254 | Weak Peristalsis in Esophageal Pressure Topography: Classification and Association With Dysphagia. American Journal of Gastroenterology, 2011, 106, 349-356.                  | 0.2 | 167       |
| 255 | Distal Contraction Latency: A Measure of Propagation Velocity Optimized for Esophageal Pressure Topography Studies. American Journal of Gastroenterology, 2011, 106, 443-451. | 0.2 | 68        |
| 256 | Environmental " Lifestyle related factors. Bailliere's Best Practice and Research in Clinical Gastroenterology, 2010, 24, 847-859.  | 1.0 | 18        |
| 257 | Abnormal GERD Parameters on Ambulatory pH Monitoring Predict Therapeutic Success in Noncardiac Chest Pain. American Journal of Gastroenterology, 2010, 105, 1032-1038.        | 0.2 | 58        |
| 258 | Ray E. Clouse, MD, Washington University Gastroenterologist, Clinical Investigator, and Educator. Gastroenterology, 2007, 133, 1404-1406.                                     | 0.6 | 2         |
| 259 | Ray E. Clouse, M.D.: a Ray of shining light. Neurogastroenterology and Motility, 2007, 20, 2-3.   | 1.6 | 1         |
| 260 | Esophageal pH-Impedance Monitoring and Symptom Analysis in GERD: A Study in Patients off and on Therapy. American Journal of Gastroenterology, 2006, 101, 1956-1963.          | 0.2 | 407       |
| 261 | Approach to the Patient with Dysphagia, Odynophagia, or Noncardiac Chest Pain. , 0, , 62-82.  |     | 1         |
| 262 | Miscellaneous Diseases of the Small Intestine. , 0, , 1343-1368.  |     | 2         |
| 263 | Miscellaneous Diseases of the Small Intestine. , 0, , 374-383.  |     | 0         |