

# Audrey De Jong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4030024/publications.pdf>

Version: 2024-02-01

91  
papers

5,314  
citations

147801

31  
h-index

85541

71  
g-index

96  
all docs

96  
docs citations

96  
times ranked

4737  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | The Obese Patient With Acute Respiratory Failure. , 2022, , 545-554.   |     | 0         |
| 2  | Airway management in the critically ill patient with COVID-19. Current Opinion in Anaesthesiology, 2022, 35, 137-143.  | 2.0 | 3         |
| 3  | Practices in sedation, analgesia, mobilization, delirium, and sleep deprivation in adult intensive care units (SAMDS-ICU): an international survey before and during the COVID-19 pandemic. Annals of Intensive Care, 2022, 12, 9. | 4.6 | 28        |
| 4  | Characteristics and outcomes of patients undergoing anesthesia while SARS-CoV-2 infected or suspected: a multicenter register of consecutive patients. BMC Anesthesiology, 2022, 22, 46.   | 1.8 | 2         |
| 5  | Better airway management saves lives. European Journal of Anaesthesiology, 2022, 39, 415-417.  | 1.7 | 0         |
| 6  | Driving pressure is not predictive of ARDS outcome in chest trauma patients under mechanical ventilation. Anaesthesia, Critical Care & Pain Medicine, 2022, 41, 101095.  | 1.4 | 4         |
| 7  | OxygÃ©nothÃ©rapie Ã© haut dÃ©bit en pÃ©riopÃ©ratoire: quelles donnÃ©es? AnesthÃ©sie & RÃ©animation, 2021, 7, 161-172.  | 0,1 | 0         |
| 8  | Yentl syndrome and the ICU. Intensive Care Medicine, 2021, 47, 594-597.  | 8.2 | 3         |
| 9  | Effect of the use of an endotracheal tube and stylet versus an endotracheal tube alone on first-attempt intubation success: a multicentre, randomised clinical trial in 999 patients. Intensive Care Medicine, 2021, 47, 653-664.  | 8.2 | 27        |
| 10 | Use of stylet and airway management procedure in critically ill patients. Author's reply. Intensive Care Medicine, 2021, 47, 1499-1500.  | 8.2 | 2         |
| 11 | The prognostic value of the neutrophil-to-lymphocyte ratio in critically ill cirrhotic patients. European Journal of Gastroenterology and Hepatology, 2021, Publish Ahead of Print, .  | 1.6 | 1         |
| 12 | Securing the airway in critical care scenariosâ€”questioning the fundamentals Author's reply. Intensive Care Medicine, 2021, 47, 1503-1504.  | 8.2 | 2         |
| 13 | A multivariate model for successful publication of intensive care medicine randomized controlled trials in the highest impact factor journals: the SCOTI score. Annals of Intensive Care, 2021, 11, 165.                           | 4.6 | 3         |
| 14 | From the ICU to the operating room: how to manage the patient?. Current Opinion in Anaesthesiology, 2020, 33, 139-145.   | 2.0 | 2         |
| 15 | Trials on oxygen supplementation in sepsis: better late than never. Intensive Care Medicine, 2020, 46, 116-118.  | 8.2 | 5         |
| 16 | COVID-19-related and non-COVID-related acute respiratory distress syndrome: two sides of the same coin?. Intensive Care Medicine, 2020, 46, 2197-2199.   | 8.2 | 2         |
| 17 | How can I manage anaesthesia in obese patients?. Anaesthesia, Critical Care & Pain Medicine, 2020, 39, 229-238.  | 1.4 | 15        |
| 18 | Oxygenation Strategy During Acute Respiratory Failure in Critically-Ill Immunocompromised Patients. Critical Care Medicine, 2020, 48, e768-e775.   | 0.9 | 6         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | La r cup ration am lior e apr s chirurgie chez un op r  vuln rable: lâ™ob se. Praticien En Anesthésie Reanimation, 2020, 24, 259-264.   | 0,0  | 0         |
| 20 | Airway management for COVID-19: a move towards universal videolaryngoscope?. Lancet Respiratory Medicine,the, 2020, 8, 555.   | 10.7 | 42        |
| 21 | Guidelines: Anaesthesia in the context of COVID-19 pandemic. Anaesthesia, Critical Care & Pain Medicine, 2020, 39, 395-415.   | 1.4  | 60        |
| 22 | First-attempt success is associated with fewer complications related to intubation in the intensive care unit. Intensive Care Medicine, 2020, 46, 1278-1280.  | 8.2  | 32        |
| 23 | Effect of endotracheal tube plus stylet versus endotracheal tube alone on successful first-attempt tracheal intubation among critically ill patients: the multicentre randomised STYLETO study protocol. BMJ Open, 2020, 10, e036718. | 1.9  | 2         |
| 24 | Are critical care authors publication dealers?. Intensive Care Medicine, 2019, 45, 1667-1669.   | 8.2  | 1         |
| 25 | Highly prolific authors in critical care: which factors influence their scientific output?. Intensive Care Medicine, 2019, 45, 1673-1675.   | 8.2  | 2         |
| 26 | Focus on ventilation and ARD: recent insights. Intensive Care Medicine, 2019, 45, 1635-1638.  | 8.2  | 1         |
| 27 | Effect of lung recruitment maneuver on oxygenation, physiological parameters and mortality in acute respiratory distress syndrome patients: a systematic review and meta-analysis. Intensive Care Medicine, 2019, 45, 1691-1702.      | 8.2  | 44        |
| 28 | Candidemia in critically ill immunocompromised patients: report of a retrospective multicenter cohort study. Annals of Intensive Care, 2019, 9, 62.   | 4.6  | 34        |
| 29 | What is the most appropriate spontaneous breathing trial before extubation in ICU ventilated patients?. Anaesthesia, Critical Care & Pain Medicine, 2019, 38, 429-430.  | 1.4  | 0         |
| 30 | Observational vs randomized: David vs Goliath for thromboprophylaxis in critically ill patients?. Intensive Care Medicine, 2019, 45, 272-274.   | 8.2  | 2         |
| 31 | Videolaryngoscopy in critically ill patients. Critical Care, 2019, 23, 221.   | 5.8  | 49        |
| 32 | SUPERNOVA: will its energy trigger the formation of a new therapeutic star?. Intensive Care Medicine, 2019, 45, 1032-1034.  | 8.2  | 2         |
| 33 | Obesity in the critically ill: a narrative review. Intensive Care Medicine, 2019, 45, 757-769.  | 8.2  | 283       |
| 34 | Expertsâ™ guidelines of intubation and extubation of the ICU patient of French Society of Anaesthesia and Intensive Care Medicine (SFAR) and French-speaking Intensive Care Society (SRLF). Annals of Intensive Care, 2019, 9, 13.    | 4.6  | 83        |
| 35 | ARDS in Obese Patients: Specificities and Management. Critical Care, 2019, 23, 74.  | 5.8  | 48        |
| 36 | 10 tips for intensive care management of transplanted liver patients. Intensive Care Medicine, 2019, 45, 377-379.   | 8.2  | 2         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Spécificités ventilatoires du patient obèse. Praticien En Anesthésie Réanimation, 2019, 23, 285-291.  | 0.0  | 0         |
| 38 | Acute liver failure: Running fast between the traps. Anaesthesia, Critical Care & Pain Medicine, 2019, 38, 9-10.  | 1.4  | 0         |
| 39 | Do Not Throw the Intubation Checklist Out With the Bath Water!. Chest, 2018, 153, 771-773.  | 0.8  | 3         |
| 40 | Is there a single non-painful procedure in the intensive care unit? It depends!. Intensive Care Medicine, 2018, 44, 528-530.  | 8.2  | 9         |
| 41 | Cardiac Arrest and Mortality Related to Intubation Procedure in Critically Ill Adult Patients: A Multicenter Cohort Study. Critical Care Medicine, 2018, 46, 532-539.   | 0.9  | 160       |
| 42 | Medical Versus Surgical ICU Obese Patient Outcome: A Propensity-Matched Analysis to Resolve Clinical Trial Controversies. Critical Care Medicine, 2018, 46, e294-e301.  | 0.9  | 32        |
| 43 | The 2014 updated version of the Confusion Assessment Method for the Intensive Care Unit compared to the 5th version of the Diagnostic and Statistical Manual of Mental Disorders and other current methods used by intensivists. Annals of Intensive Care, 2018, 8, 33. | 4.6  | 47        |
| 44 | Optimisation du parcours de soins en chirurgie du patient obèse. Praticien En Anesthésie Réanimation, 2018, 22, 69-76.  | 0.0  | 0         |
| 45 | The authors reply. Critical Care Medicine, 2018, 46, e715-e716.   | 0.9  | 0         |
| 46 | The authors reply. Critical Care Medicine, 2018, 46, e1082-e1083.   | 0.9  | 1         |
| 47 | Focus on ventilation management. Intensive Care Medicine, 2018, 44, 2254-2256.  | 8.2  | 3         |
| 48 | Risk factors and outcomes for airway failure versus non-airway failure in the intensive care unit: a multicenter observational study of 1514 extubation procedures. Critical Care, 2018, 22, 236.   | 5.8  | 101       |
| 49 | Is there still a place for noninvasive ventilation in acute hypoxemic respiratory failure?. Intensive Care Medicine, 2018, 44, 2248-2250.   | 8.2  | 5         |
| 50 | The authors reply. Critical Care Medicine, 2018, 46, e620-e621.   | 0.9  | 0         |
| 51 | The clinical features of cardiac involvement in patients with severe thrombotic thrombocytopenic purpura. Intensive Care Medicine, 2018, 44, 963-965.   | 8.2  | 3         |
| 52 | Time trends in the reporting of conflicts of interest, funding and affiliation with industry in intensive care research: a systematic review. Intensive Care Medicine, 2018, 44, 1669-1678.   | 8.2  | 10        |
| 53 | The challenge of avoiding intubation in immunocompromised patients with acute respiratory failure. Expert Review of Respiratory Medicine, 2018, 12, 867-880.  | 2.5  | 18        |
| 54 | Sodium bicarbonate therapy for patients with severe metabolic acidemia in the intensive care unit (BICAR-ICU): a multicentre, open-label, randomised controlled, phase 3 trial. Lancet, The, 2018, 392, 31-40.  | 13.7 | 232       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Impact of the driving pressure on mortality in obese and non-obese ARDS patients: a retrospective study of 362 cases. <i>Intensive Care Medicine</i> , 2018, 44, 1106-1114.  | 8.2  | 76        |
| 56 | The CAM-ICU has now a French "official" version. The translation process of the 2014 updated Complete Training Manual of the Confusion Assessment Method for the Intensive Care Unit in French (CAM-ICU.fr). <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2017, 36, 297-300.                    | 1.4  | 27        |
| 57 | Mechanical ventilation in obese ICU patients: from intubation to extubation. <i>Critical Care</i> , 2017, 21, 63.  | 5.8  | 98        |
| 58 | Combining high-flow nasal cannula oxygen and non-invasive ventilation for pre-oxygenation in the critically ill: is a double-pronged approach warranted?. <i>Intensive Care Medicine</i> , 2017, 43, 288-290.  | 8.2  | 4         |
| 59 | Focus on ventilation and airway management in the ICU. <i>Intensive Care Medicine</i> , 2017, 43, 1912-1915.   | 8.2  | 4         |
| 60 | Immediate interruption of sedation compared with usual sedation care in critically ill postoperative patients (SOS-Ventilation): a randomised, parallel-group clinical trial. <i>Lancet Respiratory Medicine</i> , 2017, 5, 795-805.   | 10.7 | 59        |
| 61 | Diaphragmatic function is enhanced in fatty and diabetic fatty rats. <i>PLoS ONE</i> , 2017, 12, e0174043.   | 2.5  | 17        |
| 62 | The Influence of Arm Positioning on Ultrasonic Visualization of the Subclavian Vein. <i>Anesthesia and Analgesia</i> , 2016, 123, 129-132.   | 2.2  | 17        |
| 63 | New method of preoxygenation for orotracheal intubation in patients with hypoxaemic acute respiratory failure in the intensive care unit, non-invasive ventilation combined with apnoeic oxygenation by high flow nasal oxygen: the randomised OPTINIV study protocol. <i>BMJ Open</i> , 2016, 6, e011298. | 1.9  | 13        |
| 64 | Prolonged diaphragmatic dysfunction in continuous interscalene brachial plexus block: Is it clinically relevant?. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2016, 35, 371-372.   | 1.4  | 1         |
| 65 | Apnoeic oxygenation via high-flow nasal cannula oxygen combined with non-invasive ventilation preoxygenation for intubation in hypoxaemic patients in the intensive care unit: the single-centre, blinded, randomised controlled OPTINIV trial. <i>Intensive Care Medicine</i> , 2016, 42, 1877-1887.      | 8.2  | 193       |
| 66 | Spontaneous breathing trial and post-extubation work of breathing in morbidly obese critically ill patients. <i>Critical Care</i> , 2016, 20, 346.   | 5.8  | 43        |
| 67 | Apneic Oxygenation for Intubation in the Critically Ill. Let's Not Give Up!. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016, 193, 230-232.   | 5.6  | 15        |
| 68 | Effect of Noninvasive Ventilation on Tracheal Reintubation Among Patients With Hypoxemic Respiratory Failure Following Abdominal Surgery. <i>JAMA - Journal of the American Medical Association</i> , 2016, 315, 1345.   | 7.4  | 184       |
| 69 | Effect of rapid response systems on hospital mortality: a systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2016, 42, 615-617.   | 8.2  | 61        |
| 70 | Rapid response team and hospital mortality in hospitalized patients. <i>Intensive Care Medicine</i> , 2016, 42, 494-504.   | 8.2  | 85        |
| 71 | Diaphragmatic dysfunction in patients with ICU-acquired weakness and its impact on extubation failure. <i>Intensive Care Medicine</i> , 2016, 42, 853-861.   | 8.2  | 221       |
| 72 | Relationship between Obesity and Massive Transfusion Needs in Trauma Patients, and Validation of TASH Score in Obese Population: A Retrospective Study on 910 Trauma Patients. <i>PLoS ONE</i> , 2016, 11, e0152109.   | 2.5  | 21        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Modification of the $\beta^2$ -Adrenoceptor Stimulation Pathway in Zucker Obese and Obese Diabetic Rat Myocardium*. Critical Care Medicine, 2015, 43, e241-e249.                                  | 0.9  | 17        |
| 74 | Incidence of and risk factors for severe cardiovascular collapse after endotracheal intubation in the ICU: a multicenter observational study. Critical Care, 2015, 19, 257.                       | 5.8  | 90        |
| 75 | From weaning theory to practice: implementation of a quality improvement program in ICU. Intensive Care Medicine, 2015, 41, 1847-1850.  | 8.2  | 2         |
| 76 | Etomidate for anesthesia induction: friends or foe in major cardiac surgery?. Critical Care, 2014, 18, 560.   | 5.8  | 9         |
| 77 | Predictors of difficult intubation in ICU: are children and adults alike?. Intensive Care Medicine, 2014, 40, 1769-1771.  | 8.2  | 50        |
| 78 | Video laryngoscopy versus direct laryngoscopy for orotracheal intubation in the intensive care unit: a systematic review and meta-analysis. Intensive Care Medicine, 2014, 40, 629-39.            | 8.2  | 126       |
| 79 | Comparative evaluation of three interfaces for non-invasive ventilation: a randomized cross-over design physiologic study on healthy volunteers. Critical Care, 2014, 18, R2.                     | 5.8  | 29        |
| 80 | Predictors of response and remission in a large cohort of rheumatoid arthritis patients treated with tocilizumab in clinical practice. Rheumatology, 2014, 53, 76-84.                             | 1.9  | 89        |
| 81 | Intubation in the ICU: we could improve our practice. Critical Care, 2014, 18, 209.   | 5.8  | 65        |
| 82 | Psychometric comparison of three behavioural scales for the assessment of pain in critically ill patients unable to self-report. Critical Care, 2014, 18, R160.                                   | 5.8  | 88        |
| 83 | A Trial of Intraoperative Low-Tidal-Volume Ventilation in Abdominal Surgery. New England Journal of Medicine, 2013, 369, 428-437.   | 27.0 | 1,620     |
| 84 | Decreasing severe pain and serious adverse events while moving intensive care unit patients: a prospective interventional study (the NURSE-DO project). Critical Care, 2013, 17, R74.             | 5.8  | 80        |
| 85 | Implementation of a combo videolaryngoscope for intubation in critically ill patients: a before-after comparative study. Intensive Care Medicine, 2013, 39, 2144-2152.                            | 8.2  | 76        |
| 86 | Early Identification of Patients at Risk for Difficult Intubation in the Intensive Care Unit. American Journal of Respiratory and Critical Care Medicine, 2013, 187, 832-839.                     | 5.6  | 270       |
| 87 | Feasibility and Effectiveness of Prone Position in Morbidly Obese Patients With ARDS. Chest, 2013, 143, 1554-1561.  | 0.8  | 97        |
| 88 | Successful Rescue Thrombolysis in Massive Pulmonary Embolism with Intracerebral Hemorrhage. A & A Case Reports, 2013, 1, 31-33.   | 0.7  | 1         |
| 89 | Effects of mindfulness-based stress reduction course on stress, mindfulness, job self-efficacy and motivation among unemployed people. Australian Journal of Career Development, 2013, 22, 51-62. | 0.8  | 10        |
| 90 | Obesity and Mortality in Critically Ill Patients. Chest, 2012, 141, 1637-1638.  | 0.8  | 20        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 91 | Multistakeholder social media peer review and fixing slips. Intensive Care Medicine, 0, , . | 8.2 | 1         |