

# Nayu Ikeda

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4035175/publications.pdf>

Version: 2024-02-01

48  
papers

23,090  
citations

257450

24  
h-index

243625

44  
g-index

51  
all docs

51  
docs citations

51  
times ranked

38686  
citing authors

#	ARTICLE	IF	CITATIONS
1	Global, regional, and national prevalence of overweight and obesity in children and adults during 1980–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 766-781.	13.7	9,122
2	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017, 390, 2627-2642.	13.7	5,010
3	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , 2016, 387, 1513-1530.	13.7	2,842
4	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017, 389, 37-55.	13.7	1,667
5	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , 2021, 398, 957-980.	13.7	1,289
6	Inequalities in non-communicable diseases and effective responses. <i>Lancet, The</i> , 2013, 381, 585-597.	13.7	508
7	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019, 569, 260-264.	27.8	469
8	What has made the population of Japan healthy?. <i>Lancet, The</i> , 2011, 378, 1094-1105.	13.7	381
9	Long-term and recent trends in hypertension awareness, treatment, and control in 12 high-income countries: an analysis of 123 nationally representative surveys. <i>Lancet, The</i> , 2019, 394, 639-651.	13.7	325
10	Adult Mortality Attributable to Preventable Risk Factors for Non-Communicable Diseases and Injuries in Japan: A Comparative Risk Assessment. <i>PLoS Medicine</i> , 2012, 9, e1001160.	8.4	196
11	A novel risk score to predict cardiovascular disease risk in national populations (GloboRisk): a pooled analysis of prospective cohorts and health examination surveys. <i>Lancet Diabetes and Endocrinology, the</i> , 2015, 3, 339-355.	11.4	185
12	Survey of non-prescribed use of antibiotics for children in an urban community in Mongolia. <i>Bulletin of the World Health Organization</i> , 2010, 88, 930-936.	3.3	137
13	Data Resource Profile: The Japan National Health and Nutrition Survey (NHNS). <i>International Journal of Epidemiology</i> , 2015, 44, 1842-1849.	1.9	126
14	Control of hypertension with medication: a comparative analysis of national surveys in 20 countries. <i>Bulletin of the World Health Organization</i> , 2014, 92, 10-19C.	3.3	121
15	Laboratory-based and office-based risk scores and charts to predict 10-year risk of cardiovascular disease in 182 countries: a pooled analysis of prospective cohorts and health surveys. <i>Lancet Diabetes and Endocrinology, the</i> , 2017, 5, 196-213.	11.4	90
16	Determinants of reduced child stunting in Cambodia: analysis of pooled data from three Demographic and Health Surveys. <i>Bulletin of the World Health Organization</i> , 2013, 91, 341-349.	3.3	83
17	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018, 47, 872-883i.	1.9	65
18	Understanding the decline of mean systolic blood pressure in Japan: an analysis of pooled data from the National Nutrition Survey, 1986-2002. <i>Bulletin of the World Health Organization</i> , 2008, 86, 978-988.	3.3	62

#	ARTICLE	IF	CITATIONS
19	Needlestick and sharps injuries among health care workers at public tertiary hospitals in an urban community in Mongolia. <i>BMC Research Notes</i> , 2011, 4, 184.	1.4	45
20	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. <i>International Journal of Epidemiology</i> , 2020, 49, 173-192.	1.9	44
21	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021, 10, .	6.0	41
22	Validity of Self-Reports of Height and Weight among the General Adult Population in Japan: Findings from National Household Surveys, 1986. <i>PLoS ONE</i> , 2016, 11, e0148297.	2.5	34
23	Improving Population Health Measurement in National Household Surveys: A Simulation Study of the Sample Design of the Comprehensive Survey of Living Conditions of the People on Health and Welfare in Japan. <i>Journal of Epidemiology</i> , 2011, 21, 385-390.	2.4	26
24	Tracking Population Health Based on Self-reported Impairments: Trends in the Prevalence of Hearing Loss in US Adults, 1976-2006. <i>American Journal of Epidemiology</i> , 2009, 170, 80-87.	3.4	25
25	Changes in the effects of living with no siblings or living with grandparents on overweight and obesity in children: Results from a national cohort study in Japan. <i>PLoS ONE</i> , 2017, 12, e0175726.	2.5	25
26	Achieving MDG 4 in Sub-Saharan Africa: What Has Contributed to the Accelerated Child Mortality Decline in Ghana?. <i>PLoS ONE</i> , 2011, 6, e17774.	2.5	22
27	Duration of maternally derived antibody against measles: A seroepidemiological study of infants aged under 8 months in Qinghai, China. <i>Vaccine</i> , 2012, 30, 752-757.	3.8	18
28	Cohort Profile: 2001 Cohort of the Longitudinal Survey of Newborns in the 21st Century. <i>International Journal of Epidemiology</i> , 2017, 46, 1398-1398f.	1.9	16
29	Trends in prevalence and management of diabetes and related vascular risks in Japanese adults: Japan National Health and Nutrition Surveys 2003-2012. <i>Diabetes Research and Clinical Practice</i> , 2017, 127, 115-122.	2.8	14
30	First incidence and associated factors of overweight and obesity from preschool to primary school: longitudinal analysis of a national cohort in Japan. <i>International Journal of Obesity</i> , 2019, 43, 751-760.	3.4	12
31	Data Resource Profile: The Philippine National Nutrition Survey (NNS). <i>International Journal of Epidemiology</i> , 2020, 49, 742-743f.	1.9	12
32	Sustainable funding of health initiatives in Wonju, Republic of Korea via a tobacco consumption tax. <i>Health Promotion International</i> , 2011, 26, 457-464.	1.8	11
33	Simulating the Impact of Long-Term Care Prevention Among Older Japanese People on Healthcare Costs From 2020 to 2040 Using System Dynamics Modeling. <i>Frontiers in Public Health</i> , 2020, 8, 592471.	2.7	10
34	Trends in Energy Imbalance Gap and Body Weight Status in the Japanese Adult Population: A System Dynamics Approach. <i>Journal of Epidemiology</i> , 2021, 31, 335-342.	2.4	9
35	Factors Associated with Untreated Diabetes: Analysis of Data from 20,496 Participants in the Japanese National Health and Nutrition Survey. <i>PLoS ONE</i> , 2015, 10, e0118749.	2.5	8
36	Effects of behavioral counseling on cardiometabolic biomarkers: A longitudinal analysis of the Japanese national database. <i>Preventive Medicine</i> , 2018, 113, 116-121.	3.4	8

#	ARTICLE	IF	CITATIONS
37	Effective coverage of medical treatment for hypertension, diabetes and dyslipidaemia in Japan: An analysis of National Health and Nutrition Surveys 2003â€“2017. <i>Journal of Health Services Research and Policy</i> , 2021, 26, 106-114.	1.7	8
38	Health promotion policies in the Republic of Korea and Japan: A comparative study. <i>Global Health Promotion</i> , 2006, 13, 20-28.	0.7	7
39	Trends and Disparities in Adult Body Mass Index Across the 47 Prefectures of Japan, 1975â€“2018: A Bayesian Spatiotemporal Analysis of National Household Surveys. <i>Frontiers in Public Health</i> , 2022, 10, .	2.7	5
40	Association of Energy Intake With the Lack of in-Person Review of Household Dietary Records: Analysis of Japan National Health and Nutrition Surveys From 1997 to 2011. <i>Journal of Epidemiology</i> , 2016, 26, 84-91.	2.4	4
41	Is adjustment for reporting heterogeneity necessary in sleep disorders? results from the Japanese World Health Survey. <i>BMC Psychiatry</i> , 2016, 16, 25.	2.6	4
42	Secondary Data Analysis of National Surveys in Japan Toward Improving Population Health. <i>Journal of Epidemiology</i> , 2016, 26, 106-114.	2.4	2
43	P1-458 Trends in geographic and socioeconomic disparities in municipal life expectancy in Japan: 1985-2005. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A193-A194.	3.7	0
44	Vignettes and differential health reporting: results from the Japanese World Health Survey. <i>Cadernos De Saude Publica</i> , 2017, 33, e00091216.	1.0	0
45	1333Economic impact of salt-reduction policies in Japan, 2019â€“2028: a Markov model simulation analysis. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0
46	1249Trends and disparities in adult body mass index across 47 prefectures in Japan, 1975â€“2018. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0
47	Influencing Policy by Research on Control of Blood Pressure in Japan. <i>World Scientific Series in Global Healthcare Economics and Public Policy</i> , 2020, , 133-158.	0.1	0
48	Quantitative Effects of Face-to-Face Dietary Guidance in Japan: A Scoping Review. <i>The Japanese Journal of Nutrition and Dietetics</i> , 2021, 79, 365-372.	0.1	0