

# George W Bassel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4040093/publications.pdf>

Version: 2024-02-01

67  
papers

6,920  
citations

94433

37  
h-index

106344

65  
g-index

75  
all docs

75  
docs citations

75  
times ranked

7912  
citing authors

#	ARTICLE	IF	CITATIONS
1	Measuring Intercellular Interface Area in Plant Tissues Using Quantitative 3D Image Analysis. <i>Methods in Molecular Biology</i> , 2022, 2457, 457-464.	0.9	0
2	Using positional information to provide context for biological image analysis with MorphoGraphX 2.0. <i>ELife</i> , 2022, 11, .	6.0	41
3	Transcripts Expressed during Germination Sensu Stricto Are Associated with Vigor in Soybean Seeds. <i>Plants</i> , 2022, 11, 1310.	3.5	7
4	What is quantitative plant biology?. <i>Quantitative Plant Biology</i> , 2021, 2, .	2.0	43
5	Network analysis of Arabidopsis mitochondrial dynamics reveals a resolved tradeoff between physical distribution and social connectivity. <i>Cell Systems</i> , 2021, 12, 419-431.e4.	6.2	33
6	Information Processing in Plants: Hormones as Integrators of External Cues into Plant Development. , 2021, , 289-302.		0
7	A prion-like protein regulator of seed germination undergoes hydration-dependent phase separation. <i>Cell</i> , 2021, 184, 4284-4298.e27.	28.9	99
8	A single-cell morpho-transcriptomic map of brassinosteroid action in the Arabidopsis root. <i>Molecular Plant</i> , 2021, 14, 1985-1999.	8.3	40
9	Vision, challenges and opportunities for a Plant Cell Atlas. <i>ELife</i> , 2021, 10, .	6.0	31
10	A Molecular Signal Integration Network Underpinning Arabidopsis Seed Germination. <i>Current Biology</i> , 2020, 30, 3703-3712.e4.	3.9	56
11	Linking Genes to Shape in Plants Using Morphometrics. <i>Annual Review of Genetics</i> , 2020, 54, 417-437.	7.6	8
12	Low temperature stimulates spatial molecular reprogramming of the Arabidopsis seed germination programme. <i>Seed Science Research</i> , 2020, 30, 2-12.	1.7	4
13	Efficient vasculature investment in tissues can be determined without global information. <i>Journal of the Royal Society Interface</i> , 2020, 17, 20200137.	3.4	12
14	Accurate and versatile 3D segmentation of plant tissues at cellular resolution. <i>ELife</i> , 2020, 9, .	6.0	155
15	Ethylene-mediated nitric oxide depletion pre-adapts plants to hypoxia stress. <i>Nature Communications</i> , 2019, 10, 4020.	12.8	195
16	Global Topological Order Emerges through Local Mechanical Control of Cell Divisions in the Arabidopsis Shoot Apical Meristem. <i>Cell Systems</i> , 2019, 8, 53-65.e3.	6.2	74
17	Smoothed particle hydrodynamics for root growth mechanics. <i>Engineering Analysis With Boundary Elements</i> , 2019, 105, 20-30.	3.7	6
18	Plant behaviour in response to the environment: information processing in the solid state. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019, 374, 20180370.	4.0	28

#	ARTICLE	IF	CITATIONS
19	3DCellAtlas Meristem: a tool for the global cellular annotation of shoot apical meristems. <i>Plant Methods</i> , 2019, 15, 33.	4.3	16
20	Multicellular Systems Biology: Quantifying Cellular Patterning and Function in Plant Organs Using Network Science. <i>Molecular Plant</i> , 2019, 12, 731-742.	8.3	10
21	A Regulatory Module Controlling GA-Mediated Endosperm Cell Expansion Is Critical for Seed Germination in <i>Arabidopsis</i> . <i>Molecular Plant</i> , 2019, 12, 71-85.	8.3	69
22	Identification of a bet-hedging network motif generating noise in hormone concentrations and germination propensity in <i>Arabidopsis</i> . <i>Journal of the Royal Society Interface</i> , 2018, 15, 20180042.	3.4	22
23	Information Processing and Distributed Computation in Plant Organs. <i>Trends in Plant Science</i> , 2018, 23, 994-1005.	8.8	40
24	Fluorescein Transport Assay to Assess Bulk Flow of Molecules Through the Hypocotyl in <i>Arabidopsis thaliana</i> . <i>Bio-protocol</i> , 2018, 8, e2791.	0.4	2
25	Variability in seeds: biological, ecological, and agricultural implications. <i>Journal of Experimental Botany</i> , 2017, 68, erw397.	4.8	33
26	Quantitative analysis of the 3D cell shape changes driving soybean germination. <i>Journal of Experimental Botany</i> , 2017, 68, 1531-1537.	4.8	7
27	Bridging Scales in Plant Biology Using Network Science. <i>Trends in Plant Science</i> , 2017, 22, 1001-1003.	8.8	18
28	Network-based approaches to quantify multicellular development. <i>Journal of the Royal Society Interface</i> , 2017, 14, 20170484.	3.4	23
29	Temperature variability is integrated by a spatially embedded decision-making center to break dormancy in <i>Arabidopsis</i> seeds. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 6629-6634.	7.1	81
30	The Transcription Factor ATHB5 Affects GA-Mediated Plasticity in Hypocotyl Cell Growth during Seed Germination. <i>Plant Physiology</i> , 2017, 173, 907-917.	4.8	40
31	In Silico Methods for Cell Annotation, Quantification of Gene Expression, and Cell Geometry at Single-Cell Resolution Using 3DCellAtlas. <i>Methods in Molecular Biology</i> , 2017, 1497, 99-123.	0.9	7
32	Topological analysis of multicellular complexity in the plant hypocotyl. <i>ELife</i> , 2017, 6, .	6.0	37
33	Trait Specific Expression Profiling of Salt Stress Responsive Genes in Diverse Rice Genotypes as Determined by Modified Significance Analysis of Microarrays. <i>Frontiers in Plant Science</i> , 2016, 7, 567.	3.6	23
34	The decision to germinate is regulated by divergent molecular networks in spores and seeds. <i>New Phytologist</i> , 2016, 211, 952-966.	7.3	56
35	Re-induction of the cell cycle in the <i>Arabidopsis</i> post-embryonic root meristem is ABA-insensitive, GA-dependent and repressed by KRP6. <i>Scientific Reports</i> , 2016, 6, 23586.	3.3	14
36	Quantifying morphogenesis in plants in 4D. <i>Current Opinion in Plant Biology</i> , 2016, 29, 87-94.	7.1	43

#	ARTICLE	IF	CITATIONS
37	To Grow or not to Grow?. <i>Trends in Plant Science</i> , 2016, 21, 498-505.	8.8	53
38	Seed vigour and crop establishment: extending performance beyond adaptation. <i>Journal of Experimental Botany</i> , 2016, 67, 567-591.	4.8	521
39	MorphoGraphX: A platform for quantifying morphogenesis in 4D. <i>ELife</i> , 2015, 4, 05864.	6.0	389
40	Accuracy in Quantitative 3D Image Analysis. <i>Plant Cell</i> , 2015, 27, 950-953.	6.6	26
41	Digital Single-Cell Analysis of Plant Organ Development Using 3DCellAtlas. <i>Plant Cell</i> , 2015, 27, 1018-1033.	6.6	67
42	Oxygen Sensing Coordinates Photomorphogenesis to Facilitate Seedling Survival. <i>Current Biology</i> , 2015, 25, 1483-1488.	3.9	131
43	Mechanical constraints imposed by 3D cellular geometry and arrangement modulate growth patterns in the <i>Arabidopsis</i> embryo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 8685-8690.	7.1	172
44	<i>At</i> <i>MYB93</i> is a novel negative regulator of lateral root development in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2014, 203, 1194-1207.	7.3	79
45	Nitric Oxide Sensing in Plants Is Mediated by Proteolytic Control of Group VII ERF Transcription Factors. <i>Molecular Cell</i> , 2014, 53, 369-379.	9.7	312
46	Genetic Control of Plant Development by Overriding a Geometric Division Rule. <i>Developmental Cell</i> , 2014, 29, 75-87.	7.0	203
47	Transcriptional Dynamics of Two Seed Compartments with Opposing Roles in <i>Arabidopsis</i> Seed Germination. <i>Plant Physiology</i> , 2013, 163, 205-215.	4.8	175
48	<i>Arabidopsis</i> PYR/PYL/RCAR Receptors Play a Major Role in Quantitative Regulation of Stomatal Aperture and Transcriptional Response to Abscisic Acid. <i>Plant Cell</i> , 2012, 24, 2483-2496.	6.6	493
49	Systems Analysis of Plant Functional, Transcriptional, Physical Interaction, and Metabolic Networks. <i>Plant Cell</i> , 2012, 24, 3859-3875.	6.6	96
50	Identification of Reference Genes for qPCR Expression Analysis in <i>Arabidopsis</i> and Tomato Seeds. <i>Plant and Cell Physiology</i> , 2012, 53, 28-37.	3.1	223
51	Mechanisms of hormonal regulation of endosperm cap-specific gene expression in tomato seeds. <i>Plant Journal</i> , 2012, 71, 575-586.	5.7	37
52	Genome-wide network model capturing seed germination reveals coordinated regulation of plant cellular phase transitions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 9709-9714.	7.1	210
53	Homeostatic response to hypoxia is regulated by the N-end rule pathway in plants. <i>Nature</i> , 2011, 479, 415-418.	27.8	576
54	Functional Network Construction in <i>Arabidopsis</i> Using Rule-Based Machine Learning on Large-Scale Data Sets. <i>Plant Cell</i> , 2011, 23, 3101-3116.	6.6	91

#	ARTICLE	IF	CITATIONS
55	Seed Bioinformatics. <i>Methods in Molecular Biology</i> , 2011, 773, 403-419.	0.9	1
56	The regulation of post-germinative transition from the cotyledon- to vegetative-leaf stages by microRNA-targeted <i>SQUAMOSA PROMOTER-BINDING PROTEIN LIKE13</i> in <i>Arabidopsis</i> . <i>Seed Science Research</i> , 2010, 20, 89-96.	1.7	61
57	The microRNA156 and microRNA172 gene regulation cascades at post-germinative stages in <i>Arabidopsis</i> . <i>Seed Science Research</i> , 2010, 20, 79-87.	1.7	55
58	Germination—Still a mystery. <i>Plant Science</i> , 2010, 179, 574-581.	3.6	529
59	Germination of <i>Arabidopsis thaliana</i> seeds is not completed as a result of elongation of the radicle but of the adjacent transition zone and lower hypocotyl. <i>Journal of Experimental Botany</i> , 2009, 60, 3587-3594.	4.8	136
60	Co-expression tools for plant biology: opportunities for hypothesis generation and caveats. <i>Plant, Cell and Environment</i> , 2009, 32, 1633-1651.	5.7	480
61	Gene Expression Analyses for Elucidating Mechanisms of Hormonal Action in Plants. <i>Methods in Molecular Biology</i> , 2009, 495, 21-37.	0.9	4
62	Elucidating the Germination Transcriptional Program Using Small Molecules. <i>Plant Physiology</i> , 2008, 147, 143-155.	4.8	104
63	<i>procera</i> is a putative DELLA mutant in tomato ( <i>Solanum lycopersicum</i> ): effects on the seed and vegetative plant. <i>Journal of Experimental Botany</i> , 2008, 59, 585-593.	4.8	133
64	ABI3 expression ceases following, but not during, germination of tomato and <i>Arabidopsis</i> seeds. <i>Journal of Experimental Botany</i> , 2006, 57, 1291-1297.	4.8	60
65	The Emergence of Embryos from Hard Seeds is Related to the Structure of the Cell Walls of the Micropylar Endosperm, and not to Endo- $\beta$ -mannanase Activity. <i>Annals of Botany</i> , 2005, 96, 1165-1173.	2.9	50
66	Down-Regulation of DELLA Genes Is Not Essential for Germination of Tomato, Soybean, and <i>Arabidopsis</i> Seeds. <i>Plant Physiology</i> , 2004, 136, 2782-2789.	4.8	63
67	$\beta$ -Galactosidase is synthesized in tomato seeds during development and is localized in the protein storage vacuoles. <i>Canadian Journal of Botany</i> , 2001, 79, 1417-1424.	1.1	6