

Stephen J Incavo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4040442/publications.pdf>

Version: 2024-02-01

34
papers

393
citations

840776

11
h-index

794594

19
g-index

34
all docs

34
docs citations

34
times ranked

405
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Outcomes for Open Hip Abductor Repair Using Tenodesis and Bone Trough Repair Techniques. <i>Journal of Arthroplasty</i> , 2022, 37, S444-S448.	3.1	2
2	Intraosseous Morphine Decreases Postoperative Pain and Pain Medication Use in Total Knee Arthroplasty: A Double-Blind, Randomized Controlled Trial. <i>Journal of Arthroplasty</i> , 2022, 37, S139-S146.	3.1	9
3	Evaluation of local tissue peri-implant reaction in total knee arthroplasty failure cases. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2022, 14, 1759720X2210922.	2.7	1
4	Impact of Valgus vs Varus Mechanical Axis Correction During Primary Total Knee Arthroplasty on Postoperative Periarticular Bone Mineral Density. <i>Journal of Arthroplasty</i> , 2021, 36, 1792-1798.	3.1	7
5	2021 Chitranjan S. Ranawat Award: Intraosseous vancomycin reduces periprosthetic joint infection in primary total knee arthroplasty at 90-day follow-up. <i>Bone and Joint Journal</i> , 2021, 103-B, 13-17.	4.4	27
6	Cement use in total knee arthroplasty: 40 versus 80 grams. <i>Knee</i> , 2021, 31, 110-117.	1.6	1
7	Postoperative alignment in revision total knee arthroplasty, a comparison between intra and extra-medullary tibial alignment. <i>Knee</i> , 2021, 28, 319-325.	1.6	5
8	Letter to the Editor on "Do Antibiotic Intramedullary Dowels Assist in Eradicating Infection in Two-Stage Resection for Septic Total Knee Arthroplasty?" <i>Journal of Arthroplasty</i> , 2020, 35, 903.	3.1	0
9	DEXA overestimates bone mineral density in adults with knee replacements. <i>Sports Medicine and Health Science</i> , 2020, 2, 211-215.	2.0	3
10	Clinical outcome evaluation of intraosseous vancomycin in total knee arthroplasty. <i>Arthroplasty Today</i> , 2020, 6, 220-223.	1.6	14
11	Open Hip Abductor Tendon Repair into a Bone Trough. <i>JBJS Essential Surgical Techniques</i> , 2020, 10, e0042-e0042.	0.8	9
12	Perceptions of Polymethyl Methacrylate Cement Exposure Among Female Orthopaedic Surgeons. <i>Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews</i> , 2020, 4, e19.00117.	0.7	4
13	Short-term outcomes with the REDAPT monolithic, tapered, fluted, grit-blasted, forged titanium revision femoral stem. <i>Bone and Joint Journal</i> , 2020, 102-B, 191-197.	4.4	19
14	Short-Stem Prostheses in Total Hip Arthroplasty: An Unexpected Short-Term Complication. <i>JBJS Case Connector</i> , 2020, 10, e0159-e0159.	0.3	0
15	Drug reaction with eosinophilia and systemic symptoms syndrome after total knee arthroplasty infection and placement of antibiotic spacer. <i>Arthroplasty Today</i> , 2019, 5, 148-151.	1.6	6
16	The Usefulness of Meta-Analyses to Hip and Knee Surgeons. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 2082-2090.	3.0	0
17	Technical Obstacles in Total Knee Arthroplasty Learning: A Steps Breakdown Evaluation. <i>Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews</i> , 2019, 3, e19.00062.	0.7	4
18	Total knee arthroplasty in a patient with nail-patella syndrome (NPS). <i>Knee</i> , 2019, 26, 273-278.	1.6	8

#	ARTICLE	IF	CITATIONS
19	Hypothermia in Total Joint Arthroplasty: A Wake-Up Call. <i>Journal of Arthroplasty</i> , 2018, 33, 1012-1018.	3.1	16
20	Response to Letter to the Editor on "Hypothermia in Total Joint Arthroplasty: A Wake-Up Call", <i>Journal of Arthroplasty</i> , 2018, 33, 3057-3058.	3.1	0
21	Stemmed tibial revision component alignment: Does an anatomic conflict exist?. <i>Knee</i> , 2016, 23, 996-1001.	1.6	1
22	What's New in Hip Replacement. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, 1586-1593.	3.0	13
23	Goals and Challenges of Identifying Asymptomatic Pseudotumors in Patients Treated with Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, e93.	3.0	1
24	Eighty-six Percent Failure Rate of a Modular-Neck Femoral Stem Design at 3 to 5 Years. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, e49.	3.0	33
25	Does Accelerated Physical Therapy After Elective Primary Hip and Knee Arthroplasty Facilitate Early Discharge?. <i>American Journal of Orthopedics</i> , 2016, 45, E337-E342.	0.7	6
26	Trochanteric impingement: is it a source of pain after THR?. <i>Arthroplasty Today</i> , 2015, 1, 73-75.	1.6	8
27	Anteroposterior Knee Stability During Stair Descent. <i>Journal of Arthroplasty</i> , 2015, 30, 1068-1072.	3.1	21
28	Tibial Stems in Revision Total Knee Arthroplasty: Is There an Anatomic Conflict?. <i>Journal of Arthroplasty</i> , 2015, 30, 86-89.	3.1	19
29	What's New in Hip Replacement. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015, 97, 1543-1551.	3.0	6
30	Early Corrosion-Related Failure of the Rejuvenate Modular Total Hip Replacement. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, 481-487.	3.0	88
31	CORR Insights®: Adverse Local Tissue Reaction Associated With a Modular Hip Hemiarthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 4087-4088.	1.5	2
32	Does Acetabular Retroversion Affect Range of Motion after Total Hip Arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 218-224.	1.5	3
33	Initial Results of Managing Severe Bone Loss in Infected Total Joint Arthroplasty Using Customized Articulating Spacers. <i>Journal of Arthroplasty</i> , 2009, 24, 607-613.	3.1	38
34	Total Hip Arthroplasty with the Secur-Fit and Secur-Fit Plus Femoral Stem Design. <i>Journal of Arthroplasty</i> , 2008, 23, 670-676.	3.1	19