

Sarah Purdy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4045616/publications.pdf>

Version: 2024-02-01

97
papers

3,658
citations

172457

29
h-index

144013

57
g-index

101
all docs

101
docs citations

101
times ranked

5607
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical judgement by primary care physicians for the diagnosis of all-cause dementia or cognitive impairment in symptomatic people. The Cochrane Library, 2022, 2022, .	2.8	5
2	The impact of the COVID-19 pandemic on student mental health and wellbeing in UK university students: a multiyear cross-sectional analysis. Journal of Mental Health, 2022, 31, 597-604.	1.9	9
3	Underutilisation of EPaCCS (Electronic Palliative Care Coordination Systems) in end-of life-care: a cross-sectional study. BMJ Supportive and Palliative Care, 2021, , bmjspcare-2020-002798.	1.6	2
4	Associations of GP practice characteristics with the rate of ambulatory care sensitive conditions in people living with dementia in England: an ecological analysis of routine data. BMC Health Services Research, 2021, 21, 613.	2.2	3
5	Clinical judgment of GPs for the diagnosis of dementia: a diagnostic test accuracy study. BJGP Open, 2021, 5, BJGPO.2021.0058.	1.8	5
6	Impact of electronic palliative care coordination systems (EPaCCS) on care at the end of life across multiple care sectors, in one clinical commissioning group area, in England: a realist evaluation protocol. BMJ Open, 2020, 10, e031153.	1.9	2
7	Using and implementing care bundles for patients with acute admission for COPD: qualitative study of healthcare professionals' experience in four hospitals in England. BMJ Open Respiratory Research, 2020, 7, e000515.	3.0	2
8	Impact of emergency hospital admissions on patterns of primary care prescribing: a retrospective cohort analysis of electronic records in England. British Journal of General Practice, 2020, 70, e399-e405.	1.4	0
9	Observational Cost-Effectiveness Analysis Using Routine Data: Admission and Discharge Care Bundles for Patients with Chronic Obstructive Pulmonary Disease. PharmacoEconomics - Open, 2020, 4, 657-667.	1.8	5
10	A qualitative study on conveyance decision-making during emergency call outs to people with dementia: the HOMEWARD project. BMC Emergency Medicine, 2020, 20, 6.	1.9	7
11	Consequences of 'conversations not had': insights into failures in communication affecting delays in hospital discharge for older people living with frailty. Journal of Health Services Research and Policy, 2020, 25, 213-219.	1.7	9
12	Exploring how paramedics are deployed in general practice and the perceived benefits and drawbacks: a mixed-methods scoping study. BJGP Open, 2020, 4, bjgpopen20X101037.	1.8	12
13	Experiences of Ambulatory Care for Frail, Older People and Their Carers During Acute Illness: A Qualitative, Ethnographic Study. Journal of the American Medical Directors Association, 2019, 20, 1344-1347.	2.5	3
14	The impact of a named GP scheme on continuity of care and emergency hospital admission: a cohort study among older patients in England, 2012-2016. BMJ Open, 2019, 9, e029103.	1.9	21
15	Ambulance use for 'primary care' problems: an ethnographic study of seeking and providing help in a UK ambulance service. BMJ Open, 2019, 9, e033037.	1.9	11
16	Evaluation of 'care bundles' for patients with chronic obstructive pulmonary disease (COPD): a multisite study in the UK. BMJ Open Respiratory Research, 2019, 6, e000425.	3.0	20
17	Barriers to GPs identifying patients at the end-of-life and discussions about their care: a qualitative study. Family Practice, 2019, 36, 639-643.	1.9	21
18	Carer and clinician perceptions of the use of emergency medical services by people with dementia: a qualitative study. Primary Health Care Research and Development, 2019, 20, e53.	1.2	3

#	ARTICLE	IF	CITATIONS
19	Care bundles to reduce re-admissions for patients with chronic obstructive pulmonary disease: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2019, 7, 1-128.	1.4	8
20	Community case management and unplanned hospital admissions in patients with heart failure: A systematic review and qualitative evidence synthesis. <i>Journal of Advanced Nursing</i> , 2018, 74, 1463-1473.	3.3	10
21	“Primary care sensitive” situations that result in an ambulance attendance: a conversation analytic study of UK emergency “999” call recordings. <i>BMJ Open</i> , 2018, 8, e023727.	1.9	11
22	General practitioners and emergency departments (GPED) “efficient models of care: a mixed-methods study protocol. <i>BMJ Open</i> , 2018, 8, e024012.	1.9	12
23	Does practice analysis agree with the ambulatory care sensitive conditions™ list of avoidable unplanned admissions?: a cross-sectional study in the East of England. <i>BMJ Open</i> , 2018, 8, e020756.	1.9	10
24	Now Gosport: what next?. <i>British Journal of General Practice</i> , 2018, 68, 460-461.	1.4	2
25	How do people with dementia use the ambulance service? A retrospective study in England: the HOMEWARD project. <i>BMJ Open</i> , 2018, 8, e022549.	1.9	11
26	B-type natriuretic peptide-guided therapy for heart failure (HF): a systematic review and meta-analysis of individual participant data (IPD) and aggregate data. <i>Systematic Reviews</i> , 2018, 7, 112.	5.3	27
27	Frailty assessment in primary health care and its association with unplanned secondary care use: a rapid review. <i>BJGP Open</i> , 2018, 2, bjgpopen18X101325.	1.8	7
28	Opportunities for primary care to reduce hospital admissions: a cross-sectional study of geographical variation. <i>British Journal of General Practice</i> , 2017, 67, e20-e28.	1.4	20
29	Using geographic variation in unplanned ambulatory care sensitive condition admission rates to identify commissioning priorities: an analysis of routine data from England. <i>Journal of Health Services Research and Policy</i> , 2017, 22, 20-27.	1.7	7
30	The role of general practice in reducing unplanned hospital admissions. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2017, 78, 186-187.	0.5	2
31	The transition to clinical expert: enhanced decision making for children aged less than 5 years attending the paediatric ED with acute respiratory conditions. <i>Emergency Medicine Journal</i> , 2017, 34, 76-81.	1.0	11
32	Calculating hospital length of stay using the Hospital Episode Statistics; a comparison of methodologies. <i>BMC Health Services Research</i> , 2017, 17, 347.	2.2	10
33	A systematic review to identify and assess the effectiveness of alternatives for people over the age of 65 who are at risk of potentially avoidable hospital admission. <i>BMJ Open</i> , 2017, 7, e016236.	1.9	35
34	Seeking ambulance treatment for “primary care” problems: a qualitative systematic review of patient, carer and professional perspectives. <i>BMJ Open</i> , 2017, 7, e016832.	1.9	39
35	Why do patients seek primary medical care in emergency departments? An ethnographic exploration of access to general practice. <i>BMJ Open</i> , 2017, 7, e013816.	1.9	65
36	Continuity of Primary Care and Emergency Hospital Admissions Among Older Patients in England. <i>Annals of Family Medicine</i> , 2017, 15, 515-522.	1.9	39

#	ARTICLE	IF	CITATIONS
37	How do population, general practice and hospital factors influence ambulatory care sensitive admissions: a cross sectional study. BMC Family Practice, 2017, 18, 67.	2.9	35
38	Clinical judgement by primary care physicians for the diagnosis of all-cause dementia or cognitive impairment in symptomatic people. The Cochrane Library, 2017, .	2.8	4
39	Exploring the relationship between general practice characteristics and attendance at Walk-in Centres, Minor Injuries Units and Emergency Departments in England 2009/10â€“2012/2013: a longitudinal study. BMC Health Services Research, 2017, 17, 546.	2.2	7
40	How to get involved in research as a medical student. BMJ, The, 2017, 356, i6593.	6.0	4
41	Effectiveness and cost-effectiveness of serum B-type natriuretic peptide testing and monitoring in patients with heart failure in primary and secondary care: an evidence synthesis, cohort study and cost-effectiveness model. Health Technology Assessment, 2017, 21, 1-150.	2.8	21
42	The implications of living with heart failure; the impact on everyday life, family support, co-morbidities and access to healthcare: a secondary qualitative analysis. BMC Family Practice, 2016, 17, 139.	2.9	33
43	The healthcare costs of heart failure during the last five years of life: A retrospective cohort study. International Journal of Cardiology, 2016, 224, 132-138.	1.7	35
44	Exploring the relationship between general practice characteristics, and attendance at walk-in centres, minor injuries units and EDs in England 2012/2013: a cross-sectional study. Emergency Medicine Journal, 2016, 33, 702-708.	1.0	13
45	Model-based cost-effectiveness analysis of B-type natriuretic peptide-guided care in patients with heart failure. BMJ Open, 2016, 6, e014010.	1.9	14
46	Choice of Moisturiser for Eczema Treatment (COMET): feasibility study of a randomised controlled parallel group trial in children recruited from primary care. BMJ Open, 2016, 6, e012021.	1.9	20
47	Towards improving diagnosis of memory loss in general practice: TIMeLi diagnostic test accuracy study protocol. BMC Family Practice, 2016, 17, 79.	2.9	6
48	â€œSometimes we canâ€™t fix thingsâ€: a qualitative study of health care professionalsâ€™ perceptions of end of life care for patients with heart failure. BMC Palliative Care, 2016, 15, 3.	1.8	30
49	Electronic palliative care coordinating systems (EPaCCS) may not facilitate home deaths: A mixed methods evaluation of end of life care in two English counties. Journal of Research in Nursing, 2016, 21, 96-107.	0.9	20
50	Study protocol for an evaluation of the effectiveness of â€˜care bundlesâ€™ as a means of improving hospital care and reducing hospital readmission for patients with chronic obstructive pulmonary disease (COPD). BMC Pulmonary Medicine, 2016, 16, 35.	2.0	9
51	Factors associated with hospital deaths in the oldest old: a cross-sectional study. Age and Ageing, 2016, 45, 372-376.	1.6	22
52	How can frontline expertise and new models of care best contribute to safely reducing avoidable acute admissions? A mixed-methods study of four acute hospitals. Health Services and Delivery Research, 2016, 4, 1-202.	1.4	10
53	Unplanned admissions and the organisational management of heart failure: a multicentre ethnographic, qualitative study. BMJ Open, 2015, 5, e007522.	1.9	30
54	Choice of Moisturiser for Eczema Treatment (COMET): study protocol for a randomized controlled trial. Trials, 2015, 16, 304.	1.6	17

#	ARTICLE	IF	CITATIONS
55	Managing Patients With Heart Failure: A Qualitative Study of Multidisciplinary Teams With Specialist Heart Failure Nurses. <i>Annals of Family Medicine</i> , 2015, 13, 466-471.	1.9	29
56	Why do patients with 'primary care sensitive' problems access ambulance services? A systematic mapping review of the literature. <i>BMJ Open</i> , 2015, 5, e007726-e007726.	1.9	78
57	Impact of the Marie Curie Cancer Care Delivering Choice Programme in Somerset and North Somerset on place of death and hospital usage: a retrospective cohort study. <i>BMJ Supportive and Palliative Care</i> , 2015, 5, 34-39.	1.6	36
58	A systematic review of the magnitude and cause of geographic variation in unplanned hospital admission rates and length of stay for ambulatory care sensitive conditions. <i>BMC Health Services Research</i> , 2015, 15, 324.	2.2	76
59	Integrated care: demonstrating value and valuing patients. <i>Future Hospital Journal</i> , 2015, 2, 132-136.	0.2	0
60	Determinants of blood pressure control in rural KwaZulu-Natal, South Africa. <i>South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care</i> , 2014, 56, 297-304.	0.6	8
61	Which features of primary care affect unscheduled secondary care use? A systematic review. <i>BMJ Open</i> , 2014, 4, e004746.	1.9	158
62	THE TRANSITION TO EXPERT: A QUALITATIVE STUDY EXPLORING CLINICAL DECISION MAKING FOR CHILDREN UNDER FIVE ATTENDING THE EMERGENCY DEPARTMENT WITH MINOR RESPIRATORY CONDITIONS. <i>Emergency Medicine Journal</i> , 2014, 31, 791.1-791.	1.0	0
63	Patients who call emergency ambulances for primary care problems: a qualitative study of the decision-making process. <i>Emergency Medicine Journal</i> , 2014, 31, 448-452.	1.0	48
64	Pharmacist-led interventions to reduce unplanned admissions for older people: a systematic review and meta-analysis of randomised controlled trials. <i>Age and Ageing</i> , 2014, 43, 174-187.	1.6	91
65	What works in 'real life' to facilitate home deaths and fewer hospital admissions for those at end of life?: results from a realist evaluation of new palliative care services in two English counties. <i>BMC Palliative Care</i> , 2014, 13, 37.	1.8	41
66	Complex consultations in primary care: a tool for assessing the range of health problems and issues addressed in general practice consultations. <i>BMC Family Practice</i> , 2014, 15, 105.	2.9	12
67	Keep it simple? Predicting primary health care costs with clinical morbidity measures. <i>Journal of Health Economics</i> , 2014, 35, 109-122.	2.7	45
68	'Earthly Angels' A qualitative study of the domiciliary care worker role in meeting the needs of families caring for those dying at home. <i>Palliative and Supportive Care</i> , 2014, 12, 445-453.	1.0	11
69	Research shapes policy: but the dynamics are subtle. <i>Public Money and Management</i> , 2013, 33, 9-14.	2.1	1
70	Is case management effective in reducing the risk of unplanned hospital admissions for older people? A systematic review and meta-analysis. <i>Family Practice</i> , 2013, 30, 266-275.	1.9	112
71	Specialist clinics for reducing emergency admissions in patients with heart failure: a systematic review and meta-analysis of randomised controlled trials. <i>Heart</i> , 2013, 99, 233-239.	2.9	53
72	The content of general practice consultations: cross-sectional study based on video recordings. <i>British Journal of General Practice</i> , 2013, 63, e751-e759.	1.4	84

#	ARTICLE	IF	CITATIONS
73	Implications of comorbidity for primary care costs in the UK: a retrospective observational study. <i>British Journal of General Practice</i> , 2013, 63, e274-e282.	1.4	68
74	Predicting and preventing avoidable hospital admissions: a review. <i>Journal of the Royal College of Physicians of Edinburgh</i> , 2013, 43, 340-344.	0.6	67
75	Measures of Multimorbidity and Morbidity Burden for Use in Primary Care and Community Settings: A Systematic Review and Guide. <i>Annals of Family Medicine</i> , 2012, 10, 134-141.	1.9	480
76	Primary care research—an international responsibility. <i>Family Practice</i> , 2012, 29, 499-500.	1.9	6
77	Factors influencing professional decision making on unplanned hospital admission: a qualitative study. <i>British Journal of General Practice</i> , 2012, 62, e750-e756.	1.4	15
78	Emergency admissions for coronary heart disease: A cross-sectional study of general practice, population and hospital factors in England. <i>Public Health</i> , 2011, 125, 46-54.	2.9	42
79	To excise or not to excise? Should GPs remove possible melanomas?. <i>British Journal of General Practice</i> , 2011, 61, 87-88.	1.4	7
80	Lessons from evaluation of the NHS white paper <i>Our Health, Our Care, Our Say</i> . <i>British Journal of General Practice</i> , 2011, 61, e766-e771.	1.4	2
81	Emergency Respiratory Admissions: Influence of Practice, Population and Hospital Factors. <i>Journal of Health Services Research and Policy</i> , 2011, 16, 133-140.	1.7	40
82	Making the most of evaluation: A mixed methods study in the English NHS. <i>Journal of Health Services Research and Policy</i> , 2011, 16, 218-225.	1.7	3
83	Policy makers'™ perceptions on the use of evidence from evaluations. <i>Evidence and Policy</i> , 2011, 7, 429-447.	1.0	31
84	Epidemiology and impact of multimorbidity in primary care: a retrospective cohort study. <i>British Journal of General Practice</i> , 2011, 61, e12-e21.	1.4	647
85	Managing acute illness in general practice: measuring arts as well as science. <i>British Journal of General Practice</i> , 2010, 60, 717-718.	1.4	2
86	Prioritizing ambulatory care sensitive hospital admissions in England for research and intervention: a Delphi exercise. <i>Primary Health Care Research and Development</i> , 2010, 11, 41.	1.2	23
87	Validation of an improved area-based method of calculating general practice's level deprivation. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 746-751.	5.0	8
88	Exacerbation of atopic eczema in children. <i>BMJ: British Medical Journal</i> , 2009, 339, b2997-b2997.	2.3	2
89	Ambulatory care sensitive conditions: terminology and disease coding need to be more specific to aid policy makers and clinicians. <i>Public Health</i> , 2009, 123, 169-173.	2.9	316
90	A pilot randomized, controlled trial of treatment for painful arc of the shoulder. <i>Journal of Shoulder and Elbow Surgery</i> , 2008, 17, S17-S21.	2.6	28

#	ARTICLE	IF	CITATIONS
91	Reducing hospital admissions. BMJ: British Medical Journal, 2008, 336, 4-5.	2.3	31
92	Providing care closer to home. BMJ: British Medical Journal, 2007, 335, 838-838.	2.3	4
93	Effectiveness of nurse-led brief alcohol intervention: a cluster randomized controlled trial. Journal of Advanced Nursing, 2006, 54, 426-439.	3.3	73
94	Acne. BMJ: British Medical Journal, 2006, 333, 949-953.	2.3	48
95	Presentation and management of acne in primary care: a retrospective cohort study. British Journal of General Practice, 2003, 53, 525-9.	1.4	18
96	Patient participation in research in the managed care environment: Key perceptions of members in an HMO. Journal of General Internal Medicine, 2000, 15, 492-495.	2.6	18
97	Accrediting hospitals. BMJ: British Medical Journal, 1995, 311, 456-456.	2.3	0