Timothy F Sharbel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4047635/publications.pdf

Version: 2024-02-01

84 papers 4,128 citations

36 h-index 61 g-index

85 all docs 85 docs citations

85 times ranked 3480 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | B-chromosome evolution. Philosophical Transactions of the Royal Society B: Biological Sciences, 2000, 355, 163-178. | 4.0 | 537 |
| 2 | Genetic isolation by distance in Arabidopsis thaliana: biogeography and postglacial colonization of Europe. Molecular Ecology, 2000, 9, 2109-2118. | 3.9 | 305 |
| 3 | Apomictic and Sexual Ovules of <i>Boechera</i> Display Heterochronic Global Gene Expression Patterns Â. Plant Cell, 2010, 22, 655-671. | 6.6 | 171 |
| 4 | Diploid apomicts of the <i>Boechera holboellii</i> complex display large-scale chromosome substitutions and aberrant chromosomes. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 14026-14031. | 7.1 | 136 |
| 5 | Quantitative variation for apomictic reproduction in the genus <i>Boechera</i> (Brassicaceae). American Journal of Botany, 2010, 97, 1719-1731. | 1.7 | 136 |
| 6 | Genetic causes of transitions from sexual reproduction to asexuality in plants and animals. Journal of Evolutionary Biology, 2014, 27, 1346-1359. | 1.7 | 121 |
| 7 | Asexual genome evolution in the apomictic <i><scp>R</scp>anunculus auricomus</i> complex: examining the effects of hybridization and mutation accumulation. Molecular Ecology, 2013, 22, 5908-5921. | 3.9 | 118 |
| 8 | Molecular signatures of apomictic and sexual ovules in the <i>Boechera holboellii</i> complex. Plant Journal, 2009, 58, 870-882. | 5.7 | 107 |
| 9 | Emergence of apospory and bypass of meiosis via apomixis after sexual hybridisation and polyploidisation. New Phytologist, 2014, 204, 1000-1012. | 7.3 | 99 |
| 10 | Recurrent polyploid origins and chloroplast phylogeography in the Arabis holboellii complex (Brassicaceae). Heredity, 2001, 87, 59-68. | 2.6 | 91 |
| 11 | Reduced Alzheimer's Disease Pathology by St. John's Wort Treatment is Independent of Hyperforin and Facilitated by ABCC1 and Microglia Activation in Mice. Current Alzheimer Research, 2013, 10, 1057-1069. | 1.4 | 82 |
| 12 | How just a few makes a lot: Speciation via reticulation and apomixis on example of European brambles (Rubus subgen. Rubus, Rosaceae). Molecular Phylogenetics and Evolution, 2015, 89, 13-27. | 2.7 | 81 |
| 13 | POSTGLACIAL RANGE FLUCTUATION, GENETIC SUBDIVISION AND SPECIATION IN THE WESTERN NORTH AMERICAN SPOTTED FROG COMPLEX, <i>RANA PRETIOSA </i> Evolution; International Journal of Organic Evolution, 1996, 50, 374-390. | 2.3 | 77 |
| 14 | Phenotypic, genetic and genomic consequences of natural and synthetic polyploidization of Nicotiana attenuata and Nicotiana obtusifolia. Annals of Botany, 2009, 103, 1207-1217. | 2.9 | 75 |
| 15 | Genetic diversity and reproductive biology in ecotypes of the facultative apomict Hypericum perforatum L Heredity, 2006, 96, 322-334. | 2.6 | 71 |
| 16 | A Conserved Apomixis-Specific Polymorphism Is Correlated with Exclusive Exonuclease Expression in Premeiotic Ovules of Apomictic Boechera Species. Plant Physiology, 2013, 163, 1660-1672. | 4.8 | 71 |
| 17 | Volume-based pollen size analysis: an advanced method to assess somatic and gametophytic ploidy in flowering plants. Plant Reproduction, 2013, 26, 65-81. | 2.2 | 62 |
| 18 | EMBRYOLOGY, KARYOLOGY, AND MODES OF REPRODUCTION IN THE NORTH AMERICAN GENUS BOECHERA (BRASSICACEAE): A COMPILATION OF SEVEN DECADES OF RESEARCH (sup) 1 / sup). Annals of the Missouri Botanical Garden, 2006, 93, 517-534. | 1.3 | 56 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | DNA Markers and FCSS Analyses Shed Light on the Genetic Diversity and Reproductive Strategy of Jatropha curcas L Diversity, 2010, 2, 810-836. | 1.7 | 56 |
| 20 | On the origin and evolution of apomixis in Boechera. Plant Reproduction, 2013, 26, 309-315. | 2.2 | 56 |
| 21 | Reproductive differentiation into sexual and apomictic polyploid cytotypes in Potentilla puberula (Potentilleae, Rosaceae). Annals of Botany, 2013, 112, 1159-1168. | 2.9 | 56 |
| 22 | Genome Editing for Global Food Security. Trends in Biotechnology, 2018, 36, 123-127. | 9.3 | 56 |
| 23 | Phylogeographic structure of the chloroplast DNA gene pool in North American Boechera – A genus and continental-wide perspective. Molecular Phylogenetics and Evolution, 2009, 52, 303-311. | 2.7 | 55 |
| 24 | Hybrid apomicts trapped in the ecological niches of their sexual ancestors. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E2357-65. | 7.1 | 54 |
| 25 | Mutation Accumulation in an Asexual Relative of Arabidopsis. PLoS Genetics, 2017, 13, e1006550. | 3.5 | 54 |
| 26 | Protein-coding genes in B chromosomes of the grasshopper Eyprepocnemis plorans. Scientific Reports, 2017, 7, 45200. | 3.3 | 53 |
| 27 | The evolution of hypervariable sex and supernumerary (B) chromosomes in the relict New Zealand frog, Leiopelma hochstetteri. Journal of Evolutionary Biology, 1993, 6, 417-441. | 1.7 | 48 |
| 28 | B-chromosome origin in the endemic New Zealand frog <i>Leiopelma</i> hochstetterithrough sex chromosome devolution. Genome, 1998, 41, 14-22. | 2.0 | 48 |
| 29 | Biogeographic distribution of polyploidy and B chromosomes in the apomictic <i>Boechera holboellii</i> complex. Cytogenetic and Genome Research, 2005, 109, 283-292. | 1.1 | 48 |
| 30 | Apomictic and sexual lineages of the <i>Potentilla argentea</i> L. group (Rosaceae): Cytotype and molecular genetic differentiation. Taxon, 2011, 60, 721-732. | 0.7 | 46 |
| 31 | B-chromosome origin in the endemic New Zealand frog <i>Leiopelma hochstetteri</i> through sex chromosome devolution. Genome, 1998, 41, 14-22. | 2.0 | 45 |
| 32 | Is the aneuploid chromosome in an apomictic <i>Boechera holboellii</i> a genuine B chromosome?. Cytogenetic and Genome Research, 2004, 106, 173-183. | 1.1 | 43 |
| 33 | Karyotype evolution in apomictic <i>Boechera</i> and the origin of the aberrant chromosomes. Plant Journal, 2015, 82, 785-793. | 5.7 | 42 |
| 34 | NOTE. ISOLATION OF FOUR NEW STRAINS OF CHLAMYDOMONAS REINHARDTII (CHLOROPHYTA) FROM SOIL SAMPLES1. Journal of Phycology, 1994, 30, 770-773. | 2.3 | 39 |
| 35 | Hybridization drives evolution of apomicts in Rubus subgenus Rubus: evidence from microsatellite markers. Annals of Botany, 2017, 120, 317-328. | 2.9 | 39 |
| 36 | Computational identification of conserved microRNAs and their putative targets in the Hypericum perforatum L. flower transcriptome. Plant Reproduction, 2013, 26, 209-229. | 2.2 | 38 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | De novo sequencing of the Hypericum perforatum L. flower transcriptome to identify potential genes that are related to plant reproduction sensu lato. BMC Genomics, 2015, 16, 254. | 2.8 | 37 |
| 38 | Flow cytometric assay for in vivo genotoxic effects of pesticides in Green frogs (Rana clamitans). Aquatic Toxicology, 1997, 38, 241-255. | 4.0 | 33 |
| 39 | Biogeographic variation in genetic variability, apomixis expression and ploidy of St. John's wort (Hypericum perforatum) across its native and introduced range. Annals of Botany, 2014, 113, 417-427. | 2.9 | 33 |
| 40 | Altered expression of Aurora kinases in Arabidopsis results in aneu―and polyploidization. Plant Journal, 2014, 80, 449-461. | 5.7 | 32 |
| 41 | Analysis of conserved microRNAs in floral tissues of sexual and apomictic Boechera species. BMC Genomics, 2011, 12, 500. | 2.8 | 31 |
| 42 | Differential effects of polyploidy and diploidy on fitness of apomictic Boechera. Sexual Plant Reproduction, 2012, 25, 97-109. | 2.2 | 31 |
| 43 | The Conserved Chimeric Transcript UPGRADE2 Is Associated with Unreduced Pollen Formation and Is Exclusively Found in Apomictic Boechera Species. Plant Physiology, 2013, 163, 1640-1659. | 4.8 | 31 |
| 44 | Prospects and limits of marker imputation in quantitative genetic studies in European elite wheat (Triticum aestivum L.). BMC Genomics, 2015, 16, 168. | 2.8 | 30 |
| 45 | Use of genotyping-by-sequencing to determine the genetic structure in the medicinal plant chamomile, and to identify flowering time and alpha-bisabolol associated SNP-loci by genome-wide association mapping. BMC Genomics, 2017, 18, 599. | 2.8 | 29 |
| 46 | Establishing the cell biology of apomictic reproduction in diploid Boechera stricta (Brassicaceae). Annals of Botany, 2018, 122, 513-539. | 2.9 | 29 |
| 47 | A combined microsatellite multiplexing and boiling DNA extraction method for high-throughput parentage analyses in the Pacific oyster (Crassostrea gigas). Aquaculture Research, 2005, 36, 516-518. | 1.8 | 27 |
| 48 | Discovery of key regulators of dark gland development and hypericin biosynthesis in St. John's Wort (<i>Hypericum perforatum</i>). Plant Biotechnology Journal, 2019, 17, 2299-2312. | 8.3 | 27 |
| 49 | Allozyme variability in sexual and parthenogenetic freshwater planarians: evidence for polyphyletic origin of parthenogenetic lineages through hybridization with coexisting sexuals. Heredity, 1998, 81, 38-47. | 2.6 | 26 |
| 50 | The cytohistological basis of apospory in Hypericum perforatum L Sexual Plant Reproduction, 2011, 24, 47-61. | 2.2 | 26 |
| 51 | Evolution of cryptic gene pools in Hypericum perforatum: the influence of reproductive system and gene flow. Annals of Botany, 2013, 111, 1083-1094. | 2.9 | 25 |
| 52 | A little bit of sex prevents mutation accumulation even in apomictic polyploid plants. BMC Evolutionary Biology, 2019, 19, 170. | 3.2 | 25 |
| 53 | Apomixis in the Era of Biotechnology. , 2010, , 405-436. | | 24 |
| 54 | Phylogeography and modes of reproduction in diploid and tetraploid halophytes of <i>Limonium < /i> species (Plumbaginaceae): evidence for a pattern of geographical parthenogenesis. Annals of Botany, 2016, 117, 37-50.</i> | 2.9 | 22 |

| # | Article | IF | Citations |
|----|---|------------|-------------|
| 55 | Pistil Transcriptome Analysis to Disclose Genes and Gene Products Related to Aposporous Apomixis in Hypericum perforatum L Frontiers in Plant Science, 2017, 8, 79. | 3.6 | 22 |
| 56 | Sporophytic and gametophytic functions of the cell cycle-associated Mob1 gene in Arabidopsis thaliana L Gene, 2011, 484, 1-12. | 2.2 | 21 |
| 57 | Understanding Genetic Diversity and Population Structure of a Poa pratensis Worldwide Collection through Morphological, Nuclear and Chloroplast Diversity Analysis. PLoS ONE, 2015, 10, e0124709. | 2.5 | 20 |
| 58 | Towards understanding the dynamics of hybridization and apomixis in the evolution of the genus <i>Boechera</i> (Brassicaceae). Systematics and Biodiversity, 2007, 5, 321-331. | 1.2 | 19 |
| 59 | Copy Number Variation in Transcriptionally Active Regions of Sexual and Apomictic <i>Boechera</i> Demonstrates Independently Derived Apomictic Lineages. Plant Cell, 2013, 25, 3808-3823. | 6.6 | 19 |
| 60 | Mating system and environmental variation drive patterns of adaptation in <i><scp>B</scp>oechera spatifolia</i> (<scp>B</scp> rassicaceae). Molecular Ecology, 2014, 23, 4486-4497. | 3.9 | 18 |
| 61 | Male fertility versus sterility, cytotype, and DNA quantitative variation in seed production in diploid and tetraploid sea lavenders (Limonium sp., Plumbaginaceae) reveal diversity in reproduction modes. Sexual Plant Reproduction, 2012, 25, 305-318. | 2.2 | 17 |
| 62 | Selection of reference genes for quantitative real-time PCR expression studies of microdissected reproductive tissues in apomictic and sexual Boechera. BMC Research Notes, 2011, 4, 303. | 1.4 | 16 |
| 63 | Gene expression changes elicited by a parasitic B chromosome in the grasshopper Eyprepocnemis plorans are consistent with its phenotypic effects. Chromosoma, 2019, 128, 53-67. | 2.2 | 15 |
| 64 | Chasing the Apomictic Factors in the Ranunculus auricomus Complex: Exploring Gene Expression Patterns in Microdissected Sexual and Apomictic Ovules. Genes, 2020, 11, 728. | 2.4 | 14 |
| 65 | Overview of the potential of microRNAs and their target gene detection for cassava (Manihot) Tj ETQq $1\ 1\ 0.784$. | 314 rgBT / | Overlock 10 |
| 66 | Towards breeding of triploid chamomile (<i>Matricaria recutita</i> L.) – Ploidy variation within German chamomile of various origins. Plant Breeding, 2015, 134, 485-493. | 1.9 | 13 |
| 67 | The spread of infectious asexuality through haploid pollen. New Phytologist, 2021, 230, 804-820. | 7.3 | 13 |
| 68 | Systematics and biogeography of eastern Caribbean Eleutherodactylus (Anura: Leptodactylidae): evidence from allozymes. Amphibia - Reptilia, 1994, 15, 375-394. | 0.5 | 12 |
| 69 | Novel MicroRNAs and Microsatellite-like Small RNAs in Sexual and Apomictic Boechera Species. MicroRNA (Shariqah, United Arab Emirates), 2013, 2, 46-63. | 1.2 | 11 |
| 70 | Multiple supernumerary chromosomes in the pseudogamous parthenogenetic flatworm Polycelis nigra: lineage markers or remnants of genetic leakage?. Genome, 1997, 40, 850-856. | 2.0 | 10 |
| 71 | Inter-annual maintenance of the fine-scale genetic structure in a biennial plant. Scientific Reports, 2016, 6, 37712. | 3.3 | 10 |
| 72 | Novel microRNAs and microsatellite-like small RNAs in sexual and apomictic Boechera species. MicroRNA (Shariqah, United Arab Emirates), 2013, 2, 45-62. | 1.2 | 10 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Characterization of microsatellite loci in <i>Erysimum mediohispanicum</i> (Brassicaceae) and crossâ€amplification in related species. American Journal of Botany, 2011, 98, e287-9. | 1.7 | 9 |
| 74 | Ploidy in the alpine sedgeKobresia pygmaea(Cyperaceae) and related species: combined application of chromosome counts, new microsatellite markers and flow cytometry. Botanical Journal of the Linnean Society, 2014, 176, 22-35. | 1.6 | 9 |
| 75 | Cryptic gene pools in the Hypericum perforatum–H. maculatum complex: diploid persistence versus trapped polyploid melting. Annals of Botany, 2017, 120, 955-966. | 2.9 | 7 |
| 76 | Allozyme relationships of some frogs (genus Rana) from Yunnan, China. Amphibia - Reptilia, 1989, 10, 267-275. | 0.5 | 6 |
| 77 | Grain development and endoreduplication in maize and the impact of heat stress. Euphytica, 2011, 182, 363-376. | 1.2 | 6 |
| 78 | A drop technique for flatworm chromosome preparation for light microscopy and high-resolution scanning electron microscopy. Chromosome Research, 1998, 6, 654-656. | 2.2 | 5 |
| 79 | Microsatellites from <i>Lysiphlebus hirticornis</i> Mackauer (Hymenoptera: Braconidae), a specialist primary parasitoid attacking the specialist tansy aphid, <i>Metopeurum fuscoviride</i> Stroyan (Hemiptera: Aphididae). Molecular Ecology Resources, 2009, 9, 931-934. | 4.8 | 5 |
| 80 | Transgenerational effects of inter-ploidy cross direction on reproduction and F2 seed development of Arabidopsis thaliana F1 hybrid triploids. Plant Reproduction, 2019, 32, 275-289. | 2.2 | 5 |
| 81 | Use of infrared analysis to identify genetic resources from isolated producers in Brazil as a tool to improve cassava competitiveness in the starch market. International Journal of Food Science and Technology, 2021, 56, 1354-1361. | 2.7 | 5 |
| 82 | Partial Genetic Compatibility and Unidirectional Hybridization in Syntopic Populations of the Salamanders Desmognathus fuscus and D. ochrophaeus. Copeia, 1995, 1995, 466. | 1.3 | 4 |
| 83 | Evolution of an Apomixis-Specific Allele Class in Supernumerary Chromatin of Apomictic Boechera. Frontiers in Plant Science, 2022, 13, . | 3.6 | 3 |
| 84 | Isolation and characterization of microsatellite loci from apomictic <i>Hypericum perforatum</i> (Hypericaceae). American Journal of Botany, 2011, 98, e167-9. | 1.7 | 1 |