

# Jungwhoi Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4048971/publications.pdf>

Version: 2024-02-01

26  
papers

565  
citations

567281

15  
h-index

610901

24  
g-index

28  
all docs

28  
docs citations

28  
times ranked

806  
citing authors

#	ARTICLE	IF	CITATIONS
1	An in vitro evaluation of luffa cylindrica stem sap in preadipocytes and dermal fibroblasts. Biochemical and Biophysical Research Communications, 2022, 599, 100-105.	2.1	1
2	Soluble TGFBI aggravates the malignancy of cholangiocarcinoma through activation of the ITGB1 dependent PPARI <sup>3</sup> signalling pathway. Cellular Oncology (Dordrecht), 2022, 45, 275-291.	4.4	9
3	Eriodictyol induces apoptosis <i>via</i> regulating phosphorylation of JNK, ERK, and FAK/AKT in pancreatic cancer cells. Journal of Applied Biological Chemistry, 2022, 65, 83-88.	0.4	3
4	Evaluating the effect of Luffa cylindrica stem sap on dermal fibroblasts; An invitro study. Biochemical and Biophysical Research Communications, 2021, 580, 41-47.	2.1	2
5	Association of Jagged1 expression with malignancy and prognosis in human pancreatic cancer. Cellular Oncology (Dordrecht), 2020, 43, 821-834.	4.4	17
6	Silencing Delta-like 1 Expression Induces Migratory Features in Pancreatic Cancer Cells Through Stimulation of Src and p38 Signalling Pathway. Anticancer Research, 2020, 40, 1335-1344.	1.1	1
7	Differential Dependency of Human Pancreatic Cancer Cells on Targeting PTEN via PLK 1 Expression. Cancers, 2020, 12, 277.	3.7	3
8	<i>Juniperus chinensis</i> extract induces apoptosis via reaction oxygen species (ROS) generation in human pancreatic cancer cell lines. Journal of Applied Biological Chemistry, 2020, 63, 457-462.	0.4	0
9	Identification of Matrix Metalloproteinase 11 as a Prognostic Biomarker in Pancreatic Cancer. Anticancer Research, 2019, 39, 5963-5971.	1.1	19
10	Scattered DUSP28 is a novel biomarker responsible for aggravating malignancy via the autocrine and paracrine signaling in metastatic pancreatic cancer. Cancer Letters, 2019, 456, 1-12.	7.2	3
11	Blockade of integrin $\alpha 3$ attenuates human pancreatic cancer via inhibition of EGFR signalling. Scientific Reports, 2019, 9, 2793.	3.3	14
12	2-Methoxy-4-vinylphenol Attenuates Migration of Human Pancreatic Cancer Cells <i>via</i> Blockade of FAK and AKT Signaling. Anticancer Research, 2019, 39, 6685-6691.	1.1	28
13	Combined administration of naringenin and hesperetin with optimal ratio maximizes the anti-cancer effect in human pancreatic cancer via down regulation of FAK and p38 signaling pathway. Phytomedicine, 2019, 58, 152762.	5.3	57
14	Fermented Extraction of <i>Citrus unshiu</i> Peel Inhibits Viability and Migration of Human Pancreatic Cancers. Journal of Medicinal Food, 2018, 21, 5-12.	1.5	24
15	Dietary approach to attenuate human pancreatic cancer growth and migration with innocuousness. Journal of Functional Foods, 2017, 30, 303-312.	3.4	15
16	Autocrine DUSP28 signaling mediates pancreatic cancer malignancy via regulation of PDGF-A. Scientific Reports, 2017, 7, 12760.	3.3	19
17	Quercetin-3-O-glucoside suppresses pancreatic cancer cell migration induced by tumor-deteriorated growth factors in vitro. Oncology Reports, 2016, 35, 2473-2479.	2.6	35
18	DUSP28 links regulation of Mucin 5B and Mucin 16 to migration and survival of AsPC-1 human pancreatic cancer cells. Tumor Biology, 2016, 37, 12193-12202.	1.8	21

#	ARTICLE	IF	CITATIONS
19	Aqueous Extraction of <i>Citrus unshiu</i> Peel Induces Proangiogenic Effects Through the FAK and ERK1/2 Signaling Pathway in Human Umbilical Vein Endothelial Cells. <i>Journal of Medicinal Food</i> , 2016, 19, 569-577.	1.5	19
20	Combined inhibition of vascular endothelial growth factor receptor signaling with temozolomide enhances cytotoxicity against human glioblastoma cells via downregulation of Neuropilin-1. <i>Journal of Neuro-Oncology</i> , 2016, 128, 29-34.	2.9	10
21	Kaempferol Inhibits Pancreatic Cancer Cell Growth and Migration through the Blockade of EGFR-Related Pathway In Vitro. <i>PLoS ONE</i> , 2016, 11, e0155264.	2.5	112
22	Blockade of dual-specificity phosphatase 28 decreases chemo-resistance and migration in human pancreatic cancer cells. <i>Scientific Reports</i> , 2015, 5, 12296.	3.3	27
23	Quercetin 3-O-glucoside suppresses epidermal growth factor-induced migration by inhibiting EGFR signaling in pancreatic cancer cells. <i>Tumor Biology</i> , 2015, 36, 9385-9393.	1.8	49
24	Tumor-conditioned Gr-1+CD11b+ myeloid cells induce angiogenesis through the synergistic action of CCL2 and CXCL16 in vitro. <i>Biochemical and Biophysical Research Communications</i> , 2014, 443, 1218-1225.	2.1	16
25	Blockade of VEGF-A suppresses tumor growth via inhibition of autocrine signaling through FAK and AKT. <i>Cancer Letters</i> , 2012, 318, 221-225.	7.2	31
26	Differential dependency of human cancer cells on vascular endothelial growth factor-mediated autocrine growth and survival. <i>Cancer Letters</i> , 2011, 309, 145-150.	7.2	30