

M Ilyas Kamboh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4049018/publications.pdf>

Version: 2024-02-01

215
papers

23,425
citations

20759

60
h-index

9311

143
g-index

228
all docs

228
docs citations

228
times ranked

27070
citing authors

#	ARTICLE	IF	CITATIONS
1	Targeted Lipidomics To Measure Phospholipids and Sphingomyelins in Plasma: A Pilot Study To Understand the Impact of Race/Ethnicity in Alzheimer's Disease. <i>Analytical Chemistry</i> , 2022, 94, 4165-4174.	3.2	5
2	Genomics and Functional Genomics of Alzheimer's Disease. <i>Neurotherapeutics</i> , 2022, 19, 152-172.	2.1	26
3	Manifestations of Alzheimer's disease genetic risk in the blood are evident in a multiomic analysis in healthy adults aged 18 to 90. <i>Scientific Reports</i> , 2022, 12, 6117.	1.6	12
4	Genome-Wide Association Study of Incident Dementia in a Community-Based Sample of Older Subjects. <i>Journal of Alzheimer's Disease</i> , 2022, 88, 787-798.	1.2	2
5	Alzheimer's disease pathology in a community-based sample of older adults without dementia: The MYHAT neuroimaging study. <i>Brain Imaging and Behavior</i> , 2021, 15, 1355-1363.	1.1	7
6	Genome-wide association study of brain amyloid deposition as measured by Pittsburgh Compound-B (PIB)-PET imaging. <i>Molecular Psychiatry</i> , 2021, 26, 309-321.	4.1	47
7	Novel Alzheimer Disease Risk Loci and Pathways in African American Individuals Using the African Genome Resources Panel. <i>JAMA Neurology</i> , 2021, 78, 102.	4.5	144
8	Why Inclusion Matters for Alzheimer's Disease Biomarker Discovery in Plasma. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 1327-1344.	1.2	16
9	Dataset of why inclusion matters for Alzheimer's disease biomarker discovery in plasma. <i>Data in Brief</i> , 2021, 35, 106923.	0.5	1
10	Assessment of genetic risk of type 2 diabetes among Pakistanis based on GWAS-implicated loci. <i>Gene</i> , 2021, 783, 145563.	1.0	7
11	Genome-wide association identifies the first risk loci for psychosis in Alzheimer disease. <i>Molecular Psychiatry</i> , 2021, 26, 5797-5811.	4.1	30
12	Cardiac-induced cerebral pulsatility, brain structure, and cognition in middle and older-aged adults. <i>NeuroImage</i> , 2021, 233, 117956.	2.1	5
13	Small nucleolar RNAs in plasma extracellular vesicles and their discriminatory power as diagnostic biomarkers of Alzheimer's disease. <i>Neurobiology of Disease</i> , 2021, 159, 105481.	2.1	17
14	Genetic data and cognitively defined late-onset Alzheimer's disease subgroups. <i>Molecular Psychiatry</i> , 2020, 25, 2942-2951.	4.1	57
15	Association of <i>VPREB1</i> Gene Copy Number Variation and Rheumatoid Arthritis Susceptibility. <i>Disease Markers</i> , 2020, 2020, 1-5.	0.6	5
16	Predicting resistance to amyloid-beta deposition and cognitive resilience in the oldest-old. <i>Neurology</i> , 2020, 95, e984-e994.	1.5	14
17	Association Study of Coronary Artery Disease-Associated Genome-Wide Significant SNPs with Coronary Stenosis in Pakistani Population. <i>Disease Markers</i> , 2020, 2020, 1-7.	0.6	6
18	Investigating the GWAS-Implicated Loci for Rheumatoid Arthritis in the Pakistani Population. <i>Disease Markers</i> , 2020, 2020, 1-9.	0.6	11

#	ARTICLE	IF	CITATIONS
19	A sequencing study of CTLA4 in Pakistani rheumatoid arthritis cases. PLoS ONE, 2020, 15, e0239426.	1.1	9
20	Whole-Exome Sequencing Analysis of Alzheimer's Disease in Non-APOE*4 Carriers. Journal of Alzheimer's Disease, 2020, 76, 1553-1565.	1.2	18
21	Exceptionally low likelihood of Alzheimer's dementia in APOE2 homozygotes from a 5,000-person neuropathological study. Nature Communications, 2020, 11, 667.	5.8	246
22	Hepatic lipase (LIPC) sequencing in individuals with extremely high and low high-density lipoprotein cholesterol levels. PLoS ONE, 2020, 15, e0243919.	1.1	3
23	Title is missing!. , 2020, 15, e0243919.		0
24	Title is missing!. , 2020, 15, e0243919.		0
25	Title is missing!. , 2020, 15, e0243919.		0
26	Title is missing!. , 2020, 15, e0243919.		0
27	Exploration of shared genetic susceptibility loci between type 1 diabetes and rheumatoid arthritis in the Pakistani population. BMC Research Notes, 2019, 12, 544.	0.6	5
28	Gene Expression and Cardiometabolic Phenotypes of Vitamin D-Deficient Overweight and Obese Black Children. Nutrients, 2019, 11, 2016.	1.7	3
29	Investigating Gains in Neurocognition in an Intervention Trial of Exercise (IGNITE): Protocol. Contemporary Clinical Trials, 2019, 85, 105832.	0.8	26
30	Vitamin D as a Principal Factor in Mediating Rheumatoid Arthritis-Derived Immune Response. BioMed Research International, 2019, 2019, 1-12.	0.9	39
31	Population-based genome-wide association study of cognitive decline in older adults free of dementia: identification of a novel locus for the attention domain. Neurobiology of Aging, 2019, 84, 239.e15-239.e24.	1.5	21
32	Apolipoprotein E-C1-C4-C2 gene cluster region and inter-individual variation in plasma lipoprotein levels: a comprehensive genetic association study in two ethnic groups. PLoS ONE, 2019, 14, e0214060.	1.1	16
33	Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates AÎ², tau, immunity and lipid processing. Nature Genetics, 2019, 51, 414-430.	9.4	1,962
34	Mild Cognitive Impairment that Does Not Progress to Dementia: A Population-Based Study. Journal of the American Geriatrics Society, 2019, 67, 232-238.	1.3	52
35	Amyloid deposition is associated with different patterns of hippocampal connectivity in men versus women. Neurobiology of Aging, 2019, 76, 141-150.	1.5	6
36	Risk of progression from subjective cognitive decline to mild cognitive impairment: The role of study setting. Alzheimer's and Dementia, 2018, 14, 734-742.	0.4	100

#	ARTICLE	IF	CITATIONS
37	Amyloid deposition and brain structure as long-term predictors of MCI, dementia, and mortality. <i>Neurology</i> , 2018, 90, e1920-e1928.	1.5	36
38	Amyloid β^2 Deposition and Suspected Non-Alzheimer Pathophysiology and Cognitive Decline Patterns for 12 Years in Oldest Old Participants Without Dementia. <i>JAMA Neurology</i> , 2018, 75, 88.	4.5	33
39	A Brief Synopsis on the Genetics of Alzheimer's Disease. <i>Current Genetic Medicine Reports</i> , 2018, 6, 133-135.	1.9	19
40	Synergism of antihypertensives and cholinesterase inhibitors in Alzheimer's disease. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2018, 4, 542-555.	1.8	10
41	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, .	6.0	1,085
42	Transethnic genome-wide scan identifies novel Alzheimer's disease loci. <i>Alzheimer's and Dementia</i> , 2017, 13, 727-738.	0.4	166
43	Multiple signals at the extended 8p23 locus are associated with susceptibility to systemic lupus erythematosus. <i>Journal of Medical Genetics</i> , 2017, 54, 381-389.	1.5	13
44	Genetic architecture distinguishes systemic juvenile idiopathic arthritis from other forms of juvenile idiopathic arthritis: clinical and therapeutic implications. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 906-913.	0.5	123
45	Rare coding variants in <i>PLCG2</i> , <i>ABI3</i> , and <i>TREM2</i> implicate microglial-mediated innate immunity in Alzheimer's disease. <i>Nature Genetics</i> , 2017, 49, 1373-1384.	9.4	783
46	Two novel loci, <i>COBL</i> and <i>SLC10A2</i> , for Alzheimer's disease in African Americans. <i>Alzheimer's and Dementia</i> , 2017, 13, 119-129.	0.4	87
47	Proficiency of data interpretation: identification of signaling SNPs/specific loci for coronary artery disease. <i>Database: the Journal of Biological Databases and Curation</i> , 2017, 2017, .	1.4	14
48	Assessment of the genetic variance of late-onset Alzheimer's disease. <i>Neurobiology of Aging</i> , 2016, 41, 200.e13-200.e20.	1.5	174
49	Shared genetic contribution to ischemic stroke and Alzheimer's disease. <i>Annals of Neurology</i> , 2016, 79, 739-747.	2.8	56
50	Identification of a New Susceptibility Locus for Systemic Lupus Erythematosus on Chromosome 12 in Individuals of European Ancestry. <i>Arthritis and Rheumatology</i> , 2016, 68, 174-183.	2.9	30
51	Resequencing of the <i>CETP</i> gene in American whites and African blacks: Association of rare and common variants with HDL-cholesterol levels. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 36-47.	1.5	19
52	Global and local ancestry in African-Americans: Implications for Alzheimer's disease risk. <i>Alzheimer's and Dementia</i> , 2016, 12, 233-243.	0.4	42
53	Prevalence of type 2 diabetes-associated complications in Pakistan. <i>International Journal of Diabetes in Developing Countries</i> , 2016, 36, 179-188.	0.3	5
54	Genetic variants associated with susceptibility to psychosis in late-onset Alzheimer's disease families. <i>Neurobiology of Aging</i> , 2015, 36, 3116.e9-3116.e16.	1.5	14

#	ARTICLE	IF	CITATIONS
55	Genetic contribution of SCARB1 variants to lipid traits in African Blacks: a candidate gene association study. BMC Medical Genetics, 2015, 16, 106.	2.1	16
56	Genetic Determinants of Survival in Patients with Alzheimer's Disease. Journal of Alzheimer's Disease, 2015, 45, 651-658.	1.2	11
57	<i>APOE</i> Gene Polymorphism and Risk of Coronary Stenosis in Pakistani Population. BioMed Research International, 2015, 2015, 1-5.	0.9	9
58	Rarity of the Alzheimer Diseaseâ€“Protective <i>APP</i>A673T Variant in the United States. JAMA Neurology, 2015, 72, 209.	4.5	41
59	More evidence for association of a rare TREM2 mutation (R47H) with Alzheimer's disease risk. Neurobiology of Aging, 2015, 36, 2443.e21-2443.e26.	1.5	39
60	<i>HLA-DRB1*11</i> and variants of the MHC class II locus are strong risk factors for systemic juvenile idiopathic arthritis. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 15970-15975.	3.3	139
61	Association of 32 type 1 diabetes risk loci in Pakistani patients. Diabetes Research and Clinical Practice, 2015, 108, 137-142.	1.1	28
62	Incidental Cerebral Microbleeds and Cerebral Blood Flow in Elderly Individuals. JAMA Neurology, 2015, 72, 1021.	4.5	71
63	Genetic link of type 1 diabetes susceptibility loci with rheumatoid arthritis in Pakistani patients. Immunogenetics, 2015, 67, 277-282.	1.2	17
64	Resequencing of LPL in African Blacks and associations with lipoproteinâ€“lipid levels. European Journal of Human Genetics, 2015, 23, 1244-1253.	1.4	10
65	Association of Long Runs of Homozygosity With Alzheimer Disease Among African American Individuals. JAMA Neurology, 2015, 72, 1313.	4.5	39
66	Convergent genetic and expression data implicate immunity in Alzheimer's disease. Alzheimer's and Dementia, 2015, 11, 658-671.	0.4	173
67	Association analysis of 23 susceptibility loci with risk of dementia in a Pakistani population. Psychiatry Research, 2015, 225, 223-224.	1.7	0
68	Genetic Variation in Imprinted Genes is Associated with Risk of Late-Onset Alzheimer's Disease. Journal of Alzheimer's Disease, 2015, 44, 989-994.	1.2	32
69	A Rare Duplication on Chromosome 16p11.2 Is Identified in Patients with Psychosis in Alzheimer's Disease. PLoS ONE, 2014, 9, e111462.	1.1	16
70	Comprehensive Evaluation of the Association of APOE Genetic Variation with Plasma Lipoprotein Traits in U.S. Whites and African Blacks. PLoS ONE, 2014, 9, e114618.	1.1	23
71	Identifying genetic interactions associated with late-onset Alzheimerâ€™s disease. BioData Mining, 2014, 7, 35.	2.2	16
72	Genome-Wide Association Meta-analysis of Neuropathologic Features of Alzheimer's Disease and Related Dementias. PLoS Genetics, 2014, 10, e1004606.	1.5	305

#	ARTICLE	IF	CITATIONS
73	Effects of Multiple Genetic Loci on Age at Onset in Late-Onset Alzheimer Disease. <i>JAMA Neurology</i> , 2014, 71, 1394.	4.5	166
74	Connecting the Dots: Potential of Data Integration to Identify Regulatory SNPs in Late-Onset Alzheimer's Disease GWAS Findings. <i>PLoS ONE</i> , 2014, 9, e95152.	1.1	43
75	Impact of Genetic Variants in Human Scavenger Receptor Class B Type I (<i>SCARB1</i>) on Plasma Lipid Traits. <i>Circulation: Cardiovascular Genetics</i> , 2014, 7, 838-847.	5.1	16
76	Investigation of an amyloid precursor protein protective mutation (A673T) in a North American case-control sample of late-onset Alzheimer's disease. <i>Neurobiology of Aging</i> , 2014, 35, 1779.e15-1779.e16.	1.5	28
77	Rare coding variants in the phospholipase D3 gene confer risk for Alzheimer's disease. <i>Nature</i> , 2014, 505, 550-554.	13.7	425
78	Lipoprotein lipase gene sequencing and plasma lipid profile. <i>Journal of Lipid Research</i> , 2014, 55, 85-93.	2.0	24
79	Markers of cholesterol transport are associated with amyloid deposition in the brain. <i>Neurobiology of Aging</i> , 2014, 35, 802-807.	1.5	62
80	Genetic Determinants of Disease Progression in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2014, 43, 649-655.	1.2	53
81	Gene-gene and gene-environment interactions in ulcerative colitis. <i>Human Genetics</i> , 2014, 133, 547-558.	1.8	29
82	Late-Onset Alzheimer's Disease Genes and the Potentially Implicated Pathways. <i>Current Genetic Medicine Reports</i> , 2014, 2, 85-101.	1.9	134
83	The application of network label propagation to rank biomarkers in genome-wide Alzheimer's data. <i>BMC Genomics</i> , 2014, 15, 282.	1.2	13
84	Lupus Nephritis Susceptibility Loci in Women with Systemic Lupus Erythematosus. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 2859-2870.	3.0	117
85	Two rare <i>AKAP9</i> variants are associated with Alzheimer's disease in African Americans. <i>Alzheimer's and Dementia</i> , 2014, 10, 609.	0.4	94
86	Gene-Wide Analysis Detects Two New Susceptibility Genes for Alzheimer's Disease. <i>PLoS ONE</i> , 2014, 9, e94661.	1.1	155
87	Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for Alzheimer's disease. <i>Nature Genetics</i> , 2013, 45, 1452-1458.	9.4	3,741
88	Cognitive aging in persons with minimal amyloid- β^2 and white matter hyperintensities. <i>Neuropsychologia</i> , 2013, 51, 2202-2209.	0.7	31
89	The catechol-o-methyltransferase Val158Met polymorphism modulates organization of regional cerebral blood flow response to working memory in adults. <i>International Journal of Psychophysiology</i> , 2013, 90, 149-156.	0.5	7
90	Genome-Wide Association Study Identifies a Novel Locus Contributing to Type 2 Diabetes Susceptibility in Sikhs of Punjabi Origin From India. <i>Diabetes</i> , 2013, 62, 1746-1755.	0.3	167

#	ARTICLE	IF	CITATIONS
91	Variants in the ATP-Binding Cassette Transporter (ABCA7), Apolipoprotein E ϵ 4, and the Risk of Late-Onset Alzheimer Disease in African Americans. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 1483.	3.8	360
92	The Long-Term Effects of Conventional and Atypical Antipsychotics in Patients With Probable Alzheimer's Disease. <i>American Journal of Psychiatry</i> , 2013, 170, 1051-1058.	4.0	110
93	Genome-Wide Association Study of Antiphospholipid Antibodies. <i>Autoimmune Diseases</i> , 2013, 2013, 1-11.	2.7	20
94	In vivo assessment of amyloid β deposition in nondemented very elderly subjects. <i>Annals of Neurology</i> , 2013, 73, 751-761.	2.8	89
95	Replication of European Rheumatoid Arthritis Loci in a Pakistani Population. <i>Journal of Rheumatology</i> , 2013, 40, 401-407.	1.0	8
96	A Multiethnic Replication Study of Plasma Lipoprotein Levels-Associated SNPs Identified in Recent GWAS. <i>PLoS ONE</i> , 2013, 8, e63469.	1.1	25
97	Genome-wide association analysis of age-at-onset in Alzheimer's disease. <i>Molecular Psychiatry</i> , 2012, 17, 1340-1346.	4.1	89
98	Association of CLU and PICALM variants with Alzheimer's disease. <i>Neurobiology of Aging</i> , 2012, 33, 518-521.	1.5	67
99	Novel late-onset Alzheimer disease loci variants associate with brain gene expression. <i>Neurology</i> , 2012, 79, 221-228.	1.5	144
100	Genetic association between APOE*4 and neuropsychiatric symptoms in patients with probable Alzheimer's disease is dependent on the psychosis phenotype. <i>Behavioral and Brain Functions</i> , 2012, 8, 62.	1.4	15
101	PTGER4 Expression-Modulating Polymorphisms in the 5p13.1 Region Predispose to Crohn's Disease and Affect NF- κ B and XBP1 Binding Sites. <i>PLoS ONE</i> , 2012, 7, e52873.	1.1	39
102	Population-Based Resequencing of LIPG and ZNF202 Genes in Subjects with Extreme HDL Levels. <i>Frontiers in Genetics</i> , 2012, 3, 89.	1.1	6
103	Gene-Centric Meta-Analysis of Lipid Traits in African, East Asian and Hispanic Populations. <i>PLoS ONE</i> , 2012, 7, e50198.	1.1	40
104	Beta-amyloid toxicity modifier genes and the risk of Alzheimer's disease. <i>American Journal of Neurodegenerative Disease</i> , 2012, 1, 191-8.	0.1	18
105	TOMM40 poly-T repeat lengths, age of onset and psychosis risk in Alzheimer disease. <i>Neurobiology of Aging</i> , 2011, 32, 2328.e1-2328.e9.	1.5	34
106	Differential Genetic Associations for Systemic Lupus Erythematosus Based on Anti- α -dsDNA Autoantibody Production. <i>PLoS Genetics</i> , 2011, 7, e1001323.	1.5	206
107	Emerging Histomorphologic Phenotypes of Chronic Traumatic Encephalopathy in American Athletes. <i>Neurosurgery</i> , 2011, 69, 173-183.	0.6	351
108	Common variants at MS4A4/MS4A6E, CD2AP, CD33 and EPHA1 are associated with late-onset Alzheimer's disease. <i>Nature Genetics</i> , 2011, 43, 436-441.	9.4	1,676

#	ARTICLE	IF	CITATIONS
109	Association analysis of PON2 genetic variants with serum paraoxonase activity and systemic lupus erythematosus. BMC Medical Genetics, 2011, 12, 7.	2.1	28
110	Replication study of genome-wide associated SNPs with late-onset Alzheimer's disease. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2011, 156, 507-512.	1.1	17
111	Chronic traumatic encephalopathy in an Iraqi war veteran with posttraumatic stress disorder who committed suicide. Neurosurgical Focus, 2011, 31, E3.	1.0	184
112	Maintenance Treatment of Depression in Old Age. Archives of General Psychiatry, 2011, 68, 51.	13.8	145
113	Association of anti-oxidized LDL and candidate genes with severity of coronary stenosis in the Women's Ischemia Syndrome Evaluation study. Journal of Lipid Research, 2011, 52, 801-807.	2.0	37
114	Risk Alleles for Systemic Lupus Erythematosus in a Large Case-Control Collection and Associations with Clinical Subphenotypes. PLoS Genetics, 2011, 7, e1001311.	1.5	154
115	Meta-analysis of the Association Between Variants in SORL1 and Alzheimer Disease. Archives of Neurology, 2011, 68, 99.	4.9	153
116	Functional Polymorphisms of the Coagulation Factor II Gene (<i>F2</i>) and Susceptibility to Systemic Lupus Erythematosus. Journal of Rheumatology, 2011, 38, 652-657.	1.0	14
117	Sexually dimorphic effect of the Val66Met polymorphism of <i>BDNF</i> on susceptibility to Alzheimer's disease: New data and meta-analysis. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 235-242.	1.1	89
118	The CALHM1 P86L Polymorphism is a Genetic Modifier of Age at Onset in Alzheimer's Disease: a Meta-Analysis Study. Journal of Alzheimer's Disease, 2010, 22, 247-255.	1.2	54
119	Functional and genetic characterization of the promoter region of apolipoprotein H (β_2 -glycoprotein I). FEBS Journal, 2010, 277, 951-963.	2.2	7
120	Is the Urea Cycle Involved in Alzheimer's Disease?. Journal of Alzheimer's Disease, 2010, 21, 1013-1021.	1.2	68
121	A Likelihood-Based Approach for Missing Genotype Data. Human Heredity, 2010, 69, 171-183.	0.4	2
122	Association of Three Lipoprotein Lipase Polymorphisms with Coronary Artery Disease in Chinese and Asian Indians. International Journal of Cardiology, 2010, 144, 142-143.	0.8	3
123	Chronic traumatic encephalopathy (CTE) in a National Football League Player. Journal of Forensic Nursing, 2010, 6, 40-46.	0.2	220
124	APOE genetic associations with seizure development after severe traumatic brain injury. Brain Injury, 2010, 24, 1468-1477.	0.6	26
125	Apolipoprotein H Promoter Polymorphisms in Relation to Lupus and Lupus-related Phenotypes. Journal of Rheumatology, 2009, 36, 315-322.	1.0	6
126	Association studies of 22 candidate SNPs with late-onset Alzheimer's disease. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 520-526.	1.1	13

#	ARTICLE	IF	CITATIONS
127	Evidence supporting a role for the calcium-sensing receptor in Alzheimer disease. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 703-709.	1.1	43
128	No association between <i>CALHM1</i> variation and risk of Alzheimer disease. Human Mutation, 2009, 30, E566-E569.	1.1	37
129	Identification and characterization of a novel 5Åbp deletion in a putative insulin response element in the lipoprotein lipase gene. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2009, 1791, 1057-1065.	1.2	4
130	No association of DAPK1 and ABCA2 SNPs on chromosome 9 with Alzheimer's disease. Neurobiology of Aging, 2009, 30, 1890-1891.	1.5	20
131	Multiple polymorphisms in the TNFAIP3 region are independently associated with systemic lupus erythematosus. Nature Genetics, 2008, 40, 1062-1064.	9.4	400
132	Specificity of the STAT4 Genetic Association for Severe Disease Manifestations of Systemic Lupus Erythematosus. PLoS Genetics, 2008, 4, e1000084.	1.5	180
133	Association of Systemic Lupus Erythematosus with <i>C8orf13</i> "BLK" and <i>ITGAM</i> "ITGAX". New England Journal of Medicine, 2008, 358, 900-909.	13.9	848
134	No association of SORL1 SNPs with Alzheimer's disease. Neuroscience Letters, 2008, 440, 190-192.	1.0	39
135	No association of dynamin binding protein (DNMBP) gene SNPs and Alzheimer's disease. Neurobiology of Aging, 2008, 29, 1602-1604.	1.5	6
136	Recombinant hepatitis B surface antigen and anionic phospholipids share a binding region in the fifth domain of Î²2-glycoprotein I (apolipoprotein H). Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2008, 1782, 163-168.	1.8	7
137	Functional significance of lipoprotein lipase HindIII polymorphism associated with the risk of coronary artery disease. Atherosclerosis, 2008, 200, 102-108.	0.4	33
138	Genetic Variation in C-Reactive Protein (CRP) Gene May Be Associated with Risk of Systemic Lupus Erythematosus and CRP Concentrations. Journal of Rheumatology, 2008, 35, 2171-2178.	1.0	22
139	Gender-specific association of ATP-binding cassette transporter 1 (ABCA1) polymorphisms with the risk of late-onset Alzheimer's disease. Neurobiology of Aging, 2007, 28, 856-862.	1.5	69
140	Apolipoprotein E4 Allele Presence and Functional Outcome after Severe Traumatic Brain Injury. Journal of Neurotrauma, 2007, 24, 790-797.	1.7	84
141	Association of tagSNPs in the urokinase-plasminogen activator (PLAU) gene with Alzheimer's disease and associated quantitative traits. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 79-82.	1.1	13
142	Genetic Variation in the Paraoxonase-3 (PON3) Gene is Associated with Serum PON1 Activity. Annals of Human Genetics, 2007, 72, 070927125827001-???	0.3	21
143	Evidence for the association of the S100Î² gene with low cognitive performance and dementia in the elderly. Molecular Psychiatry, 2007, 12, 870-880.	4.1	26
144	Association study of Toll-like receptor 5 (TLR5) and Toll-like receptor 9 (TLR9) polymorphisms in systemic lupus erythematosus. Journal of Rheumatology, 2007, 34, 1708-11.	1.0	45

#	ARTICLE	IF	CITATIONS
145	Lack of association of 5 SNPs in the vicinity of the insulin-degrading enzyme (IDE) gene with late-onset Alzheimer's disease. <i>Neuroscience Letters</i> , 2006, 406, 265-269.	1.0	15
146	Lack of association of two chromosome 10q24 SNPs with Alzheimer's disease. <i>Neuroscience Letters</i> , 2006, 408, 170-172.	1.0	5
147	Alpha-1-antichymotrypsin (ACT or SERPINA3) polymorphism may affect age-at-onset and disease duration of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2006, 27, 1435-1439.	1.5	58
148	Genetic variation in the choline acetyltransferase (CHAT) gene may be associated with the risk of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2006, 27, 1440-1444.	1.5	36
149	Chronic Traumatic Encephalopathy in a National Football League Player. <i>Neurosurgery</i> , 2006, 58, E1003-E1003.	0.6	8
150	Chronic Traumatic Encephalopathy in a National Football League Player. <i>Neurosurgery</i> , 2006, , E1003.	0.6	2
151	CHRONIC TRAUMATIC ENCEPHALOPATHY IN A NATIONAL FOOTBALL LEAGUE PLAYER. <i>Neurosurgery</i> , 2006, 59, 1086-1093.	0.6	414
152	The Khatri Sikh Diabetes Study (SDS): Study Design, Methodology, Sample Collection, and Initial Results. <i>Human Biology</i> , 2006, 78, 43-63.	0.4	33
153	Complete DNA Sequence Variation in the Apolipoprotein H (beta2-glycoprotein I) Gene and Identification of Informative SNPs. <i>Annals of Human Genetics</i> , 2006, 70, 1-11.	0.3	29
154	Relationship of serum paraoxonase 1 activity and paraoxonase 1 genotype to risk of systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2006, 54, 1928-1939.	6.7	43
155	Apolipoprotein E Genotype and CBF in Traumatic Brain Injured Patients. , 2006, 578, 291-296.		4
156	Chronic Traumatic Encephalopathy in a National Football League Player. <i>Neurosurgery</i> , 2005, 57, 128-134.	0.6	954
157	Apolipoprotein D is a component of compact but not diffuse amyloid-beta plaques in Alzheimer's disease temporal cortex. <i>Neurobiology of Disease</i> , 2005, 20, 574-582.	2.1	47
158	Investigation of the effect of brain-derived neurotrophic factor (BDNF) polymorphisms on the risk of late-onset Alzheimer's disease (AD) and quantitative measures of AD progression. <i>Neuroscience Letters</i> , 2005, 379, 229-234.	1.0	55
159	Three SNPs in the GSTO1, GSTO2 and PRSS11 genes on chromosome 10 are not associated with age-at-onset of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2005, 26, 1161-1165.	1.5	37
160	The impact of factor XIIIa V34L polymorphism on plasma factor XIII activity in the Chinese and Asian Indians from Singapore. <i>Human Genetics</i> , 2004, 114, 186-191.	1.8	12
161	Role of an intronic polymorphism in the PDCD1 gene with the risk of sporadic systemic lupus erythematosus and the occurrence of antiphospholipid antibodies. <i>Human Genetics</i> , 2004, 115, 393-8.	1.8	37
162	Single Nucleotide Polymorphisms in the Coding Region of the Apolipoprotein H (beta2-Glycoprotein I) Gene and their Correlation with the Protein Polymorphism, Anti-beta2Glycoprotein I Antibodies and Cardiolipin Binding: Description of Novel Haplotypes and Their Evolution. <i>Annals of Human Genetics</i> , 2004, 68, 285-299.	0.3	20

#	ARTICLE	IF	CITATIONS
163	Molecular Genetics of Late-Onset Alzheimer's Disease. <i>Annals of Human Genetics</i> , 2004, 68, 381-404.	0.3	149
164	Population genetics of apolipoproteins A-IV, E, and H, and the angiotensin converting enzyme (ACE): Associations with lipids, and apolipoprotein levels in American Samoans. <i>American Journal of Physical Anthropology</i> , 2004, 124, 364-372.	2.1	2
165	APOE is associated with age-of-onset, but not cognitive functioning, in late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 1075-1081.	1.3	51
166	Association of the 3' UTR transcription factor LBP-1c/CP2/LSF polymorphism with late-onset Alzheimer's disease. <i>American Journal of Medical Genetics Part A</i> , 2003, 117B, 114-117.	2.4	46
167	Genetic variation in apolipoprotein D affects the risk of Alzheimer disease in African-Americans. <i>American Journal of Medical Genetics Part A</i> , 2003, 116B, 98-101.	2.4	35
168	Plasma and cerebrospinal fluid α 1-antichymotrypsin levels in Alzheimer's disease: Correlation with cognitive impairment. <i>Annals of Neurology</i> , 2003, 53, 81-90.	2.8	85
169	A functional polymorphism at the transcriptional initiation site in beta2-glycoprotein I (apolipoprotein H) associated with reduced gene expression and lower plasma levels of beta2-glycoprotein I. <i>FEBS Journal</i> , 2003, 270, 230-238.	0.2	28
170	APOE polymorphism and angiographic coronary artery disease severity in the Women's Ischemia Syndrome Evaluation (WISE) study. <i>Atherosclerosis</i> , 2003, 169, 159-167.	0.4	41
171	Functional analysis of plasma β 2-macroglobulin from Alzheimer's disease patients with the A2M intronic deletion. <i>Neurobiology of Disease</i> , 2003, 14, 504-512.	2.1	10
172	Association between the Severity of Angiographic Coronary Artery Disease and Paraoxonase Gene Polymorphisms in the National Heart, Lung, and Blood Institute's "Sponsored Women's Ischemia Syndrome Evaluation (WISE) Study. <i>American Journal of Human Genetics</i> , 2003, 72, 13-22.	2.6	113
173	Effects of the Hepatic Lipase Gene and Physical Activity on Coronary Heart Disease Risk. <i>American Journal of Epidemiology</i> , 2003, 158, 836-843.	1.6	30
174	Genetic Variation in Lectin-Like Oxidized Low-Density Lipoprotein Receptor 1 (LOX1) Gene and the Risk of Coronary Artery Disease. <i>Circulation</i> , 2003, 107, 3146-3151.	1.6	82
175	Relationship between apoE4 allele and excitatory amino acid levels after traumatic brain injury. <i>Critical Care Medicine</i> , 2003, 31, 2371-2379.	0.4	28
176	Apolipoprotein E and Alpha-1-Antichymotrypsin Genotypes Do Not Predict Time to Psychosis in Alzheimer's Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2002, 15, 24-30.	1.2	20
177	Genetic variation in the apolipoprotein D gene among African blacks and its significance in lipid metabolism. <i>Atherosclerosis</i> , 2002, 163, 329-338.	0.4	36
178	Distribution of plasma α 1-antichymotrypsin levels in Alzheimer disease patients and controls and their genetic controls. <i>Neurobiology of Aging</i> , 2002, 23, 377-382.	1.5	17
179	Genetic variation in the cholesterol 24-hydroxylase (CYP46) gene and the risk of Alzheimer's disease. <i>Neuroscience Letters</i> , 2002, 328, 9-12.	1.0	84
180	Genetic variation in α 1-antichymotrypsin and its association with Alzheimer's disease. <i>Human Genetics</i> , 2002, 110, 356-365.	1.8	42

#	ARTICLE	IF	CITATIONS
181	Investigation of oxidized LDL-receptor 1 (OLR1) as the candidate gene for Alzheimer's disease on chromosome 12. <i>Human Genetics</i> , 2002, 111, 443-451.	1.8	49
182	Relationship of Deep White Matter Hyperintensities and Apolipoprotein E Genotype to Depressive Symptoms in Older Adults Without Clinical Depression. <i>American Journal of Psychiatry</i> , 2001, 158, 878-884.	4.0	112
183	A highly sensitive and nonradioactive mutation detection method based on vertical gradient temperature single-strand conformation polymorphism. <i>Electrophoresis</i> , 2001, 22, 2665-2669.	1.3	3
184	Gene-environment interaction in the regulation of HDL: The hepatic lipase gene promoter polymorphism modulates the physical activity associated increase in HDL. <i>Circulation</i> , 2001, 103, 1352-1352.	1.6	0
185	Genetic association studies of interleukin-1 (IL-1A and IL-1B) and interleukin-1 receptor antagonist genes and the risk of Alzheimer's disease. <i>Annals of Neurology</i> , 2000, 48, 817-818.	2.8	42
186	Racial and genetic determinants of plasma factor XIII activity. <i>Genetic Epidemiology</i> , 2000, 19, 440-455.	0.6	18
187	A hydrophobic sequence at position 313-316 (Leu-Ala-Phe-Trp) in the fifth domain of apolipoprotein H (β 2-glycoprotein I) is crucial for cardiolipin binding. <i>FEBS Journal</i> , 2000, 267, 1770-1776.	0.2	51
188	Analysis of genetic polymorphisms in the transforming growth factor- β 1 gene and the risk of Alzheimer's disease. <i>Human Genetics</i> , 2000, 106, 565-569.	1.8	54
189	Apolipoprotein E Polymorphism and Alzheimer Disease. <i>Archives of Neurology</i> , 2000, 57, 824.	4.9	312
190	Analysis of genetic polymorphisms in the transforming growth factor- β 1 gene and the risk of Alzheimer's disease. <i>Human Genetics</i> , 2000, 106, 565-569.	1.8	136
191	Genetic variation in apolipoprotein H (β 2-glycoprotein I) affects the occurrence of antiphospholipid antibodies and apolipoprotein H concentrations in systemic lupus erythematosus. <i>Lupus</i> , 1999, 8, 742-750.	0.8	52
192	Structure of the human β 2-glycoprotein I (apolipoprotein H) gene*. <i>FEBS Journal</i> , 1999, 259, 435-440.	0.2	23
193	Genetic association of five apolipoprotein polymorphisms with serum lipoprotein-lipid levels in African blacks. <i>Genetic Epidemiology</i> , 1999, 16, 205-222.	0.6	53
194	Genetic association of five apolipoprotein polymorphisms with serum lipoprotein-lipid levels in African blacks. <i>Genetic Epidemiology</i> , 1999, 16, 205-222.	0.6	5
195	Expression of differential immune factors in temporal cortex and cerebellum: The role of β -1-antichymotrypsin, apolipoprotein E, and reactive glia in the progression of Alzheimer's disease. <i>Journal of Comparative Neurology</i> , 1998, 396, 511-520.	0.9	58
196	Bleomycin hydrolase is associated with risk of sporadic Alzheimer's disease. <i>Nature Genetics</i> , 1998, 18, 211-212.	9.4	107
197	Genetic association of two chromosome 14 genes (presenilin 1 and β 1-Antichymotrypsin) with Alzheimer's disease. <i>Annals of Neurology</i> , 1998, 44, 387-390.	2.8	25
198	DNA Polymorphisms in Two Paraoxonase Genes (PON1 and PON2) Are Associated with the Risk of Coronary Heart Disease. <i>American Journal of Human Genetics</i> , 1998, 62, 36-44.	2.6	235

#	ARTICLE	IF	CITATIONS
199	Dopamine Receptor Genetic Variation, Psychosis, and Aggression in Alzheimer Disease. Archives of Neurology, 1998, 55, 1335.	4.9	135
200	Apolipoprotein E Polymorphism in Alzheimer's Disease: A Comparative Study of Two Research Populations from Spain and the United States. European Neurology, 1998, 39, 229-233.	0.6	12
201	Genetic Polymorphisms of Apolipoproteins A-IV, E and H in Koreans. Human Heredity, 1998, 48, 313-317.	0.4	8
202	Identification of Structural Mutations in the Fifth Domain of Apolipoprotein H (β 2-Glycoprotein I) Which Affect Phospholipid Binding. Human Molecular Genetics, 1997, 6, 311-316.	1.4	89
203	Gender-specific nonrandom association between the ϵ 1-antichymotrypsin and apolipoprotein E polymorphisms in the general population and its implication for the risk of Alzheimer's disease. , 1997, 14, 169-180.		12
204	Genetic Polymorphism of Paraoxonase and the Risk of Coronary Heart Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 1997, 17, 1067-1073.	1.1	159
205	Polygenic Determinants of Alzheimer's Disease: Modulation of the Risk by ϵ -1-Antichymotrypsin. Annals of the New York Academy of Sciences, 1996, 802, 27-34.	1.8	18
206	Short Report on DNA Marker at Candidate Locus. Clinical Genetics, 1996, 50, 54-55.	1.0	8
207	Apolipoprotein E genotyping in the diagnosis of alzheimer's disease. Annals of Neurology, 1995, 38, 967-969.	2.8	3
208	Dementia among elderly apolipoprotein E type 4/4 homozygotes: A prospective study. Genetic Epidemiology, 1995, 12, 309-311.	0.6	4
209	Heterogeneity of the apolipoprotein H *3 allele and its role in affecting the binding of apolipoprotein H (β 2-glycoprotein I) to anionic phospholipids. Human Genetics, 1995, 95, 385-8.	1.8	37
210	A4POE*4-associated Alzheimer's disease risk is modified by ϵ 1-antichymotrypsin polymorphism. Nature Genetics, 1995, 10, 486-488.	9.4	347
211	Apo E allele frequencies in younger (age 42-50) vs older (age 65-90) women. Genetic Epidemiology, 1993, 10, 27-34.	0.6	105
212	Apolipoprotein (a): A comparison of isoforms identified by sodium dodecyl sulfate-polyacrylamide gel electrophoresis or by sodium dodecyl sulfate-agarose gel electrophoresis. Electrophoresis, 1993, 14, 1038-1041.	1.3	7
213	Two common polymorphisms in the APO A-IV coding gene: Their evolution and linkage disequilibrium. Genetic Epidemiology, 1992, 9, 305-315.	0.6	19
214	Molecular basis of a unique African Variant (A-IV 5) of human apolipoprotein A-IV and its significance in lipid metabolism. Genetic Epidemiology, 1992, 9, 379-388.	0.6	13
215	Genetic polymorphism of apolipoprotein H (β 2-glycoprotein I) in African blacks from the Ivory Coast. Electrophoresis, 1992, 13, 849-851.	1.3	5