

Hans Dieter Nischalke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4050822/publications.pdf>

Version: 2024-02-01

42
papers

2,406
citations

236925

25
h-index

254184

43
g-index

43
all docs

43
docs citations

43
times ranked

4082
citing authors

#	ARTICLE	IF	CITATIONS
1	A genome-wide association study confirms PNPLA3 and identifies TM6SF2 and MBOAT7 as risk loci for alcohol-related cirrhosis. <i>Nature Genetics</i> , 2015, 47, 1443-1448.	21.4	435
2	The HLA-A2 Restricted T Cell Epitope HCV Core35â€“44 Stabilizes HLA-E Expression and Inhibits Cytolysis Mediated by Natural Killer Cells. <i>American Journal of Pathology</i> , 2005, 166, 443-453.	3.8	149
3	HIV-1 Infection Leads to Increased HLA-E Expression Resulting in Impaired Function of Natural Killer Cells. <i>Antiviral Therapy</i> , 2005, 10, 95-107.	1.0	140
4	PNPLA3 Gene Polymorphism Is Associated With Predisposition to and Severity of Alcoholic Liver Disease. <i>American Journal of Gastroenterology</i> , 2015, 110, 846-856.	0.4	120
5	The PNPLA3 rs738409 148M/M Genotype Is a Risk Factor for Liver Cancer in Alcoholic Cirrhosis but Shows No or Weak Association in Hepatitis C Cirrhosis. <i>PLoS ONE</i> , 2011, 6, e27087.	2.5	108
6	Heterozygous carriage of the alpha1-antitrypsin Pi*Z variant increases the risk to develop liver cirrhosis. <i>Gut</i> , 2019, 68, 1099-1107.	12.1	100
7	Role of regulatory T cells and checkpoint inhibition in hepatocellular carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 2055-2066.	4.2	94
8	Compartment-specific distribution of human intestinal innate lymphoid cells is altered in HIV patients under effective therapy. <i>PLoS Pathogens</i> , 2017, 13, e1006373.	4.7	85
9	Genetic variants in PNPLA3 and TM6SF2 predispose to the development of hepatocellular carcinoma in individuals with alcohol-related cirrhosis. <i>American Journal of Gastroenterology</i> , 2018, 113, 1475-1483.	0.4	82
10	Genetic Variation in HSD17B13 Reduces the Risk of Developing Cirrhosis and Hepatocellular Carcinoma in Alcohol Misusers. <i>Hepatology</i> , 2020, 72, 88-102.	7.3	76
11	Intrahepatic IL-8 producing Foxp3+CD4+ regulatory T cells and fibrogenesis in chronic hepatitis C. <i>Journal of Hepatology</i> , 2013, 59, 229-235.	3.7	75
12	Induction of Interleukin-6 by Hepatitis C Virus Core Protein in Hepatitis Câ€“Associated Mixed Cryoglobulinemia and B-Cell Nonâ€“Hodgkin's Lymphoma. <i>Clinical Cancer Research</i> , 2006, 12, 4491-4498.	7.0	68
13	Impaired CD4+ T cell stimulation of NK cell anti-fibrotic activity may contribute to accelerated liver fibrosis progression in HIV/HCV patients. <i>Journal of Hepatology</i> , 2013, 59, 427-433.	3.7	68
14	Genetic Variation in IL28B and Treatment-induced Clearance of Hepatitis C Virus in HIV-Positive Patients With Acute and Chronic Hepatitis C. <i>Journal of Infectious Diseases</i> , 2011, 203, 595-601.	4.0	55
15	Genome-Wide Association Study for Alcohol-Related Cirrhosis Identifies Risk Loci in MARC1 and HNRNPUL1. <i>Gastroenterology</i> , 2020, 159, 1276-1289.e7.	1.3	53
16	Antibiotic resistance in healthcareâ€“related and nosocomial spontaneous bacterial peritonitis. <i>European Journal of Clinical Investigation</i> , 2017, 47, 44-52.	3.4	50
17	An effective interferon-gamma-mediated inhibition of hepatitis C virus replication by natural killer cells is associated with spontaneous clearance of acute hepatitis C in human immunodeficiency virus-positive patients. <i>Hepatology</i> , 2014, 59, 814-827.	7.3	49
18	Impact of Rifaximin on the Frequency and Characteristics of Spontaneous Bacterial Peritonitis in Patients with Liver Cirrhosis and Ascites. <i>PLoS ONE</i> , 2014, 9, e93909.	2.5	49

#	ARTICLE	IF	CITATIONS
19	Spontaneous bacterial peritonitis: The clinical challenge of a leaky gut and a cirrhotic liver. <i>World Journal of Hepatology</i> , 2015, 7, 304.	2.0	48
20	Semiquantitative analysis of intrahepatic CC-chemokine mRNAs in chronic hepatitis C. <i>Mediators of Inflammation</i> , 2004, 13, 357-359.	3.0	40
21	Hepatitis C virus core protein induces fibrogenic actions of hepatic stellate cells via toll-like receptor 2. <i>Laboratory Investigation</i> , 2011, 91, 1375-1382.	3.7	40
22	The CXCR3(+)CD56Bright Phenotype Characterizes a Distinct NK Cell Subset with Anti-Fibrotic Potential That Shows Dys-Regulated Activity in Hepatitis C. <i>PLoS ONE</i> , 2012, 7, e38846.	2.5	38
23	A common polymorphism in the NCAN gene is associated with hepatocellular carcinoma in alcoholic liver disease. <i>Journal of Hepatology</i> , 2014, 61, 1073-1079.	3.7	35
24	Ribavirin Exerts Differential Effects on Functions of Cd4+ Th1, Th2, and Regulatory T Cell Clones in Hepatitis C. <i>PLoS ONE</i> , 2012, 7, e42094.	2.5	28
25	Low ascitic fluid protein does not indicate an increased risk for spontaneous bacterial peritonitis in current cohorts. <i>Journal of Hepatology</i> , 2015, 63, 527-528.	3.7	23
26	A farnesoid X receptor polymorphism predisposes to spontaneous bacterial peritonitis. <i>Digestive and Liver Disease</i> , 2014, 46, 1047-1050.	0.9	22
27	Detection of IGF2BP3, HOXB7, and NEK2 mRNA Expression in Brush Cytology Specimens as a New Diagnostic Tool in Patients with Biliary Strictures. <i>PLoS ONE</i> , 2012, 7, e42141.	2.5	20
28	Genetic variation in <i>TERT</i> modifies the risk of hepatocellular carcinoma in alcohol-related cirrhosis: results from a genome-wide case-control study. <i>Gut</i> , 2023, 72, 381-391.	12.1	19
29	Influence of the CXCL1 rs4074 A Allele on Alcohol Induced Cirrhosis and HCC in Patients of European Descent. <i>PLoS ONE</i> , 2013, 8, e80848.	2.5	18
30	The CXCL1 rs4074 A allele is associated with enhanced CXCL1 responses to TLR2 ligands and predisposes to cirrhosis in HCV genotype 1-infected Caucasian patients. <i>Journal of Hepatology</i> , 2012, 56, 758-764.	3.7	17
31	Relative Ascites Polymorphonuclear Cell Count Indicates Bacterascites and Risk of Spontaneous Bacterial Peritonitis. <i>Digestive Diseases and Sciences</i> , 2017, 62, 2558-2568.	2.3	16
32	The cytotoxic lymphocyte antigen 4 polymorphisms affect response to hepatitis C virus-specific therapy in HIV(+) patients with acute and chronic hepatitis C virus co-infection. <i>Aids</i> , 2010, 24, 2001-2007.	2.2	12
33	Variation in IFNL4 genotype and response to interferon-based therapy of hepatitis C in HIV-positive patients with acute and chronic hepatitis C. <i>Aids</i> , 2013, 27, 2817-2819.	2.2	12
34	The <i>ATG16L1</i> gene variant rs2241880 (p.T300A) is associated with susceptibility to HCC in patients with cirrhosis. <i>Liver International</i> , 2019, 39, 2360-2367.	3.9	12
35	Hypoxia impairs anti-viral activity of natural killer (NK) cells but has little effect on anti-fibrotic NK cell functions in hepatitis C virus infection. <i>Journal of Hepatology</i> , 2015, 63, 1334-1344.	3.7	11
36	A variant in the nuclear dot protein 52kDa gene increases the risk for spontaneous bacterial peritonitis in patients with alcoholic liver cirrhosis. <i>Digestive and Liver Disease</i> , 2016, 48, 62-68.	0.9	11

#	ARTICLE	IF	CITATIONS
37	Between Scylla and Charybdis: The role of the human immune system in the pathogenesis of hepatitis C. <i>World Journal of Gastroenterology</i> , 2013, 19, 7852.	3.3	9
38	The rs429358 Locus in Apolipoprotein E Is Associated With Hepatocellular Carcinoma in Patients With Cirrhosis. <i>Hepatology Communications</i> , 2022, 6, 1213-1226.	4.3	9
39	Rapid Determination of the $\Delta 32$ Deletion in the Human CC-Chemokine Receptor 5 (CCR5) Gene without DNA Extraction by LightCycler Real-Time Polymerase Chain Reaction. <i>AIDS Research and Human Retroviruses</i> , 2004, 20, 750-754.	1.1	8
40	The PNPLA3 I148M variant promotes lipid-induced hepatocyte secretion of CXC chemokines establishing a tumorigenic milieu. <i>Journal of Molecular Medicine</i> , 2019, 97, 1589-1600.	3.9	7
41	A genetic variant in toll-like receptor 5 is linked to chemokine levels and hepatocellular carcinoma in steatohepatitis. <i>Liver International</i> , 2021, 41, 2139-2148.	3.9	6
42	Hepatocellular Carcinoma Prevention by Aspirin: Are Platelets the Link?. <i>Hepatology Communications</i> , 2021, 5, 2151-2152.	4.3	3