Ming-Wu Ding

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4054403/publications.pdf

Version: 2024-02-01

		236925	330143
104	1,959	25	37
papers	citations	h-index	g-index
112	112	112	1170
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	New efficient synthesis of polysubstituted 3,4-dihydroquinazolines and 4 <i>H</i> -3,1-benzothiazines through a Passerini/Staudinger/aza-Wittig/addition/nucleophilic substitution sequence. Beilstein Journal of Organic Chemistry, 2022, 18, 286-292.	2.2	7
2	One-pot and divergent synthesis of furo [3,2-c] quinolines and quinazolin-4(3H)-ones via sequential isocyanide-based three-component/Staudinger/aza-Wittig reaction. Tetrahedron, 2021, 80, 131868.	1.9	18
3	DEAD-Mediated Oxidative Ugi/Aza-Wittig Reaction for the Synthesis of 5-(1,2,3,4-Tetrahydroisoquinolin-1-yl)-1,3,4-oxadiÂÂazoles Starting from (N-Isocyanimine)triphenylphosphorane. Synthesis, 2021, 53, 1365-1371.	2.3	9
4	<scp>Oneâ€Pot</scp> Synthesis of Polysubstituted Pyrroles <i>via</i> Sequential Ketenimine Formation/Ag(I)â€Catalyzed Alkyne Cycloisomerisation Starting from Ylide Adducts. Chinese Journal of Chemistry, 2021, 39, 1553-1557.	4.9	6
5	Four-Component Synthesis of Polysubstituted Pyrazin-2(1H)-ones through a Ugi/Staudinger/Aza-Wittig/Isomerization Sequence. Journal of Organic Chemistry, 2021, 86, 10755-10761.	3.2	8
6	One-pot synthesis of polysubstituted quinazolin-4(3H)-ones via sequential oxidative Ugi/Staudinger/aza-Wittig reactions starting from tertiary amines. Tetrahedron, 2021, 96, 132368.	1.9	2
7	One-Pot Synthesis of [1,2,3]Triazolo[1,5-a]quinoxalin-4(5H)-ones by a Metal-Free Sequential Ugi-4CR/Alkyne–Azide Cycloaddition Reaction. Synlett, 2020, 31, 73-76.	1.8	6
8	An efficient one-pot synthesis and biological evaluation of novel (E)-2-aroyl-4-arylidene-5-oxotetrahydrofuran derivatives. Journal of Chemical Research, 2020, , 174751982095862.	1.3	3
9	One-pot four-component synthesis of polysubstituted thiazoles via cascade Ugi/Wittig cyclization starting from odorless Isocyano(triphenylphosphoranylidene)-acetates. Tetrahedron, 2020, 76, 131101.	1.9	8
10	Diastereoselective synthesis of multisubstituted isoindolines via Sequential Ugi and aza-Michael addition reaction. Tetrahedron, 2019, 75, 4626-4631.	1.9	10
11	Isocyano(triphenylphosphoranylidene)acetates: Key to the One-Pot Synthesis of Oxazolo[4,5- <i></i>	3.2	20
12	One-Pot–Three-Component Synthesis of 2-(1,2,3,4-Tetrahydroisoquinolin-1-yl)oxazoles via DEAD-Promoted Oxidative Ugi/Wittig Reaction. Journal of Organic Chemistry, 2019, 84, 14313-14319.	3.2	19
13	Synthesis of Polysubstituted Pyridine Derivatives via Sequential AlCl ₃ â€Catalyzed Condensation/Azaâ€Wittig/Isomerization Reactions and a Study of their Antifungal Activities. Asian Journal of Organic Chemistry, 2019, 8, 1394-1397.	2.7	11
14	New facile synthesis of furan-2(3H)-ones and 2,3,5-trisubstituted furans via intramolecular Wittig reaction of acid anhydride. Tetrahedron, 2019, 75, 3441-3447.	1.9	5
15	New Facile Synthesis of 3,4-Dihydroquinazoline-2(1H)-thiones by a Sequential Ugi-Azide/Staudinger/Aza-Wittig/Cyclization Reaction. Synlett, 2019, 30, 1053-1056.	1.8	8
16	One-Pot Three-Component Synthesis of Pyrrolidin-2-ones via a Sequential Wittig/Nucleophilic Addition/Cyclization Reaction. Synthesis, 2019, 51, 2402-2408.	2.3	3
17	One-Pot Regioselective Synthesis of 2,5,6,7-Tetrahydroimidazo [1,2-a]imidazol-3-ones Starting from (Vinylimino)phosphoranes. Synlett, 2019, 30, 857-859.	1.8	2
18	One-pot and regioselective synthesis of polysubstituted 3,4-dihydroquinazolines and 4,5-dihydro-3H-1,4-benzodiazepin-3-ones by sequential Ugi/Staudinger/aza-Wittig reaction. Tetrahedron, 2019, 75, 1072-1078.	1.9	13

#	Article	IF	CITATIONS
19	New Efficient Synthesis of 1,2,4-Trisubstituted Furans by a ÂSequential Passerini/Wittig/Isomerization Reaction Starting from Baylis–Hillman β-Bromo Aldehydes. Synlett, 2018, 29, 106-110.	1.8	7
20	One-pot synthesis of quinazolin-4(3H)-ones and fused quinazolinones by a palladium-catalyzed domino process. Tetrahedron, 2018, 74, 184-193.	1.9	20
21	New efficient synthesis of 1H-imidazo-[4,5-c]quinolines by a sequential Van Leusen/Staudinger/aza-Wittig/carbodiimide-mediated cyclization. Tetrahedron, 2018, 74, 7186-7192.	1.9	15
22	Synthesis of 2-Tetrazolyl-Substituted 3-Acylpyrroles via a Sequential Ugi-Azide/Ag-Catalyzed Oxidative Cycloisomerization Reaction. Journal of Organic Chemistry, 2018, 83, 12921-12930.	3.2	20
23	One-Pot Selective Synthesis of Multisubstituted Quinoxalin-2(1H)-ones by a Ugi 4CR/Catalytic Aza-Wittig Sequence. Synlett, 2018, 29, 1447-1450.	1.8	10
24	Synthesis of iminoisoindolinones <i>via</i> a cascade of the three-component Ugi reaction, palladium catalyzed isocyanide insertion, hydroxylation and an unexpected rearrangement reaction. Organic and Biomolecular Chemistry, 2018, 16, 6322-6331.	2.8	19
25	One-Pot Synthesis of Indoles by a Sequential Ugi-3CR/Wittig Reaction Starting from Odorless Isocyanide-Substituted Phosphonium Salts. Journal of Organic Chemistry, 2017, 82, 2772-2776.	3.2	30
26	New Facile Synthesis of 2-Alkylthiopyrimidin-4(3H)-ones by Tandem Aza-Wittig Reaction Starting from the Baylis–Hillman Adducts. Synlett, 2017, 28, 1075-1078.	1.8	5
27	Catalytic Intramolecular Wittig Reaction Based on a Phosphine/Phosphine Oxide Catalytic Cycle for the Synthesis of Heterocycles. European Journal of Organic Chemistry, 2017, 2017, 2568-2578.	2.4	39
28	Front Cover: Catalytic Intramolecular Wittig Reaction Based on a Phosphine/Phosphine Oxide Catalytic Cycle for the Synthesis of Heterocycles (Eur. J. Org. Chem. 18/2017). European Journal of Organic Chemistry, 2017, 2017, 2560-2560.	2.4	0
29	Synthesis of fluorescent trisubstituted oxazoles via a facile tandem Staudinger/aza-Wittig/isomerization reaction. Dyes and Pigments, 2017, 139, 440-447.	3.7	14
30	Multifunctional odorless isocyano(triphenylphosphoranylidene)-acetates: synthesis and direct one-pot four-component Ugi/Wittig cyclization to multisubstituted oxazoles. Organic Chemistry Frontiers, 2017, 4, 2044-2048.	4.5	30
31	One-pot and regioselective synthesis of 3,4-dihydroquinazolines by Sequential Ugi/Staudinger/aza-Wittig reaction starting from functionalized isocyanides. Tetrahedron, 2017, 73, 5720-5724.	1.9	17
32	One-Pot Synthesis of Polysubstituted Imidazoles via Sequential Staudinger/aza-Wittig/Ag(I)-Catalyzed Cyclization/Isomerization. Journal of Organic Chemistry, 2017, 82, 13735-13739.	3.2	24
33	A Facile Synthesis of 4-Tetrazolyl-Substituted 4H-3,1-Benzoxazines through Sequential Passerini-Azide/Acylation/Catalytic Aza-Wittig Reaction. Synthesis, 2017, 49, 745-754.	2.3	12
34	Catalytic aza-Wittig Reaction of Acid Anhydride for the Synthesis of 4 <i>H</i> -Benzo[<i>d<ii>H</ii></i> -Benzo[<i>d<i>H</i>-Catalysis, 2016, 6, 4010-4016.</i>	11.2	101
35	Facile Synthesis of 3-Arylidene-3H-1,4-benzodiazepines by a Sequential Ugi/Staudinger/Aza-Wittig Reaction. Synthesis, 2016, 48, 4541-4547.	2. 3	20
36	New efficient synthesis of multisubstituted benzimidazoles and quinoxalin-2(1 H)-ones by a Ugi 4CC/aza-Wittig sequence starting from aromatic amine precursors. Tetrahedron, 2016, 72, 5548-5557.	1.9	20

#	Article	IF	CITATIONS
37	One-Pot Synthesis of Multisubstituted Benzimidazoles via Sequential Ugi and Catalytic Aza-Wittig Reaction Starting from 2-Aminobenzoyl Azides. Journal of Organic Chemistry, 2016, 81, 1263-1268.	3.2	36
38	One-pot synthesis of 1H-isochromenes and 1,2-dihydroisoquinolines by a sequential isocyanide-based multicomponent/Wittig reaction. Organic and Biomolecular Chemistry, 2016, 14, 2413-2420.	2.8	36
39	New efficient synthesis of isoquinoline-1,3(2H,4H)-diones and isoindolin-1-ones via sequential Ugi/cyclization reaction. Tetrahedron, 2016, 72, 338-346.	1.9	22
40	One-Pot Synthesis of Isoquinolin-1(2H)-ones by a Sequential Ugi 4CC/Wittig Process. Synlett, 2015, 26, 2598-2600.	1.8	7
41	New Efficient Synthesis of 1,4-Benzodiazepin-5-ones by Catalytic Aza-Wittig Reaction. Synthesis, 2015, 47, 3522-3528.	2.3	11
42	Unexpected Synthesis of 5,6-Dihydropyridin-2(1 <i>H</i>)-ones by a Domino Ugi/Aldol/Hydrolysis Reaction Starting from Baylis–Hillman Phosphonium Salts. Organic Letters, 2015, 17, 2234-2237.	4.6	24
43	New efficient synthesis of 2,5,6-trisubstituted oxazolo[5,4-d]pyrimidi-7(6H)-ones via an oxazolyliminophosphorane. Chinese Chemical Letters, 2015, 26, 1158-1160.	9.0	3
44	New efficient synthesis of 1H-pyrimido[2,1-b]quinazoline-2,6-diones via a tandem aza-Wittig/nucleophilic addition/intramolecular cyclization/isomerization reaction starting from the Baylis–Hillman adducts. Tetrahedron, 2015, 71, 419-423.	1.9	16
45	Synthesis of 2,3-Dihydro-1 <i>H</i> -2-benzazepin-1-ones and 3 <i>H</i> -2-Benzoxepin-1-ones by Isocyanide-Based Multicomponent Reaction/Wittig Sequence Starting from Phosphonium Salt Precursors. Journal of Organic Chemistry, 2015, 80, 641-646.	3.2	24
46	Regioselective Synthesis of 2â€Acylquinazolines and 3 <i>H</i> à€1,4â€Benzodiazepinâ€3â€ones by a Ugi 4CC/Staudinger/azaâ€Wittig Sequence. Journal of Heterocyclic Chemistry, 2015, 52, 330-335.	2.6	7
47	One-Pot Synthesis of 2,4,5-Trisubstituted Oxazoles via a Tandem Passerini Three-Component Coupling/Staudinger/Aza-Wittig/Isomerization Reaction. Synlett, 2014, 25, 721-723.	1.8	13
48	Facile Synthesis of 4-Arylidene-1H-imidazol-5(4H)-ones by an Ugi–Aza-Wittig Sequence. Synthesis, 2014, 46, 336-342.	2.3	13
49	Reversible P(III)/P(V) Redox: Catalytic Azaâ€Wittig Reaction for the Synthesis of 4(3 <i>H</i>)â€Quinazolinones and the Natural Product Vasicinone. Advanced Synthesis and Catalysis, 2014, 356, 1098-1104.	4.3	61
50	One-pot regioselective synthesis of \hat{l}^2 -lactams by a tandem Ugi 4CC/SN cyclization. Tetrahedron, 2014, 70, 3647-3652.	1.9	29
51	An Efficient Synthesis of 3 <i>H</i> â€Pyrrolo[3,2â€ <i>d</i>]pyrimidinâ€4(5 <i>H</i>)â€one Derivatives via an Iminophosphorane. Journal of Heterocyclic Chemistry, 2014, 51, E93.	2.6	3
52	A simple and one-pot synthesis of 2,3,4,5-tetrasubstituted 4,5-dihydro-3H-1,4-benzodiazepines. Tetrahedron, 2013, 69, 9056-9062.	1.9	23
53	Synthesis, Fungicidal Activity, and Sterol 14α-Demethylase Binding Interaction of 2-Azolyl-3,4-dihydroquinazolines on Penicillium digitatum. Journal of Agricultural and Food Chemistry, 2013, 61, 1419-1426.	5.2	49
54	One-pot synthesis of 5-oxopyrrolidine-2-carboxamides via a tandem Ugi 4CC/SN cyclization starting from Baylis–Hillman bromides. Tetrahedron, 2013, 69, 3823-3828.	1.9	22

#	Article	IF	CITATIONS
55	Efficient Synthesis of 5H-Indazolo[3,2-b]-1,3,4-benzotriazepines by a Tandem Aza-Wittig Cyclization. Synthesis, 2013, 45, 365-369.	2.3	5
56	Efficient One-pot Synthesis of 1H-Pyrazolo[1,5-b]indazoles by a Domino Staudinger–Aza-Wittig Cyclization. Synlett, 2012, 23, 2850-2852.	1.8	4
57	New Efficient Synthesis of 2,3,5-Trisubstituted Pyrimidin-4(3H)-ones from Baylis–Hillman Adducts. Synthesis, 2012, 44, 3085-3089.	2.3	8
58	New efficient synthesis of trisubstituted imidazolidine-2-thiones and thiazoles via vinyliminophosphoranes. Tetrahedron, 2012, 68, 7984-7990.	1.9	25
59	Synthesis of 1,2,4,5-Tetrasubstituted Imidazoles by a Sequential Aza-Wittig/Michael/Isomerization Reaction. Journal of Organic Chemistry, 2012, 77, 696-700.	3.2	54
60	Unexpected Synthesis of 2,4,5-Trisubstituted Oxazoles via a Tandem Aza-Wittig/Michael/Isomerization Reaction of Vinyliminophosphorane. Journal of Organic Chemistry, 2012, 77, 2954-2958.	3.2	35
61	Efficient synthesis of thieno [2,3- <i>d</i>] pyrimidin-4(3 <i>H</i>)-ones by a sequential aza-Wittig reaction/base catalyzed cyclization. Heterocyclic Communications, 2011, 17, 197-201.	1.2	3
62	Unexpected synthesis of indolo[1,2-c]quinazolines by a sequential Ugi 4CC–Staudinger–aza-Wittig–nucleophilic addition reaction. Organic and Biomolecular Chemistry, 2011, 9, 1429.	2.8	52
63	New efficient synthesis of 2,3,4-trisubstituted 3,4-dihydroquinazolines by a Ugi 4CC/Staudinger/aza-Wittig sequence. Tetrahedron, 2011, 67, 3714-3723.	1.9	54
64	Temperatureâ€Dependent Regioselective Synthesis of 1,2,4â€Triazino[2,3â€ <i>b</i>)indazoles and 3 <i>H</i> å€1,4â€Benzodiazepines by Dominoâ€Staudinger/Azaâ€Wittig/Isomerization Reaction. European Journal of Organic Chemistry, 2011, 2011, 6933-6938.	al2.4	14
65	Efficient synthesis of benzothieno[3,2â€ <i>d</i>) â€imidazo[1,2â€ <i>a</i>) pyrimidineâ€2,5â€(1 <i>H</i>), Tj ETQ Heterocyclic Chemistry, 2010, 47, 68-71.	q1 1 0.78 2.6	
66	Unexpected Synthesis of Rearranged 3,4â€Dihydroquinazolines by a Sequential Ugi 4CC/Azaâ€Wittig/Carbodiimideâ€Mediated Cyclization. European Journal of Organic Chemistry, 2010, 2010, 1088-1095.	2.4	35
67	Efficient Synthesis of 6-(1H-1,2,4-Triazol-1-yl)-thieno[2,3-d]pyrimidin-4(3H)-ones via an Iminophosphorane. Synthetic Communications, 2010, 40, 1985-1991.	2.1	5
68	Facile Synthesis of 2-Alkylthio-5,6,7,8-tetrahydrobenzothieno $[2,3-\langle i\rangle d\langle i\rangle]$ pyrimidin-4(3 $\langle i\rangle H\langle i\rangle$)-ones. Synthetic Communications, 2010, 40, 1453-1460.	2.1	9
69	Efficient Synthesis and Fungicidal Activities of 2-Alkylthiobenzofuro[3,2- <i>d</i>)Pyrimidinones. Phosphorus, Sulfur and Silicon and the Related Elements, 2010, 185, 857-864.	1.6	5
70	Efficient synthesis of benzothieno[3,2â€∢i>d⟨ i>]â€1,2,4â€triazolo [1,5â€∢i>a⟨ i>]pyrimidinâ€5(1⟨i>H⟨ i>)â€on ⟨i>via⟨ i> a tandem azaâ€Wittig/heterocumuleneâ€mediated annulation. Journal of Heterocyclic Chemistry, 2009, 46, 903-908.	es 2.6	4
71	New efficient synthesis of 4-aminocarbonyl substituted 4H-3,1-benzoxazines by a Passerini 3CC/Staudinger/aza-Wittig sequence. Tetrahedron, 2009, 65, 8563-8570.	1.9	39
72	Efficient synthesis and biological evaluation of 1,2,9-trisubstituted 1,9-dihydro-6H-purin-6-ones. Bioorganic and Medicinal Chemistry Letters, 2009, 19, 831-833.	2.2	35

#	Article	IF	Citations
73	Efficient Regioselective Synthesis of Indole <i>N</i> -Carboximidamides and <i>N</i> -Carboximidoates by a Sequential Aza-Wittig/Ag(I)-Catalyzed Cyclization. Journal of Organic Chemistry, 2009, 74, 6874-6877.	3.2	36
74	Efficient Synthesis and Fungicidal Activities of 3,5,6,8-Tetrahydro-4 <i>H</i> -thiopyrano[4′,3′:4,5]thieno[2,3-d]pyrimidin-4-ones. Phosphorus, Sulfur and Silicon and the Related Elements, 2009, 184, 480-491.	1.6	3
75	Synthesis of 3â€aminoalkylâ€2â€arylaminoquiazolinâ€4(3 <i>H</i>)â€ones and 3,3′â€disubstituted bisâ€2â€arylaminoquinazolinâ€4(3 <i>H</i>)â€ones <i>via</i> reactions of 1â€arylâ€3â€(2â€ethoxycarbonylphenyl)carbodiimides with diamines. Journal of Heterocyclic Chemistry, 2008, 45, 1365-1369.	2.6	28
76	An efficient synthesis of new pyrido[4′,3′:4,5]thieno[2,3-d]-pyrimidin-4(3H)-one derivatives. Journal of Heterocyclic Chemistry, 2008, 45, 1809-1813.	2.6	5
77	Efficient Iminophosphorane-Mediated Preparation of Benzofuro[3,2-d]pyrimidin-4(3H)-ones and Unexpected Ring Opening Products. Helvetica Chimica Acta, 2008, 91, 862-872.	1.6	17
78	Efficient synthesis of 2â€substituted thieno[2,3â€ <i>d</i>] pyrimidinâ€4(3 <i>H</i>)â€ones via an iminophosphorane. Heteroatom Chemistry, 2008, 19, 266-270.	0.7	6
79	New iminophosphorane-mediated synthesis of thieno[3′,2′:4,5]thieno[3,2-d]pyrimidin-4(3H)-ones and 5H-2,3-dithia-5,7-diaza-cyclopenta[c,d]indenes. Tetrahedron, 2008, 64, 9052-9059.	1.9	48
80	Reaction of Functionalized Carbodiimide with $\hat{l}\pm$ -Amino Ester: A Selective Synthesis of 2,3,5-Trisubstituted Imidazol-4-ones. Synthetic Communications, 2008, 38, 4328-4336.	2.1	8
81	A facile synthesis and fungicidal activities of 2-(alkylamino)-5,6-dimethylthieno[2,3- <i>d<i) pyrimidin-4(3<i>H<i)-ones. Beilstein Journal of Organic Chemistry, 2008, 4, 49.</i></i>	2.2	5
82	Synthesis and Structure of 2-Substituted Thieno[3′,2′:5,6]pyrido[4,3-d]pyrimidin-4(3H)-one Derivatives. Helvetica Chimica Acta, 2007, 90, 999-1005.	1.6	4
83	Construction of a combinatorial library of 2-(4-oxo-4H-1-benzopyran-3-yl)-4-thiazolidinones by microwave-assisted one-pot parallel syntheses. Heteroatom Chemistry, 2007, 18, 381-389.	0.7	22
84	Iminophosphorane-mediated efficient synthesis of new tricyclic 3,5-dihydro-1,2,3-triazolo[4,5-d]-1,2,4-triazolo[1,5-a]pyrimidin-9-ones. Organic and Biomolecular Chemistry, 2006, 4, 130-134.	2.8	34
85	New Facile Synthesis of 3,5-Dihydro-6H-imidazo[1,2-b]-1,2,4-triazol-6-ones by an Iminophosphorane-Mediated Annulation. European Journal of Organic Chemistry, 2006, 2006, 4170-4176.	2.4	26
86	Synthesis of Derivatives of Pyrido [4,3-d] pyrimidin-4(3H)-onevia an Iminophosphorane. Helvetica Chimica Acta, 2006, 89, 1337-1343.	1.6	16
87	A facile synthesis of 2-substituted thieno[3′,2′-5,6]-pyrido[4,3-d]pyrimidin-4(3H)-ones. Journal of Heterocyclic Chemistry, 2006, 43, 803-806.	2.6	5
88	One-Pot Synthesis and Fungicidal Activities of Derivatives of Imidazo [2,1-b]-1,3,4-thiadiazol-5(6H)-one. Phosphorus, Sulfur and Silicon and the Related Elements, 2006, 181, 1437-1443.	1.6	5
89	The Synthesis of 2-Alkylthio-3-alkyl-5-arylmethylidene4H-imidazol-4-ones. Phosphorus, Sulfur and Silicon and the Related Elements, 2006, 181, 2109-2116.	1.6	0
90	A Selective Synthesis of 3,6-Dihydro-7H-1,2,3-triazolo[4,5-d]pyrimidin-7-ones. Chemistry Letters, 2005, 34, 1022-1023.	1.3	16

#	Article	IF	CITATIONS
91	Facile synthesis of 2-alkylthio-3-amino-4H-imidazol-4-ones and 2H-imidazo[2,1-b]-1,3,4-thiadiazin-6(7H)-ones viaN-vinylic iminophosphorane. Heteroatom Chemistry, 2005, 16, 76-80.	0.7	13
92	New Efficient Synthesis of 2-Substituted 5,6,7,8-Tetrahydro-benzoÂthieno[2,3-d]pyrimidin-4(3H)-ones. Synthesis, 2004, 2004, 75-79.	2.3	18
93	New Facile Synthesis of Imidazo [2,1-b]-1,3,4-thiadiazol-5(6H)-ones via aza-Wittig Reaction. Synthesis, 2004, 2004, 1067-1071.	2.3	20
94	SYNTHESIS AND FUNGICIDAL ACTIVITIES OF 2-BENZOTHIAZOLYLTHIO-SUBSTITUTED 4H-IMIDAZOL-4-ONES AND 4(3H)-QUINAZOLINONES. Phosphorus, Sulfur and Silicon and the Related Elements, 2004, 179, 1933-1939.	1.6	10
95	AN EFFICIENT SYNTHESIS OF SOME BIS-(2-ALKYLTHIO-5-FURFURYLIDENE-4H-IMIDAZOL-4-ONE) DERIVATIVES BEARING POTENTIAL FUNGICIDAL ACTIVITIES. Phosphorus, Sulfur and Silicon and the Related Elements, 2004, 179, 2465-2470.	1.6	4
96	New Efficient Synthesis of 1,2,4-Triazolo[5,1-b]quinazolin-9(3H)-ones via a Tandem Aza-Wittig/Heterocumulene-Mediated Annulation. European Journal of Organic Chemistry, 2004, 2004, 3872-3878.	2.4	32
97	SYNTHESIS AND FUNGICIDAL ACTIVITIES OF DERIVATIVES OF 2-ALKYLTHIO-3-AMINO-4H-IMIDAZOL-4-ONE. Phosphorus, Sulfur and Silicon and the Related Elements, 2004, 179, 2287-2296.	1.6	9
98	Application of Bis(iminophosphorane) in Heterocyclic Synthesis: New Entries to Symmetrically or Unsymmetrically Substituted Thieno[2,3-d:5,4-dâ€~]dipyrimidine-4,5(3H,6H)-diones. Journal of Organic Chemistry, 2004, 69, 8366-8371.	3.2	117
99	A Rapid Parallel Synthesis of 2-Dialkylamino-4H-imidazolin-4-ones. Synthetic Communications, 2003, 33, 1651-1658.	2.1	21
100	A Facile and Selective Synthesis of 2-Alkylamino-4(3H)-quinazolinones. Synthetic Communications, 2003, 33, 2843-2848.	2.1	12
101	A REGIOSPECIFIC SYNTHESIS OF 1-HETEROCYCLIC SUBSTITUTED 1,2,4-TRIAZOLES VIA ADDITION REACTION OF 1,2,4-TRIAZOLE WITH FUNCTIONALIZED CARBODIIMIDE. Synthetic Communications, 2002, 32, 3057-3062.	2.1	6
102	A Facile Synthesis of 2-Mino-3H-Quinazolin-4-Ones with Tandem Aza-Wittig Reaction. Synthetic Communications, 2000, 30, 1599-1604.	2.1	35
103	Application of Carbodiimide in Heterocyclic Synthesis: New Facile Synthesis of 2-Aminoimidazolinone Derivatives. Synthetic Communications, 1997, 27, 3657-3662.	2.1	29
104	One-Pot Synthesis of 3-(1,2,3,4-Tetrahydroisoquinolin-1-yl)-isoquinolin-1(2H)-ones by DEAD-Promoted Oxidative Ugi–Wittig ÂReaction Starting from Phosphonium Salt Precursors. Synlett, 0, , .	1.8	0