

Mohammad Saeed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4061080/publications.pdf>

Version: 2024-02-01

15
papers

196
citations

1478505

6
h-index

1372567

10
g-index

15
all docs

15
docs citations

15
times ranked

359
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Programming Implantable Cardioverter-Defibrillators in Patients with Primary Prevention Indication to Prolong Time to First Shock: Results from the PROVIDE Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 52-59. | 1.7 | 114 |
| 2 | Meta-Analysis Comparing Watchman™ and Amplatzer Devices for Stroke Prevention in Atrial Fibrillation. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 89. | 2.4 | 17 |
| 3 | QT prolongation in HIV-positive patients: Review article. <i>Indian Heart Journal</i> , 2019, 71, 434-439. | 0.5 | 15 |
| 4 | Rationale and design for programming implantable cardioverter-defibrillators in patients with primary prevention indication to prolong time to first shock (PROVIDE) study. <i>Europace</i> , 2011, 13, 1648-1652. | 1.7 | 12 |
| 5 | Autoimmune Clustering. <i>Journal of Clinical Rheumatology</i> , 2011, 17, 76-78. | 0.9 | 7 |
| 6 | Clinical outcomes and predictors of complications in patients undergoing leadless pacemaker implantation. <i>Heart Rhythm</i> , 2022, 19, 1289-1296. | 0.7 | 7 |
| 7 | Near-field impedance accurately distinguishes among pericardial, intracavitary, and anterior mediastinal position. <i>Journal of Cardiovascular Electrophysiology</i> , 2017, 28, 1492-1499. | 1.7 | 6 |
| 8 | Complex Left Atrial Appendage Morphology Is an Independent Risk Factor for Cryptogenic Ischemic Stroke. <i>Frontiers in Cardiovascular Medicine</i> , 2018, 5, 131. | 2.4 | 6 |
| 9 | Slow-pathway visualization by using voltage-time relationship: A novel technique for identification and fluoroscopy-free ablation of atrioventricular nodal reentrant tachycardia. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 1430-1435. | 1.7 | 6 |
| 10 | Meta-analysis comparing outcomes of high-power short-duration and low-power long-duration radiofrequency ablation for atrial fibrillation. , 2022, 26, 2-14. | | 4 |
| 11 | A Review of the LARIAT Suture Delivery Device for Left Atrial Appendage Closure. <i>The Journal of Tehran Heart Center</i> , 2015, 10, 69-73. | 0.3 | 2 |
| 12 | Incidence of arrhythmias during dialysis in intensive-care-unit patients with end-stage renal disease. <i>International Journal of Cardiology</i> , 2014, 174, 753-754. | 1.7 | 0 |
| 13 | Accuracy of Voltage Signal Measurement During Radiofrequency Delivery Through the SMARTTOUCH Catheter. <i>Journal of Cardiovascular Electrophysiology</i> , 2017, 28, 51-55. | 1.7 | 0 |
| 14 | An interesting ECG in a patient with a dual chamber pacemaker. <i>Journal of Electrocardiology</i> , 2019, 56, 7-9. | 0.9 | 0 |
| 15 | Iatrogenic macroreentry arising after transseptal puncture: A case series. <i>HeartRhythm Case Reports</i> , 2022, 8, 270-274. | 0.4 | 0 |