

Mohammad Saeed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4061080/publications.pdf>

Version: 2024-02-01

15
papers

196
citations

1478505

6
h-index

1372567

10
g-index

15
all docs

15
docs citations

15
times ranked

359
citing authors

#	ARTICLE	IF	CITATIONS
1	Iatrogenic macroreentry arising after transseptal puncture: A case series. HeartRhythm Case Reports, 2022, 8, 270-274.	0.4	0
2	Meta-analysis comparing outcomes of high-power short-duration and low-power long-duration radiofrequency ablation for atrial fibrillation. , 2022, 26, 2-14.		4
3	Clinical outcomes and predictors of complications in patients undergoing leadless pacemaker implantation. Heart Rhythm, 2022, 19, 1289-1296.	0.7	7
4	Meta-Analysis Comparing WatchmanTM and Amplatzer Devices for Stroke Prevention in Atrial Fibrillation. Frontiers in Cardiovascular Medicine, 2020, 7, 89.	2.4	17
5	Slowâ€pathway visualization by using voltageâ€time relationship: A novel technique for identification and fluoroless ablation of atrioventricular nodal reentrant tachycardia. Journal of Cardiovascular Electrophysiology, 2020, 31, 1430-1435.	1.7	6
6	An interesting ECG in a patient with a dual chamber pacemaker. Journal of Electrocardiology, 2019, 56, 7-9.	0.9	0
7	QT prolongation in HIV-positive patients: Review article. Indian Heart Journal, 2019, 71, 434-439.	0.5	15
8	Complex Left Atrial Appendage Morphology Is an Independent Risk Factor for Cryptogenic Ischemic Stroke. Frontiers in Cardiovascular Medicine, 2018, 5, 131.	2.4	6
9	Accuracy of Voltage Signal Measurement During Radiofrequency Delivery Through the SMARTTOUCH Catheter. Journal of Cardiovascular Electrophysiology, 2017, 28, 51-55.	1.7	0
10	Nearâ€field impedance accurately distinguishes among pericardial, intracavitary, and anterior mediastinal position. Journal of Cardiovascular Electrophysiology, 2017, 28, 1492-1499.	1.7	6
11	A Review of the LARIAT Suture Delivery Device for Left Atrial Appendage Closure. The Journal of Tehran Heart Center, 2015, 10, 69-73.	0.3	2
12	Programming Implantable Cardioverterâ€Defibrillators in Patients with Primary Prevention Indication to Prolong Time to First Shock: Results from the PROVIDE Study. Journal of Cardiovascular Electrophysiology, 2014, 25, 52-59.	1.7	114
13	Incidence of arrhythmias during dialysis in intensive-care-unit patients with end-stage renal disease. International Journal of Cardiology, 2014, 174, 753-754.	1.7	0
14	Autoimmune Clustering. Journal of Clinical Rheumatology, 2011, 17, 76-78.	0.9	7
15	Rationale and design for programming implantable cardioverter-defibrillators in patients with primary prevention indication to prolong time to first shock (PROVIDE) study. Europace, 2011, 13, 1648-1652.	1.7	12